

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Chocolate Cake Recipe</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>

  <div class="recipe-card">
    <h1 class="recipe-title"> Chocolate Cake</h1>

    

    <div class="prep-info">
      <p>⌚ Prep Time: <span>45 mins</span></p>
      <p>👤 Servings: <span>6 people</span></p>
    </div>

    <!-- Toggle Buttons -->
    <div class="buttons">
      <button onclick="toggleIngredients()">Show Ingredients</button>
      <button onclick="toggleSteps()">Show Steps</button>
    </div>

    <!-- Ingredients -->
    <div id="ingredients" class="hidden">
      <h2>Ingredients</h2>
      <ul>
        <li>2 cups flour</li>
        <li>1 cup sugar</li>
        <li>1/2 cup cocoa powder</li>
        <li>2 eggs</li>
        <li>1 tsp baking powder</li>
        <li>1/2 cup butter</li>
      </ul>
    </div>

    <!-- Steps -->
    <div id="steps" class="hidden">
      <h2>Steps</h2>
      <ol>
        <li>Preheat oven to 180°C (350°F).</li>
        <li>Mix dry ingredients together.</li>
        <li>Add eggs and melted butter.</li>
      </ol>
    </div>
  </div>
</body>
</html>
```

```

    <li>Pour into a baking pan.</li>
    <li>Bake for 30 minutes.</li>
    <li>Let it cool and enjoy!</li>
  </ol>

  <div class="cook-nav">
    <button onclick="startCooking()">Start Cooking</button>
    <button onclick="nextStep()">Next Step ➡</button>
  </div>
</div>

<div class="progress-container">
  <div id="progress-bar"></div>
</div>
</div>

<script src="script.js"></script>
</body>
</html>

```

JS

```

let currentStep = 0;
const steps = document.querySelectorAll("#steps ol li");
const progressBar = document.getElementById("progress-bar");

function toggleIngredients() {
  document.getElementById("ingredients").classList.toggle("hidden");
}

function toggleSteps() {
  document.getElementById("steps").classList.toggle("hidden");
}

function startCooking() {
  currentStep = 0;
  steps.forEach(step => step.style.background = "");
  steps[currentStep].style.background = "#ffeaa7";
  progressBar.style.width = "15%";
}

function nextStep() {
  if (currentStep < steps.length - 1) {
    steps[currentStep].style.background = "";
    currentStep++;
    steps[currentStep].style.background = "#ffeaa7";
    progressBar.style.width = `${((currentStep+1) / steps.length) * 100}%`;
  } else {

```

```
    alert(" You've completed the recipe!");  
    progressBar.style.width = "100%";  
  }  
}
```

CSS

```
body {  
  font-family: Arial, sans-serif;  
  background: #f9f9f9;  
  display: flex;  
  justify-content: center;  
  padding: 20px;  
}  
  
.recipe-card {  
  background: #fff;  
  max-width: 500px;  
  width: 100%;  
  padding: 20px;  
  border-radius: 15px;  
  box-shadow: 0px 5px 20px rgba(0,0,0,0.1);  
  text-align: center;  
}  
  
.recipe-title {  
  font-size: 2rem;  
  margin-bottom: 10px;  
}  
  
.recipe-img {  
  width: 100%;  
  border-radius: 10px;  
  transition: transform 0.3s;  
}  
  
.recipe-img:hover {  
  transform: scale(1.05);  
}  
  
.prep-info {  
  display: flex;  
  justify-content: space-around;  
  margin: 15px 0;  
}  
  
button {  
  padding: 10px 15px;
```

```
margin: 5px;
border: none;
border-radius: 10px;
background: #6c5ce7;
color: white;
cursor: pointer;
transition: background 0.3s;
}
button:hover {
  background: #4834d4;
}
```

```
.hidden {
  display: none;
  text-align: left;
}
```

```
ul li, ol li {
  margin: 8px 0;
  transition: color 0.3s;
}
ul li:hover, ol li:hover {
  color: #6c5ce7;
  cursor: pointer;
}
```

```
.progress-container {
  margin-top: 20px;
  background: #ddd;
  border-radius: 20px;
  height: 10px;
  width: 100%;
}
#progress-bar {
  height: 10px;
  width: 0;
  background: #6c5ce7;
  border-radius: 20px;
  transition: width 0.5s;
}
```

```
@media (max-width: 600px) {
  .prep-info {
    flex-direction: column;
    gap: 5px;
  }
}
```

