

FILE NO. :PCB/MLPM/ICE/G21MAL556620/2021

Date of issue :17/12/2021



KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO ESTABLISH

ISSUED UNDER

Section 25 of Water (Prevention & Control of Pollution) Act, 1974

Section 21 of the Air (Prevention & Control of Pollution) Act, 1981

and

Environment (Protection) Act, 1986

As per Application No. :16400606

Dated:01-11-2021

TO

M/s FOLLICENA UTENSILS PRIVATE LIMITED

PLOT No.59 KINFRA TECHNO INDUSTRIAL PARK KAKKANCHERY MALAPPURAM

Consent No. :PCB/MLPM/ICE/3801/2021

Valid Upto :31/10/2026

1. GENERAL

1.1. This integrated consent is granted subject to the power of the Board to withdraw consent, review and make variation in or revoke all or any of the conditions as the Board deems fit.

1	VALIDITY	31/10/2026
2	Name and Address of the establishment	FOLLICENA UTENSILS PRIVATE LIMITED PLOT NO.59 KINFRA TECHNO INDUSTRIAL PARK KAKKANCHERY MALAPPURAM 673635
3	Communication	Telephone :0-9847005354 Fax :- E-mail:follicenautensils@gmail.com
4	Occupier Details	MR.HAMZA PANNIKANDATHIL CHAIRMAN FOLLICENA UTENSILS PRIVATE LIMITED PLOT No.59 KINFRA TECHNO INDUSTRIAL PARK KAKKANCHERY MALAPPURAM-673635
5	Local Body	CHELEMBRA PANCHAYAT
6	Survey Number	220 PART
7	Village	CHELEMBRA
8	Taluk	KONDOTTY
9	District	Malappuram
10	Capital Investment(Rs in Lakhs)	192.23 /-
11	Scale	Small
12	Category	ORANGE
13	Annual fee(Rs)	22000/-
	Total Fee remitted(Rs)	1,21,000/-
14	RAW MATERIAL	PRODUCTS
	BAGASSE PULP @3 Metric Tonnes	BIO-DEGRADABLE TABLEWARE @3 Metric Tonnes
15	Total Power Required (HP)	487.05

2. CONDITIONS AS PER

The Water(Prevention and Control of Pollution)Act, 1974

- 2.1 In case of generation of trade effluent from the industry, effluent treatment system consisting of treatment units having adequate capacity established as per the proposal submitted along with the application shall be made functional before commissioning. Additional facilities required, if any, to achieve the standards laid down by the Board u/s 17(1) (g) of the Water Act shall also be made along with.
- 2.2 Water Consumption : 2100 l/d
- 2.3 Effluent Generation : 800 l/d

2.4 The characteristics of effluent after treatment shall confirm to the following tolerance limits:

Sl.NO.	Characteristics	Unit	Tolerance Limit	
			Sewage	Trade Effluent

2.5 Mode of disposal of treated effluent : SEPTIC TANK AND SOAK PIT

3. CONDITIONS AS PER

The Air(Prevention and Control of Pollution)Act, 1981

3.1 Adequate air pollution control measures shall be provided before commissioning of the industry. Additional facilities required, if any, to achieve the standards laid down by the Board shall also be made along with.

Stack No.	Sources of Emission	Emission Rate(Nm3/Hr)	Stack Height above		Control Equipment
			Ground Level	Roof Level	
1	BOILER		30M		WATER SCRUBBER WITH ADEQUATE STACK HEIGHT

3.2 Emission characteristics shall not exceed the following:

Sl.No.	Parameter	Limiting Standards (mg/Nm3)
--------	-----------	-----------------------------

4. CONDITIONS AS PER

The Environment (Protection) Act, 1986.

- 4.1 The construction activities shall be carried out strictly in compliance with the provisions of the Noise Pollution (Regulation and Control)Rules 2000.
- 4.2 Used lead acid batteries shall be disposed of as per the Batteries (Management and Handling) Rules, 2001
- 4.3 Hazardous waste generated, if any, shall be handled as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 4.4 e-waste shall be disposed off safely as per the E-Waste (Management) Rules, 2016.

5. SPECIFIC CONDITIONS

5.1. The location of the industry/out let shall be as per the approved drawing attached.

5.2. This consent is granted on the basis of the affidavit furnished by the applicant. If the statement furnished in the affidavit is found false later, the consent issued will be revoked and prosecution will be launched.

5.3. All operations likely to produce dust, noise or smell shall be carried out within closed premises.

5.4. Lease agreement shall be renewed from time to time, otherwise consent issued from the board will be revoked automatically.

5.5. The operation of the unit shall be in strict accordance with provisions of G.O (Ms)No.2/2020/ENVT dated 27.01.2020.

5.6. The sound level measured at 1 m outside the boundary of the premises shall not exceed the ambient sound level applicable to the adjoining area.

5.7. The concentration of PM10 at the boundary shall not exceed 100 microgram/m³.

5.8. At the end of the validity period if the construction is in progress, the same shall be got renewed. If the construction is not started in the consent period, the applicant shall apply afresh for consent to establish.

5.9. The date of commissioning shall be intimated, at least one month in advance, to the District Office of the Board

5.10. Consent to Operate shall be obtained, before commissioning the industry, under the Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981 and the relevant Rules under Environment (Protection) Act 1986.

5.11. The applicant shall comply with the instructions that the board may issue time to time from the district office of the board, regarding Prevention and Control of Air, Water, Land and Sound Pollution.

5.12. Scrubbing system shall be provided to the chimney of boiler and scrubbed water shall be reused.

5.13. The details of machinery in the unit shall be as mentioned below. No other machinery shall be Established /Operated without prior approval of the Board.

MACHINERY DETAILS

1. PULPER -22HP
2. REFINER- 22HP
3. VACUUM - 75HP
4. AUTOMATIC FORMING MACHINE -77HP
5. SEMI FORMING MACHINE -1.2HP
6. TRIMMING MACHINE -1HP
7. TFH FUEL SECTION -40HP
8. ACCESSORIES - 248.85HP

TOTAL CAPACITY = 487.05 HP

Digitally Signed. Vamshidhar
SAUMA HAMEED

DATE :17/12/2021

SIGNATURE & SEAL OF ISSUING AUTHORITY
ENVIRONMENTAL ENGINEER





To

STOCK FILE

- 1. This digitally signed document is legally valid as per the Information Technology Act 2000**
2. For verifying this document please go to krocmms.nic.in and search using date of issue/name of the unit/Application Number in “Consent Granted Applications” link in the home page of the Board’s Online Consent Management and Monitoring System.

FOLLICENA UTENSILS PRIVAT E LIMITED, PLOT No.59, KINFRA
TECHNO INDUSTRIAL PARK, KAKKANCHERY, CHELEMBRA
VILLAGE, RS NO.220 PART, CHELEMBRA PANCHAYAT,
KONDOTTY TALUK , MALAPPURAM DISTRICT



Digitally Signed: Sauma Hameed
SAUMA HAMEED

COUNTER SIGNED

SITE CERTIFICATE

Certified that the site plan is prepared after verification of ownership document and the measurement shown is found correct also certify that, there is no existing well in 7.5m from the septic tank & soakpit

Hamza
HAMZA PANNIKANDATHIL

Arun P.T
ARUN P.T
ENGINEER-A
Reg.No. 2050/08/7054/KKD/58/2015/EA
License issued by the Dept. Of Urban affairs
Govt. of Kerala



TEST REPORT

Report No. : MAN:HL:1248001836

DATE : 17-Mar-21



CENTURY PULP AND PAPER

GHANSHYAM DHAM P.O. LALKUA

NAINITAL-262402

INDIA

A/C CENTURY TEXTILES AND INDUSTRIES LIMITED

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :

PRODUCT DESCRIPTION CENTURY GREEN PULP PAPER

ARTICLE NO. FEB'21

REFERENCE NO. FEB'21

COUNTRY OF ORIGIN INDIA

SAMPLE RECD ON 08-Mar-2021

TESTING PERIOD : 08-Mar-21 - 17-Mar-21

TESTS	PASS	FAIL	REMARKS
US FDA 21 CFR 176.170 (PAPER AND PAPERBOARD) -DETERMINATION OF AMOUNT OF NET CHLOROFORM SOLUBLE EXTRACTIVES	P		

Remarks: P=Pass

F=Fail

per pro SGS India Private Ltd.

SANDIP BHUSHAN (Tech. Manager)

Authorized Signatory

Email your Test Report Related Enquiries at Feedback.HLT@sgs.com

JOE No. : 2148800884

Page 1 of 3

Control No.:1248502167

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

SGS India Pvt. Ltd. Laboratory Services, Testing Laboratory, Plot No. 21, Sector-3, IMT Manesar, Gurugram District, Haryana-122050 (India) Phone:(91-124) 678 7600

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : MAN:HL:1248001836

DATE : 17-Mar-21



R E S U L T S

REQ

US FDA 21 CFR 176.170 (PAPER AND PAPERBOARD) –DETERMINATION OF AMOUNT OF NET CHLOROFORM SOLUBLE EXTRACTIVES

With reference to US FDA 21 CFR 176.170.

Distilled Water (120°F for 24 Hours)	Not Detected	0.5 mg/inch ²
8% Alcohol (120°F for 24 Hours)	Not Detected	0.5 mg/inch ²
50% Alcohol (120°F for 24 Hours)	Not Detected	0.5 mg/inch ²
n-Heptane (70°F for 30 Minutes)	Not Detected	0.5 mg/inch ²

Detection Limit: 0.2 mg/inch²

Note:

- mg/inch² = milligram per square inch.
- °F = degrees Fahrenheit.
- Testing has been subcontracted to SGS Gurugram lab.
- Testing has been performed as per client's request.

***** End of Page*****

JOE No. : 2148800884

Page 2 of 3

Control No.:1248502167

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

TEST REPORT

Report No. : MAN:HL:1248001836


DATE : 17-Mar-21



R E S U L T S

REQ

Sample Photo As Received:-



***** End of Report *****

JOE No. : 2148800884

Page 3 of 3

Control No.:1248502167

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.