



A modular tool to aggregate results from bioinformatics analyses across many samples into a single report.

Report generated on 2026-08-18, 16:27 UTC based on data in: /shared/projects/reproducible-rnaseq-pipeline/results/fastqc

General Statistics

Copy table

Configure columns

Scatter plot

Violin plot

Showing 12/12 rows and 3/6 columns.

Export as CSV


Sample Name	% Dups	% GC	M Seqs
MP46_1_R1	38.0 %	47 %	5.0 M
MP46_1_R2	35.3 %	48 %	5.0 M
MP46_2_R1	39.1 %	47 %	5.0 M
MP46_2_R2	36.6 %	48 %	5.0 M
MP46_3_R1	39.5 %	49 %	5.0 M
MP46_3_R2	39.6 %	50 %	5.0 M
NM_4_R1	45.9 %	52 %	5.0 M
NM_4_R2	47.5 %	52 %	5.0 M
NM_5_R1	46.5 %	52 %	5.0 M
NM_5_R2	47.8 %	52 %	5.0 M
NM_6_R1	48.2 %	53 %	5.0 M
NM_6_R2	51.4 %	53 %	5.0 M

FastQC Version: 0.12.1

FastQC is a quality control tool for high throughput sequence data, written by Simon Andrews at the Babraham Institute in Cambridge.

Sequence Counts

Sequence counts for each sample. Duplicate read counts are an estimate only.



Sequence Quality Histograms

12

The mean quality value across each base position in the read.

Export Plot




Per Sequence Quality Scores

12

The number of reads with average quality scores. Shows if a subset of reads has poor quality.

Export Plot




Per Base Sequence Content

The proportion of each base position for which each of the four normal DNA bases has been called.

🖱️ Click a sample row to see a line plot for that dataset.

📘 Rollover for sample name




Per Sequence GC Content

9

3


The average GC content of reads. Normal random library typically have a roughly normal distribution of GC content.



Per Base N Content

12

The percentage of base calls at each position for which an N was called.

[Export Plot](#)

Sequence Length Distribution

12


All samples have sequences of a single length (101bp).

Sequence Duplication Levels

11

The relative level of duplication found for every sequence.

Export Plot



Overrepresented sequences by sample

93

The total amount of overrepresented sequences found in each library.

12 samples had less than 1% of reads made up of overrepresented sequences

Top overrepresented sequences

Top overrepresented sequences across all samples. The table shows 20 most overrepresented sequences across all samples, ranked by the number of samples they occur in.

Copy table

Configure columns

Scatter plot

Violin plot

Showing 2²/₂ rows and 3³/₃ columns.

Export as CSV


Overrepresented sequence	Samples	Occurrences	% of all reads
AGTTGACTATTCTCTACAAACCACA	3	22 806	0.0380 %
ACGCAAAACTAACCCCTAATAAA	1	6 907	0.0115 %

Adapter Content

12

The cumulative percentage count of the proportion of your library which has seen each of the adapter sequences at each position.

Export Plot



Status Checks

Status for each FastQC section showing whether results seem entirely normal (green), slightly abnormal (orange) or very unusual (red).


Min:

0

Max:

1

Export Plot



Software Versions

Software Versions lists versions of software tools extracted from file contents.

Copy table

Software	Version
FastQC	0.12.1

MultiQC v1.21 - Written by [Phil Ewels](#), available on [GitHub](#).

This report uses [HighCharts](#), [jQuery](#), [jQuery UI](#), [Bootstrap](#), [FileSaver.js](#) and [clipboard.js](#).

