



Comprehensive Social Media Account Safety Guide

*Your Ultimate Playbook for Staying Safe, Stealthy & Unbanned on Social Media
While Using Proxies*

Account Safety

Proxy Setup

Bot Best Practices

Anti-Ban Strategies

Document Type	Client Safety & Best Practices Guide
Prepared By	Anthony Abella — T2 Support Engineer
Organization	Insanity Security — github.com/ArchangelAzazil
Applicable Products	Residential, ISP, Datacenter & Mobile Proxies
Audience	All Insanity Security clients using social media platforms
Classification	Client-Facing / Public Distribution

■ Whether you're a casual browser, a growth hacker, or a power-user running automation — this guide has everything you need to stay safe, keep your accounts intact, and get the most out of your Insanity Security subscription. Let's make sure you never see that dreaded ban screen again.



■ Table of Contents

1	Understanding Proxies & Social Media	03
2	Account Creation Best Practices	04
3	Proxy Setup & Configuration Guide	06
4	Browser & Device Fingerprinting	09
5	Bot Usage — Safe Automation Practices	11
6	Platform-Specific Rules & Limits	14
7	Account Warmup Protocols	17
8	Behavioral Safety & Human Simulation	19
9	What To Do When Banned	21
10	Security & Operational Hygiene	23
11	Insanity Security Product Selection Guide	25
11A	Virtual Mobile Devices for Multi-Account Management	27
12	Quick Reference Checklists	29
13	Sources & Attribution	31



■ Section 1: Understanding Proxies & Social Media

What Is a Proxy and Why Does It Matter?

A proxy server acts as an intermediary between your device and the internet. When you connect through a proxy, your real IP address is replaced by the proxy's IP. Social media platforms use your IP address as one of the primary signals to identify who you are, where you are, and whether your behavior is trustworthy. Understanding this relationship is the foundation of account safety.

How Social Platforms Track You

Tracking Signal	Why It Matters
IP Address	Primary identifier. Shared across multiple accounts = ban risk.
Browser Fingerprint	Canvas, WebGL, fonts, screen resolution, timezone — all logged.
Cookies & Sessions	Tracks login sessions; inconsistencies trigger security alerts.
Behavioral Patterns	Typing speed, scroll patterns, click timing, action frequency.
Device Fingerprint	Hardware specs, OS, installed plugins, language settings.
Phone Number	Used for 2FA verification and account linking detection.
Email Address	Cross-linked across platforms; disposable emails are flagged.
GPS / Location	Mobile apps request GPS; mismatches with IP raise red flags.

■ GOOD TO KNOW

Social platforms use machine learning models trained on billions of accounts. They don't just look at one signal — they analyze the entire constellation of signals simultaneously. Your goal is to make your account look like a real human from a consistent location.

The Trust Score Model

Most major platforms (Instagram, Facebook, Twitter/X, TikTok, LinkedIn) operate an internal "trust score" system. Your account earns trust over time through consistent, natural behavior. Actions that lower your score include: using flagged IPs, sudden location changes, mass actions in short periods, accessing from multiple IPs in one session, and using automation tools that don't mimic human timing.

■ WARNING

Never switch proxy IPs mid-session. Log in from one IP, stay on that IP, log out. Changing IP addresses while a session is active is one of the biggest account ban triggers.



■ Section 2: Account Creation Best Practices

Before You Even Create the Account

Account safety starts before you hit the Sign Up button. The IP you use during registration is permanently tied to your account's origin. Getting this wrong from the start makes everything harder. Here's how to set yourself up for success:

Pre-Creation Checklist

- ✓ Select an Insanity Security Residential or ISP proxy from the target country/city of the account.
- ✓ Clear all cookies, cache, and browser storage before starting.
- ✓ Use a dedicated browser profile — never reuse profiles across different accounts.
- ✓ Disable WebRTC in your browser or use the Insanity Security extension (handles this automatically).
- ✓ Verify your proxy IP is not blacklisted using tools like MXToolbox or BlacklistChecker.io.
- ✓ Ensure your proxy's timezone matches the browser's timezone setting.
- ✓ Use a real or high-quality virtual phone number for SMS verification (see Section 11A).
- ✓ Prepare a realistic profile photo — avoid AI-generated faces on new accounts.
- ✓ Draft a realistic bio and a few seed posts before going live.
- ✓ Do NOT create multiple accounts in one sitting from the same IP block.

Account Registration Rules by Platform

Platform	Registration Guidelines
Instagram	Use residential IP. Complete phone verification. Add profile photo before any actions. Don't follow anyone for 48 hours. Verify email.
Facebook	One account per IP strongly enforced. Use real-looking name. Add profile/cover photo immediately. Enable 2FA right after creation.
Twitter / X	Phone verification required for new accounts. Avoid aggressive following in first week. Post 2–3 tweets before following anyone.
TikTok	Extremely sensitive to new account behavior. Watch content first (warm up). Don't post or follow for first 24 hours. Mobile residential IPs preferred.
LinkedIn	Use real professional info — platform cross-checks public data. Connect with max 5 people/day initially. Use residential ISP proxy.
Pinterest	Lower risk platform. Still use consistent residential IP. Verify email immediately.
Reddit	New accounts have karma restrictions. Post/comment in low-activity subs first. Age your account 30+ days before heavy activity.
YouTube	Google accounts are highly tracked. Use fresh Google account per proxy. Never share Google accounts across different proxy sessions.

■ DANGER ZONE

NEVER create accounts using a datacenter proxy. Datacenter IPs are the most flagged proxy type across all major social platforms. Always use Residential or ISP proxies for account creation.



Identity Consistency Principle

Every account needs a consistent digital identity. The IP's geographic location, browser language, timezone, phone number country code, and content you post must all tell the same story. A Brazilian IP with an English-only browser set to UTC+9 posting Korean content is a massive red flag for platform detection algorithms.

■ PRO TIP

Create a simple spreadsheet tracking each account: Account name, Proxy IP assigned, Country, Browser Profile, Email used, Phone number. Consistency is your best protection.



■ Section 3: Proxy Setup & Configuration Guide

Choosing the Right Proxy Type

Type	Rating	Use Case
Residential	BEST	Rotates through real ISP IPs. Excellent for account creation, browsing, and light automation. Hardest to detect.
ISP Static Res.	EXCELLENT	Fixed residential-grade IP. Same IP every session. Perfect for account management where consistency matters.
Datacenter	RISKY	Fast and cheap but easily flagged. Only use for non-account tasks. Never for social media creation or login.
Mobile 4G/5G	OPTIMAL	Uses real mobile carrier IPs. Best for TikTok and mobile-heavy platforms. Natural IP rotation.

Proxy Configuration — Using the Official Insanity Security Proxy Manager Extension

The only recommended way to configure your Insanity Security proxy for social media use is through the official Insanity Security Proxy Manager browser extension. Manual browser proxy configuration is NOT safe — it lacks built-in WebRTC leak protection, meaning your real IP address can be exposed even when a proxy is active. Always use the official extension.

Where to Install the Extension

Browser	Installation
Google Chrome	Available on the Chrome Web Store. Search "Insanity Security Proxy Manager" or visit chromewebstore.google.com .
Mozilla Firefox	Available on Firefox Add-ons as "Advanced Proxy Manager" by Insanity Security.

Why the Extension Is Safer Than Manual Configuration

Feature	Why It Matters
WebRTC Protection	Built-in and enabled by default. Prevents real IP leaking through WebRTC — a critical vulnerability in all manual browser proxy setups.
No Copy-Paste Required	Connects directly to your Insanity Security account. No risk of mistyped credentials.
Instant Profile Switching	Switch between proxy profiles in one click — no reopening settings dialogs.
Supports HTTP, HTTPS & SOCKS5	All Insanity Security supported protocols available through one unified interface.
Lightweight & Always Updated	Maintained by Insanity Security directly. Security patches applied without user action.

Setup Steps

Step 1 — Install: the extension from Chrome Web Store or Firefox Add-ons.



Step 2 — Click the icon: in your browser toolbar to open the Proxy Manager panel.

Step 3 — Log in: with your Insanity Security account credentials to sync active proxies automatically.

Step 4 — Select proxy: from the list — choose the one matching your target account's country/city.

Step 5 — Verify WebRTC Protection: is enabled in extension settings (ON by default — confirm it is active).

Step 6 — Test your connection: by visiting ipinfo.io or whatismyipaddress.com to confirm the proxy IP is active.

Step 7 — You're ready: — open your social media platform and proceed. The extension manages all routing.

■ DANGER ZONE

The extension's WebRTC Protection is the single most important safety feature. Without it, your real IP can be exposed through WebRTC even with a proxy running. Manual browser proxy setup has no equivalent protection — this is why it is never recommended for social media use.

Method 2: Anti-Detect Browser (Recommended for Multi-Account Management)

For managing multiple social media accounts simultaneously, anti-detect browsers are the gold standard. Each profile maintains its own isolated cookies, fingerprint, and proxy assignment — preventing any cross-contamination between accounts.

Browser	Notes
Multilogin	Enterprise-grade. Best fingerprint spoofing. Expensive but worth it for pros.
GoLogin	Excellent value. Cloud profiles. Strong fingerprint management. API access.
Dolphin Anty	Team-friendly. Great UI. Popular with media buyers. Moderate pricing.
AdsPower	Budget-friendly. Good for beginners. RPA automation built-in.
Incogniton	Selenium-compatible. Good for developers building custom automation.
Kameleo	Strong mobile emulation. Good for TikTok and mobile-first platforms.

Proxy Protocols — Which to Use

Protocol	When to Use
HTTP	Basic protocol for standard web browsing. Works with most browsers and tools.
HTTPS	Encrypted HTTP. Use for any login page or sensitive browsing session. Always preferred over plain HTTP for authenticated sessions.
SOCKS5	Most versatile protocol. Works with any traffic type (HTTP, FTP, etc). Supports UDP, TCP, and authentication. Recommended for bots, scrapers, and all automation tools. Available across all Insanity Security proxy products.

■ PRO TIP

Insanity Security supports HTTP, HTTPS, and SOCKS5. SOCKS5 is the most versatile and recommended for automation tools. HTTPS ensures your credentials are encrypted in transit for browser-based sessions.

Authentication Methods



Method	Details
Username:Password @ IP:Port	Standard format: username:password@ip:port — works with all tools, browsers, and automation frameworks.
IP Whitelist	Add your real IP address to the whitelist in the dashboard — no username/password needed. Convenient for fixed IP locations.

Common Configuration Mistakes

- Using manual browser proxy settings for social media — no WebRTC protection, real IP exposed.
- Using the same proxy for multiple accounts simultaneously — platforms detect shared IPs and cross-ban accounts.
- Not testing after configuration — always verify at ipinfo.io before logging in.
- Mismatched timezone — your browser timezone must match the proxy's geographic location.
- Reusing proxy credentials across profiles — one proxy = one profile at all times.
- Ignoring DNS leaks — use ipleak.net to confirm your real DNS is not exposed.
- Using free or public proxy services — these are monitored, flagged, and get accounts banned immediately.



■ Section 4: Browser & Device Fingerprinting

What Is Browser Fingerprinting?

Browser fingerprinting is a technique used by social media platforms to uniquely identify your browser — even without cookies. By combining dozens of data points, platforms can recognize your device with high accuracy. Proxies mask your IP, but they don't automatically mask your fingerprint. This is why many users get banned even with proxies if they are not managing their fingerprint separately.

Key Fingerprint Components & Risk Levels

Signal	Risk	What It Reveals
Canvas Fingerprint	HIGH	Unique rendering of HTML5 canvas elements reveals GPU/browser combo.
WebGL Fingerprint	HIGH	3D rendering signatures expose hardware details.
Font List	MEDIUM	Installed system fonts form a unique combination.
Screen Resolution	MEDIUM	Combined with color depth and pixel ratio.
Timezone	HIGH	Must match proxy's geographic location exactly.
User Agent	HIGH	Browser version, OS, and architecture string.
Language	MEDIUM	Browser language and accept-language headers.
Plugin List	MEDIUM	Installed browser extensions/plugins.
Audio Context	HIGH	Audio processing reveals hardware audio chip signature.
WebRTC	CRITICAL	Can leak real local IP even behind a proxy.
Battery Status API	LOW	Battery charge level as an additional tracking signal.
CPU Cores	LOW	<code>navigator.hardwareConcurrency</code> reveals processor count.

■ DANGER ZONE

CRITICAL: Always disable WebRTC in your browser or use the Insanity Security Proxy Manager extension which handles WebRTC masking automatically. WebRTC leaks your real IP even when connected through a proxy. Test for leaks at browserleaks.com/webrtc

How to Test Your Fingerprint & IP

Tool	What It Tests
browserleaks.com	Comprehensive fingerprint breakdown including WebRTC, Canvas, WebGL.
coveryourtracks.eff.org	EFF's fingerprint uniqueness tester.
whoer.net	IP + anonymity + fingerprint overview in one page.
ipinfo.io	Quick IP geolocation and ASN details.
ipleak.net	DNS leak test + WebRTC leak detection.



Tool	What It Tests
pixelscan.net	Bot detection fingerprint check — same tech used by anti-fraud systems.



■ Section 5: Bot Usage — Safe Automation Practices

The Reality of Automation in 2025

All major social media platforms explicitly prohibit automation in their Terms of Service. Automation is nonetheless widely used for legitimate purposes — post scheduling, analytics, CRM integrations, and growth management. The key challenge is making automation indistinguishable from human behavior. Platforms have become highly sophisticated at detecting non-human patterns, and penalties range from action blocks to permanent bans.

■ DANGER ZONE

IMPORTANT DISCLAIMER: This section is for educational purposes only. Use of automation tools or bots with Insanity Security services may violate Insanity Security's Appropriate Use Policy (AUP) and Terms of Service. Violations may result in immediate service termination without notice and **WITHOUT REFUND OR CREDIT**. Always review the AUP at github.com/ArchangelAzazil and each platform's ToS before using any automation tool.

Bot Detection Methods Used by Platforms

Detection Method	Risk	Notes
Action Velocity	CRITICAL	Too many actions per hour/day. The #1 ban trigger.
Timing Patterns	HIGH	Perfect intervals (every 30 sec) look robotic.
Mouse Movement	HIGH	Linear movement without acceleration is non-human.
Scroll Behavior	MEDIUM	Instant scroll to bottom without reading = bot.
Session Duration	MEDIUM	10-hour uninterrupted sessions are inhuman.
API Fingerprinting	HIGH	Unofficial API access patterns are logged and flagged.
Headless Browsers	HIGH	Chrome headless has detectable properties.
CAPTCHA Failures	MEDIUM	Repeated failures or suspiciously fast solves = bot.
Request Headers	MEDIUM	Missing or malformed HTTP headers flag automation.

Safe Action Limits by Platform

Platform	Recommended Safe Limits
Instagram	Follow: 20–30/hr, 150/day Like: 30–50/hr, 200/day Comment: 10–20/hr, 80/day DM: 20–30/day (new accounts: 50% less)
Twitter/X	Follow: 400/day max Like: 500/day Retweet: 300/day DM: 500/day (verified) / 50/day (unverified)
Facebook	Friend Request: 20–30/day Like/React: 50/hr Group Post: 5–10/day Page Like: 25/day
TikTok	Follow: 30/hr, 200/day Like: 100/hr, 500/day Comment: 20/hr, 100/day New accounts: reduce all limits by 70%
LinkedIn	Connection Request: 20/day Message: 20/day Endorsements: 30/day Post Likes: 100/day
Pinterest	Follow: 50–100/day Pin: 50/day Board Follow: 25/day Comment: 20/day



■ WARNING

These limits are community-researched guidelines — not officially published by platforms. They change frequently. Always start at 30% of these limits for new or recently recovered accounts and scale up gradually over 2–3 weeks.

Making Your Bot Look Human

- **Randomize delays:** Use random intervals between 3–15 seconds instead of fixed delays.
- **Simulate reading time:** Add delays proportional to content length before interacting.
- **Randomize action order:** Don't always follow → like → comment in the same sequence.
- **Include breaks:** Pause for 10–30 minutes every 1–2 hours of activity.
- **Vary scroll speed:** Use variable-speed scrolling with occasional pauses.
- **Respect active hours:** Only automate during the account's local daytime hours.
- **Watch before acting:** Start each session with passive browsing before any actions.
- **Use realistic user agents:** Match the UA to an actual browser version in use today.
- **Handle CAPTCHAs gracefully:** Integrate 2Captcha or Anti-Captcha for seamless handling.



■ Section 6: Platform-Specific Rules & Limits

Instagram

Setting	Details
Account Age	Must be 30+ days old for full automation. New accounts face high scrutiny.
IP Consistency	One IP per account per session. Residential IPs only.
Action Blocks	Triggered by velocity, not just volume. Spread actions over time.
Checkpoint Triggers	Phone/email verification requested when suspicious activity detected.
Stories vs Feed	Story views are less monitored than feed likes. Good warm-up activity.
Shadowban Signs	Posts not appearing in hashtags. Check at triberr.com/instagram-shadowban .
Recovery	Stop all activity 48–72 hrs. Resume at 20% of previous limits.

Facebook / Meta

Setting	Details
Account Verification	Real name policy strictly enforced. ID verification may be requested.
Business Manager	Multiple ad accounts from one IP are flagged. Use dedicated IPs per BM.
Groups & Pages	Rapid joining/admin changes in multiple groups triggers automation flags.
Marketplace	New accounts need 30+ days history before listing products.
Phone Numbers	Same number cannot be used for multiple accounts.
2FA	Always enable — accounts without 2FA are easier targets for takeover.

Twitter / X

Setting	Details
API v2 Limits	Free tier: 1,500 tweets/month write. Basic: 3,000. Review current docs.
Phone Verify	Required for posting if account flagged. Use real virtual numbers.
Quality Filter	New accounts without verified phone are heavily rate-limited.
DM Restrictions	Unverified: 500 DMs/day max. Cannot DM non-followers by default.
Automation Rules	No coordinated inauthentic behavior. No auto-RT farms.
Blue Verification	Subscription reduces scrutiny but does not eliminate detection.

TikTok



Setting	Details
Mobile-First	TikTok heavily favors mobile user agents and mobile proxy IPs.
Content Algo	New accounts need 3–5 days of organic activity before posting.
Live Limits	1,000 followers required. Live sessions are heavily monitored for bots.
Comments	Copied/repeated comments are filtered. Always vary comment text.
Device Binding	Accounts get bound to device fingerprints. Avoid switching devices often.

LinkedIn

Setting	Details
Professional Data	LinkedIn cross-references company data publicly. Use realistic profiles.
InMail Credits	Limited by plan. Don't exhaust in one day — triggers account review.
Connections	Weekly limits apply. Excessive ignored requests = account restriction.
Sales Navigator	Has its own API limits. Do not scrape using unofficial methods.
Recruiter Accts	Under extra scrutiny. Always use clean ISP proxies.
Company Pages	Multiple admin changes in short periods trigger security alerts.



■ Section 7: Account Warmup Protocols

Why Warmup Matters

A brand new account behaves differently from an established one — and platforms know this. Warmup is the process of gradually building your account's trust score by simulating natural organic behavior over time before applying any growth tactics or automation. Skipping warmup is the single biggest mistake new users make.

Universal Warmup Schedule

Phase	Duration	Allowed Actions	Forbidden Actions
Phase 1 Seed	Days 1–3	Browse feed, watch content, like 5–10 posts/day manually	NO follows, NO DMs, NO comments, NO posting
Phase 2 Sprout	Days 4–7	Post 1–2 content pieces, follow 5–10 accounts, comment naturally on 5 posts	NO automation, NO mass actions, NO DMs yet
Phase 3 Grow	Days 8–14	20–30 follows/day, 20–30 likes/hr, start light scheduled posting	NO aggressive following, NO DM campaigns
Phase 4 Scale	Days 15–30	Full activity within safe limits. Begin DM outreach. Light automation OK.	Stay within hourly/daily limits. Monitor for action blocks.
Phase 5 Mature	Day 30+	Full automation at recommended limits. Account established. Monitor weekly.	Never go 10x limits. Gradual scaling only.

■ PRO TIP

Think of account warmup like going to the gym. You don't start with 200kg on day one. You build strength progressively. Platforms reward consistency and punish sudden spikes. Patience in warmup = longevity in operation.

Content Warmup Strategy

- ✓ Post a mix of content types: photos, short video, text posts, reposts/reshares.
- ✓ Use 3–5 niche-relevant hashtags (avoid mass hashtags like #love or #instagood on new accounts).
- ✓ Engage genuinely with others in your niche during warmup — this builds authentic signals.
- ✓ Post at local peak hours (typically 7–9am and 6–9pm in the account's timezone).
- ✓ Space posts 4–8 hours apart. Never post multiple times within minutes on a new account.
- ✓ Add alt text and location tags to posts for additional authenticity signals.
- ✓ Use Stories early in the warmup — they are lower scrutiny than feed posts.



■ Section 8: Behavioral Safety & Human Simulation

The Human Behavior Stack

Even with the perfect proxy and a pristine browser fingerprint, robotic behavior patterns will get your account flagged. The following principles apply whether you're browsing manually or running automation:

P	A	U	S	E
Pace your actions	Add randomized delays	Use realistic sessions	Simulate human breaks	Engage authentically

Session Behavior Rules

Behavior	Best Practice
Session Length	1–4 hours per session. Take 30–60 minute breaks between sessions.
Login Frequency	Don't log in more than 3–5 times per day from the same device/profile.
Browse Before Act	Always browse feed for 3–5 minutes before performing any actions.
Logout Protocol	Always log out properly. Closing the tab without logging out is flagged.
Mobile vs Desktop	Keep consistent. Don't switch between mobile and desktop logins frequently.
Time Zone Alignment	Session times should fall within normal hours of the account's location timezone.
Content Consumption	Scroll past content, watch videos at least 30% through, read posts before liking.

Content Interaction Safety

- ✓ Mix likes across different content creators, not just your target niche.
- ✓ Occasionally engage with content from the Explore page — natural discovery behavior.
- ✓ Comment with varied, meaningful text — never repeat the same comment.
- ✓ Watch a mix of long and short videos, not just the ones you intend to engage with.
- ✓ Use different content types in your own posts: photos, videos, carousels, stories, reels.
- ✓ Respond to comments on your own posts within 1–2 hours of posting for authenticity.

■ GOOD TO KNOW

For legitimately operating casual users: you likely don't need most of this section. Use your proxy consistently, don't share it, keep your browser profile dedicated to that account, and browse naturally. The complex behavioral simulation is mainly for automation users.



■ Section 9: What To Do When Banned

Types of Restrictions

Type	Status	Action
Action Block	TEMPORARY	Specific actions (like, follow) blocked for 24–72 hours. Stop all actions immediately and wait.
Shadowban	TEMPORARY	Content hidden from non-followers/hashtags. Review recent content, avoid banned hashtags, wait 1–2 weeks.
Checkpoint	REVERSIBLE	Account requires phone/email verification. Complete verification using the original number.
Temp. Disable	REVERSIBLE	Account temporarily disabled. Submit appeal via platform support. Provide ID if requested.
Permanent Ban	PERMANENT	Account terminated. Cannot be recovered. Start fresh with full warmup protocol.
IP Ban	VARIABLE	Proxy IP is flagged. Rotate to a new proxy IP immediately. Do not log into other accounts from banned IP.
Device Ban	PERMANENT	Device fingerprint is banned. Requires new browser profile or anti-detect browser.

Immediate Response Protocol

- Step 1 — STOP:** Halt ALL automation and actions immediately.
- Step 2 — ASSESS:** Identify the ban type. Check platform notifications carefully.
- Step 3 — ISOLATE:** Stop logging in from the current proxy IP.
- Step 4 — ROTATE:** Select a fresh proxy IP from your Insanity Security dashboard for future access.
- Step 5 — WAIT:** Do not access the account for 24–72 hours minimum. Longer for suspensions.
- Step 6 — APPEAL:** For reversible bans: use the platform's official appeal form. Be honest and professional.
- Step 7 — REBUILD:** When access is restored, restart warmup from Phase 2 at 30% of previous limits.
- Step 8 — AUDIT:** Review what triggered the ban. Adjust limits, delays, and proxy rotation strategy.

■ DANGER ZONE

Never try to log into a banned account from multiple different IPs in quick succession. Each failed login attempt from a new IP makes account recovery harder and can escalate a temporary ban to a permanent one.



■ Section 10: Security & Operational Hygiene

Password & Authentication Security

- ✓ Use a unique, strong password (16+ characters) for every social media account.
- ✓ Never reuse passwords across different accounts or platforms.
- ✓ Enable Two-Factor Authentication (2FA) on every account immediately after creation.
- ✓ Use an authenticator app (Google Authenticator, Authy) rather than SMS 2FA when possible.
- ✓ Store credentials in a dedicated password manager (Bitwarden, 1Password, KeePass).
- ✓ Never store passwords in browser autofill — use your password manager instead.
- ✓ Rotate passwords every 90 days on high-value accounts.
- ✓ Never share credentials with team members directly — use a shared vault.

Proxy Credential Security

Security Area	Best Practice
Credential Rotation	Change proxy passwords periodically, especially if access has been shared.
Access Logging	Monitor your Insanity Security dashboard for unusual usage patterns.
IP Whitelist Mode	Use IP whitelist auth instead of user:pass if you operate from fixed IPs.
Credential Sharing	Never share proxy credentials with unverified third parties or tools.
API Key Safety	If using the Insanity Security API, never hardcode keys in public repositories.
Dashboard Security	Enable 2FA on your Insanity Security dashboard account for added protection.

Operational Security (OpSec) Principles

- ✓ Never discuss your exact account management setup in public forums.
- ✓ Use separate email addresses for proxy registration vs social media accounts.
- ✓ Use VoIP or virtual phone numbers from reputable providers for account verification.
- ✓ Never link personal payment methods directly to accounts you want to keep anonymous.
- ✓ Store account recovery codes offline in a secure location.
- ✓ Regularly audit which apps/tools have OAuth access to your accounts and revoke unused ones.
- ✓ Do not install browser extensions you don't fully trust — they can read all page content.
- ✓ Use separate browser profiles (or separate browsers) for managing vs personal use.

■ WARNING

Your proxy is only as secure as your overall setup. A strong proxy with weak passwords, shared credentials, or suspicious extensions is still a liability. Security is a chain — it's only as strong as its weakest link.



■ Section 11: Insanity Security Product Selection Guide

Choosing the Right Proxy for Social Media

Insanity Security offers multiple proxy product types, each suited for different use cases. Selecting the wrong product is one of the most common causes of account bans.

Use Case	Recommended Product & Reason
Creating new social media accounts	Residential Rotating — Fresh IPs with real ISP reputations. Hardest to detect.
Managing existing accounts (consistent login)	ISP Static Residential — Same IP every session. Platforms trust consistent IPs.
High-volume automation (follows, likes, DMs)	Residential Rotating — Large IP pool prevents overuse of single IPs.
TikTok / Mobile-heavy platforms	Mobile 4G/5G Proxy — Carrier-grade IPs. Most authentic for mobile platforms.
LinkedIn professional management	ISP Static Residential — Stable, residential-grade. Professional appearance.
Facebook Ads / Business Manager	ISP Static Residential — One IP per BM account. Stability is critical.
Account creation at scale (10+ accounts/day)	Residential Rotating — Pool of IPs across diverse locations.
Low-budget social media browsing (non-account)	Datacenter (with caution) — Only for tasks where you are not logged in.
Market research / competitor monitoring	Residential Rotating — Diverse IP pool for unbiased, geo-accurate data.

Proxy Rotation Settings for Social Media

Setting	Recommendation
Sticky Sessions	Keep the same IP for the entire browsing session. Required for all active social media logins.
Rotating Mode	New IP per request. Use only for one-time account creation flows or data collection — NOT for active authenticated sessions.
Geographic Targeting	Always target the country (and city where available) that matches your account's origin.

Insanity Security Dashboard Quick Reference

Action	Location
Finding Credentials	Dashboard → My Products → Select Product → Authentication Details
Changing Rotation	Dashboard → My Products → Settings → Rotation Mode
IP Whitelist Setup	Dashboard → My Products → Authentication → Add Whitelist IP
Usage Statistics	Dashboard → My Products → Statistics → Bandwidth Usage



Action	Location
Rotating Country	Dashboard → My Products → Gateway Settings → Target Country
API Integration	Dashboard → Developers → API Documentation
Support Contact	Dashboard → Support → Live Chat or github.com/ArchangelAzazil



■ Section 11A: Virtual Mobile Devices for Multi-Account Management

Why Virtual Mobile Devices Matter

Managing multiple social media accounts from a single physical device is one of the fastest ways to get all your accounts banned simultaneously. Platforms track device fingerprints — hardware IDs, MAC addresses, GPS signals, SIM data, and screen parameters — and will cross-link any accounts that share the same device identity. The solution is a dedicated virtual mobile device per account, each with its own isolated environment, its own proxy IP, and its own simulated hardware identity.

What Is a Cloud Phone?

A cloud phone is a fully functional Android device running on real ARM hardware in the cloud — not a software emulator, not a desktop browser profile. It behaves exactly like a physical smartphone, running real Android apps natively. You access and control it through your browser from any device. Each cloud phone instance is completely isolated from all others — separate device fingerprint, separate storage, separate app data, and critically, a separate proxy IP connection.

■ GOOD TO KNOW

Cloud phones are fundamentally different from anti-detect browsers. Anti-detect browsers spoof a desktop fingerprint. Cloud phones ARE mobile devices — running real ARM Android, with real mobile app behavior. For TikTok, Instagram, and any platform with strong mobile detection, cloud phones are significantly harder to flag than desktop-based solutions.

DuoPlus Cloud Phone — Recommended Platform

Feature	Detail
Real ARM Hardware	Runs on actual ARM chips in the cloud — not emulated. Platforms cannot distinguish it from a real physical smartphone.
Independent Device Environments	Each cloud phone has its own MAC address, hardware fingerprint, device model parameters, app data, and storage. Zero cross-contamination between accounts.
Built-in Proxy Integration	Each cloud phone connects to the internet exclusively through its assigned proxy. Supports HTTP, HTTPS, and SOCKS5.
GPS & SIM Simulation	Automatically simulates GPS location, SIM card data, and mobile base station signals based on the assigned proxy's geographic location. Covers 150+ countries.
Cloud Number Integration	Includes a Cloud Number feature for receiving SMS verification codes directly inside the cloud phone.
Unlimited Instances	Deploy as many cloud phones as needed from a single browser window.
RPA & Automation	Built-in task automation (RPA) for batch operations: posting, liking, following, scheduling.
No Hardware Cost	Eliminates the need to buy, maintain, or replace physical phones. Devices are provisioned on demand.

■ PRO TIP



The recommended proxy type for DuoPlus is Insanity Security Mobile 4G/5G. Since the cloud phone simulates a mobile device, pairing it with a real mobile carrier IP creates the most convincing identity stack. The device looks mobile, the IP is mobile, the GPS matches — platforms have no signal to flag.



■ Section 12: Quick Reference Checklists

■ New Account Creation Checklist

- ✓ Proxy is residential or ISP (NOT datacenter).
- ✓ Proxy country matches intended account location.
- ✓ Browser profile is fresh and dedicated (no previous cookies).
- ✓ Insanity Security Proxy Manager extension installed with WebRTC Protection enabled.
- ✓ Timezone in browser matches proxy location.
- ✓ Verified clean IP at ipinfo.io and ipleak.net.
- ✓ Profile photo is ready (real person photo or brand logo).
- ✓ Email address is prepared (not previously used for another account).
- ✓ Virtual phone number ready for SMS verification.

■ Daily Management Checklist

- ✓ Log in from the same proxy IP as previous sessions.
- ✓ Check account notifications before any actions.
- ✓ Browse feed for 3–5 minutes before performing actions.
- ✓ Keep daily actions within recommended platform limits.
- ✓ Monitor for action blocks or unusual verification prompts.
- ✓ Log out properly after each session.
- ✓ Review content scheduled for posting — avoid spammy or repeated content.

■ Bot/Automation Safety Checklist

- ✓ Confirmed compliance with Insanity Security Appropriate Use Policy before proceeding.
- ✓ Randomized delays configured (3–15 second range minimum).
- ✓ Daily action limits set to 70% or less of platform maximum.
- ✓ Bot scheduled to operate only during local daytime hours.
- ✓ Session breaks of 10–30 minutes built into schedule.
- ✓ User agent matches a real, current browser version.
- ✓ Headless detection bypass plugin installed (if using Selenium/Playwright).
- ✓ CAPTCHA solver integrated and tested.
- ✓ Automation tool is configured to stop if an action block is detected.
- ✓ Test account used to verify all settings before production accounts.

■ Ban Recovery Checklist

- ✓ All automation STOPPED immediately.
- ✓ Current proxy IP noted as compromised — rotate to a new IP immediately via the dashboard.
- ✓ Account rest period of 48–72 hours minimum (no login from any IP).
- ✓ Appeal submitted via the platform's official support channel if applicable.
- ✓ When access restored: 7-day mini warmup at 30% of previous limits.
- ✓ Root cause of ban identified and settings corrected.
- ✓ Account monitoring increased for 2 weeks post-recovery.



■ The Never-Do List

Action to Avoid	Consequence
Use datacenter proxies for social media logins	Instant detection and flagging by all major platforms.
Share one proxy IP across multiple accounts	Cross-contamination — one ban risks all accounts on that IP.
Switch proxy IPs during an active session	Session inconsistency is a major detection red flag.
Use free or public proxy services	Monitored, logged, and flagged by all major platforms.
Run automation 24/7 without breaks	No human is online 24 hours straight — it's a bot signature.
Create 10+ accounts in one day from the same IP	Mass account creation detection triggers immediate review.
Copy-paste the same comment repeatedly	Spam detection triggers within minutes.
Ignore action blocks and keep pushing	Escalates temporary blocks to permanent bans.
Use the same phone number for multiple accounts	Phone number reuse is heavily cross-checked by platforms.
Use manual browser proxy settings for social media	No WebRTC protection — your real IP can be exposed.

■ Need Help? Contact Insanity Security

Channel	Details
GitHub	github.com/ArchangelAzazil
Website	github.com/ArchangelAzazil
Documentation	github.com/ArchangelAzazil
AUP	github.com/ArchangelAzazil
Terms	github.com/ArchangelAzazil



■ Section 13: Sources & Attribution

This document was researched, synthesized, and written by Anthony Abella (T2 Support Engineer) for Insanity Security. All information has been independently verified against primary sources. No content has been reproduced verbatim — all material has been paraphrased, adapted, and rewritten in the author's own words for educational and operational guidance purposes.

Insanity Security Official Sources

Source	Content Referenced
Insanity Security GitHub	Product descriptions, proxy types, supported protocols (HTTP/SOCKS5), and features. github.com/ArchangelAzazil
Appropriate Use Policy	AUP provisions, breach consequences, refund policy on violations. github.com/ArchangelAzazil
Terms & Conditions	Service agreement, user obligations, enforcement rights. github.com/ArchangelAzazil
Documentation	Technical setup guides, authentication methods, gateway configuration. github.com/ArchangelAzazil

Platform Terms of Service & Documentation

Platform	Content Referenced
Instagram / Meta	Community Guidelines, Terms of Use, Automation Policy. help.instagram.com
Facebook / Meta	Terms of Service, Community Standards, Business Tools Policy. facebook.com/policies
Twitter / X	Terms of Service, Automation Rules, API v2 docs. developer.twitter.com
TikTok	Community Guidelines and Terms of Service. tiktok.com/legal/terms-of-service
LinkedIn	User Agreement and Professional Community Policies. linkedin.com/legal
Reddit	User Agreement and Content Policy. redditinc.com/policies
Pinterest	Terms of Service and Community Guidelines. policy.pinterest.com
YouTube / Google	YouTube Terms of Service and Google Account policies. youtube.com/t/terms

This document was prepared by Anthony Abella, T2 Support Engineer, for Insanity Security clients. All content is original compilation and synthesis. No verbatim reproduction of copyrighted material was used. Prepared: 2025. For the most current platform policies, always refer directly to each platform's official documentation.