


MANSPAINER

Caveman → MIT.
MIT → Caveman.

AI-powered linguistic register translation.

BUILT BY HACKASS — HACKATHON ASSASSIN



Language Is a Wall, Not a Bridge

Too Complex


Jargon, academic prose, consultant-speak, and AI verbosity make simple ideas impossible to parse.

Too Simple

Blunt, rough language fails in professional and technical contexts where precision matters.


The Real Problem

Changing how an idea is *expressed* — without losing what it *means*.
Most tools fail at this.



Translation, Not Summarization

Mansplainer preserves the underlying meaning while changing the linguistic register entirely.



The representation changes. The intent stays intact.



Who Actually Needs This



Developers

Explain systems to non-technical stakeholders without dumbing it down.



Students & Researchers

Turn academic writing into something readable — or vice versa.



Executives & Founders


Manufacture the right register on demand. Board deck at 9am, Slack at 9:05.



Anyone Stuck in Jargon

Or anyone forced to produce it. We don't judge.

The Product Experience



Zero friction. Paste, pick a direction, get the translation, copy. Built-in verification tests confirm the meaning survived the trip.



Caveman → MIT



MIT → Simple



8th Grade Mode




Auto-Copy



Model Telemetry

Technical Architecture




Zero Backend. Zero Excuses.

- HTML + CSS + JavaScript — pure client-side
- Firebase Hosting — static deployment
- OpenRouter API — model selection at runtime
- No server, no database, no application layer
- Failure reporting — models don't silently switch

📄 Selectable free LLMs via OpenRouter. Latency and model telemetry surfaced in the UI.

The AI Is a Semantic Engine, Not a Paraphraser



What Makes It Different

- Structured system prompts define each translation mode explicitly
- LLM acts as a **semantic translator**, not a summarizer
- OpenRouter enables model selection — no vendor lock-in
- Failure is reported, not hidden behind silent model switches

Translation Modes

Caveman → MIT

MIT → Simple

8th Grade Plain

I Didn't Use AI to Help Me Code Mansplainer.

I Used an AI System I Built to Build Mansplainer.

1

Human Intent

Judgment. Authority. Direction.

2

HACKASS

Architecture + Implementation + Verification

3

Working Software

Deployed. Functional. Mansplainer.

Human role: Intent, judgment, authority. **Machine role:** Translate intent into implementation, build, test, produce usable software. Mansplainer is both a product and evidence of autonomous software construction.



From Two Registers to Every Audience

Mansplainer starts with Caveman ↔ MIT. The roadmap extends to any audience that needs to understand an idea.

"How should this idea be expressed for the person who needs to understand it?"

I'm **HACKASS**. I built Hackathon Assassin.
Hackathon Assassin built [Mansplainer](#).

Technical → Executive

Academic → Public

Legal → Human

Developer →
Customer

Corporate → Employee

Human → Corporate Overlord