

RESEARCH

# A sample article title

Jane E. Doe<sup>\*</sup> and John R.S. Smith

<sup>\*</sup>Correspondence:  
jane.e.doe@cambridge.co.uk  
ETSI Informática, Universidad de  
Málaga, Málaga, España  
Full list of author information is  
available at the end of the article

**Abstract**  
**Keywords:** sample; article; author

### Content

Text and results for this section, as per the individual journal’s instructions for authors. Here, we reference the figure 1 and figure 2 but also the table 1.

### Section title

Text for this section...

In this section we examine the growth rate of the mean of  $Z_0$ ,  $Z_1$  and  $Z_2$ . In addition, we examine a common modeling assumption and note the importance of considering the tails of the extinction time  $T_x$  in studies of escape dynamics. We will first consider the expected resistant population at  $vT_x$  for some  $v > 0$ , (and temporarily assume  $\alpha = 0$ )

$$E[Z_1(vT_x)] = \int_0^{v\wedge 1} Z_0(uT_x) \exp(\lambda_1) \, du.$$

If we assume that sensitive cells follow a deterministic decay  $Z_0(t) = xe^{\lambda_0 t}$  and approximate their extinction time as  $T_x \approx -\frac{1}{\lambda_0} \log x$ , then we can heuristically estimate the expected value as



$$\begin{aligned} E[Z_1(vT_x)] &= \frac{\mu}{r} \log x \int_0^{v\wedge 1} x^{1-u} x^{(\lambda_1/r)(v-u)} \, du. \end{aligned} \tag{1}$$

Thus we observe that this expected value is finite for all  $v > 0$  (also see [1, 2, 3, 4, 5, 6]).

**Table 1** Sample table title. This is where the description of the table should go

	B1	B2	B3
A1	0.1	0.2	0.3
A2	...	..	.
A3	..	.	.

Sub-heading for section  
Text for this sub-heading...



*Sub-sub heading for section*  
Text for this sub-sub-heading...

*Sub-sub-sub heading for section* Text for this sub-sub-sub-heading...

- 1 Introducción
- 2 Materiales y métodos
- 3 Resultados
- 4 Discusión
- 5 Conclusiones

**Abbreviations**  
Text for this section...

**Availability of data and materials**

Text for this section. . .

**Authors' contributions**

Text for this section . . .

**Author details**

ETSI Informática, Universidad de Málaga, Málaga, España.

**References**

1. Koonin, E.V., Altschul, S.F., Bork, P.: Brca1 protein products: functional motifs. *Nat. Genet.* **13**, 266–267 (1996)
2. Jones, X.: Zeolites and synthetic mechanisms. In: Smith, Y. (ed.) *Proceedings of the First National Conference on Porous Sieves: 27-30 June 1996; Baltimore*, pp. 16–27 (1996)
3. Margulis, L.: *Origin of Eukaryotic Cells*. Yale University Press, New Haven (1970)
4. Schnepf, E.: From prey via endosymbiont to plastids: comparative studies in dinoflagellates. In: Lewin, R.A. (ed.) *Origins of Plastids*, 2nd edn., pp. 53–76. Chapman and Hall, New York (1993)
5. Kohavi, R.: *Wrappers for performance enhancement and obvious decision graphs*. PhD thesis, Stanford University, Computer Science Department (1995)
6. ISSN International Centre: *The ISSN register* (2006). <http://www.issn.org> Accessed Accessed 20 Feb 2007