

AnnaTexas.org — Analytics Audit (Module 3.1)

Phase 1 deliverable. This document maps every analytics tracker and data source the platform captures today, states what is missing, and scores each of the 16 sales-funnel stages by whether we can already detect it. It is the prerequisite reference for the Communications Engine (Modules 4 & 5) — triggers can only react to events we actually record.

Last audited: July 2026.

1. The two analytics streams

The app captures analytics through **two independent, complementary systems**:

A. First-party event stream (our own database) — `AnalyticsEvent` table

This is the **source of truth for dashboards**. Every event is a row in the `AnalyticsEvent` table, written by the server through `lib/track.ts` (`recordEvent` / `recordEventWithSession`). It is privacy-first by design: it stores the actor's **role** (never name/email), an internal `userId` used only for de-duplication (never surfaced in aggregates), plus optional `entityType` , `entityId` , and `topic` buckets. Recording is fire-and-forget — it can never slow down or break a real feature.

Query helpers already available in `lib/track.ts` : `countEvents` , `countByType` , `countByTopic` , `countByRole` , `countDistinctUsers` , plus an `n < 5` low-count suppression helper for privacy.

B. Google Analytics 4 (client-side) — `lib/analytics.ts`

This mirrors key journey/monetization events to GA4 for marketing-funnel visibility (`trackEvent` , `trackOnboardingCompleted` , `trackTokenPurchase` , `trackProviderInteraction` , etc.). GA4 data lives in Google's console, **not** in our dashboards, and is anonymized. Useful for traffic trends; not a substitute for the first-party stream.

Key takeaway: dashboards must always read from stream **A** (our DB) so the numbers are private, real, and role-filterable. GA is supplementary.

2. First-party events CAPTURED today (AnalyticsEventType)

Event type	Fires from	Captured?
LISTING_VIEW	provider detail page view (provider-detail-con- tent.tsx)	✓
LISTING_CLICK	provider contact/website click	✓
OFFER_VIEW	Welcome Offers browse page	✓
OFFER_CLAIM	care-package clip (/api/care-packages/[id]/ clip)	✓
OFFER_REDEMPTION	defined in enum	⚠ enum only — no emitter found
EVENT_RSVP	defined in enum	⚠ enum only — no emitter found
JOB_VIEW	job click (/api/jobs/click)	✓
SIERRA_QUESTION	Ask Sierra (/api/hey-anna) — bucketed by topic	✓
SURVEY_RESPONSE	survey vote (/api/surveys/ [id]/vote)	✓
VOLUNTEER_SIGNUP	defined in enum	⚠ enum only — no emitter found
MAGAZINE_VIEW	magazine content view	✓
MAGAZINE_FRAME_CLAIM	magazine frame claim (/api/ magazine/claim)	✓
MAGAZINE_CONTRIB_SUBMIT	magazine contribution (/api/ magazine/submit)	✓
INTRO_POSTED	welcome-board post (/api/ welcome-board)	✓
INTRO_REPLIED	welcome-board reply	✓
CARD_VIEW	public digital card view	✓
VCARD_DOWNLOAD	Save Contact / vCard down- load	✓

Event type	Fires from	Captured?
CARD_SHARE	card share action	✓
QR_SCAN	card opened via QR (? src=qr)	✓

15 of 19 event types are actively emitted. 4 are declared in the enum but have no emitter yet (OFFER_REDEMPTION , EVENT_RSVP , VOLUNTEER_SIGNUP — these correspond to features not yet wired for tracking).

3. Structured data ALSO available (relational tables, not the event stream)

Beyond the event stream, these tables hold state we can query directly for dashboards and funnel detection:

- **User** — role (NEWCOMER/RESIDENT/PROVIDER/CHAMBER/CITY/ADMIN), createdAt , onboarding-Completed , answers (onboarding survey JSON), tags , lastActive , dataConsent , and the full personal-card fields (cardEnabled , cardSlug , etc.). → powers New User Feed, demographics, card-activation counts.
- **Provider** — businessName , category , tags , status (PHANTOM/NEW/CLAIMED/CERTIFIED), tier (FREE/CONNECTED/PRIORITY), setupFeePaid , stripeSubId , cardSlug , cardTier , cardTierStatus , cardHasDeal , token balance. → powers Business Summary, Industry Inventory, and most funnel-stage detection.
- **Lead** — status incl. CONVERTED . → lead volume & conversion.
- **Survey / SurveyResponse** — questions, options, votes, declared winners. → survey analytics.
- **CommunityStory , WelcomeBoardPost , Job , CarePackage / CarePackageClip , magazine tables.** → engagement + magazine fill metrics.
- **AnnaGraph** — pre-aggregated community-interest categories.

4. Sales-funnel stage coverage map (Module 5.4 pre-check)

Can we already detect each of the 16 business funnel stages from data we capture today?

#	Funnel stage	Detectable now?	Signal source
1	New Account (Phantom)	✓	<code>Provider.status = PHANTOM</code>
2	Profile Claimed	✓	<code>Provider.status ∈ (CLAIMED, CERTIFIED) / userId</code> linked
3	Paid Membership Fee	✓	<code>Provider.setupFeePaid = true</code>
4	Chose Plan	✓	<code>Provider.tier ≠ FREE</code>
5	Activated Digital Business Card	✓	<code>Provider.cardSlug</code> set / card exists
6	Customized Digital Business Card	✓	<code>Provider.cardTierStatus</code> active / add-ons payload present
7	Updated Deals/Promos	✓	<code>Provider.cardHasDeal = true</code>
8	Created Welcome Package for New-comers	✓	<code>CarePackage</code> owned by provider
9	Posted a Bulletin Board Listing	✓	<code>WelcomeBoardPost</code> / <code>INTRO_POSTED</code>
10	Posted a Job	✓	<code>Job</code> table rows by provider
11	Posted a Welcome Board Message	✓	<code>INTRO_POSTED</code> event
12	Created a Survey	⚠ partial	surveys are ADMIN-created today; no provider-authored survey field yet
13	Spent Tokens	✓	token ledger / balance deltas

#	Funnel stage	Detectable now?	Signal source
14	Purchased Tokens	✓	Stripe token purchase + trackTokenPurchase
15	Purchased Ad (Anna Life Magazine)	✓	MAGAZINE_FRAME_CLAIM + magazine claim record
16	Viewed Dashboard	✗ missing	no DASHBOARD_VIEW event emitted yet

Findings for the funnel engine:

- **14 of 16 stages are already detectable** from existing data with no new tracking.
- **Stage 16 (Viewed Dashboard) needs a new tracker** — add a `DASHBOARD_VIEW` event fired when a provider opens their dashboard. (Small addition; recommended in the funnel-engine phase.)
- **Stage 12 (Created a Survey)** is only partial — survey creation is currently admin-only. If businesses will author surveys, add an author/owner field. Otherwise this stage stays admin-triggered.
- **Number of log-ins** (referenced in the brief) is **not currently counted as an event** — `User.lastActive` gives last-seen but not a login tally. Add a `LOGIN` event in the auth flow if a running login count is required.

5. Gaps summary — what to add, and when

Gap	Needed for	Recommended phase
<code>DASHBOARD_VIEW</code> event	Funnel stage 16	Funnel-engine phase
<code>LOGIN</code> event (login tally)	“number of log-ins” metric	Funnel-engine phase
Emitters for <code>OFFER_REDEMPTION</code> , <code>EVENT_RSVP</code> , <code>VOLUNTEER_SIGNUP</code>	completeness of engagement metrics	as those features mature
Provider-authored surveys (stage 12)	full funnel stage 12	only if product direction requires it
Canonical revenue container	single verified Total Revenue (Module 8.2)	data-container phase (partially built in Phase 1)

6. Architecture decision established in Phase 1

One data container per metric. All dashboard metrics are served by a single shared endpoint, `/api/analytics/containers`, which authenticates the caller’s role from the session and returns the

same numbers regardless of which dashboard (Admin / Chamber / City) renders them. No dashboard-specific query forks. Phase 1 ships the first two containers — **New Users** and **Business Summary** — to prove the pattern; subsequent phases add containers (Revenue, Page Views, Funnel, etc.) to the same endpoint.