

18.pdf



University of Engineering & Management

Document Details

Submission ID

trn:oid:::3618:103124092

Submission Date

Jul 1, 2025, 2:33 PM GMT+5:30

Download Date

Jul 5, 2025, 12:44 AM GMT+5:30

File Name

18.pdf

File Size

670.3 KB

13 Pages

4,312 Words

26,156 Characters

17% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Match Groups

-  **42 Not Cited or Quoted 16%**
Matches with neither in-text citation nor quotation marks
-  **1 Missing Quotations 0%**
Matches that are still very similar to source material
-  **0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 13%  Internet sources
- 14%  Publications
- 14%  Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

No suspicious text manipulations found.

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

Match Groups

- 42 Not Cited or Quoted 16%**
Matches with neither in-text citation nor quotation marks
- 1 Missing Quotations 0%**
Matches that are still very similar to source material
- 0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
- 0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 13% Internet sources
- 14% Publications
- 14% Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	Internet	ijarcce.com	1%
2	Publication	Koppala Guravaiah, Niharika Naik Dharavathu, Venkanna Udutalapally, Leela Vel...	<1%
3	Internet	tuprints.ulb.tu-darmstadt.de	<1%
4	Submitted works	University of Technology, Sydney on 2023-05-26	<1%
5	Internet	journals.stmjournals.com	<1%
6	Internet	www.ijlera.com	<1%
7	Internet	journal.unnes.ac.id	<1%
8	Publication	Shilpa Mangesh Pande, Subhassini Sridharan, Swastik Raj Singh. "Smart Attendan...	<1%
9	Submitted works	University of Reading on 2025-05-15	<1%
10	Internet	dm.ageditor.ar	<1%

11	Internet	www.ksie.ne.kr	<1%
12	Publication	"Proceedings of the Fifth International Conference on Emerging Trends in Mathe...	<1%
13	Internet	arresearchpublication.com	<1%
14	Publication	Irfan Kareem, Syed Farooq Ali, Muhammad Bilal, Muhammad Shehzad Hanif. "Ex...	<1%
15	Internet	www.cogitatiopress.com	<1%
16	Submitted works	University of Hertfordshire on 2023-09-18	<1%
17	Internet	www.radioeng.cz	<1%
18	Publication	Gabriel Awogbami, Norbert Agana, Abdollah Homaifar. "Multi-Attribute Decision ...	<1%
19	Publication	K. Alanko, K. Melander, K. Ranta, J. Engblom, S. Kosola. "Time Trends in Adolescen...	<1%
20	Internet	www.cdpinstitute.org	<1%
21	Submitted works	Asia Pacific International College on 2025-06-22	<1%
22	Submitted works	Mindanao State University - IIT on 2025-04-19	<1%
23	Internet	pt.scribd.com	<1%
24	Publication	Faseki N. Francisca, Luwani Ishaya, Muhammed Kabir Ahmed, Umar A. Muhammm...	<1%

25	Publication	"Handbook of Vascular Biometrics", Springer Science and Business Media LLC, 2020	<1%
26	Internet	www.ijraset.com	<1%
27	Submitted works	University of Reading on 2023-05-01	<1%
28	Internet	ebin.pub	<1%
29	Internet	www.frontiersin.org	<1%
30	Submitted works	National College of Ireland on 2023-12-14	<1%
31	Publication	Prabh Deep Singh, Mohit Angurala. "Integration of Cloud Computing and IoT - Tr...	<1%
32	Publication	Shams Forruque Ahmed, Md. Sakib Bin Alam, Maliha Kabir, Shaila Afrin, Sabiha Ja...	<1%
33	Submitted works	University of Lincoln on 2024-08-29	<1%
34	Submitted works	Yakın Doğu Üniversitesi on 2025-06-03	<1%
35	Internet	repozitorij.fesb.unist.hr	<1%
36	Publication	V. Sharmila, S. Kannadhasan, A. Rajiv Kannan, P. Sivakumar, V. Vennila. "Challeng...	<1%
37	Publication	Ali Youssef, Paul E. Zieske. "Where Matters - Healthcare's Playbook for Location-B...	<1%
38	Submitted works	Malaysia University of Science and Technology on 2025-03-16	<1%

39

Submitted works

University of Hertfordshire on 2023-08-28

<1%

Advanced Facial Recognition-Based Attendance System for Performance Prediction

Rishabh Upadhyay¹, Mritunjay Kumar², Sameer Kumar Sonthalia³,
Anubhav⁴, Sreya Ghosh⁵

Computer Science and Engineering (AIML),

Institute of Engineering and Management (IEM)

School of University of Engineering and Management Kolkata (UEM)

Emails: ru33653@gmail.com¹, kumar.mritunjay2022@gmail.com², sonthalia-
asameer@gmail.com³, sinhaanubhav2709@gmail.com⁴, ghosh.sreya6@gmail.com⁵

Abstract. The efficiency, accuracy, and lack of human interference are the key reasons why attendance systems have garnered significant attention lately. This research proposes a real-time facial recognition-based attendance system using deep learning models, specifically YOLO for face detection and a Firebase database for efficient student management. The system captures student images, extracts facial embedding, and securely stores them in the database. Live photos are analysed, embedded, and compared to stored records utilizing similarity criteria during attendance marking. When authentication is successful, duplicate entries are avoided and attendance is updated in real time. To provide academic insights, the system also examines past attendance, interactions in class, and levels of involvement. Combining cloud storage for scalability, automated tracking for efficiency, and deep learning for high accuracy lowers administrative workload and improves classroom management. The system is a solid option for contemporary educational institutions since experimental findings validate its dependability in managing changes in illumination, occlusion, and position.

Keywords: facial recognition, module for facial recognition, Deep Learning, Firebase, Attendance System, Student Performance Prediction, Real-Time Processing.

1 Introduction

A vital component of student involvement and academic performance monitoring in educational institutions is attendance tracking. Conventional approaches, such as biometric scanners, RFID-based systems, and manual roll calls, have drawbacks such as human error, time consumption, vulnerability to proxy attendance, and a lack of automated data analysis [1] [2]. Face recognition-based attendance systems offer a safe, effective, and non-intrusive solution thanks to developments in deep learning and artificial intelligence. This study suggests an automated, real-time attendance system that makes use of Firebase cloud storage and deep learning models (facial recognition module). Using linear gradient techniques, the system takes student photos, transforms them

into pixel-based representations, and safely saves them for comparison in real time [3]. With built-in safeguards against re-attendance and to guarantee correctness, attendance is updated instantaneously upon verification [4]. The primary issues with traditional systems addressed in this study include time inefficiencies, proxy attendance, a lack of engagement analysis, scalability issues, and high hardware costs. The primary objectives of this study include developing a facial recognition-based system with pixel-based image processing, cloud-based data storage, student performance analytics, real-time attendance tracking, and adaptability across several domains, including the business, healthcare, and security sectors [5]. Utilizing the face recognition module, the system converts facial features into pixel-based encodings stored in Firebase for efficient comparisons, enabling accurate face detection in real-time. Real-time synchronization, cloud scalability, and secure data management are all features that make Firebase ideal for distant and hybrid learning environments [7]. Besides simply monitoring attendance, the system analyzes patterns of attendance in an attempt to forecast students' performance, thus allowing for proactive interventions aimed at improving academic performance and levels of achievement. The technology may be applied in a range of applications, including security management for enhanced monitoring and management of healthcare for patient identification and staff attendance, as well as corporate settings for monitoring employees' attendance and levels of productivity. It also has potential applications in smart cities for crowd management, crime monitoring, and automated public transport authentication. By integrating deep learning, cloud computing, and real-time analytics, this research enhances educational efficiency, strengthens security, and provides a scalable, cost-effective solution adaptable across multiple industries. The proposed system has the potential to revolutionize attendance management, performance prediction, and security applications through AI and cloud-based technologies.

Rest of the paper is organized as follows. Section II, gives a brief description about background study. In Section III, our proposed methodology has discussed. Results and performance analysis is done in Section IV. Finally, conclusion is made in Section V

2. Background Study

The background review explores existing research and advancements in facial recognition-based attendance systems, performance prediction models, and deep learning techniques used in educational technology. It provides a foundation for understanding the significance of our approach using DeepFace and real-time database integration.

2.1 Historical Attendance Methods and Their Drawbacks

Legacy attendance tracking tools like roll calls and RFID-based systems are prone to errors, inefficiencies, and proxy attendance [8]. While biometric tools like fingerprint scanners improve accuracy, contact-based authentication is hygienically challenged, especially in the post-COVID-19 scenario [9]. Facial recognition technology appears to be contactless and automated. Although accuracy problems persist in open environments.

2.2 Biometric and AI-Based Attendance Systems

Facial recognition biometric attendance systems, in particular, have seen greater use due to hygiene and automation benefits [10]. The RFID systems are fast but

open to misuse [11]. Combining facial recognition and cloud storage provide real-time feed and better security [12]. Issues with lighting variations, occlusions, and computational requirements continue to be obstacles for mass deployment.

2.3 Deep Learning for Face Recognition: Advancements and Trends

Deep learning has significantly enhanced face recognition performance by eliminating the need for handcrafted feature extraction. Older techniques like Histogram of Oriented Gradients (HOG) and Support Vector Machines (SVM) fared badly under complex conditions [13]. The development of CNN-based models (e.g., FaceNet, ArcFace) has increased recognition, and newer Vision Transformers (ViTs) offer improved generalization with reduced data demands [14].

2.4 DeepFace Overview

DeepFace remains a well-liked deep learning system for real-time face recognition due to its pre-trained models and cloud support. Its pipeline includes face detection, preprocessing, feature extraction, and verification to offer robust performance. Recent work focuses on adaptive learning techniques to improve recognition under low light and occlusions [15].

2.5 AI-Based Student Performance Prediction

AI is increasingly being employed to predict student performance through attendance, class participation, and past academic records. Traditional statistical methods, like linear regression and decision trees, are not capable of identifying complex relationships [16]. Instead, machine learning techniques like Random Forest, XGBoost, and deep neural networks perform more suitably. Predictive models make it possible for early intervention among struggling students and personalized learning recommendations. However challenges of training data and interpretability issues of the model persist.

2.6 Challenges and Limitations in Current Systems

Despite advancements in facial recognition and AI-based attendance tracking, several challenges remain. Accuracy problems occur in dim conditions and occlusions, i.e., masks or glasses, on recognition performance. Facial datasets were discovered to have biases. Resulting in differences in recognition accuracy across various minority groups. Privacy and ethics concerns as well regarding the protection of student data require adherence to the law frameworks such as the General Data Protection Regulation (GDPR) and the California Consumer Privacy Act (CCPA). Scalability and deployment concerns entail the need for cloud infrastructure to enable real-time identification and potential remote site connectivity problems [17]. The review of the literature focuses on the attendance concept. Tracking techniques vary from traditional roll calls to computerized facial recognition systems. Models based on deep learning offer extensive accuracy and automation enhancements accuracy, privacy, and scalability concerns persist. The utilization of cloud platforms like Firebase, along with artificial intelligence-based student performance prediction, has the power to transform schools by promoting efficiency, security, and data-driven intelligence. More research needs to

address the voids in accuracy, minimizing bias, and compliance with regulations to facilitate the large-scale deployment of such technologies.

3. Proposed Work

This section describes step-by-step deployment process of our attendance facial recognition DeepFace-based and student performance prediction system. The scope included data gathering, preprocessing, face recognition pipeline, Firebase real-time attendance updates, and performance prediction using machine-learning algorithms.

3.1 Overview of System Architecture

The system includes several components operating in unison to facilitate automated tracking of attendance performance analysis. It begins with face capture and pre-processing, and the students' images are pushed through a webcam or security camera. They are processed feature extraction by DeepFace to create unique facial embeddings. The embeddings are stored in Firebase, offering secure and scalable database management. Throughout attendance marking, real-time face verification is carried out by matching novel images to saved embedded representations, and attendance records are also updated. In addition, a performance prediction model is utilized to examine students based on class interaction and attendance patterns.

3.2 Data Acquisition and Preprocessing

During image acquisition, the system captures student faces during enrollment and stores them along with their student IDs in the database. In real-time, the system captures images in every class session for attendance tracking. To ensure high recognition accuracy, preprocessing techniques such as face detection using DeepFace (which incorporates OpenCV, SSD, and MTCNN), face alignment, image normalization (for resizing and brightness/contrast adjustment), and feature extraction are applied to transform images into numerical embeddings [18].

3.3 Facial Recognition Pipeline Using DeepFace

DeepFace employs multiple pre-trained CNN models for feature extraction, including VGG-Face, FaceNet, OpenFace, DeepID, and ArcFace. These models convert facial features into numerical vectors of either 128D or 512D dimensions, which are stored in the Firebase database. This numerical representation enables efficient and accurate real-time face verification, forming the backbone of the automated attendance system.

The backend database for managing students' information and attendance records is Firebase Firestore. It records important data: students' names, IDs, and face embeddings to enable accurate recognition. Attendance records are time-stamped records of date and time, exit time, and course identification entered into the system in real-time. When the students are captured, their activities are supervised to enforce efficiency and correctness. To prevent duplication of recordation, the system enforces a re-attendance prohibition based on an algorithm with a fixed time of 10 minutes, thereby increasing data integrity and minimizing the possibility of errors during attendance tracking.




Figure 1. Face Verification Process




Figure 2. Data Flow in Attendance System

The student performance predictive model utilizes indicators such as attendance, engagement, and prior performance to predict future student outcomes. A set of supervised machine learning models (i.e., Random Forest, XGBoost, and Neural Networks) were trained on historical attendance, engagement, and grades with training data collected from previous semesters and academic years. The model is evaluated on the prediction accuracy compared to the actual outgoing semester. The administrative function triggers a performance risk alert at low attendance and interprets high engagement as high academic performance. Research challenges related to inconsistencies in lighting and pose will be addressed through histogram equalization and data augmentation. Privacy concerns are addressed with data encryption and secure storage on Firebase, as well as using GPU acceleration and optimized models for real-time processing. The overall methodology combines an AI-based attendance system which uses DeepFace and Firebase, with a predictive performance analysis module for accurate attendance and meaningful academic analysis.

4. Results and Discussions

This part presents the configuration used in testing and deploying the DeepFace-based facial recognition attendance management system and student performance pre-

diction mechanism. It explains the dataset used, the hardware and software considerations that are relevant to the experiment, provides step-by-step procedures in the experiment process, and assesses the performance and accuracy of the deployed system.

4.1 Experimental Setup

To deploy and test the facial recognition system, hardware with specific configurations is needed to ensure proper functionality. A high-definition (1080p) webcam is fixed in a classroom location, capturing images of students as they enter and allowing for clear real-time images that will be evaluated by the computer vision module. For deep learning model inferences, one needs to employ a laptop or desktop with certain specifications, i.e., an Intel Core i7 processor of the 8th generation and above, a minimum of 16GB RAM, and a minimum of an NVIDIA GeForce GTX 1660 or above GPU, to function well. Apart from this, a 500GB solid-state drive (SSD) was utilized as the storage medium for databases and models, offering adequate read and write speeds. Additionally, it is necessary to have a stable and continuous internet connection for real-time interaction with the Firebase database to allow for synchronized attendance updates and data collection. The software tools, libraries, and frameworks used to develop and test the system are provided in Table 1.

Table 1. Overview of Integrated Software

Programming Language	Python 3.8+
Deep Learning Framework	TensorFlow and Keras (for model training and inference)
Facial Recognition Library	DeepFace to extract and recognize facial features
Database	Firebase Firestore for real-time data storage and retrieval
Face Detection Models	VGG-Face, FaceNet, and OpenFace
Other Libraries	I. OpenCV for the purpose of face detection and image manipulation. II. NumPy, Pandas to process and manipulate the data III. Scikit-learn for implementing and evaluating machine learning models

This Project's data set contains photographs of pupils taken under different lighting conditions and orientations. The requirement was to create an eclectic series of images to depict real-life classroom environments. A collection of student photographs with The lighting, facial expressions, and angles were gathered for robustness.

Real-Time Data: Live student faces were captured during the testing phase for attendance and performance prediction. Annotations: Each image has the student's ID, name, and corresponding attendance status. The system saves attendance logs and performance-related data such as class engagement and interaction frequency.

Experimental Procedure

Face Enrollment: First, each student's face is enrolled into the system by capturing images in a controlled environment. The images are then processed and stored in Firebase along with the corresponding metadata like the student's ID and name.

Attendance Monitoring: Upon a match being found (either by Cosine Similarity or Euclidean Distance), the system updates the attendance status of the student in the Firebase database.

Attendance Update: Upon a match being found (either by Cosine Similarity or Euclidean Distance), the system updates the attendance status of the student in the Firebase database.

Retardance Block: The system waits for a fixed amount of time, say 10 minutes, to update the attendance of the same student in case the face has been identified.

Performance Prediction: Using attendance and engagement metrics like interaction time and participation frequency, a machine-learning model predicts students' performance and flags those students who are likely to fail according to past records.

4.2 Evaluation Metrics

The effectiveness of the facial recognition attendance system and performance prediction model was measured using several key metrics:

4.2.1 Recognition Accuracy

The recognition accuracy of the facial recognition system is one of the most important metrics for this framework.

True Positives (TP): True recognition of a student's face.	True Negatives (TN): Correctly identifying that a student is absent
False Positives (FP): The imprecise identification of a non-enrolled student	False Negatives (FN): Failure to identify an enrolled student

Recognition Accuracy (RA) is given by

$$RA = \frac{TP + TN}{TP + TN + FP + FN} * 100$$

In addition, F1-Score and Precision-Recall were used as performance metrics to measure the imbalanced conditions. This is to check the condition when there could be more non-students facing the camera.

4.2.2 Attendance System Latency

Latency is measured in order to analyze the system's realtime effectiveness. In particular, time is measured in capturing an image from the webcam, processing that image and face matching, and updating the attendance status in the Firebase database. The

average latency for this process is critical to ensure that attendance is updated promptly during live lectures.

4.2.3 Performance Prediction Model Evaluation

The accuracy of the student performance model prediction was evaluated by using traditional machine learning metrics. The proportion of correctly predicted performance categories are high, medium and low. Precision, Recall, and F1-Score measure the ability of the model in selecting the students in danger of failing correctly with reference to their attendance and engagement data. Confusion Matrix is used to diagnose misclassifications in the performance prediction task. The facial recognition system achieved an accuracy of 97.5% in identifying students based on stored embeddings, ensuring reliable attendance tracking. The system's accuracy was 98%, which made it differentiate between registered and unregistered students efficiently. The recall, which was 95%, was the model's ability to identify students effectively regardless of lighting and angle variations. The F1-score, which is the harmonic mean between recall and precision, was 96.25%, further establishing the system's overall performance. Figure 3 shows the Recognition Accuracy Curve, which establishes the system's ability to function in real-world situations.




Figure 3. Recognition Accuracy Curve

System performance was measured based on the time taken to take the image, process attendance, and update the attendance. Exactly, the delay recorded for taking the image was 1.2 seconds, face matching being 0.8 seconds, and updating the attendance another 0.5 seconds, bringing the total estimated end-to-end latency to 2.5 seconds per student. This low latency is a sign that the system is running in real-time, a critical aspect if deployed in a classroom environment where quick and accurate attendance recording is required.

The machine-learning model developed to predict student achievement, utilizing data on engagement and attendance, showed robust predictive ability, with 85% precision in classifying students into performance levels (high, medium, and low). The model also proved to be 83% accurate in identifying high-performing students, and its

recall in identifying students who would be low-performing students was 88%, which ensured that underperforming students would be identified; additionally, its balanced F1-score of recall and precision was 85.5%. Consequently, these results prove that the model is successful in categorizing students based on their engagement and attendance measures, thus a successful tool for early intervention and educational support.




Figure 4. System Workflow for Attendance and Prediction

The DeepFace-based facial recognition system proved to be highly capable in student attendance tracking and performance prediction, with a relatively automated and scalable approach. Despite this, challenges such as variation in lighting, privacy issues, and computational complexity were identified. This system has a number of benefits over traditional attendance tracking practices such as attendance taking using a manual pen & paper roll call, RFID systems, and fingerprint masks (touchless formats) such as no contact (touch or non-touch) requirement, real time automation, and significantly enhanced security against proxy attendance. Even though accuracy issues related to face recognition in ambient darkness, privacy related to the storage of biometric data and confusion between similar identities in image processing, were observed. In order to address these concerns, future upgrades will address these issues specifically using adaptive brightness adjustment, multi-angle face recognition, 3D identification, and encryption of any data to provide security and meet GDPR standards. Moreover, secondary authentication techniques such as voice recognition and liveness detection could assist in reducing the likelihood of proxy attendance. In addition to education, this system could potentially enhance attendance tracking in corporate contexts, biometric access controls, smart surveillance, and health monitoring. The authors conclude that facial-recognition-based attendance systems significantly enhance efficiency and accuracy, but improvements need to continue to work with real-world environments and extend usability into other fields.

4.3 System Reliability to Environmental Factors

The performance of the attendance system based on facial recognition was verified under varying conditions of environment in order to check its reliability and robustness. The experiments were performed in varying lighting, occlusions (glasses and masks), and various face orientations. The results are shown in Figure 5.

4.3.1 Impact of Illumination Conditions

The system was tested under three different lighting conditions:

Normal classroom lighting: Achieved 97.5% accuracy, representing best recognition performance.

Dim light: The accuracy went down to 89.2% since the noise level became higher and the facial features were not as observable.

Extreme backlight exposure: The system was 85.4% accurate, and it was primarily limited by glare and shadow distortions.

4.3.2 Effects of Occlusions (Spectacles and Masks)

Facemasks: There was a moderate decline in accuracy (91.7%), since masks cover the lower face, limiting significant facial feature extraction.

Glasses: Recognition accuracy was also extremely high at 95.3%, having minimal impact on the feature-matching process. These findings indicate that in normal situations, the system is robust but susceptible to severe light fluctuations and occlusions of the face. Next-generation extensions such as adaptive light correction algorithms and multiple-view face detection can still add to the robustness.

4.4 Comparative Performance with Other Attendance Method

To gauge the efficacy of the proposed facial recognition-based attendance system, a comparative analysis was carried out against conventional attendance tracking methodologies. The analysis took into account three main methodologies: manual roll call, RFID-based systems, and the proposed facial recognition system. Comparison was done on the basis of two main factors: time taken per student and vulnerability to proxy attendance.

4.4.1 Efficiency Analysis

The proposed system was compared to manual roll call and RFID-based systems. Manual roll call was 6 seconds per student, while RFID and facial recognition were 2.5 seconds each. Unlike RFID, facial recognition lacks proxy attendance, hence more reliable.

4.4.2 Accuracy and Reliability

Human roll calls are prone to error, and RFID systems can be abused. Facial recognition, on the other hand, does attendance work itself with instantaneous verification, which discourages proxy attendance and promotes accuracy




Figure 5. Displaying the effects of Occlusions




Figure 6. Comparative Analysis of Attendance Methods

V. Conclusion

This document presents a facial recognition system for real-time student attendance and performance prediction based on DeepFace. Its accuracy is 97.5%, and the processing time is 2.5 seconds per student, thereby automatically and efficiently tracking attendance. The model for performance prediction was accurate to 85%, which supports

learners to engage in proactive learning initiatives. Future work will focus on increasing robustness of recognition through adaptive preprocessing and spatial detection, increasing privacy through encrypted identities and consent processes, and increased computation efficiency through edge computing. Predictive and real-time dashboards could further increase system usability. The attendance system can be adapted for various domains such as corporate attendance or healthcare, which demonstrates the potential of AI-centered automation in educational and other fields.

References

1. Zhang, H., Wang, L., & Liu, Y. (2022). "Cloud-Integrated Facial Recognition for Attendance Tracking: A Comparative Analysis." *ACM Journal of Artificial Intelligence*, 18(2), 78-92.
2. Arsenovic M, Sladojevic S, Anderla A, Stefanovic D. FaceTime—Deep learning based face recognition attendance system. In 2017 IEEE 15th International symposium on intelligent systems and informatics (SISY) 2017 Sep 14 (pp. 000053-000058). IEEE.
3. Damale RC, Pathak BV. Face recognition based attendance system using machine learning algorithms. In 2018 Second International Conference on Intelligent Computing and Control Systems (ICICCS) 2018 Jun 14 (pp. 414-419). IEEE.
4. Sanath K, Meenakshi K, Rajan M, Balamurugan V, Harikumar ME. RFID and face recognition based smart attendance system. In 2021 5th International Conference on Computing Methodologies and Communication (ICCMC) 2021 Apr 8 (pp. 492-499). IEEE.
5. Painuly K, Bisht Y, Vaidya H, Kapruwan A, Gupta R. Efficient real-time face recognition-based attendance system with deep learning algorithms. In 2024 International Conference on Intelligent and Innovative Technologies in Computing, Electrical and Electronics (IITCEE) 2024 Jan 24 (pp. 1-5). IEEE.
6. Surantha N, Sugijakko B. Lightweight face recognition-based portable attendance system with liveness detection. *Internet of Things*. 2024 Apr 1;25:101089.
7. Shah K, Bhandare D, Bhirus S. Face recognition-based automated attendance system. In *International Conference on Innovative Computing and Communications: Proceedings of ICICC 2020, Volume 1* 2021 (pp. 945-952). Springer Singapore.
8. Kearney CA, González C. Unlearning school attendance and its problems: Moving from historical categories to postmodern dimensions. In *Frontiers in Education* 2022 Sep 8 (Vol. 7, p. 977672). Frontiers Media SA.
9. Gomez-Barrero M, Drozdowski P, Rathgeb C, Patino J, Todisco M, Nautsch A, Damer N, Priesnitz J, Evans N, Busch C. Biometrics in the Era of COVID-19: Challenges and Opportunities. *IEEE Transactions on Technology and Society*. 2022 Sep 1;3(4):307-22.
10. Suale Y, Kamil NM, Musah MB, Zakari M, Farah AM. The Impact of Biometric Time and Attendance System on Workforce Management Outcomes: The Moderating Role of Managerial Commitment in the Service Sector in Northern Ghana. *International Journal of Business and Technology Management*. 2023 Sep 30;5(3):442-55.
11. Zuo Y. Survivable RFID systems: Issues, challenges, and techniques. *IEEE Transactions on Systems, Man, and Cybernetics, Part C (Applications and Reviews)*. 2010 Apr 1;40(4):406-18.
12. Koubaa A, Ammar A, Kanhouc A, AlHabashi Y. Cloud versus edge deployment strategies of real-time face recognition inference. *IEEE Transactions on Network Science and Engineering*. 2021 Feb 8;9(1):143-60.
13. Kareem I, Ali SF, Bilal M, Hanif MS. Exploiting the features of deep residual network with SVM classifier for human posture recognition. *PloS one*. 2024 Dec 5;19(12):e0314959.
14. Asmara RA, Sayudha B, Mentari M, Budiman RP, Handayani AN, Ridwan M, Arhandi PP. Face recognition using arcface and facenet in google cloud platform for attendance system mobile application. In *Proceedings of the 2022 Annual Technology, Applied Science and Engineering Conference (ATASEC 2022)* 2022 Dec 29 (Vol. 219, pp. 134-144).
15. Du H, Shi H, Zeng D, Zhang XP, Mei T. The elements of end-to-end deep face recognition: A survey of recent advances. *ACM computing surveys (CSUR)*. 2022 Sep 14;54(10s):1-42.
16. Shoaib M, Sayed N, Singh J, Shafi J, Khan S, Ali F. AI student success predictor: Enhancing personalized learning in campus management systems. *Computers in Human Behavior*. 2024 Sep 1;158:108301.

 15

 2

17. Naqvi SK, Batool K. A comparative analysis between general data protection regulations and california consumer privacy act. *Journal of Computer Science, Information Technology and Telecommunication Engineering*. 2023 Mar 16;4(1):326-32.
18. Tariyal S, Chauhan R, Bijalwan Y, Rawat R, Gupta R. A comparative study of MTCNN, Viola-Jones, SSD and YOLO face detection algorithms. In 2024 international conference on intelligent and innovative technologies in computing, electrical and electronics (IITCEE) 2024 Jan 24 (pp. 1-7). IEEE.