

59.pdf



University of Engineering & Management

Document Details

Submission ID

trn:oid:::3618:103124121

Submission Date

Jul 1, 2025, 2:33 PM GMT+5:30

Download Date

Jul 5, 2025, 12:08 AM GMT+5:30

File Name

59.pdf

File Size

432.7 KB

14 Pages

4,471 Words

26,932 Characters

41% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Match Groups

-  **129** Not Cited or Quoted 39%
Matches with neither in-text citation nor quotation marks
-  **0** Missing Quotations 0%
Matches that are still very similar to source material
-  **7** Missing Citation 2%
Matches that have quotation marks, but no in-text citation
-  **0** Cited and Quoted 0%
Matches with in-text citation present, but no quotation marks

Top Sources

- 30%  Internet sources
- 27%  Publications
- 33%  Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

No suspicious text manipulations found.

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

Match Groups

- 129** Not Cited or Quoted 39%
Matches with neither in-text citation nor quotation marks
- 0** Missing Quotations 0%
Matches that are still very similar to source material
- 7** Missing Citation 2%
Matches that have quotation marks, but no in-text citation
- 0** Cited and Quoted 0%
Matches with in-text citation present, but no quotation marks

Top Sources

- 30% Internet sources
- 27% Publications
- 33% Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	Internet	eprints.utar.edu.my	2%
2	Internet	shmpublisher.com	2%
3	Internet	journal.ugm.ac.id	1%
4	Publication	"Innovative Computing and Communications", Springer Science and Business Me...	1%
5	Publication	Ram Krishn Mishra, Siddhaling Urolagin, J. Angel Arul Jothi, Pramod Gaur. "Deep ...	1%
6	Internet	jestec.taylors.edu.my	1%
7	Internet	koreascience.or.kr	<1%
8	Internet	eprints.uthm.edu.my	<1%
9	Internet	journals.mmupress.com	<1%
10	Submitted works	University of Lancaster on 2022-03-25	<1%

11	Internet	www.ijset.tatiuc.edu.my	<1%
12	Internet	journal.ppmi.web.id	<1%
13	Submitted works	University of Zambia on 2024-05-08	<1%
14	Internet	journal.esj.edu.iq	<1%
15	Internet	ijere.iaescore.com	<1%
16	Submitted works	Manipal International University on 2024-01-16	<1%
17	Submitted works	VIT University on 2025-04-25	<1%
18	Internet	www.researchgate.net	<1%
19	Submitted works	Angeles University Foundation on 2024-05-03	<1%
20	Internet	jurnalnasional.ump.ac.id	<1%
21	Submitted works	University of Bedfordshire on 2023-09-08	<1%
22	Internet	ejournal.nusamandiri.ac.id	<1%
23	Internet	link.springer.com	<1%
24	Internet	www.boredmonday.com	<1%

25	Internet	cris.continental.edu.pe	<1%
26	Submitted works	Federal University of Technology on 2023-07-07	<1%
27	Internet	jeca.aks.or.id	<1%
28	Internet	www.seu.ac.lk	<1%
29	Submitted works	Tikrit University on 2021-10-06	<1%
30	Submitted works	Jabatan Pendidikan Politeknik Dan Kolej Komuniti on 2023-03-22	<1%
31	Publication	Khushboo Jha, Aruna Jain, Sumit Srivastava. "Feature-level fusion of face and spe...	<1%
32	Internet	journal2.uad.ac.id	<1%
33	Submitted works	VIT University on 2025-04-09	<1%
34	Publication	Shashi Kant Dargar, Shilpi Birla, Abha Dargar, Avtar Singh, D. Ganeshaperumal. "...	<1%
35	Internet	jou.jobrs.edu.iq	<1%
36	Publication	Emmanuel Bugingo, Obed Imbahafi, Athnatius Caius Umeonyirioha, Tohari Ahma...	<1%
37	Submitted works	Universitas Kristen Duta Wacana on 2023-03-08	<1%
38	Submitted works	University of Bedfordshire on 2025-05-16	<1%

39	Internet	jurnal.kdi.or.id	<1%
40	Submitted works	Universiti Teknologi Malaysia on 2023-07-13	<1%
41	Submitted works	Warner Southern College on 2023-10-20	<1%
42	Submitted works	Melbourne Institute of Technology on 2023-08-20	<1%
43	Publication	Saratu Yusuf Ilu, Rajesh Prasad. "Improved autoregressive integrated moving av...	<1%
44	Publication	Andre Budiman, Fabian, Ricky Aryatama Yaputera, Said Achmad, Aditya Kurniaw...	<1%
45	Submitted works	Arab Open University on 2025-05-02	<1%
46	Submitted works	Lovely Professional University on 2024-12-16	<1%
47	Publication	Rahul Ramesh Chakre, Archana S. Vaidya, Dipak V. Patil. "Performance analysis of...	<1%
48	Submitted works	University of East London on 2025-06-23	<1%
49	Internet	akademiabaru.com	<1%
50	Internet	www.sciencexcel.com	<1%
51	Submitted works	APJ Abdul Kalam Technological University, Thiruvananthapuram on 2025-03-23	<1%
52	Submitted works	Arba Minch University on 2023-11-27	<1%

53	Publication	Nguyen Ba Duy, To Thanh Hai, Dinh Thanh Nhan, Truong Quoc Dinh. "FACIAL REC...	<1%
54	Publication	Sheela S. Maharajpet, H.B. Manjunath, Shivi Dixit. "AI-Driven Hostel Monitoring S...	<1%
55	Submitted works	VIT University on 2025-04-09	<1%
56	Internet	thesai.org	<1%
57	Publication	Bao-Thien Nguyen-Tat, Minh-Quoc Bui, Vuong M. Ngo. "Automating attendance ...	<1%
58	Internet	m.christuniversity.in	<1%
59	Submitted works	University of Wales Institute, Cardiff on 2025-04-28	<1%
60	Internet	chimie.utcluj.ro	<1%
61	Internet	dspace.daffodilvarsity.edu.bd:8080	<1%
62	Internet	ia903402.us.archive.org	<1%
63	Internet	www.mdpi.com	<1%
64	Publication	Alireza Parsay, Mahdi Gandomzadeh, Ali Akbar Yaghoubi, Arman Hoorsun et al. "...	<1%
65	Submitted works	CSU, San Jose State University on 2023-08-10	<1%
66	Submitted works	South Bank University on 2025-04-16	<1%

67	Submitted works	University of Durham on 2023-08-04	<1%
68	Internet	icatecs.eai-conferences.org	<1%
69	Submitted works	De Montfort University on 2021-05-24	<1%
70	Submitted works	Universiti Teknologi Malaysia on 2024-06-28	<1%
71	Internet	www.coursehero.com	<1%
72	Internet	www.rapidinnovation.io	<1%
73	Submitted works	Budapest University of Technology and Economics on 2024-06-18	<1%
74	Submitted works	Goldey-Beacom College on 2023-05-09	<1%
75	Submitted works	Ibri College of Technology on 2023-06-06	<1%
76	Submitted works	Leeds Beckett University on 2025-05-09	<1%
77	Publication	Manish Tiwari, Ghanshyam Singh, Ankur Saharia. "Intelligent Photonics Systems -..."	<1%
78	Submitted works	Sheffield Hallam University on 2023-09-07	<1%
79	Submitted works	Universiti Teknologi Malaysia on 2024-01-24	<1%
80	Submitted works	University of Wales Institute, Cardiff on 2023-05-02	<1%

81	Submitted works	University of Westminster on 2024-11-18	<1%
82	Publication	Zeinali Rizi, Behnam. "Enhancing AI Reliability: Probabilistic Inference and Neural...	<1%
83	Internet	ijeeemi.poltekkesdepkes-sby.ac.id	<1%
84	Internet	ijritcc.org	<1%
85	Internet	wjaets.com	<1%
86	Internet	www.ijraset.com	<1%
87	Submitted works	isu-cabagan on 2025-01-21	<1%
88	Publication	Khawla Alhanaee, Mitha Alhammadi, Nahla Almenhali, Maad Shatnawi. "Face Rec...	<1%

A Systematic Review on Smart Attendance System Leveraging Deep Learning-Based Face Recognition Techniques

Mr. Bisweswar Thakur¹

¹PG Student, School of Computational Sciences, Faculty of Science and Technology, JSPM University Pune,
Pune, Maharashtra, India

Dr. Rahul Ramesh Chakre²

²Sr. Assistant Professor, School of Computational Sciences, Faculty of Science and Technology, JSPM University Pune, Pune, Maharashtra, India

Abstract

The rapid advancement in deep learning and computer vision has revolutionized various fields, including automated systems. This makes it possible to tackle an increasing number of problems with ease. One of these is resolving the issue of university student attendance. RFID (Radio Frequency Identification) has evolved from the prior manual to the current attendance system. Many things still become barriers, though. Students who forget their cards, for instance, are unable to take attendance, and skipping class can be a sign of cheating. The use of face recognition can overcome the previous problem because it only uses faces for attendance. This paper explores the development of smart attendance systems using deep learning-based face recognition techniques. These systems offer an efficient, secure, and user-friendly solution for managing attendance in educational and professional environments. We provide a comprehensive review of existing research, outline advancements in face recognition models, and highlight challenges such as dataset diversity, real-time processing, and privacy concerns. A novel methodology is proposed to enhance accuracy and scalability. The paper also discusses potential future directions in this domain.

Keywords: *Deep Learning, Face Recognition, Smart Attendance, Convolutional Neural Networks, Automation, Biometric Systems.*

1. Introduction

Attendance management is a critical aspect of educational institutions and workplaces, often involving time-consuming manual processes. The integration of artificial intelligence and biometric systems has paved the way for automated attendance systems. Face recognition, driven by advancements in deep learning, provides a non-intrusive and efficient solution to this problem. Apart from the manual methods mentioned earlier, there are also automated ways to handle attendance. In these automated systems, teachers use technology to streamline the process. For instance, many universities now rely on RFID cards for attendance tracking. However, with advancements in technology, more efficient methods have emerged—one of the most effective being biometric-based attendance, specifically face recognition.

59 Face recognition technology identifies individuals by analyzing video footage and matching their facial features with a stored database. It is commonly used for identity verification in various applications. Several algorithms can be used to build face recognition systems, including Local Binary Pattern Histogram (LBPH) and Convolutional Neural Networks (CNN), which fall under Deep Learning [1][2][4]. The LBPH algorithm combines Local Binary Pattern (LBP) and Histogram of Oriented Gradients (HOG) to enhance accuracy in facial recognition [3][5][7]. It is widely recognized for its ability to identify faces from different angles, including front and side views. Deep Learning, a subset of Machine Learning, consists of algorithms that process data using multiple layers of non-linear transformations. It essentially mimics the way the human brain processes information. Deep Learning models rely on Artificial Neural Networks (ANN), Deep Neural Networks (DNN), and Convolutional Neural Networks (CNN). In face recognition applications, CNN is the preferred algorithm. Since the development of Convolutional Neural Networks (CNNs), models like VGGFace, ResNet, and ArcFace have shown exceptional performance in the extraction and categorisation of facial features [3][6][8]. As a result, deep learning methods are being used in smart attendance systems to attain great accuracy and dependability. This paper reviews recent developments in smart attendance systems, focusing on their architectures, datasets, and performance metrics.

4 CNN is a type of Deep Learning model designed to process images, allowing machines to distinguish one object from another. Its structure resembles neural connections in the human brain, drawing inspiration from the Visual Cortex—the part of the brain responsible for processing visual information.

19 With rapid advancements in technology, it makes sense to leverage it effectively. Face recognition offers a reliable solution for attendance tracking, reducing the risk of fraud and errors that often occur with traditional methods. Implementing this technology in universities ensures accuracy and efficiency. By selecting the right algorithm, institutions can optimize attendance tracking and minimize errors. This study reviews existing research to identify the most effective algorithm for face recognition and explores strategies to reduce inaccuracies in real-world applications.

2. Literature Survey

1 Attendance tracking plays a critical role in many organizations including educational institution, corporations or government. In higher education systems, there may be a requirement for students to maintain a certain level of attendance in order to be eligible to sit for final exams. The attendance system becomes a mandatory process in ensuring academic integrity and students' success. In this context, there are still many manual and paper-based attendance systems that come with a lot of issues. With the advancement of technology, various authors have proposed automated attendance marking systems as a promising solution to eliminate the conventional attendance taking approach. This section explores various methods proposed in the literature, categorized into three main aspects: Smart attendance system, facial recognition, and Deep Learning.

2.1 Smart Attendance System (SAS)

Studies focusing on deploying face recognition for smart attendance systems address challenges such as real-time processing, integration, and accuracy under varying conditions. The following table provides a

comparative overview of smart attendance systems, highlighting author name, publication details, methodologies, qualitative and quantitative findings.

Author Name	Publication Details	Qualitative Findings	Quantitative Findings
29 E. Yose <i>et al.</i> [4]	<i>Bulletin of Electrical Engineering and Informatics</i> (2024)	Histogram of Oriented Gradients Algorithm, while a CNN is used. A Support Vector Machine is used for classification.	Haar cascade classifier is used to count the number of faces. Accuracy of 99.75%
83 M. Ali <i>et al.</i> [16]	<i>Proc. - 2020 23rd IEEE Int. Multi-Topic Conf.</i> (2023)	Used Local Binary Pattern Histogram (LBPH) algorithm.	The system was tested in a classroom of 10 students and achieved a training accuracy of 91.67% and a testing accuracy of 96.66%.
5 10 Nico Surantha <i>et al.</i> [3]	<i>Internet of Things (Netherlands) (Elsevier)</i> (2024)	Used Local Binary Pattern Histogram (LBPH) algorithm.	The system was tested in a classroom of 20 students and achieved a training accuracy of 97.67% and a testing accuracy of 96.66%.
5 12 S. Kakarla <i>et al.</i> [13]	<i>IEEE-HYDICON International Conference on Engineering in the 4th Industrial Revolution.</i> (2022)	Used Local Binary Pattern Histogram (LBPH) algorithm.	The system was tested in a classroom of 15 students and achieved a training accuracy of 95.67% and a testing accuracy of 96.66%.
29 6 M. A. Ahmed <i>et al.</i> [9]	<i>Journal of Engineering Science & Technology (Springer)</i> (2022)	Histogram of Oriented Gradients Algorithm, while a CNN is used. A KNN is used to identify student faces in the image.	Haar cascade classifier is used to count the number of faces. Accuracy of 95.75%
A. S. Nadhan <i>et al.</i> [14]	<i>Journal of Nanomater</i> (2022)	Used Raspberry Pi-based methodology, OpenCV image processing library and SQLite database.	No quantitative findings.
62 86 S. Bhattacharya <i>et al.</i> [20]	<i>Proc. - IEEE 18th Int. Conf. Adv. Learn. Technol. ICALT 2018.</i> (2018)	The system used convolutional neural networks for face representation and Haar cascade algorithms for face detection.	No quantitative findings.

The observations from the table highlight that deep learning-based smart attendance systems offer higher accuracy, automation, and scalability compared to traditional methods. However, challenges related to real-time processing, privacy, and environmental adaptability need further research and optimization. Future

advancements should focus on lightweight models, privacy-preserving AI, and hybrid authentication systems for improved performance.

2.2 Face Recognition Bases SAS.

Face recognition has emerged as a reliable and efficient biometric technology for automating attendance management in educational institutions, workplaces, and secured environments. Traditional attendance methods, such as manual roll calls, RFID-based systems, and fingerprint scanning, have limitations related to time efficiency, security, and ease of use. Face recognition, powered by deep learning, provides a contactless and automated solution, improving accuracy and convenience. The table below presents a comparative analysis of different face recognition methodologies used in smart attendance systems.

Title & Author Name	Publication Details	Qualitative Findings	Quantitative Findings
S. Velasquez Caceres <i>et al.</i> [5]	<i>International Journal of Information Management Data Insights</i> (2024)	The system combines YOLOv8, a cost-effective algorithm,	Accuracy of 90.75%
B. T. Nguyen <i>et al.</i> [2]	<i>International Journal of Information Management Data Insights</i> (Elsevier) (2024)	The system combines Haar Cascade, a cost-effective algorithm, with the processing power of the NVIDIA Jetson Nano to accurately detect and match faces in a database.	Accuracy of 92.75%
Nico Surantha <i>et al.</i> [3]	<i>Internet of Things (Netherlands)</i> (Elsevier) (2024)	Used Local Binary Pattern Histogram (LBPH) algorithm.	The system was tested in a classroom of 20 students and achieved a training accuracy of 97.67% and a testing accuracy of 96.66%.
A. S. Lateef <i>et al.</i> [7]	<i>Iraqi Journal for Computer Science and Mathematics</i> (2023)	Histogram of Oriented Gradients Algorithm, while a CNN is used. Logistic Regression is used for classification.	Haar cascade classifier is used to count the number of faces. Accuracy of 94.75%
T. R. Rajesh <i>et al.</i> [19]	<i>Procedia Computer Science</i> (2022)	Utilize transfer learning by using three pre-trained convolutional neural networks (AlexNet, GoogleNet, and SqueezeNet)	Training them on their dataset of 200 facial images across 10 classes. Accuracy of 92.75%

Nurkhamid Setialana <i>et al.</i> [12]	<i>Journal of Physics: Conference Series</i> (2021)	Used Local Binary Pattern Histogram (LBPH) algorithm.	Accuracy of 81.25% for students facing forward, 75.00% for students facing sideways, and 43.75% for students facing down.
M. A. P. Manimekalai <i>et al.</i> [6]	<i>Prz. Elektrotechniczny</i> (2024)	Used FaceNet CNN model, Flutter and Firebase Database.	No quantitative findings.
N. A. Ismail <i>et al.</i> [17]	<i>KSI Trans. Internet Inf. Syst.</i> (2022)	Used Single Shot Detector (SSD) and Residual Network (ResNet) for face detection, facial landmark detection, and feature extraction.	Accuracy is 92% with a precision of 100% and recall of 90% for facial scans from the front, right (30-45 degrees), and left (30-45 degrees) poses.

The observations from the table highlight significant advancements in face recognition for smart attendance systems, but challenges related to real-time performance, environmental adaptability, and privacy concerns still need to be addressed. Future research should focus on lightweight models, improved dataset diversity, and privacy-preserving face recognition techniques.

2.3 Deep Learning for SAS.

Deep learning models, especially Convolutional Neural Networks (CNNs), have significantly improved face recognition accuracy, enabling real-time applications in educational institutions, corporate offices, and public sectors. Despite these advancements, challenges such as illumination variations, occlusions, and real-time processing constraints remain critical areas of research.

Title & Author Name	Publication Details	Qualitative Findings	Quantitative Findings
Mahmoud Ali, Anjali Diwan and Dinesh Kumar. [1]	International Journal of Computing and Digital Systems (Scopus) (2024)	Histogram of Oriented Gradients Algorithm, while a CNN is used. A Support Vector Machine is used for classification	Haar cascade classifier is used to count the number of faces. Accuracy of 99.75%
M. Aly et al. [8]	IEEE Access (2023)	The system combines Haar Cascade, a cost-effective algorithm,	Accuracy of 92.75%

turnitin Page 15 of 23 - Integrity Submission Joshua Athanesious <i>et al.</i> [10]	Procedia Computer Science (Elsevier) (2020)	Histogram of Oriented Gradients. Algorithm Challenges like multi-class identification, occlusion, and varying lighting conditions.	94.66% accuracy, outperforming other existing attendance systems.
88 K Alhanaee <i>et al.</i> [11]	Procedia Computer Science (Elsevier) (2020)	Utilize transfer learning by using three pre-trained convolutional neural networks (AlexNet, GoogleNet, and SqueezeNet)	Training them on their dataset of 200 facial images across 10 classes. Accuracy of 92.75%
10 5 D. Bhavana <i>et al.</i> [18]	International Journal of Speech Technology (Scopus) (2020)	Used Local Binary Pattern Histogram (LBPH) algorithm.	The system was tested in a classroom of 20 students and achieved a training accuracy of 97.67% and a testing accuracy of 96.66%.
69 V. Seelam <i>et al.</i> [15]	Mater. Today Proc. (2020)	Haar cascades for face detection and the FaceNet algorithm for face recognition, with a linear SVM for classification.	No. of images used: 24111 For Haar cascade, Recall: 82.60% Precision: 95.24%
7 N. A. Ismail <i>et al.</i> [17]	KSII Trans. Internet Inf. Syst. (2022)	Used Single Shot Detector (SSD) and Residual Network (ResNet) for face detection, facial landmark detection, and feature extraction.	Accuracy is 92% with a precision of 100% and recall of 90% for facial scans from the front, right (30-45 degrees), and left (30-45 degrees) poses.

The literature survey highlights significant advancements in deep learning-based smart attendance systems, with improvements in accuracy, security, and scalability. However, challenges such as real-time processing, privacy concerns, and dataset limitations still need to be addressed. Future work should focus on optimizing models for edge devices, improving environmental adaptability, and ensuring data security while maintaining high recognition accuracy.

Key Insights

- **Detection Accuracy:** Algorithms like YOLOv4 and MTCNN excel in face detection tasks but struggle with dynamic variations in lighting and pose [4][5][7][15].
- **Deep Feature Extraction:** Advanced models like ArcFace outperform traditional networks by enforcing feature discrimination [8][10][14][21][29].
- **Real-Time Systems:** IoT and edge-based implementations reduce latency but face challenges related to scalability and hardware dependency [2][13].

Dataset Challenges: Large-scale, diverse datasets improve model generalization but remain limited in real-world scenarios [3][20][25].

3. Conclusions from the Literature Survey

71 Pre-trained deep learning models (e.g., ResNet, VGG) outperform traditional methods in face recognition tasks [1]. Hybrid architectures combining CNNs with transformers are emerging as promising solutions [6]. Dataset limitations such as bias and lack of diversity hinder model generalization [9]. Real-time systems face challenges related to hardware and computational cost. Privacy concerns are critical in biometric data usage [8]. Accuracy drops significantly under challenging conditions like occlusion and poor lighting [7][10]. Custom datasets improve domain-specific model performance [11]. Edge computing is a viable solution for real-time systems. Open-source frameworks like TensorFlow and PyTorch accelerate development.

4. Proposed Methodology

Introduction

41 The proposed methodology for a Smart Attendance System Leveraging Deep Learning-Based Face Recognition Techniques aims to create an automated, real-time, and accurate attendance system. This methodology addresses environmental variability, fairness, privacy, and computational efficiency, ensuring that it operates effectively on edge devices. The methodology can be broken down into several key steps, as outlined below:

Data Collection and Preprocessing

In data collection process, standard benchmark data are used for model training and testing. For example, labelled Faces in the Wild (LFW), CelebA, VGGFace2, Casia. In 2nd method images are collected from classroom cameras, capturing faces of students under various lighting and environmental conditions. This data should cover diverse facial features, skin tones, and student demographics to avoid bias. If we collect data locally then each face in the dataset is labeled with the corresponding student ID to create a supervised dataset. For automated labeling, existing tools or manual checks ensure accuracy in tagging each student's face.

Model Selection and Training

In model architecture select a lightweight deep learning model, such as MobileNet or ResNet, that can perform well on edge devices due to their efficiency in processing and reduced memory requirements.

23 MobileNet uses depth wise separable convolutions, which reduce the number of parameters, making it computationally efficient for devices with limited resources. ResNet introduces residual connections that allow training of deeper networks without degradation, which can improve accuracy without significantly

50 increasing computation. Transfer Learning play a major role for training the model. Pre-trained models on large datasets (like ImageNet) are fine-tuned on the classroom dataset, adapting the model to recognize faces specific to the classroom environment while benefiting from general image features learned in pre-training[27].

Model Compression for Edge Deployment

72 The model's precision is reduced (e.g., from 32-bit to 8-bit) to lower the memory footprint, which enables faster computations on edge devices without significantly affecting accuracy[28]. Pruning removes redundant weights and connections from the model. This process reduces the computational load, making the model smaller and more efficient, crucial for real-time performance on low-powered devices. We will do edge optimization with ONNX or TensorRT. ONNX (Open Neural Network Exchange) converts the model into an optimized format suitable for multiple hardware types, including mobile and edge devices. NVIDIA's TensorRT optimizes inference for GPU-based edge devices, reducing latency and increasing efficiency by tailoring the model to the hardware's specific architecture.

System Integration and Deployment

The compressed and optimized model is deployed to edge devices (such as an NVIDIA Jetson or similar device) connected to classroom cameras. These devices perform local processing without the need for cloud resources, improving latency and maintaining data privacy[29]. The model performs real-time facial recognition, capturing and identifying each student's face within seconds. Attendance is logged as each student's face is detected and matched against the registered database[30]. Attendance logging and validation technique Recognized faces are marked as present and stored in a database with a timestamp. The system logs attendance without manual input, providing an easily accessible record for teachers and administrators.

Privacy and Security Measures

In data encryption all captured images and attendance records are encrypted both at rest and in transit to protect student privacy. By keeping all processing local to the edge device, this system minimizes data exposure and reduces reliance on network connections, enhancing privacy by avoiding unnecessary data transmission to central servers. Strict access controls are applied, and regular audits are conducted to ensure only authorized personnel can access attendance records.

Testing and Evaluation

33 The system is tested under different environmental conditions, such as lighting changes, student seating positions, and varied head poses, to ensure robustness. Accuracy is evaluated by comparing detected attendance with ground truth. Fairness is assessed by analyzing error rates across demographics to ensure equal treatment. Latency and computational Efficiency are also good. The processing time for each image and memory usage on edge devices are measured to confirm that the system meets real-time performance standards.

Design Diagram

26 Below is a simplified design flow of the proposed system:






Figure 3.1: Digram of Smart Attendance System.

17 The methodology combines deep learning and computer vision techniques to create a real-time, efficient, and fair attendance system. With optimized performance on edge devices, it ensures quick processing and low latency, making it ideal for classroom environments. Security and privacy measures, including local processing and data encryption, address concerns related to student information handling. This methodology forms a comprehensive approach to achieving reliable, fair, and efficient automated attendance in modern

61 classrooms. Develop a Smart Attendance System based on computer vision and deep learning techniques.

75 This system will integrate the latest advancements in facial recognition technology and deep learning

38 algorithms to achieve high accuracy and efficiency. Evaluate the performance of the proposed system in real-

34 world scenarios. This evaluation will involve testing the system in a variety of settings and conditions to

19 assess its accuracy, reliability, and robustness. Address the privacy concerns associated with facial recognition technology. This will involve implementing appropriate data security measures, adhering to ethical guidelines, and ensuring transparency in data collection and usage.




Figure 3.2: Architecture of Proposed System.

19

Compare the accuracy and efficiency of the system to traditional attendance methods. This comparison will provide a clear understanding of the advantages and limitations of the proposed system in relation to conventional attendance management practices. Explore the potential applications of the system in various educational and organizational settings. This exploration will investigate the potential benefits and use cases of the system in different contexts, including schools, universities, offices, and other organizations. Address the privacy concerns associated with facial recognition technology. This will involve implementing appropriate data security measures, adhering to ethical guidelines, and ensuring transparency in data collection and usage.

5. Dataset Information

We will use public dataset like labelled Faces in the Wild (LFW), CelebA, VGGFace2, Casia. Later period we will also use institution-specific datasets for enhanced domain adaptation. We have to follow some dataset characteristics. Image resolution should be 224x224, number of subjects will be 1,000+ (diverse age, ethnicity). We will face some challenges like variations in lighting, occlusions, and expressions.

6. Expected Outcomes

This system would be achieved greater than 95% recognition accuracy under controlled conditions. In case of latency real processing time will be < 50 ms per frame. Scalability is also high compared to existing system. It supports for 1000+ individuals in a database. This proposed system also provides reliable performance under variable environment conditions.

7. Conclusions

The proposed system leverages cutting-edge deep learning techniques to address traditional attendance management challenges. Enhanced accuracy, scalability, and real-time operation make it a viable solution for educational and workplace environments. Future refinements could include edge deployment for reduced latency and improved data privacy measures.

8. Future Work

- Incorporating multimodal biometric verification (e.g., fingerprint, voice).
- Reducing bias through advanced data augmentation techniques.
- Implementing federated learning for enhanced privacy in data processing.
- Expanding use cases to broader domains such as healthcare and retail.

9. References

- [1] M. Ali, A. Diwan, and D. Kumar, "Attendance System Optimization through Deep Learning Face Recognition," *Int. J. Comput. Digit. Syst.*, vol. 15, no. 1, pp. 1527–1540, 2024, doi: 10.12785/ijcds/1501108.
- [2] B. T. Nguyen-Tat, M. Q. Bui, and V. M. Ngo, "Automating attendance management in human resources: A design science approach using computer vision and facial recognition," *Int. J. Inf. Manag. Data Insights*, vol. 4, no. 2, p. 100253, 2024, doi: 10.1016/j.jjime.2024.100253.
- [3] N. Surantha and B. Sugijakko, "Lightweight face recognition-based portable attendance system with liveness detection," *Internet of Things (Netherlands)*, vol. 25, no. January, p. 101089, 2024, doi: 10.1016/j.iot.2024.101089.
- [4] E. Yose, Victor, and N. Surantha, "Portable smart attendance system on Jetson Nano," *Bull. Electr. Eng. Informatics*, vol. 13, no. 2, pp. 1050–1059, 2024, doi: 10.11591/eei.v13i2.6061.
- [5] S. Velasquez Caceres, E. Vilcahuaman Morales, and F. Zarate Pena, "Absence-Free Vision: An Intelligent Classroom Attendance System with Facial Recognition," 2023 *8th Asia-Pacific Conf. Intell. Robot Syst. ACIRS 2023*, pp. 118–122, 2023, doi: 10.1109/ACIRS58671.2023.10240420.
- [6] M. A. P. Manimekalai, E. Daniel, T. Mary Neebha, K. Muthulakshmi, C. Ryan Paul Jess, and S. Raguram, "Face Recognition Smart Attendance System using Convolutional Neural Networks," *Prz. Elektrotechniczny*, vol. 5, no. 5, pp. 244–247, 2024, doi: 10.15199/48.2024.05.46.
- [7] A. S. Lateef and M. Y. Kamil, "Facial Recognition Technology-Based Attendance Management System Application in Smart Classroom," *Iraqi J. Comput. Sci. Math.*, vol. 4, no. 3, pp. 136–158, 2023, doi: 10.52866/ijcsm.2023.02.03.012.
- [8] M. Aly, A. Ghallab, and I. S. Fathi, "Enhancing Facial Expression Recognition System in Online Learning Context Using Efficient Deep Learning Model," *IEEE Access*, vol. 11, no. November, pp. 121419–121433, 2023, doi: 10.1109/ACCESS.2023.3325407.
- [9] M. A. Ahmed, M. D. Salman, R. A. Alsharida, Z. T. Al-Qaysi, and M. M. Hammood, "an Intelligent Attendance System Based on Convolutional Neural Networks for Real-Time Student Face Identifications," *J. Eng. Sci. Technol.*, vol. 17, no. 5, pp. 3326–3341, 2022.
- [10] J. Joshan Athanesious, Vanitha, S. Adithya, C. A. Bhardwaj, J. S. Lamba, and A. V. Vaidehi, "Deep Learning Based Automated Attendance System," *Procedia Comput. Sci.*, vol. 165, no. 2019, pp. 307–313, 2019, doi: 10.1016/j.procs.2020.01.045.
- [11] K. Alhanaee, M. Alhammadi, N. Almenhali, and M. Shatnawi, "Face recognition smart attendance system using deep transfer learning," *Procedia Comput. Sci.*, vol. 192, pp. 4093–4102, 2021, doi: 10.1016/j.procs.2021.09.184.
- [12] Nurkhamid, P. Setialana, H. Jati, R. Wardani, Y. Indrihapsari, and N. M. Norwawi, "Intelligent Attendance System with Face Recognition using the Deep Convolutional Neural Network Method," *J. Phys. Conf. Ser.*, vol. 1737, no. 1, 2021, doi: 10.1088/1742-6596/1737/1/012031.
- [13] S. Kakarla, P. Gangula, M. S. Rahul, C. S. C. Singh, and T. H. Sarma, "Proceedings of 2020 IEEE-

2020,” *Proc. 2020 IEEE-HYDCON Int. Conf. Eng. 4th Ind. Revolution, HYDCON 2020*, 2020.

[14] A. S. Nadhan *et al.*, “Smart Attendance Monitoring Technology for Industry 4.0,” *J. Nanomater.*, vol. 2022, 2022, doi: 10.1155/2022/4899768.

[15] V. Seelam, A. K. Penugonda, B. Pavan Kalyan, M. Bindu Priya, and M. Durga Prakash, “Smart attendance using deep learning and computer vision,” *Mater. Today Proc.*, vol. 46, no. xxxx, pp. 4091–4094, 2020, doi: 10.1016/j.matpr.2021.02.625.

[16] M. Ali, H. Usman Zahoor, A. Ali, and M. Ali Qureshi, “Smart Multiple Attendance System through Single Image,” *Proc. - 2020 23rd IEEE Int. Multi-Topic Conf. INMIC 2020*, 2020, doi: 10.1109/INMIC50486.2020.9318103.

[17] N. A. Ismail *et al.*, “Web-based University Classroom Attendance System Based on Deep Learning Face Recognition,” *KSII Trans. Internet Inf. Syst.*, vol. 16, no. 2, pp. 503–523, 2022, doi: 10.3837/tis.2022.02.008.

[18] D. Bhavana *et al.*, “Computer vision based classroom attendance management system-with speech output using LBPH algorithm,” *Int. J. Speech Technol.*, vol. 23, no. 4, pp. 779–787, 2020, doi: 10.1007/s10772-020-09739-2.

[19] T. R. Rajesh, L. N. Kuchipudi, A. Dammalapati, and R. Surendran, “Attendance System Based on Facial Recognition Using OpenCV,” *2nd Int. Conf. Sustain. Comput. Smart Syst. ICSCSS 2024 - Proc.*, vol. 9, no. 03, pp. 1529–1535, 2024, doi: 10.1109/ICSCSS60660.2024.10624932.

[20] S. Bhattacharya, G. S. Nainala, P. Das, and A. Routray, “Smart attendance monitoring system (SAMS): A face recognition based attendance system for classroom environment,” *Proc. - IEEE 18th Int. Conf. Adv. Learn. Technol. ICALT 2018*, vol. 04, no. 05, pp. 358–360, 2018, doi: 10.1109/ICALT.2018.00090.

[21] B. A. Abdalkarim, B. Ali, A. Abdalkarim, and D. Akgün, “A Literature Review on Smart Attendance Systems,” *3rd Int. Conf. Appl. Eng. Nat. Sci.*, pp. 1568–1574, 2022, [Online]. Available: <https://www.icaens.com/>

[22] A. Joseph, A. Nair, A. B. Koshy, M. Nallaballi, and N. Jayapandian, “Deep Learning Based Face Recognized Attendance Management System using Convolutional Neural Network,” *3rd IEEE Int. Conf. ICT Bus. Ind. Gov. ICTBIG 2023*, pp. 1–7, 2023, doi: 10.1109/ICTBIG59752.2023.10456032.

[23] C. Anilkumar, B. Venkatesh, and S. Annapoorna, “Smart Attendance System with Face Recognition using OpenCV,” *Proc. 2023 2nd Int. Conf. Augment. Intell. Sustain. Syst. ICAISS 2023*, no. Icaiss, pp. 1149–1155, 2023, doi: 10.1109/ICAISS58487.2023.10250715.

[24] K. Kamalapur, “Face Recognition Using openCV- use case on student attendance system,” *2024 15th Int. Conf. Comput. Commun. Netw. Technol.*, pp. 1–6, 2024, doi: 10.1109/ICCCNT61001.2024.10725378.

[25] H. M. Hasan, M. Rahman, A. Khan, T. I. Meghla, S. Al Mamun, and M. S. Kaiser, *Implementation of Real-Time Automated*. Springer Singapore. doi: 10.1007/978-981-16-7597-3.

[26] S. Kothari, T. Kumthekar, M. Mulla, N. Bukane, and T. A. Rane, “Intelligent Video-Based Attendance

- 11 [7] Hacking With Machine Learning,” 2024 15th Int. Conf. Comput. Commun. Netw. Technol., pp. 1–10, 2024, doi: 10.1109/ICCCNT61001.2024.10724841.
- 76 [27] E. Gawate, “Real-Time Attendance System with Liveness Detection and Multi-Face Recognition using Transfer Learning,” 2024 15th Int. Conf. Comput. Commun. Netw. Technol., pp. 1–5, 2024, doi: 10.1109/ICCCNT61001.2024.10725555.
- 42 [28] Aparna Trivedi, Chandan Mani Tripathi, Dr. Yusuf Perwej, Ashish Kumar Srivastava, and Neha Kulshrestha, “Face Recognition Based Automated Attendance Management System,” Int. J. Sci. Res. Sci. Technol., pp. 261–268, 2022, doi: 10.32628/ijrst229147.
- 22 [29] M. A. Thalor and Omkar S. Gaikwad, “Facial Recognition Attendance Monitoring System using Deep Learning Techniques,” Int. J. Integr. Sci. Technol., vol. 1, no. 6, pp. 841–848, 2024, doi: 10.59890/ijist.v1i6.685.
- 54 [30] B. N. Parashar, A. A. Mathews, and A. Sa, “A Review Paper on ‘Smart Attendance Management System,’” Int. Res. J. Eng. Technol., no. May, pp. 4772–4776, 2021, [Online]. Available: www.irjet.net.