

Listado de rutas de carpetas

El número de serie del volumen es 3879-3947

C:.

- .coverage
- .gitignore
- app.py
- app_fixed.py
- app_home.py
- app_test.py
- app_test_simple.py
- archirapid.db
- ARCHIRAPID_PIPELINE_DUAL_VIZ_20251112_142635.zip
- backup_20251206.zip
- check_db_plots.py
- data.db
- db_setup.py
- DEPLOYMENT_GUIDE.md
- fincas.json
- projects.json
- project_tree.txt
- README.md
- requirements.txt
- requirements_actual.txt
- setup_api_key.py
- test_app.py
- test_verification.py
- tmp_check_plots.py
- tmp_test_memoria.pdf

+---.pytest_cache

- .gitignore
- CACHEDIR.TAG
- README.md

+---.vscode

- settings.json
- tasks.json

+---archirapid_extract

- Catastro.pdf
- check_db.py
- check_images.py
- compute_edificability.py
- compute_edificability_old.py
- create_test_pdf.py
- export_dxf.py
- extract_pdf.py
- generate_design.py
- ocr_and_preprocess.py
- parcela_catastral.dxf
- parse_project_memoria.py
- README.md
- requirements.txt
- run_pipeline.py
- run_pipeline_simple.py
- setup_windows.ps1
- streamlit_design.py
- vectorize_plan.py
- verify_extraction.py
- __init__.py

+---catastro_output

- contours_clean.png
- contours_visualization.png
- edificability.json
- extracted_text.txt
- ocr_text.txt
- page_1.png

page_10.png
page_11.png
page_12.png
page_13.png
page_14.png
page_15.png
page_16.png
page_17.png
page_18.png
page_19.png
page_1_processed.png
page_2.png
page_20.png
page_21.png
page_22.png
page_23.png
page_24.png
page_25.png
page_26.png
page_27.png
page_28.png
page_29.png
page_3.png
page_30.png
page_31.png
page_32.png
page_33.png
page_34.png
page_35.png
page_36.png
page_37.png
page_38.png
page_39.png
page_4.png
page_40.png
page_41.png
page_42.png
page_43.png
page_44.png
page_45.png
page_46.png
page_47.png
page_48.png
page_49.png
page_5.png
page_50.png
page_51.png
page_52.png
page_53.png
page_54.png
page_55.png
page_56.png
page_57.png
page_58.png
page_59.png
page_6.png
page_60.png
page_61.png
page_62.png
page_63.png
page_64.png
page_65.png
page_66.png
page_67.png
page_68.png
page_69.png
page_7.png
page_70.png

```

    page_71.png
    page_72.png
    page_73.png
    page_74.png
    page_8.png
    page_9.png
    plot_polygon.geojson
    process_summary.json
    surface_candidates.json
    validation_report.json
    validation_report.txt
    vectorization_summary.json
+---design_output
|   design_manifest.json
|   design_model.glb
|   design_plan.png
\---__pycache__
    extract_pdf.cpython-310.pyc
    streamlit_design.cpython-310.pyc
    __init__.cpython-310.pyc
+---assets
|   +---branding
|   |   logo.png
|   |   Logo_Archirapid_proyect25.png
|   |   README.md
|   +---fincas
|   |   fincal_1.png
|   |   fincal_2.png
|   |   finca2_1.png
|   |   finca2_2.png
|   |   finca3_1.png
|   |   finca3_2.png
|   |   image1.jpg
|   |   image2.jpg
|   |   image3.jpg
|   \---projects
|       project1.png
|       project2.png
|       project3.png
+---backend
|   api.py
|   __init__.py
|   +---services
|   |   planGenerator.py
|   |   __init__.py
|   |   \---__pycache__
|   |       planGenerator.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   \---__pycache__
|       api.cpython-310.pyc
|       main.cpython-310.pyc
|       test_server.cpython-310.pyc
|       __init__.cpython-310.pyc
+---catastro_output
    edificability.json
    validation_report.json
    validation_report.txt

```

```
+---components
|   header.py
|   \---__pycache__
|           footer.cpython-310.pyc
|           header.cpython-310.pyc
|           __init__.cpython-310.pyc
+---data
|   fincas.json
|   proyectos.json
|   transacciones.json
|   usuarios.json
+---modules
|   \---marketplace
|           ai_engine.py
|           api.py
|           architects.py
|           catastro_api.py
|           client_panel.py
|           client_panel_fixed.py
|           client_panel_old.py
|           compatibilidad.py
|           data_access.py
|           disenador_vivienda.py
|           documentacion.py
|           gemelo_digital.py
|           gemelo_digital_vis.py
|           gemelo_editor.py
|           inmobiliaria_mapa.py
|           intranet.py
|           marketplace.py
|           marketplace.py.bak
|           marketplace_upload.py
|           mvp_demo.py
|           owners.py
|           pago_simulado.py
|           prompts.py
|           utils.py
|           validacion.py
|           __init__.py
|   \---__pycache__
|           ai_engine.cpython-310.pyc
|           architects.cpython-310.pyc
|           catastro_api.cpython-310.pyc
|           client_panel_fixed.cpython-310.pyc
|           compatibilidad.cpython-310.pyc
|           data_access.cpython-310.pyc
|           disenador_vivienda.cpython-310.pyc
|           documentacion.cpython-310.pyc
|           exportacion_cad_extendida.cpython-310.pyc
|           exportacion_extendida.cpython-310.pyc
|           footer.cpython-310.pyc
|           gemelo_digital.cpython-310.pyc
|           gemelo_digital_vis.cpython-310.pyc
|           gemelo_editor.cpython-310.pyc
|           inmobiliaria_mapa.cpython-310.pyc
|           marketplace.cpython-310.pyc
|           owners.cpython-310.pyc
|           pago_simulado.cpython-310.pyc
|           utils.cpython-310.pyc
|           validacion.cpython-310.pyc
|           __init__.cpython-310.pyc
+---scripts
|   insert_demo_plots.py
```

```
|
+---src
|
| architect_manager.py
| asset_manager.py
| catastro_extractor.py
| catastro_manager.py
| client_manager.py
| compatibility_engine.py
| contractor_manager.py
| db.py
| ia_manager.py
| ia_manager.py.bak
| ia_manager_new.py
| logger.py
| main.py
| map_manager.py
| matching_engine.py
| payment_flow.py
| payment_simulator.py
| preflight.py
| property_manager.py
| query_params.py
| ui_manager.py
| utils_validation.py
|
\---__pycache__
|     db.cpython-310.pyc
|     map_manager.cpython-310.pyc
|     query_params.cpython-310.pyc
|
+---tmp
+---uploads
|
| 15252cba-a3c4-4019-9025-58b652864701_memoria.json
| 255f8d3c-81df-4b25-8d7f-9de5c45de9ec_memoria.json
| 273423ce-d37b-4b17-b44e-2de55c712e53_memoria.json
| 361f69a9-34ed-4d24-ba0a-d9719b347268_memoria.json
| b620c4ff-8960-4ea6-80fd-a4287936e68a_memoria.json
| dwg_dba84c9cb0a444ae83995832fb5a84aa.dwg
| e7dc4c82-ffed-471f-99a0-8fed8bdeb501_memoria.json
| finca_photo_01782477003a47db964433ec81418d64.jpg
| finca_photo_03f386b00b3e4981be78f33e55def2ce.jpg
| finca_photo_1f54010dfd1443b78ef1a4d846c42183.png
| finca_photo_20359894eb0a4c2ea2b53e17542d45a2.jpg
| finca_photo_2306ac24545b48f9a2dc17e92a48a6ca.png
| finca_photo_2662db896784435b84a802f8e535612a.jpg
| finca_photo_293ffb9a0334479cb290e9a3d76766bf.jpg
| finca_photo_2d5fa126502643e1b28ef830d974f05f.jpg
| finca_photo_3aa38d03d3c64cacb5a77126f426951a.jpg
| finca_photo_3ele022d496a42d6a019b1a59206ff3a.jpg
| finca_photo_415971d0762f4b98b0f6f1eb4eb3b70c.jpg
| finca_photo_47d4a367a8a94a609e497ab08b553069.jpg
| finca_photo_47f81f83e23642b19e4caeb5f70alc55.png
| finca_photo_4f7c7559b30c4e8db306b4d7828ce5e1.jpg
| finca_photo_576d043a0e56434c867ce41502a161fa.jpg
| finca_photo_5d68500eaa5249bdb6424fe609448b9b.jpg
| finca_photo_62239f21906d4b29bbe8971b3ca2eb37.jpg
| finca_photo_67fb51b00fc349e1b8de94d6e315ddfc.jpg
| finca_photo_69e740b8f5cc42cabcebe0ceb9f881a3.jpg
| finca_photo_762bdece3ele493f867e4b0d73ff6999.jpg
| finca_photo_7a7385aec1bd420592c5d042f1307bd2.jpg
| finca_photo_7ab397204d8a4df3bcebe5cd8b18af34.jpg
| finca_photo_7fec88bc0bf549fc875967faala78791.jpg
| finca_photo_8fe8f050b67c435a8a363c04eccc581.jpg
| finca_photo_9f44473d532e49caa0led5e103ab3679.png
| finca_photo_a07dc9e1a69143d7bfc588d9b9e3627f.jpg
| finca_photo_a43ad84583744b28ae64ba6bb592e000.jpg
| finca_photo_b0f5b994d9604b34a60acad1db5720bb.jpg
| finca_photo_c205684cbce64434b214fc6f7a6592eb.jpg
```

finca_photo_c366bdade62246bdb37771fcf4c9ba91.jpg
finca_photo_c8f95b30843d47c29bd82c6bf87d168f.jpg
finca_photo_d1af9754907647d1b18b49354c75e2c1.png
finca_photo_dc5fe6df27bd432f842ffa23e4eea641.jpg
finca_photo_dcec2b739b6c4d31a71779c617e09313.jpg
finca_photo_df67503f7a4f4074b560d3286d19010b.jpg
finca_photo_e02bc765dd2e4a8fabbb089f473b0c775.jpg
finca_photo_f4b40cabf27a4959a10f19841a761732.jpg
finca_photo_f8063ffa7c9d4568983ee80fc5a0c51a.jpg
finca_photo_f851998e0bdc428a8b8cd5228bf6b6fa.png
finca_photo_f9472a1cf8414ef3bf2507a388c8b73e.jpg
foto_5d46f70dfa5f490193053923dea3f249.jpg
foto_930abbe4bb754838a9a41c8278c4bdf5.jpg
foto_a5d9bd2281e64524947e775c66806f0f.jpg
foto_a870766fc3bc417ea242494fe2fc9d28.png
foto_b589cbf547994a8d86005788e4c46d12.jpg
foto_efe5ealacd8f453a8de9b6147b5c9e29.jpg
glb_711caf2882954e158dfb0b668ald10c7.glb
memoria_8ea358b724d44e3695c7953c03fce7fd.pdf
nota_03d6ecd5f3bb49b69df87fbb27b2f24f.pdf
nota_34e0eeb2f9874b7ea0f376ef1d6ca6ef.pdf
nota_38dc50bbe7984fd185bd82a20da4773a.pdf
nota_46fccca04b51a441d89c2ae5df28141b6.pdf
nota_4bc6cf0ca2c34313a667b07343a9f784.pdf
nota_52045b4c566e48e0a7b2ea1902525188.pdf
nota_59e21a5517aa4d29baf0f41ec2e1997b.pdf
nota_5c1f7d9ef7f24888a00c83f470ba0e8b.pdf
nota_82f5f73b715e4216a1fc33c21c30840d.pdf
nota_8f2bfcece02a43b386449f1ce5f45cb7.pdf
nota_api_00a7986f82ea494098d3ca59434ad89f
nota_b4337b8b4bc5463eab90b0ab290a0650.pdf
nota_bb7b41134f8a4979a098344c93fd8d02.pdf
nota_cde63f5cfff943e196a8069dd64d1f74.pdf
nota_dfaaed0b1df24826a4a2d71934721850.pdf
nota_e31b15211c4b4fa2b5af4e3f34f4c931.pdf
nota_efa0397230f94403be493daebcbfa74e.pdf
plano_finca.png
Plano_Finca_Catastral.png
plot_6332720bb56b48d490812dbaff0f4b98.png
plot_79224e65e3834f358f229bfca008a2a7.jpg
plot_7afe19f789c04b8d955f53591a4e5778.png
plot_83b619c837b54aa3ae80b1504749b065.jpg
plot_a71d933f9e4a44208c836f1b7724094e.png
plot_b5d9550570374015b2f9024443908c15.jpg
plot_c32a36f354b64f7d90d722bc4f35a3f0.jpg
plot_c58834f0346c4dfc856964550f31f8fb.jpg
plot_e7beeb0e043549b9914f36e6f385f97b.jpg
plot_f7c739faa76c4f0ca9f5f61eb399114a.jpg
project_gallery_04e8fe103d7c4d108de4c6047b0dd545.jpg
project_gallery_0716ce9ac9ad465e996edce5b5f88962.jpg
project_gallery_08ca31adcf8b44b5b2ab339b5a1bc3d5.png
project_gallery_0ae19601a7af4c5399910f8e986bd8ad.jpg
project_gallery_0b4e5524c1914df2bd5b176616ab363c.jpg
project_gallery_0c40f41055d7485bb28e5824b32864ed.jpg
project_gallery_0c8bc0d6e95b4dc3a54008a7833d71d3.jpg
project_gallery_0e2eb5ac974641f5b4469da6adf79eb7.jpg
project_gallery_16e07a8e0ab6494abd879d4dae38ca77.jpg
project_gallery_18faecbc22f3474b8e054fa694e93d33.jpg
project_gallery_19fe822b34f549b380455e94ecb83c06.jpg
project_gallery_1a2c434d36064049a9ad000a4ae4148c.jpg
project_gallery_1d6af41042304e95981c160182fe0f7e.jpg
project_gallery_21fe74566cb848f4af95d90225fc3f3f.jpg
project_gallery_2bf425026a0341de8f209946bef0f86f.jpg
project_gallery_2c0afddda8a945829fc96002e6e47c81.jpg
project_gallery_2d6929dfce904273a0dd66603f5e9317.jpg
project_gallery_32dda30fdfa34b73af6ddb0e938c0ab8.png
project_gallery_335eee5a5903465186e81a37d85498ec.jpg
project_gallery_347544624edd4fad83840c41bc4970be.jpg

project_gallery_39ff045032824ea4b83588cbe4712e5a.jpg
project_gallery_3af2c842ab14468d88388efd2b997ce2.jpg
project_gallery_3d21e8226a0f42c3bfa2abdd2e8297d8.jpg
project_gallery_40e00a21e1704647897ff3ab992a8ab0.png
project_gallery_4236623ac534465187e2e6e9e284fdf1.jpg
project_gallery_42537a01aed84654ad23514c569a731a.jpg
project_gallery_437d1falb3b24cba93d5a665f2636683.jpg
project_gallery_4484b4ca4cda4fcla7ed221755e55430.jpg
project_gallery_45922becb181400c9baec1e4731bb819.png
project_gallery_4867cb7258f644808aef72f146c26abb.jpg
project_gallery_490139661d3a4d9d8fdc9a0980b3a71a.jpg
project_gallery_4e8fc7b3eddd42b7806f00fd6ald3204.jpg
project_gallery_52636fbb76c945b2a79b5a50021951f5.jpg
project_gallery_54ad4845495a4517a4759127e13bb0af.jpg
project_gallery_569b7dd6ed034793acabb9bb8319dcdf.jpg
project_gallery_575da74dc42845458a580582858cf6e2.jpg
project_gallery_5b1221780ff94c44abb51ea6f726d56f.jpg
project_gallery_5fb5b75147624d2fa65eab3b7d7464ee.jpg
project_gallery_6207383ede1c45368d9059874666e0ce.jpg
project_gallery_62f7232ff4f14d12b672bdbc5e7e1313.jpg
project_gallery_6515911335f94190843b2091b3865896.jpg
project_gallery_65bb631db95d49b985c10c1390c6b986.png
project_gallery_69db68d4b4974a138c14c90f1697a5c9.png
project_gallery_69ecf2b80b3a48b4987867f110dbb82b.jpg
project_gallery_6bbf082aa2004bf68e0113bd63bf2c26.png
project_gallery_6eaa3274efdc4bdea7fa153747b231fa.jpg
project_gallery_702404e14d7c4c45813cca4d763d9eff.jpg
project_gallery_70a3eda4d7c9490e8ac3cb5acfc700e2.jpg
project_gallery_7114b1fdeccd4c168e86d328e6e90780.png
project_gallery_74610840394a48ab863a78c76de1d009.jpg
project_gallery_77b4dc51c9de45819a6e242a523da8a8.jpg
project_gallery_799cb24cd7f5422db16c984245b6fec7.png
project_gallery_80c1815a2c0a4adbb6e08e01cbccabf1.jpg
project_gallery_853b7f8a7cf94274863f0cebb4028688.jpg
project_gallery_87aaef81c9a54cde975dcd6d37e36507.jpg
project_gallery_88933f70502e423a9565685fa9731d0c.png
project_gallery_88d15e5357be46d28afd21aa7cc019a0.png
project_gallery_89e7f9e680e9472dbe447e27210e080c.jpg
project_gallery_8a2c91d29dbe47a58eeefbdbd2fld54f.jpg
project_gallery_8ea7d0ed78bc4c35b4543c1753158973.jpg
project_gallery_90891c194441441f9ec6f999f2fc495c.jpg
project_gallery_90d5d846162f4360ad754e28c1fa4f92.jpg
project_gallery_911e01ba785649d9b989fbdala882dba.jpg
project_gallery_92f8554b902f4163b592ba305ff4a01d.jpg
project_gallery_954e6074f80347c9b98e943989990d65.jpg
project_gallery_9a0d495b78fc4e74ba76ada692890f05.png
project_gallery_9b2b63ac212b4a53913e718db798d5f2.jpg
project_gallery_a19acf8d1efe447f942af9c26ec493f4.png
project_gallery_a275fb773dd84b9dbb4029ad44bb78e9.jpg
project_gallery_a71436alb5ac4ebab632e7630calbaf1.jpg
project_gallery_aa20bcd9fe754a7ca3449d958c615a9d.jpg
project_gallery_aba6170e69634062982c33416bff8401.jpg
project_gallery_ac0afe43edcd46e48285f0907b9787c8.jpg
project_gallery_b0266690d96843f79ed544640db1427e.jpg
project_gallery_bled87d1cd3f4f7fbdcl176f7cfcblee.jpg
project_gallery_b5ceeececb442cfaf593f4f8fdblae9.jpg
project_gallery_b77ee29dd4224c1898f6d5c5742bb87b.jpg
project_gallery_ba27cbf86567402a81473401e23a4978.jpg
project_gallery_bcad23f2b9d94d6d8581da957d2077ca.jpg
project_gallery_bee88d48a53b485485fld4a17648987b.jpg
project_gallery_c112e466dae74d4691b011daeb992315.png
project_gallery_c1f9b83ee6884793910a0e390dd2836c.jpg
project_gallery_c23ce4b86ed043b4a18869ce8db617a9.jpg
project_gallery_c2d19946e45d4a08a76ec84b09ad4ddc.png
project_gallery_c3bf8464b087420ea743c7196cd46c06.jpg
project_gallery_c626640148b64820b6b1592falad4c91.jpg
project_gallery_c704ed09bb4643f1b396adaadf2f1333.jpg
project_gallery_cc398ff9bdec4dda895254eb643595e4.jpg

project_gallery_d42048957a2747029ceffe0914ab8234.jpg
project_gallery_d4a16131f2e047af9b107ecb7eb29e1e.jpg
project_gallery_dbdb28df635646e8b2368de9468b8a46.jpg
project_gallery_dd9c987e927c46a7a9180e4be78f0b4a.jpg
project_gallery_ddf9ce49b5f14cb48a57cbd0ee2e14a7.png
project_gallery_e10ff541dd9a40cd949050fd4872c611.jpg
project_gallery_elfca983ecd64f8886cb57dff2bbdd09.jpg
project_gallery_e2b6149fd3f14ba6a5fd51285d4ef740.jpg
project_gallery_e54442afd3e24648b654494579d73222.jpg
project_gallery_e549d7dcbdbd4165b175c0ba190e4898.jpg
project_gallery_e774a5f27a0547a088f0583e5d497743.png
project_gallery_e9ffb61ed0d147d09d0e04de074cb27f.jpg
project_gallery_ec8619806c26420998639ef113c0e942.jpg
project_gallery_ed3b2598d82543418a96b34f1c6aae7f.png
project_gallery_f18781b751764a29879e585b141aae40.jpg
project_gallery_f2384ddcad0a45df8ffcb926f438fa80.jpg
project_gallery_f24668de775f4fe98c42cd3da6bb5445.jpg
project_gallery_f2ddac75f21c4d6284564f635c7bc4b5.jpg
project_gallery_f3de1c5f423748d79a3d9a254b213ee9.png
project_gallery_f7ab3ec92500415a90ff3dc68177d31e.jpg
project_gallery_f944dab92bb44f8691e40ba60540bfc7.jpg
project_gallery_fbc28e30b80048b38cf8dd00b8f92a4a.jpg
project_gallery_feec2364d53d4ba7b6b842113963271e.jpg
project_main_044ee2d182cd498d9fb6678b42a8840e.png
project_main_069728a51ae9477e8fff867d629f67d5.png
project_main_0b47d91fcdec4089b16154206ef287bc.png
project_main_128537a7acf14c0395d5700897ce0b33.png
project_main_1321d025753b4c25b295ab6f8a84ce4c.jpg
project_main_1c5fb0270fd74e43a20e7d6bc87dd485.jpg
project_main_267ae64af72f4da49a2ca7dcddadfc98.png
project_main_278feb568d6a4621a408a554afa99bbf.jpg
project_main_2f4520176ba34dcf9932463abddf98ed.png
project_main_3150c3c8cc7a46f29550c5b06f5995e0.jpg
project_main_3ae6ff78f57649ecbc03ad07ccad1968.jpg
project_main_43052222e23d4f6da92b2fc7ccf3124e.jpg
project_main_43babbb3fb6cb4eb099cef5ad89cb70c5.jpg
project_main_4cd101e115ff49b88c41d195af5cf753.png
project_main_548c0ca8ffcd4c0d9a9fd2d48ba18e88.jpg
project_main_61e9237ce7594272b51e6aelc68b4b46.png
project_main_6569b48852a74caea7a8e432a44e3876.png
project_main_6f7cd9f2ac724613ab92b7cd0ad05ebd.png
project_main_6fdeea6d47564d32ab128244855a2f78.png
project_main_7272ed8ael69476ba79b54643e46842e.jpg
project_main_72f0e17511774282b84de55bb738fefb.jpg
project_main_785ac472a3544cb7ba185df40b976210.jpg
project_main_7ddb349901c24fccb2d68cce3a38e3c6.png
project_main_819431b9ecc74d11acb00eb87f99abd7.png
project_main_8196eb3d304d4321b5172ee8e0d1543c.jpg
project_main_8a062ff2cf454d658d04e3937826b249.png
project_main_8d377279b7854f4ca6e599842831f96f.jpg
project_main_8db2dc626acc4b8a8e2c706714d2d7ee.png
project_main_92cle7bda1b1471aa51af66db4b603a8.jpg
project_main_949b677a22e048398ea52a8bcf830825.jpg
project_main_95240f8b02e547dcab9b9c7de8cb1340.png
project_main_970e041dea2742b1b4daca830da39614.png
project_main_99fe84d0514a4078b5e4bbcb5ceb5fd2.png
project_main_abdfb6ff9a32456badf8be3d2c84dec.png
project_main_beb0a6100c9f43069efd9e1a755031b0.png
project_main_c437419045614bd5878e7126b51bf95b.jpg
project_main_c7915246408e469da97ff1de259d5bd7.png
project_main_cfba36b880ee4a0ea5340017c56ddc57.png
project_main_d474c9c2c065449291c308d1933945df.png
project_main_deed36acb26b456b9f92029eb853f573.jpg
project_main_e963f90b96fa4fd19070874c6c980b69.jpg
project_main_f4bca76223634944989a665d71e44f49.jpg
project_main_fb655dc68bcc4639a5783567ceddaf23.png
project_main_fdb2433bb3fe407c91ed53455f65a3d1.jpg
project_memoria_00b33bd7d44241969884d99de4040f44.pdf

project_memoria_3fcaae85eb6c484e84067fe1cc75c7f4.pdf
project_memoria_4207f0f3ea684b51b64b1e55913a75d1.pdf
project_memoria_4280a8438a4140618a9b7136d921c6be.pdf
project_memoria_443963f0d44e47ae94537804fdbfa9a7.pdf
project_memoria_4b777b483aa04cdc84778993383c66e3.pdf
project_memoria_4c1b1cfeb8fb04f2fb0b51bea009d59d4.pdf
project_memoria_5a5af78a060f4b4bade73b228314c6be.pdf
project_memoria_62fde690c4b344e890662e8df3e037b5.pdf
project_memoria_727d676f0f454708b3c1b933ec098c00.pdf
project_memoria_77a65fc941e747f0a789f4dale493aa0.pdf
project_memoria_7f4953f15ef048deb5f2750da7789345.pdf
project_memoria_8b9f30bb330e470a87abb8f228e34c73.pdf
project_memoria_9elf4640447f435d8d178862cb315639.pdf
project_memoria_acc9bb66582f47eca9c3650ffa69bal1f.pdf
project_memoria_ad3953c096f84d05b96b89385c078b2e.pdf
project_memoria_c1dad77b85864720af57185deeffc100.pdf
project_memoria_c58ab3af4bba438789f38fead4a8d5d3.pdf
project_memoria_cb5b30f392924e5f8cada64ec3f54448.pdf
project_memoria_cd56b353f3bb49a2a7954a0abc781966.pdf
project_memoria_ce7fc0c92f664d97bf9467dlb6de2967.pdf
project_memoria_d41ade9aldab4d2195bf839873bd00f7.pdf
project_memoria_d6dc038e10104e6cadb51597fd6f7295.pdf
project_memoria_db4386abcc504bc38d4da876b65e73ac.pdf
project_memoria_eb5e512449734dleabf0009e854f8544.pdf
project_memoria_f5f8f85affc94574831061f76284a35a.pdf
project_memoria_fae2a8e1e3a6452e8ebcfd4f14736a2f.pdf
project_memoria_fdbae0ad982f470086cf39b5c759a4bf.pdf
project_memoria_feb2dfd5e79e432ab325e152b6be4aa9.pdf
project_memoria_ffc3b38c399f4805bc3656cb9cfd872.pdf
project_model_00d1cdeb61e074033b92573da2c4aa072.glb
project_model_074291452b134363970907abe916b513.glb
project_model_0afa7df42821445b90facbbbde8817a2.glb
project_model_122756b896a14dcdbbb06dae15a97127.glb
project_model_2605a33c2fda45b6bce2230bf2a4dbec.glb
project_model_367c4813e5d34c28a5e99580fd60cd59.glb
project_model_3b5c74d79ea54477824dabc43173f425.glb
project_model_3ffff0a2dd8294b02a70e05b7ef291def.glb
project_model_55806ee4959b41709abc6edb2c47948d.glb
project_model_55a20d4c57604324b8c026fdc6cdcdcb.glb
project_model_595c5bee5f094ce193b629bb0267982a.glb
project_model_65857a65033443a9bbe310663e59e5ad.glb
project_model_6997046e0408416e8be7f3fa4c98a2bb.glb
project_model_82d33243c638411789a621883ab80f83.glb
project_model_922fe8c713c24fb6a18d4fba3a13c699.glb
project_model_a09e99d516a34a0ca61254a314e84026.glb
project_model_a908d18452ef4614a3a73f9423481104.glb
project_model_c4e309e7517541aa9df820a22c93c958.glb
project_model_c8b448e6db5f4e9e900a860b4f4bf075.glb
project_model_dacf404f19334e5aba262bd47327fdaa.glb
project_model_dbalacf6469c4a8caea039ac9b5e70d9.glb
project_model_e0790374a14f49aaa6cd3f9285f5afd0.glb
project_model_e87b7723b59d413b907d43cd3dedb404.glb
project_model_ef6e542971764296a9d537e02120e0ac.glb
project_model_fc6db34651e94d568785821f5dc2691b.glb
project_plans_dwg_01cc08a5caf44f2bae56ad38eecc3e7.dwg
project_plans_dwg_1567a435df5b44edbcfc70e61312362a.dwg
project_plans_dwg_1801e483324344c083ea6cce3dbaad1f.dwg
project_plans_dwg_20d3dcd317354359a96cacf13d27c2d3.dwg
project_plans_dwg_22f7bca50d7a4175a0e12027f9a49016.dwg
project_plans_dwg_2ec0b15b69da45e5ab90b55143ddef1e.dwg
project_plans_dwg_2fec62b7d9b142cfba335041d748d89e.dwg
project_plans_dwg_323004ab0fb9424b9e25c3ebcbe8f8ac.dwg
project_plans_dwg_508fb98bd4264e97b6c770250091bc99.dwg
project_plans_dwg_545e47a35ada4744841b2c2627900968.dwg
project_plans_dwg_63cc8c2626644d86b8898cf3857cf612.dwg
project_plans_dwg_6d41e51400cf44ac9c4e3378b3e0882a.dwg
project_plans_dwg_7566a49decfd462aa723f106b3fa1502.dwg
project_plans_dwg_78631ec6e1594485be6c788ff471dd6b.dwg

project_plans_dwg_7c95469e9d0a4a7a94d5eeb779d541ba.dwg
project_plans_dwg_82011906abe049d8971f530503910666.dwg
project_plans_dwg_aa946fdfa80f4647b646e571626b6a3b.dwg
project_plans_dwg_b398ab2f0alc4e5fbfb87f2707a5522b.dwg
project_plans_dwg_b399ae3c489b445fa0c2623bc7e0eeb9.dwg
project_plans_dwg_b742bfa928d0452ca820a739af895c2e.dwg
project_plans_dwg_bcd4fa45f12c4d4daf60588ccc259378.dwg
project_plans_dwg_c8f7091669874796a5cea863c2b9de76.dwg
project_plans_dwg_e995cf5540ef48068d2c287547589406.dwg
project_plans_dwg_eb3b000c6f464657b184cd35b6effa48.dwg
project_plans_pdf_01a89520e9b14fbd95bed70088e54736.pdf
project_plans_pdf_02b8ff541dc049eaa93aabbdd2d51e70f.pdf
project_plans_pdf_06cfc4b9cb254cc8946c4927cf709cd9.pdf
project_plans_pdf_1008730336584eb0ae419230594c6f42.pdf
project_plans_pdf_21bfbelfb1e442459658b475bc758234.pdf
project_plans_pdf_2e313f9fac8447b2a29503a9e48c718f.pdf
project_plans_pdf_2ef396889efb47dcb8c041623b27ba21.pdf
project_plans_pdf_380daffd95af4bdebe31a575030dc95c.pdf
project_plans_pdf_39ba23e239de4d9balecc4a914d5b005.pdf
project_plans_pdf_47593f635a8147bcbb98c553aa43a0f4.pdf
project_plans_pdf_49c63edb3f41449d9c8ccc60659b1b86.pdf
project_plans_pdf_4a2e5022e9904233b124286b3423a8e6.pdf
project_plans_pdf_55df868b27d446f0b58980932230c2b7.pdf
project_plans_pdf_6091308eadb945f3bdeef946214b8e0b.pdf
project_plans_pdf_6fc4e359cc2549888c0e0a0b2c7b92e2.pdf
project_plans_pdf_7263fb3398b64f7a9b0872c5983f4882.pdf
project_plans_pdf_83a97082284f411eace6d7432cd2676a.pdf
project_plans_pdf_8ddb8dc94968407485383c821893950c.pdf
project_plans_pdf_9544f64d5392408786ecd71ba83e52d6.pdf
project_plans_pdf_95e3c78d65a541e084d91f79e34065c2.pdf
project_plans_pdf_9ec7ba60265a40db97229858d2c2b862.pdf
project_plans_pdf_9f803303b71f4ccebd55349eccab2b6b.pdf
project_plans_pdf_ac669c8db22e43c4b9c91497c36fbl88.pdf
project_plans_pdf_aef73bfa70fa464287083c762945dec9.pdf
project_plans_pdf_b3d03606b389464d9e45c83e12875b60.pdf
project_plans_pdf_c80d29a95e914049a57d2c1fb3bd29f9.pdf
project_plans_pdf_cb246bba1788445b8e63bb907b5e893f.pdf
project_plans_pdf_d856fb01541e45e4bfafe56a861af38f.pdf
project_plans_pdf_db8595b416bb43019d0d113d145d92a5.pdf
project_plans_pdf_e2416c81f61f48a3a2cf927922451716.pdf
project_plans_pdf_e420718d7cae41f28d2120c62fca9d35.pdf
project_plans_pdf_ecd4e0df6ce846fdbd70466f4c336b6e.pdf
project_plans_pdf_fb28e08cb9ea470c9fblcac124acafac.pdf
project_plans_pdf_fda93c1df30645f0a0abl37c9bf5332.pdf
project_vr_01d03dc31e9647209564ec7f0b6adf99.zip
project_vr_1ff9d15dfa664f7b8551e2fb54cdc389.zip
project_vr_4ad62f7aa08340f4a14a03630dcee8ef.zip
project_vr_a328e3ac1b664ffea811dc4af1e59080.glb
project_vr_ac1ec6fd0bb34b9e99ff235bfbf6edb5.zip
project_vr_ed9c461fc79341f2b9d46d586c9b7fc8.zip
proyecto_07d4bb839ab448019c0798c1e9b5b62c.zip
registry_0f61bd042f4e425a9db5ebbb927eed7d.pdf
registry_42b422fb5a2c4860bd26fc6c8b7a6e0a.pdf
registry_488b080d61904da89d0275b30e9dca9c.pdf
registry_62a00fd4cb14406195c255d3234fa3ca.pdf
registry_672263da06db4fb2be75dd8b8bf46559.pdf
registry_7a9b8afd74754cb7b49612a23b02913c.pdf
registry_8f2c31dd43b94d71ac40c8b8a461a2ad.pdf
registry_bb84ba87a8604de18060951379b031ca.pdf
registry_ed95556040a4589b8335bf5e045d1a7.pdf
registry_ffc2622ac1b94ab08d4fd696b0b27843.pdf
rv_9747alca36b540b887094328840b10f4.zip

\---proyectos_arquitectos

+---venv

pyvenv.cfg

+---etc

```

\---jupyter
  \---nbconfig
    \---notebook.d
      jupyterlab-plotly.json
      pydeck.json

+---Include
+---Lib
  \---site-packages
    .DS_Store
    distutils-precedence.pth
    mccabe.py
    mypy_extensions.py
    numpy-1.26.4-cp310-cp310-win_amd64.whl
    py.py
    pycodestyle.py
    pylab.py
    six.py
    typing_extensions.py
    typing_inspect.py
    xltdict.py
    _cffi_backend.cp310-win_amd64.pyd

  +---altair
    |   py.typed
    |   theme.py
    |   _magics.py
    |   __init__.py
    |
    +---expr
    |   |   consts.py
    |   |   core.py
    |   |   funcs.py
    |   |   __init__.py
    |   |
    |   \---__pycache__
    |         |   consts.cpython-310.pyc
    |         |   core.cpython-310.pyc
    |         |   funcs.cpython-310.pyc
    |         |   __init__.cpython-310.pyc
    |
    +---jupyter
    |   |   jupyter_chart.py
    |   |   __init__.py
    |   |
    |   +---js
    |   |   |   index.js
    |   |   |   README.md
    |   |   |
    |   |   \---__pycache__
    |   |         |   jupyter_chart.cpython-310.pyc
    |   |         |   __init__.cpython-310.pyc
    |   |
    |   +---typing
    |   |   |   __init__.py
    |   |   |
    |   |   \---__pycache__
    |   |         |   __init__.cpython-310.pyc
    |   |
    |   +---utils
    |   |   |   compiler.py
    |   |   |   core.py
    |   |   |   data.py
    |   |   |   deprecation.py
    |   |   |   display.py
    |   |   |   execeval.py
    |   |   |   html.py
    |   |   |   mimebundle.py

```

```

plugin_registry.py
save.py
schemapi.py
selection.py
server.py
_dfi_types.py
_importers.py
_show.py
_transformed_data.py
_vegafusion_data.py
__init__.py

\---__pycache__
    compiler.cpython-310.pyc
    core.cpython-310.pyc
    data.cpython-310.pyc
    deprecation.cpython-310.pyc
    display.cpython-310.pyc
    execeval.cpython-310.pyc
    html.cpython-310.pyc
    mimebundle.cpython-310.pyc
    plugin_registry.cpython-310.pyc
    save.cpython-310.pyc
    schemapi.cpython-310.pyc
    selection.cpython-310.pyc
    server.cpython-310.pyc
    _dfi_types.cpython-310.pyc
    _importers.cpython-310.pyc
    _show.cpython-310.pyc
    _transformed_data.cpython-310.pyc
    _vegafusion_data.cpython-310.pyc
    __init__.cpython-310.pyc

+---vegalite
    api.py
    data.py
    display.py
    schema.py
    __init__.py

+---v5
    |
    | api.py
    | compiler.py
    | data.py
    | display.py
    | theme.py
    | __init__.py
    |
    +---schema
        |
        | channels.py
        | core.py
        | mixins.py
        | vega-lite-schema.json
        | vega-themes.json
        | _config.py
        | _typing.py
        | __init__.py
        |
        \---__pycache__
            channels.cpython-310.pyc
            core.cpython-310.pyc
            mixins.cpython-310.pyc
            _config.cpython-310.pyc
            _typing.cpython-310.pyc
            __init__.cpython-310.pyc

\---__pycache__
    api.cpython-310.pyc

```

```

        compiler.cpython-310.pyc
        data.cpython-310.pyc
        display.cpython-310.pyc
        theme.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        api.cpython-310.pyc
        data.cpython-310.pyc
        display.cpython-310.pyc
        schema.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    theme.cpython-310.pyc
    _magics.cpython-310.pyc
    __init__.cpython-310.pyc
+---altair-5.5.0.dist-info
    INSTALLER
    METADATA
    RECORD
    WHEEL
\---licenses
    LICENSE
+---annotated_types
    py.typed
    test_cases.py
    __init__.py
\---__pycache__
    test_cases.cpython-310.pyc
    __init__.cpython-310.pyc
+---annotated_types-0.7.0.dist-info
    INSTALLER
    METADATA
    RECORD
    WHEEL
\---licenses
    LICENSE
+---anyio
    from_thread.py
    lowlevel.py
    py.typed
    pytest_plugin.py
    to_process.py
    to_thread.py
    __init__.py
+---abc
    _resources.py
    _sockets.py
    _streams.py
    _subprocesses.py
    _tasks.py
    _testing.py
    __init__.py
\---__pycache__
    _resources.cpython-310.pyc
    _sockets.cpython-310.pyc
    _streams.cpython-310.pyc
    _subprocesses.cpython-310.pyc

```

```

        _tasks.cpython-310.pyc
        _testing.cpython-310.pyc
        __init__.cpython-310.pyc

+---streams
|
|   buffered.py
|   file.py
|   memory.py
|   stapled.py
|   text.py
|   tls.py
|   __init__.py
|
\---__pycache__
    buffered.cpython-310.pyc
    file.cpython-310.pyc
    memory.cpython-310.pyc
    stapled.cpython-310.pyc
    text.cpython-310.pyc
    tls.cpython-310.pyc
    __init__.cpython-310.pyc

+---_backends
|
|   _asyncio.py
|   _trio.py
|   __init__.py
|
\---__pycache__
    _asyncio.cpython-310.pyc
    _trio.cpython-310.pyc
    __init__.cpython-310.pyc

+---_core
|
|   _compat.py
|   _eventloop.py
|   _exceptions.py
|   _fileio.py
|   _resources.py
|   _signals.py
|   _sockets.py
|   _streams.py
|   _subprocesses.py
|   _synchronization.py
|   _tasks.py
|   _testing.py
|   _typedattr.py
|   __init__.py
|
\---__pycache__
    _compat.cpython-310.pyc
    _eventloop.cpython-310.pyc
    _exceptions.cpython-310.pyc
    _fileio.cpython-310.pyc
    _resources.cpython-310.pyc
    _signals.cpython-310.pyc
    _sockets.cpython-310.pyc
    _streams.cpython-310.pyc
    _subprocesses.cpython-310.pyc
    _synchronization.cpython-310.pyc
    _tasks.cpython-310.pyc
    _testing.cpython-310.pyc
    _typedattr.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    from_thread.cpython-310.pyc
    lowlevel.cpython-310.pyc
    pytest_plugin.cpython-310.pyc

```

```

        to_process.cpython-310.pyc
        to_thread.cpython-310.pyc
        __init__.cpython-310.pyc
+---anyio-3.7.1.dist-info
    entry_points.txt
    INSTALLER
    LICENSE
    METADATA
    RECORD
    top_level.txt
    WHEEL
+---astroid
    arguments.py
    astroid_manager.py
    bases.py
    builder.py
    const.py
    constraint.py
    context.py
    decorators.py
    exceptions.py
    filter_statements.py
    helpers.py
    inference_tip.py
    manager.py
    modutils.py
    objects.py
    protocols.py
    raw_building.py
    rebuilder.py
    transforms.py
    typing.py
    util.py
    _ast.py
    __init__.py
    __pkginfo__.py
+---brain
    brain_argparse.py
    brain_attrs.py
    brain_boto3.py
    brain_builtin_inference.py
    brain_collections.py
    brain_crypt.py
    brain_ctypes.py
    brain_curses.py
    brain_dataclasses.py
    brain_datetime.py
    brain_dateutil.py
    brain_func tools.py
    brain_gi.py
    brain_hashlib.py
    brain_http.py
    brain_hypothesis.py
    brain_io.py
    brain_mechanize.py
    brain_multiprocessing.py
    brain_namedtuple_enum.py
    brain_numpy_core_einsumfunc.py
    brain_numpy_core_fromnumeric.py
    brain_numpy_core_function_base.py
    brain_numpy_core_multiarray.py
    brain_numpy_core_numeric.py
    brain_numpy_core_numerictypes.py
    brain_numpy_core_umath.py
    brain_numpy_ma.py

```

```

    brain_numpy_ndarray.py
    brain_numpy_random_mtrand.py
    brain_numpy_utils.py
    brain_pathlib.py
    brain_pkg_resources.py
    brain_pytest.py
    brain_qt.py
    brain_random.py
    brain_re.py
    brain_regex.py
    brain_responses.py
    brain_scipy_signal.py
    brain_signal.py
    brain_six.py
    brain_sqlalchemy.py
    brain_ssl.py
    brain_statistics.py
    brain_subprocess.py
    brain_threading.py
    brain_type.py
    brain_typing.py
    brain_unittest.py
    brain_uuid.py
    helpers.py
    __init__.py
+---interpreter
|   dunder_lookup.py
|   objectmodel.py
|   __init__.py
|
|   \---_import
|           spec.py
|           util.py
|           __init__.py
|
|   \---nodes
|           as_string.py
|           const.py
|           node_classes.py
|           node_ng.py
|           utils.py
|           _base_nodes.py
|           __init__.py
|
|   \---scoped_nodes
|           mixin.py
|           scoped_nodes.py
|           utils.py
|           __init__.py
+---astroid-4.0.2.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
|
|   \---licenses
|           CONTRIBUTORS.txt
|           LICENSE
+---attr
|   converters.py
|   converters.pyi
|   exceptions.py
|   exceptions.pyi
|   filters.py

```



```

    filters.pyi
    py.typed
    setters.py
    setters.pyi
    validators.py
    validators.pyi
    _cmp.py
    _cmp.pyi
    _compat.py
    _config.py
    _funcs.py
    _make.py
    _next_gen.py
    _typing_compat.pyi
    _version_info.py
    _version_info.pyi
    __init__.py
    __init__.pyi
\---__pycache__
    converters.cpython-310.pyc
    exceptions.cpython-310.pyc
    filters.cpython-310.pyc
    setters.cpython-310.pyc
    validators.cpython-310.pyc
    _cmp.cpython-310.pyc
    _compat.cpython-310.pyc
    _config.cpython-310.pyc
    _funcs.cpython-310.pyc
    _make.cpython-310.pyc
    _next_gen.cpython-310.pyc
    _version_info.cpython-310.pyc
    __init__.cpython-310.pyc
+---attrs
    converters.py
    exceptions.py
    filters.py
    py.typed
    setters.py
    validators.py
    __init__.py
    __init__.pyi
\---__pycache__
    converters.cpython-310.pyc
    exceptions.cpython-310.pyc
    filters.cpython-310.pyc
    setters.cpython-310.pyc
    validators.cpython-310.pyc
    __init__.cpython-310.pyc
+---attrs-25.4.0.dist-info
    INSTALLER
    METADATA
    RECORD
    WHEEL
\---licenses
    LICENSE
+---blinker
    base.py
    py.typed
    _utilities.py
    __init__.py
\---__pycache__

```

```

        base.cpython-310.pyc
        _utilities.cpython-310.pyc
        __init__.cpython-310.pyc
+---blinker-1.9.0.dist-info
|   INSTALLER
|   LICENSE.txt
|   METADATA
|   RECORD
|   WHEEL
+---branca
|   colormap.py
|   element.py
|   py.typed
|   scheme_base_codes.json
|   scheme_info.json
|   utilities.py
|   _cnames.json
|   _schemes.json
|   _version.py
|   __init__.py
|   +---templates
|   |   color_scale.js
|   \---__pycache__
|           colormap.cpython-310.pyc
|           element.cpython-310.pyc
|           utilities.cpython-310.pyc
|           _version.cpython-310.pyc
|           __init__.cpython-310.pyc
+---branca-0.8.2.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
|   \---licenses
|           LICENSE.txt
+---cachetools
|   func.py
|   keys.py
|   _decorators.py
|   __init__.py
|   \---__pycache__
|           func.cpython-310.pyc
|           keys.cpython-310.pyc
|           _decorators.cpython-310.pyc
|           __init__.cpython-310.pyc
+---cachetools-5.5.2.dist-info
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
+---certifi
|   cacert.pem
|   core.py
|   py.typed
|   __init__.py

```

```

    |     __main__.py
    |
    | \--- __pycache__
    |         core.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |         __main__.cpython-310.pyc
    |
+---certifi-2025.11.12.dist-info
    |     INSTALLER
    |     METADATA
    |     RECORD
    |     top_level.txt
    |     WHEEL
    |
    | \---licenses
    |         LICENSE
    |
+---cffi
    |     api.py
    |     backend_ctypes.py
    |     cffi_opcode.py
    |     commontypes.py
    |     cparser.py
    |     error.py
    |     ffiplatform.py
    |     lock.py
    |     model.py
    |     parse_c_type.h
    |     pkgconfig.py
    |     recompiler.py
    |     setuptools_ext.py
    |     vengine_cpy.py
    |     vengine_gen.py
    |     verifier.py
    |     _cffi_errors.h
    |     _cffi_include.h
    |     _embedding.h
    |     _imp_emulation.py
    |     _shimmed_dist_utils.py
    |     __init__.py
    |
    | \--- __pycache__
    |         api.cpython-310.pyc
    |         backend_ctypes.cpython-310.pyc
    |         cffi_opcode.cpython-310.pyc
    |         commontypes.cpython-310.pyc
    |         cparser.cpython-310.pyc
    |         error.cpython-310.pyc
    |         ffiplatform.cpython-310.pyc
    |         lock.cpython-310.pyc
    |         model.cpython-310.pyc
    |         pkgconfig.cpython-310.pyc
    |         recompiler.cpython-310.pyc
    |         setuptools_ext.cpython-310.pyc
    |         vengine_cpy.cpython-310.pyc
    |         vengine_gen.cpython-310.pyc
    |         verifier.cpython-310.pyc
    |         _imp_emulation.cpython-310.pyc
    |         _shimmed_dist_utils.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
+---cffi-2.0.0.dist-info
    |     entry_points.txt
    |     INSTALLER
    |     METADATA
    |     RECORD
    |     REQUESTED
    |     top_level.txt

```

```

    WHEEL
  \---licenses
    AUTHORS
    LICENSE
+---charset_normalizer
  api.py
  cd.py
  constant.py
  legacy.py
  md.cp310-win_amd64.pyd
  md.py
  md__mypyc.cp310-win_amd64.pyd
  models.py
  py.typed
  utils.py
  version.py
  __init__.py
  __main__.py
+---cli
  |   __init__.py
  |   __main__.py
  |
  \---__pycache__
    __init__.cpython-310.pyc
    __main__.cpython-310.pyc
\---__pycache__
  api.cpython-310.pyc
  cd.cpython-310.pyc
  constant.cpython-310.pyc
  legacy.cpython-310.pyc
  md.cpython-310.pyc
  models.cpython-310.pyc
  utils.cpython-310.pyc
  version.cpython-310.pyc
  __init__.cpython-310.pyc
  __main__.cpython-310.pyc
+---charset_normalizer-3.4.4.dist-info
  entry_points.txt
  INSTALLER
  METADATA
  RECORD
  top_level.txt
  WHEEL
  \---licenses
    LICENSE
+---click
  core.py
  decorators.py
  exceptions.py
  formatting.py
  globals.py
  parser.py
  py.typed
  shell_completion.py
  termui.py
  testing.py
  types.py
  utils.py
  _compat.py
  _termui_impl.py
  _textwrap.py

```

```

    _utils.py
    _winconsole.py
    __init__.py
\---__pycache__
    core.cpython-310.pyc
    decorators.cpython-310.pyc
    exceptions.cpython-310.pyc
    formatting.cpython-310.pyc
    globals.cpython-310.pyc
    parser.cpython-310.pyc
    shell_completion.cpython-310.pyc
    termui.cpython-310.pyc
    testing.cpython-310.pyc
    types.cpython-310.pyc
    utils.cpython-310.pyc
    _compat.cpython-310.pyc
    _termui_impl.cpython-310.pyc
    _textwrap.cpython-310.pyc
    _utils.cpython-310.pyc
    _winconsole.cpython-310.pyc
    __init__.cpython-310.pyc
+---click-8.3.1.dist-info
|
|   INSTALLER
|   METADATA
|   RECORD
|   WHEEL
|
\---licenses
    LICENSE.txt
+---colorama
|
|   ansi.py
|   ansitowin32.py
|   initialise.py
|   win32.py
|   winterm.py
|   __init__.py
|
+---tests
|
|   ansitowin32_test.py
|   ansi_test.py
|   initialise_test.py
|   isatty_test.py
|   utils.py
|   winterm_test.py
|   __init__.py
|
\---__pycache__
    ansitowin32_test.cpython-310.pyc
    ansi_test.cpython-310.pyc
    initialise_test.cpython-310.pyc
    isatty_test.cpython-310.pyc
    utils.cpython-310.pyc
    winterm_test.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    ansi.cpython-310.pyc
    ansitowin32.cpython-310.pyc
    initialise.cpython-310.pyc
    win32.cpython-310.pyc
    winterm.cpython-310.pyc
    __init__.cpython-310.pyc
+---colorama-0.4.6.dist-info
|
|   INSTALLER

```

```

METADATA
RECORD
WHEEL

\---licenses
    LICENSE.txt

+---contourpy
    array.py
    chunk.py
    convert.py
    dechunk.py
    enum_util.py
    py.typed
    typecheck.py
    types.py
    _contourpy.cp310-win_amd64.lib
    _contourpy.cp310-win_amd64.pyd
    _contourpy.pyi
    _version.py
    __init__.py

+---util
    bokeh_renderer.py
    bokeh_util.py
    data.py
    mpl_renderer.py
    mpl_util.py
    renderer.py
    _build_config.py
    __init__.py

\---__pycache__
    bokeh_renderer.cpython-310.pyc
    bokeh_util.cpython-310.pyc
    data.cpython-310.pyc
    mpl_renderer.cpython-310.pyc
    mpl_util.cpython-310.pyc
    renderer.cpython-310.pyc
    _build_config.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    array.cpython-310.pyc
    chunk.cpython-310.pyc
    convert.cpython-310.pyc
    dechunk.cpython-310.pyc
    enum_util.cpython-310.pyc
    typecheck.cpython-310.pyc
    types.cpython-310.pyc
    _version.cpython-310.pyc
    __init__.cpython-310.pyc

+---contourpy-1.3.2.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    REQUESTED
    WHEEL

+---coverage
    annotate.py
    bytecode.py
    cmdline.py
    collector.py
    config.py
    context.py

```

```
control.py
core.py
data.py
debug.py
disposition.py
env.py
exceptions.py
execfile.py
files.py
html.py
inorout.py
jsonreport.py
lcovreport.py
misc.py
multiproc.py
numbits.py
parser.py
patch.py
phystokens.py
plugin.py
plugin_support.py
py.typed
python.py
pytracer.py
regions.py
report.py
report_core.py
results.py
sqldata.py
sqlitedb.py
sysmon.py
templite.py
tomlconfig.py
tracer.cp310-win_amd64.pyd
tracer.pyi
types.py
version.py
xmlreport.py
__init__.py
__main__.py
```

```
\---htmlfiles
```

```
coverage_html.js
favicon_32.png
index.html
keybd_closed.png
pyfile.html
style.css
style.scss
```

```
+---coverage-7.11.3.dist-info
```

```
entry_points.txt
INSTALLER
METADATA
RECORD
top_level.txt
WHEEL
```

```
\---licenses
```

```
LICENSE.txt
```

```
+---cryptography
```

```
exceptions.py
fernet.py
py.typed
utils.py
__about__.py
__init__.py
```

```

+---hazmat
|   _oid.py
|   __init__.py
|
+---asn1
|   asn1.py
|   __init__.py
|
|   \---__pycache__
|           asn1.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---backends
|   __init__.py
|
+---openssl
|   backend.py
|   __init__.py
|
|   \---__pycache__
|           backend.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           __init__.cpython-310.pyc
|
+---bindings
|   _rust.pyd
|   __init__.py
|
+---openssl
|   binding.py
|   _conditional.py
|   __init__.py
|
|   \---__pycache__
|           binding.cpython-310.pyc
|           _conditional.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---_rust
|   asn1.pyi
|   declarative_asn1.pyi
|   exceptions.pyi
|   oasp.pyi
|   pkcs12.pyi
|   pkcs7.pyi
|   test_support.pyi
|   x509.pyi
|   _openssl.pyi
|   __init__.pyi
|
|   \---openssl
|           aead.pyi
|           ciphers.pyi
|           cmac.pyi
|           dh.pyi
|           dsa.pyi
|           ec.pyi
|           ed25519.pyi
|           ed448.pyi
|           hashes.pyi
|           hmac.pyi
|           kdf.pyi
|           keys.pyi
|           poly1305.pyi
|           rsa.pyi

```



```

        x25519.pyi
        x448.pyi
        __init__.pyi
    \---__pycache__
        __init__.cpython-310.pyc
+---decrepit
    __init__.py
+---ciphers
    |   algorithms.py
    |   __init__.py
    |
    \---__pycache__
        algorithms.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        __init__.cpython-310.pyc
+---primitives
    cmac.py
    constant_time.py
    hashes.py
    hmac.py
    keywrap.py
    padding.py
    poly1305.py
    _asymmetric.py
    _cipheralgorithm.py
    _serialization.py
    __init__.py
+---asymmetric
    |   dh.py
    |   dsa.py
    |   ec.py
    |   ed25519.py
    |   ed448.py
    |   padding.py
    |   rsa.py
    |   types.py
    |   utils.py
    |   x25519.py
    |   x448.py
    |   __init__.py
    |
    \---__pycache__
        dh.cpython-310.pyc
        dsa.cpython-310.pyc
        ec.cpython-310.pyc
        ed25519.cpython-310.pyc
        ed448.cpython-310.pyc
        padding.cpython-310.pyc
        rsa.cpython-310.pyc
        types.cpython-310.pyc
        utils.cpython-310.pyc
        x25519.cpython-310.pyc
        x448.cpython-310.pyc
        __init__.cpython-310.pyc
+---ciphers
    |   aead.py
    |   algorithms.py
    |   base.py
    |   modes.py
    |   __init__.py

```

```

|
| \---__pycache__
|     aead.cpython-310.pyc
|     algorithms.cpython-310.pyc
|     base.cpython-310.pyc
|     modes.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---kdf
|     argon2.py
|     concatkdf.py
|     hkdf.py
|     kbkdf.py
|     pbkdf2.py
|     scrypt.py
|     x963kdf.py
|     __init__.py
|
| \---__pycache__
|     argon2.cpython-310.pyc
|     concatkdf.cpython-310.pyc
|     hkdf.cpython-310.pyc
|     kbkdf.cpython-310.pyc
|     pbkdf2.cpython-310.pyc
|     scrypt.cpython-310.pyc
|     x963kdf.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---serialization
|     base.py
|     pkcs12.py
|     pkcs7.py
|     ssh.py
|     __init__.py
|
| \---__pycache__
|     base.cpython-310.pyc
|     pkcs12.cpython-310.pyc
|     pkcs7.cpython-310.pyc
|     ssh.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---twofactor
|     hotp.py
|     totp.py
|     __init__.py
|
| \---__pycache__
|     hotp.cpython-310.pyc
|     totp.cpython-310.pyc
|     __init__.cpython-310.pyc
|
\---__pycache__
    cmac.cpython-310.pyc
    constant_time.cpython-310.pyc
    hashes.cpython-310.pyc
    hmac.cpython-310.pyc
    keywrap.cpython-310.pyc
    padding.cpython-310.pyc
    poly1305.cpython-310.pyc
    _asymmetric.cpython-310.pyc
    _cipheralgorithm.cpython-310.pyc
    _serialization.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _oid.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---x509
|   base.py
|   certificate_transparency.py
|   extensions.py
|   general_name.py
|   name.py
|   ocsp.py
|   oid.py
|   verification.py
|   __init__.py
|
|   \---__pycache__
|       base.cpython-310.pyc
|       certificate_transparency.cpython-310.pyc
|       extensions.cpython-310.pyc
|       general_name.cpython-310.pyc
|       name.cpython-310.pyc
|       ocsp.cpython-310.pyc
|       oid.cpython-310.pyc
|       verification.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       exceptions.cpython-310.pyc
|       fernet.cpython-310.pyc
|       utils.cpython-310.pyc
|       __about__.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---cryptography-46.0.3.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   WHEEL
|
|   \---licenses
|       LICENSE
|       LICENSE.APACHE
|       LICENSE.BSD
|
+---cssselect
|   parser.py
|   py.typed
|   xpath.py
|   __init__.py
|
+---cssselect-1.3.0.dist-info
|   AUTHORS
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
|
+---cssutils
|   codec.py
|   css2productions.py
|   cssproductions.py
|   errorhandler.py
|   helper.py
|   parse.py
|   prodparser.py
|   profiles.py
|   sac.py
|   script.py

```

```
serialize.py
settings.py
tokenize2.py
util.py
_fetch.py
_fetchgae.py
__init__.py
```

+---css

```
colors.py
csscharsetrule.py
csscomment.py
cssfontfacerule.py
cssimportrule.py
cssmediarule.py
cssnamespacerule.py
csspagerule.py
cssproperties.py
cssrule.py
cssrulelist.py
cssstyleddeclaration.py
cssstylerule.py
cssstylesheet.py
cssunknownrule.py
cssvalue.py
cssvariablesdeclaration.py
cssvariablesrule.py
marginrule.py
property.py
selector.py
selectorlist.py
value.py
__init__.py
```

+---scripts

```
csscapture.py
csscombine.py
cssparse.py
__init__.py
```

+---stylesheets

```
medialist.py
mediaquery.py
stylesheet.py
stylesheetlist.py
__init__.py
```

\---tests

```
basetest.py
__init__.py
```

\---sheets

```
096.css
097.css
1.css
lascii.css
limport.css
linherit-ascii.css
linherit-iso.css
linherit-utf8.css
lutf.css
2inherit-iso.css
2resolve.css
acid2.css
all.css
atrule.css
bad.css
basic.css
```

```

bundle.css
cases.css
csscombine-1.css
csscombine-2.css
csscombine-proxy.css
cthedot_default.css
default_html4.css
hacks.css
html.css
html20.css
html40.css
import.css
import3.css
ll.css
ll2.css
multiple-values.css
page_test.css
sample_5.css
sample_7.css
simple.css
single-color.css
slashcode.css
t-HACKS.css
test-unicode.css
test.css
tigris.css
tigris2.css
u_simple.css
vars.css
varsimport.css
v_simple.css
xhtml2.css
xhtml22.css
yuck.css

+---images
|   example.gif
+---import
|   import-impossible.css
|   import2.css
|   \---images2
|       example2.gif
\---var
    start.css
    use.css
    vars.css
    vars2.css

+---cssutils-2.11.1.dist-info
|   entry_points.txt
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
+---cv2
|   opencv_videoio_ffmpeg490_64.dll
+---cyclcr
|   py.typed
|   __init__.py
\---__pycache__

```

```

        __init__.cpython-310.pyc
+---cyclcr-0.12.1.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    REQUESTED
    top_level.txt
    WHEEL

+---dataclasses_json
    api.py
    cfg.py
    core.py
    mm.py
    py.typed
    stringcase.py
    undefined.py
    utils.py
    __init__.py
    __version__.py

+---dataclasses_json-0.6.7.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    WHEEL

+---dateutil
    easter.py
    relativedelta.py
    rrule.py
    tzwin.py
    utils.py
    _common.py
    _version.py
    __init__.py

+---parser
    |   isoparser.py
    |   _parser.py
    |   __init__.py
    |
    \---__pycache__
        isoparser.cpython-310.pyc
        _parser.cpython-310.pyc
        __init__.cpython-310.pyc

+---tz
    |   tz.py
    |   win.py
    |   _common.py
    |   _factories.py
    |   __init__.py
    |
    \---__pycache__
        tz.cpython-310.pyc
        win.cpython-310.pyc
        _common.cpython-310.pyc
        _factories.cpython-310.pyc
        __init__.cpython-310.pyc

+---zoneinfo
    |   dateutil-zoneinfo.tar.gz
    |   rebuild.py
    |   __init__.py

```

```

|
| \---__pycache__
|      rebuild.cpython-310.pyc
|      __init__.cpython-310.pyc
|
| \---__pycache__
|      easter.cpython-310.pyc
|      relativedelta.cpython-310.pyc
|      rrule.cpython-310.pyc
|      tzwin.cpython-310.pyc
|      utils.cpython-310.pyc
|      _common.cpython-310.pyc
|      _version.cpython-310.pyc
|      __init__.cpython-310.pyc
|
+---deprecatcd
|      classic.py
|      params.py
|      sphinx.py
|      __init__.py
|
+---deprecatcd-1.3.1.dist-info
|      INSTALLER
|      METADATA
|      RECORD
|      top_level.txt
|      WHEEL
|
| \---licenses
|      LICENSE.rst
|
+---dill
|      detect.py
|      logger.py
|      objtypes.py
|      pointers.py
|      session.py
|      settings.py
|      source.py
|      temp.py
|      _dill.py
|      _objects.py
|      _shims.py
|      __diff.py
|      __info__.py
|      __init__.py
|
| \---tests
|      __init__.py
|      __main__.py
|
+---dill-0.4.0.dist-info
|      INSTALLER
|      LICENSE
|      METADATA
|      RECORD
|      top_level.txt
|      WHEEL
|
+---distro
|      distro.py
|      py.typed
|      __init__.py
|      __main__.py
|
+---distro-1.9.0.dist-info
|      entry_points.txt
|      INSTALLER

```

```

    LICENSE
    METADATA
    RECORD
    top_level.txt
    WHEEL

+---dotenv
|
|   cli.py
|   ipython.py
|   main.py
|   parser.py
|   py.typed
|   variables.py
|   version.py
|   __init__.py
|   __main__.py
|
\---__pycache__
    cli.cpython-310.pyc
    ipython.cpython-310.pyc
    main.cpython-310.pyc
    parser.cpython-310.pyc
    variables.cpython-310.pyc
    version.cpython-310.pyc
    __init__.cpython-310.pyc
    __main__.cpython-310.pyc

+---encutils
|
|   __init__.py
|
\---__pycache__
    __init__.cpython-310.pyc

+---et_xmlfile
|
|   incremental_tree.py
|   xmlfile.py
|   __init__.py
|
\---__pycache__
    incremental_tree.cpython-310.pyc
    xmlfile.cpython-310.pyc
    __init__.cpython-310.pyc

+---et_xmlfile-2.0.0.dist-info
|
|   AUTHORS.txt
|   INSTALLER
|   LICENCE.python
|   LICENCE.rst
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
|
\---__pycache__
    _catch.cpython-310.pyc
    _exceptions.cpython-310.pyc
    _formatting.cpython-310.pyc
    _suppress.cpython-310.pyc
    _version.cpython-310.pyc
    __init__.cpython-310.pyc

+---exceptiongroup
|
|   py.typed
|   _catch.py
|   _exceptions.py
|   _formatting.py
|   _suppress.py
|   _version.py
|   __init__.py
|
\---__pycache__
    _catch.cpython-310.pyc
    _exceptions.cpython-310.pyc
    _formatting.cpython-310.pyc
    _suppress.cpython-310.pyc
    _version.cpython-310.pyc
    __init__.cpython-310.pyc

+---exceptiongroup-1.3.1.dist-info

```



```

    INSTALLER
    METADATA
    RECORD
    WHEEL
  \---licenses
        LICENSE
+---ezdxf
    appsettings.py
    audit.py
    bbox.py
    blkrefs.py
    colors.py
    commands.py
    comments.py
    disassemble.py
    document.py
    dwginfo.py
    dynblkhelper.py
    edgeminer.py
    edgsmith.py
    entitydb.py
    enums.py
    explode.py
    eztypes.py
    filemanagement.py
    gfxattribs.py
    graphicsfactory.py
    groupby.py
    messenger.py
    msgtypes.py
    npshapes.py
    protocols.py
    proxygraphic.py
    py.typed
    query.py
    queryparser.py
    r12strict.py
    recover.py
    reorder.py
    revcloud.py
    select.py
    transform.py
    units.py
    upright.py
    urecord.py
    version.py
    xclip.py
    xref.py
    zoom.py
    _options.py
    __init__.py
    __main__.py
+---acc
    bezier3p.cp310-win_amd64.pyd
    bezier3p.pyx
    bezier4p.cp310-win_amd64.pyd
    bezier4p.pyx
    bspline.cp310-win_amd64.pyd
    bspline.pyx
    constants.h
    construct.cp310-win_amd64.pyd
    construct.pyx
    linetypes.cp310-win_amd64.pyd
    linetypes.pyx
    mapbox_earcut.cp310-win_amd64.pyd

```

```
mapbox_earcut.pyx
matrix44.cp310-win_amd64.pyd
matrix44.pxd
matrix44.pyx
np_support.cp310-win_amd64.pyd
np_support.pyx
vector.cp310-win_amd64.pyd
vector.pxd
vector.pyx
__init__.py
```

+---acis

```
abstract.py
api.py
cache.py
const.py
dbg.py
dxf.py
entities.py
hdr.py
mesh.py
sab.py
sat.py
type_hints.py
__init__.py
```

+---addons

```
acadctb.py
binpacking.py
dimlines.py
dxf2code.py
genetic_algorithm.py
geo.py
gerber_D6673.py
importer.py
iterdxf.py
menger_sponge.py
meshex.py
mixins.py
mtextsurrogate.py
mtxpl.py
odafo.py
openscad.py
pycsg.py
r12export.py
r12writer.py
sierpinski_pyramid.py
tablepainter.py
text2path.py
xplayer.py
xqt.py
__init__.py
```

+---acisbrowser

```
browser.py
data.py
__init__.py
```

+---browser

```
bookmarks.py
browser.py
data.py
find_dialog.py
loader.py
model.py
reflinks.py
tags.py
views.py
```

```

        __init__.py
+---drawing
    backend.py
    config.py
    debug_backend.py
    debug_utils.py
    dxf.py
    file_output.py
    frontend.py
    gfxproxy.py
    hpgl2.py
    json.py
    layout.py
    matplotlib.py
    mtext_complex.py
    pipeline.py
    properties.py
    pymupdf.py
    pyqt.py
    qtviewer.py
    recorder.py
    svg.py
    text.py
    text_renderer.py
    type_hints.py
    unified_text_renderer.py
    __init__.py
+---dwg
    classes_section.py
    const.py
    crc.py
    fileheader.py
    header_section.py
    loader.py
    __init__.py
\---hpgl2
    api.py
    backend.py
    deps.py
    interpreter.py
    page.py
    plotter.py
    polygon_buffer.py
    properties.py
    tokenizer.py
    viewer.py
    __init__.py
+---entities
    acad_proxy_entity.py
    acad_table.py
    acad_xrec_roundtrip.py
    acis.py
    appdata.py
    appid.py
    arc.py
    attrib.py
    block.py
    blockrecord.py
    boundary_paths.py
    circle.py
    copy.py
    dictionary.py
    dimension.py
    dimstyle.py

```

```
dimstyleoverride.py
dxfcclass.py
dxfcentity.py
dxfgfx.py
dxfgroups.py
dxfn.py
dxfobj.py
ellipse.py
factory.py
geodata.py
gradient.py
hatch.py
helix.py
idbuffer.py
image.py
insert.py
layer.py
layout.py
leader.py
light.py
line.py
ltype.py
lwpolyline.py
material.py
mesh.py
mleader.py
mline.py
mpolygon.py
mtext.py
mtext_columns.py
objectcollection.py
oleframe.py
pattern.py
point.py
polygon.py
polyline.py
shape.py
solid.py
spatial_filter.py
spline.py
subentity.py
sun.py
table.py
temporary_transform.py
text.py
textstyle.py
tolerance.py
ucs.py
underlay.py
view.py
viewport.py
visualstyle.py
viewport.py
xdata.py
xdict.py
xline.py
__init__.py
```

```
+---fonts
```

```
fonts.py
font_face.py
font_manager.py
font_measurements.py
font_synonyms.py
glyphs.py
lff.py
shapefile.py
ttfonts.py
```

```
    __init__.py
+---layouts
    base.py
    blocklayout.py
    layout.py
    layouts.py
    __init__.py
+---lldxf
    attributes.py
    const.py
    encoding.py
    extendedtags.py
    fileindex.py
    hdrvars.py
    loader.py
    packedtags.py
    repair.py
    tagger.py
    tags.py
    tagwriter.py
    types.py
    validator.py
    __init__.py
+---math
    arc.py
    bbox.py
    bezier.py
    bezier_interpolation.py
    box.py
    bspline.py
    bulge.py
    circle.py
    clipping.py
    clustering.py
    construct2d.py
    construct3d.py
    cspline.py
    curvetools.py
    ellipse.py
    eulerspiral.py
    legacy.py
    linalg.py
    line.py
    offset2d.py
    parametrize.py
    perlin.py
    polyline.py
    rtree.py
    shape.py
    transformtools.py
    triangulation.py
    ucs.py
    _bezier3p.py
    _bezier4p.py
    _bspline.py
    _construct.py
    _ctypes.py
    _mapbox_earcut.py
    _matrix44.py
    _vector.py
    __init__.py
+---path
    commands.py
    converter.py
```

```
    nesting.py
    path.py
    shapes.py
    tools.py
    __init__.py
+---render
    abstract_mtext_renderer.py
    arrows.py
    curves.py
    dimension.py
    dim_base.py
    dim_curved.py
    dim_diameter.py
    dim_linear.py
    dim_ordinate.py
    dim_radius.py
    forms.py
    hatching.py
    leader.py
    linetypes.py
    mesh.py
    mleader.py
    mline.py
    point.py
    polyline.py
    r12spline.py
    trace.py
    _linetypes.py
    __init__.py
+---resources
    16x16.png
    24x24.png
    256x256.png
    32x32.png
    48x48.png
    64x64.png
    icon-copy-64px.png
    icon-find-64px.png
    icon-goto-bookmark-64px.png
    icon-goto-handle-64px.png
    icon-goto-line-64px.png
    icon-left-arrow-64px.png
    icon-next-entity-64px.png
    icon-prev-entity-64px.png
    icon-right-arrow-64px.png
    icon-show-in-tree-64px.png
    icon-store-bookmark-64px.png
+---sections
    acdsdata.py
    blocks.py
    classes.py
    entities.py
    header.py
    headervars.py
    objects.py
    table.py
    tables.py
    __init__.py
\---tools
    analyze.py
    binarydata.py
    clipping_portal.py
    codepage.py
    complex_ltype.py
```

```

        crypt.py
        debug.py
        difftags.py
        handle.py
        indexing.py
        juliandate.py
        pattern.py
        rawloader.py
        standards.py
        strip.py
        test.py
        text.py
        text_layout.py
        text_size.py
        zipmanager.py
        _iso_pattern.py
        __init__.py
+---ezdxf-1.4.3.dist-info
|   entry_points.txt
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
|
|   \---licenses
|       LICENSE
|
+---fastapi
|   applications.py
|   background.py
|   concurrency.py
|   datastructures.py
|   encoders.py
|   exceptions.py
|   exception_handlers.py
|   logger.py
|   params.py
|   param_functions.py
|   py.typed
|   requests.py
|   responses.py
|   routing.py
|   staticfiles.py
|   templating.py
|   testclient.py
|   types.py
|   utils.py
|   websockets.py
|   _compat.py
|   __init__.py
|
+---dependencies
|   models.py
|   utils.py
|   __init__.py
|
|   \---__pycache__
|       models.cpython-310.pyc
|       utils.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---middleware
|   asyncexitstack.py
|   cors.py
|   gzip.py

```

```

httpsredirect.py
trustedhost.py
wsgi.py
__init__.py
\---__pycache__
    asyncexitstack.cpython-310.pyc
    cors.cpython-310.pyc
    gzip.cpython-310.pyc
    httpsredirect.cpython-310.pyc
    trustedhost.cpython-310.pyc
    wsgi.cpython-310.pyc
    __init__.cpython-310.pyc
+---openapi
    constants.py
    docs.py
    models.py
    utils.py
    __init__.py
    \---__pycache__
        constants.cpython-310.pyc
        docs.cpython-310.pyc
        models.cpython-310.pyc
        utils.cpython-310.pyc
        __init__.cpython-310.pyc
+---security
    api_key.py
    base.py
    http.py
    oauth2.py
    open_id_connect_url.py
    utils.py
    __init__.py
    \---__pycache__
        api_key.cpython-310.pyc
        base.cpython-310.pyc
        http.cpython-310.pyc
        oauth2.cpython-310.pyc
        open_id_connect_url.cpython-310.pyc
        utils.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    applications.cpython-310.pyc
    background.cpython-310.pyc
    concurrency.cpython-310.pyc
    datastructures.cpython-310.pyc
    encoders.cpython-310.pyc
    exceptions.cpython-310.pyc
    exception_handlers.cpython-310.pyc
    logger.cpython-310.pyc
    params.cpython-310.pyc
    param_functions.cpython-310.pyc
    requests.cpython-310.pyc
    responses.cpython-310.pyc
    routing.cpython-310.pyc
    staticfiles.cpython-310.pyc
    templating.cpython-310.pyc
    testclient.cpython-310.pyc
    types.cpython-310.pyc
    utils.cpython-310.pyc
    websockets.cpython-310.pyc
    _compat.cpython-310.pyc
    __init__.cpython-310.pyc

```



```

+---fastapi-0.104.1.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   WHEEL
|
|   \---licenses
|       LICENSE
|
+---fitz
|   fitz.py
|   mupdfcpp64.dll
|   table.py
|   utils.py
|   _fitz.cp310-win_amd64.pyd
|   __init__.py
|   __main__.py
|
|   \---__pycache__
|       fitz.cpython-310.pyc
|       table.cpython-310.pyc
|       utils.cpython-310.pyc
|       __init__.cpython-310.pyc
|       __main__.cpython-310.pyc
|
+---fitz_new
|   extra.py
|   fitz.py
|   mupdf.py
|   mupdfcpp64.dll
|   table.py
|   utils.py
|   _extra.cp310-win_amd64.pyd
|   _mupdf.pyd
|   __init__.py
|   __main__.py
|
|   \---__pycache__
|       extra.cpython-310.pyc
|       fitz.cpython-310.pyc
|       mupdf.cpython-310.pyc
|       table.cpython-310.pyc
|       utils.cpython-310.pyc
|       __init__.cpython-310.pyc
|       __main__.cpython-310.pyc
|
+---flake8
|   checker.py
|   defaults.py
|   discover_files.py
|   exceptions.py
|   processor.py
|   statistics.py
|   style_guide.py
|   utils.py
|   violation.py
|   _compat.py
|   __init__.py
|   __main__.py
|
+---api
|   legacy.py
|   __init__.py
|
+---formatting
|   base.py

```

```

        default.py
        _windows_color.py
        __init__.py

+---main
|   application.py
|   cli.py
|   debug.py
|   options.py
|   __init__.py
|
+---options
|   aggregator.py
|   config.py
|   manager.py
|   parse_args.py
|   __init__.py
|
\---plugins
    finder.py
    pycodestyle.py
    pyflakes.py
    reporter.py
    __init__.py

+---flake8-7.3.0.dist-info
|   entry_points.txt
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
|
+---flask
|   app.py
|   blueprints.py
|   cli.py
|   config.py
|   ctx.py
|   debughelpers.py
|   globals.py
|   helpers.py
|   logging.py
|   py.typed
|   sessions.py
|   signals.py
|   templating.py
|   testing.py
|   typing.py
|   views.py
|   wrappers.py
|   __init__.py
|   __main__.py
|
+---json
|   provider.py
|   tag.py
|   __init__.py
|
|   \---__pycache__
|       provider.cpython-310.pyc
|       tag.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---sansio
|   app.py

```

```

|       | blueprints.py
|       | README.md
|       | scaffold.py
|   \---__pycache__
|           app.cpython-310.pyc
|           blueprints.cpython-310.pyc
|           scaffold.cpython-310.pyc
\---__pycache__
    app.cpython-310.pyc
    blueprints.cpython-310.pyc
    cli.cpython-310.pyc
    config.cpython-310.pyc
    ctx.cpython-310.pyc
    globals.cpython-310.pyc
    helpers.cpython-310.pyc
    logging.cpython-310.pyc
    sessions.cpython-310.pyc
    signals.cpython-310.pyc
    templating.cpython-310.pyc
    testing.cpython-310.pyc
    typing.cpython-310.pyc
    wrappers.cpython-310.pyc
    __init__.cpython-310.pyc
+---flask-3.1.2.dist-info
|     entry_points.txt
|     INSTALLER
|     METADATA
|     RECORD
|     REQUESTED
|     WHEEL
|   \---licenses
|         LICENSE.txt
+---folium
|     elements.py
|     features.py
|     folium.py
|     map.py
|     raster_layers.py
|     utilities.py
|     vector_layers.py
|     _version.py
|     __init__.py
+---plugins
|     antpath.py
|     beautify_icon.py
|     boat_marker.py
|     draw.py
|     dual_map.py
|     fast_marker_cluster.py
|     feature_group_sub_group.py
|     float_image.py
|     fullscreen.py
|     geocoder.py
|     groupedlayercontrol.py
|     heat_map.py
|     heat_map_withtime.py
|     locate_control.py
|     marker_cluster.py
|     measure_control.py
|     minimap.py
|     mouse_position.py
|     pattern.py
```

```

polyline_offset.py
polyline_text_path.py
scroll_zoom_toggler.py
search.py
semicircle.py
side_by_side.py
tag_filter_button.py
terminator.py
timestamped_geo_json.py
timestamped_wmstilelayer.py
time_slider_choropleth.py
vectorgrid_protobuf.py
__init__.py
\---__pycache__
    antpath.cpython-310.pyc
    beautify_icon.cpython-310.pyc
    boat_marker.cpython-310.pyc
    draw.cpython-310.pyc
    dual_map.cpython-310.pyc
    fast_marker_cluster.cpython-310.pyc
    feature_group_sub_group.cpython-310.pyc
    float_image.cpython-310.pyc
    fullscreen.cpython-310.pyc
    geocoder.cpython-310.pyc
    groupedlayercontrol.cpython-310.pyc
    heat_map.cpython-310.pyc
    heat_map_withtime.cpython-310.pyc
    locate_control.cpython-310.pyc
    marker_cluster.cpython-310.pyc
    measure_control.cpython-310.pyc
    minimap.cpython-310.pyc
    mouse_position.cpython-310.pyc
    pattern.cpython-310.pyc
    polyline_offset.cpython-310.pyc
    polyline_text_path.cpython-310.pyc
    scroll_zoom_toggler.cpython-310.pyc
    search.cpython-310.pyc
    semicircle.cpython-310.pyc
    side_by_side.cpython-310.pyc
    tag_filter_button.cpython-310.pyc
    terminator.cpython-310.pyc
    timestamped_geo_json.cpython-310.pyc
    timestamped_wmstilelayer.cpython-310.pyc
    time_slider_choropleth.cpython-310.pyc
    vectorgrid_protobuf.cpython-310.pyc
    __init__.cpython-310.pyc
+---templates
    fit_bounds.js
    leaflet_heat.min.js
    pa7_hm.min.js
    pa7_leaflet_hm.min.js
\---__pycache__
    elements.cpython-310.pyc
    features.cpython-310.pyc
    folium.cpython-310.pyc
    map.cpython-310.pyc
    raster_layers.cpython-310.pyc
    utilities.cpython-310.pyc
    vector_layers.cpython-310.pyc
    _version.cpython-310.pyc
    __init__.cpython-310.pyc
+---folium-0.15.1.dist-info
    INSTALLER
    LICENSE.txt

```

```
METADATA
RECORD
REQUESTED
top_level.txt
WHEEL
```

```
+---fontTools
```

```
afmLib.py
agl.py
annotations.py
fontBuilder.py
help.py
tfmLib.py
ttx.py
unicode.py
__init__.py
__main__.py
```

```
+---cffLib
```

```
CFF2ToCFF.py
CFFToCFF2.py
specializer.py
transforms.py
width.py
__init__.py
```

```
\---__pycache__
```

```
CFF2ToCFF.cpython-310.pyc
CFFToCFF2.cpython-310.pyc
specializer.cpython-310.pyc
transforms.cpython-310.pyc
width.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---colorLib
```

```
builder.py
errors.py
geometry.py
table_builder.py
unbuilder.py
__init__.py
```

```
\---__pycache__
```

```
builder.cpython-310.pyc
errors.cpython-310.pyc
geometry.cpython-310.pyc
table_builder.cpython-310.pyc
unbuilder.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---config
```

```
__init__.py
```

```
\---__pycache__
```

```
__init__.cpython-310.pyc
```

```
+---cu2qu
```

```
benchmark.py
cli.py
cu2qu.c
cu2qu.cp310-win_amd64.pyd
cu2qu.py
errors.py
ufo.py
__init__.py
__main__.py
```

```
\---__pycache__
```

```

benchmark.cpython-310.pyc
cli.cpython-310.pyc
cu2qu.cpython-310.pyc
errors.cpython-310.pyc
ufo.cpython-310.pyc
__init__.cpython-310.pyc
__main__.cpython-310.pyc
+---designspaceLib
|   split.py
|   statNames.py
|   types.py
|   __init__.py
|   __main__.py
|
|   \---__pycache__
|       split.cpython-310.pyc
|       statNames.cpython-310.pyc
|       types.cpython-310.pyc
|       __init__.cpython-310.pyc
|       __main__.cpython-310.pyc
+---encodings
|   codecs.py
|   MacRoman.py
|   StandardEncoding.py
|   __init__.py
|
|   \---__pycache__
|       codecs.cpython-310.pyc
|       MacRoman.cpython-310.pyc
|       StandardEncoding.cpython-310.pyc
|       __init__.cpython-310.pyc
+---feaLib
|   ast.py
|   builder.py
|   error.py
|   lexer.c
|   lexer.cp310-win_amd64.pyd
|   lexer.py
|   location.py
|   lookupDebugInfo.py
|   parser.py
|   variableScalar.py
|   __init__.py
|   __main__.py
|
|   \---__pycache__
|       ast.cpython-310.pyc
|       builder.cpython-310.pyc
|       error.cpython-310.pyc
|       lexer.cpython-310.pyc
|       location.cpython-310.pyc
|       lookupDebugInfo.cpython-310.pyc
|       parser.cpython-310.pyc
|       variableScalar.cpython-310.pyc
|       __init__.cpython-310.pyc
|       __main__.cpython-310.pyc
+---merge
|   base.py
|   cmap.py
|   layout.py
|   options.py
|   tables.py
|   unicode.py
|   util.py

```

```
__init__.py
__main__.py
\---__pycache__
    base.cpython-310.pyc
    cmap.cpython-310.pyc
    layout.cpython-310.pyc
    options.cpython-310.pyc
    tables.cpython-310.pyc
    unicode.cpython-310.pyc
    util.cpython-310.pyc
    __init__.cpython-310.pyc
    __main__.cpython-310.pyc
+---misc
    arrayTools.py
    bezierTools.c
    bezierTools.cp310-win_amd64.pyd
    bezierTools.py
    classifyTools.py
    cliTools.py
    configTools.py
    cython.py
    dictTools.py
    eexec.py
    encodingTools.py
    enumTools.py
    etree.py
    filenames.py
    fixedTools.py
    intTools.py
    iterTools.py
    lazyTools.py
    loggingTools.py
    macCreatorType.py
    macRes.py
    psCharStrings.py
    psLib.py
    psOperators.py
    py23.py
    roundTools.py
    sstruct.py
    symfont.py
    testTools.py
    textTools.py
    timeTools.py
    transform.py
    treeTools.py
    vector.py
    visitor.py
    xmlReader.py
    xmlWriter.py
    __init__.py
+---filesystem
    _base.py
    _copy.py
    _errors.py
    _info.py
    _osfs.py
    _path.py
    _subfs.py
    _tempfs.py
    _tools.py
    _walk.py
    _zipfs.py
    __init__.py
```

```

\---__pycache__
    _base.cpython-310.pyc
    _copy.cpython-310.pyc
    _errors.cpython-310.pyc
    _info.cpython-310.pyc
    _osfs.cpython-310.pyc
    _path.cpython-310.pyc
    _subfs.cpython-310.pyc
    _tempfs.cpython-310.pyc
    _tools.cpython-310.pyc
    _walk.cpython-310.pyc
    _zipfs.cpython-310.pyc
    __init__.cpython-310.pyc

+---plistlib
    |   py.typed
    |   __init__.py
    |
    \---__pycache__
        __init__.cpython-310.pyc

\---__pycache__
    arrayTools.cpython-310.pyc
    bezierTools.cpython-310.pyc
    classifyTools.cpython-310.pyc
    cliTools.cpython-310.pyc
    configTools.cpython-310.pyc
    cython.cpython-310.pyc
    dictTools.cpython-310.pyc
    eexec.cpython-310.pyc
    encodingTools.cpython-310.pyc
    enumTools.cpython-310.pyc
    etree.cpython-310.pyc
    filenames.cpython-310.pyc
    fixedTools.cpython-310.pyc
    intTools.cpython-310.pyc
    iterTools.cpython-310.pyc
    lazyTools.cpython-310.pyc
    loggingTools.cpython-310.pyc
    macCreatorType.cpython-310.pyc
    macRes.cpython-310.pyc
    psCharStrings.cpython-310.pyc
    psLib.cpython-310.pyc
    psOperators.cpython-310.pyc
    py23.cpython-310.pyc
    roundTools.cpython-310.pyc
    sstruct.cpython-310.pyc
    symfont.cpython-310.pyc
    testTools.cpython-310.pyc
    textTools.cpython-310.pyc
    timeTools.cpython-310.pyc
    transform.cpython-310.pyc
    treeTools.cpython-310.pyc
    vector.cpython-310.pyc
    visitor.cpython-310.pyc
    xmlReader.cpython-310.pyc
    xmlWriter.cpython-310.pyc
    __init__.cpython-310.pyc

+---mtiLib
    |   __init__.py
    |   __main__.py
    |
    \---__pycache__
        __init__.cpython-310.pyc
        __main__.cpython-310.pyc

+---otlLib

```



```

builder.py
error.py
maxContextCalc.py
__init__.py

+---optimize
|   gpos.py
|   __init__.py
|   __main__.py
|
|   \---__pycache__
|           gpos.cpython-310.pyc
|           __init__.cpython-310.pyc
|           __main__.cpython-310.pyc
|
|   \---__pycache__
|           builder.cpython-310.pyc
|           error.cpython-310.pyc
|           maxContextCalc.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---pens
|   areaPen.py
|   basePen.py
|   boundsPen.py
|   cairoPen.py
|   cocoaPen.py
|   cu2quPen.py
|   explicitClosingLinePen.py
|   filterPen.py
|   freetypePen.py
|   hashPointPen.py
|   momentsPen.c
|   momentsPen.cp310-win_amd64.pyd
|   momentsPen.py
|   perimeterPen.py
|   pointInsidePen.py
|   pointPen.py
|   qtPen.py
|   qu2cuPen.py
|   quartzPen.py
|   recordingPen.py
|   reportLabPen.py
|   reverseContourPen.py
|   roundingPen.py
|   statisticsPen.py
|   svgPathPen.py
|   t2CharStringPen.py
|   teePen.py
|   transformPen.py
|   ttGlyphPen.py
|   wxPen.py
|   __init__.py
|
|   \---__pycache__
|           areaPen.cpython-310.pyc
|           basePen.cpython-310.pyc
|           boundsPen.cpython-310.pyc
|           cairoPen.cpython-310.pyc
|           cocoaPen.cpython-310.pyc
|           cu2quPen.cpython-310.pyc
|           explicitClosingLinePen.cpython-310.pyc
|           filterPen.cpython-310.pyc
|           freetypePen.cpython-310.pyc
|           hashPointPen.cpython-310.pyc
|           momentsPen.cpython-310.pyc
|           perimeterPen.cpython-310.pyc
|           pointInsidePen.cpython-310.pyc

```

```

pointPen.cpython-310.pyc
qtPen.cpython-310.pyc
qu2cuPen.cpython-310.pyc
quartzPen.cpython-310.pyc
recordingPen.cpython-310.pyc
reportLabPen.cpython-310.pyc
reverseContourPen.cpython-310.pyc
roundingPen.cpython-310.pyc
statisticsPen.cpython-310.pyc
svgPathPen.cpython-310.pyc
t2CharStringPen.cpython-310.pyc
teePen.cpython-310.pyc
transformPen.cpython-310.pyc
ttGlyphPen.cpython-310.pyc
wxPen.cpython-310.pyc
__init__.cpython-310.pyc
+---qu2cu
|   benchmark.py
|   cli.py
|   qu2cu.c
|   qu2cu.cp310-win_amd64.pyd
|   qu2cu.py
|   __init__.py
|   __main__.py
|   \---__pycache__
|       benchmark.cpython-310.pyc
|       cli.cpython-310.pyc
|       qu2cu.cpython-310.pyc
|       __init__.cpython-310.pyc
|       __main__.cpython-310.pyc
+---subset
|   cff.py
|   svg.py
|   util.py
|   __init__.py
|   __main__.py
|   \---__pycache__
|       cff.cpython-310.pyc
|       svg.cpython-310.pyc
|       util.cpython-310.pyc
|       __init__.cpython-310.pyc
|       __main__.cpython-310.pyc
+---svgLib
|   __init__.py
|   +---path
|       |   arc.py
|       |   parser.py
|       |   shapes.py
|       |   __init__.py
|       |   \---__pycache__
|           |       arc.cpython-310.pyc
|           |       parser.cpython-310.pyc
|           |       shapes.cpython-310.pyc
|           |       __init__.cpython-310.pyc
|       \---__pycache__
|           __init__.cpython-310.pyc
+---t1Lib
|   __init__.py

```

```
\---__pycache__  
    __init__.cpython-310.pyc
```

+---ttLib

```
    macUtils.py  
    removeOverlaps.py  
    reorderGlyphs.py  
    scaleUpem.py  
    sfnt.py  
    standardGlyphOrder.py  
    ttCollection.py  
    ttFont.py  
    ttGlyphSet.py  
    ttVisitor.py  
    woff2.py  
    __init__.py  
    __main__.py
```

+---tables

```
    asciiTable.py  
    BitmapGlyphMetrics.py  
    B_A_S_E_.py  
    C_B_D_T_.py  
    C_B_L_C_.py  
    C_F_F_.py  
    C_F_F__2.py  
    C_O_L_R_.py  
    C_P_A_L_.py  
    DefaultTable.py  
    D_S_I_G_.py  
    D__e_b_g.py  
    E_B_D_T_.py  
    E_B_L_C_.py  
    F_F_T_M_.py  
    F__e_a_t.py  
    grUtils.py  
    G_D_E_F_.py  
    G_M_A_P_.py  
    G_P_K_G_.py  
    G_P_O_S_.py  
    G_S_U_B_.py  
    G_V_A_R_.py  
    G__l_a_t.py  
    G__l_o_c.py  
    H_V_A_R_.py  
    J_S_T_F_.py  
    L_T_S_H_.py  
    M_A_T_H_.py  
    M_E_T_A_.py  
    M_V_A_R_.py  
    otBase.py  
    otConverters.py  
    otData.py  
    otTables.py  
    otTraverse.py  
    O_S_2f_2.py  
    sbixGlyph.py  
    sbixStrike.py  
    S_I_N_G_.py  
    S_T_A_T_.py  
    S_V_G_.py  
    S__i_l_f.py  
    S__i_l_l.py  
    table_API_readme.txt  
    ttProgram.py  
    TupleVariation.py  
    T_S_I_B_.py  
    T_S_I_C_.py
```

```
T_S_I_D_.py
T_S_I_J_.py
T_S_I_P_.py
T_S_I_S_.py
T_S_I_V_.py
T_S_I__0.py
T_S_I__1.py
T_S_I__2.py
T_S_I__3.py
T_S_I__5.py
T_T_F_A_.py
V_A_R_C_.py
V_D_M_X_.py
V_O_R_G_.py
V_V_A_R_.py
_a_n_k_r.py
_a_v_a_r.py
_b_s_l_n.py
_c_i_d_g.py
_c_m_a_p.py
_c_v_a_r.py
_c_v_t.py
_f_e_a_t.py
_f_p_g_m.py
_f_v_a_r.py
_g_a_s_p.py
_g_c_i_d.py
_g_l_y_f.py
_g_v_a_r.py
_h_d_m_x.py
_h_e_a_d.py
_h_h_e_a.py
_h_m_t_x.py
_k_e_r_n.py
_l_c_a_r.py
_l_o_c_a.py
_l_t_a_g.py
_m_a_x_p.py
_m_e_t_a.py
_m_o_r_t.py
_m_o_r_x.py
_n_a_m_e.py
_o_p_b_d.py
_p_o_s_t.py
_p_r_e_p.py
_p_r_o_p.py
_s_b_i_x.py
_t_r_a_k.py
_v_h_e_a.py
_v_m_t_x.py
__init__.py
```

```
\---__pycache__
```

```
    asciiTable.cpython-310.pyc
    BitmapGlyphMetrics.cpython-310.pyc
    B_A_S_E_.cpython-310.pyc
    C_B_D_T_.cpython-310.pyc
    C_B_L_C_.cpython-310.pyc
    C_F_F_.cpython-310.pyc
    C_F_F__2.cpython-310.pyc
    C_O_L_R_.cpython-310.pyc
    C_P_A_L_.cpython-310.pyc
    DefaultTable.cpython-310.pyc
    D_S_I_G_.cpython-310.pyc
    D__e_b_g.cpython-310.pyc
    E_B_D_T_.cpython-310.pyc
    E_B_L_C_.cpython-310.pyc
    F_F_T_M_.cpython-310.pyc
```

F__e_a_t.cpython-310.pyc
grUtils.cpython-310.pyc
G_D_E_F_.cpython-310.pyc
G_M_A_P_.cpython-310.pyc
G_P_K_G_.cpython-310.pyc
G_P_O_S_.cpython-310.pyc
G_S_U_B_.cpython-310.pyc
G_V_A_R_.cpython-310.pyc
G__l_a_t.cpython-310.pyc
G__l_o_c.cpython-310.pyc
H_V_A_R_.cpython-310.pyc
J_S_T_F_.cpython-310.pyc
L_T_S_H_.cpython-310.pyc
M_A_T_H_.cpython-310.pyc
M_E_T_A_.cpython-310.pyc
M_V_A_R_.cpython-310.pyc
otBase.cpython-310.pyc
otConverters.cpython-310.pyc
otData.cpython-310.pyc
otTables.cpython-310.pyc
otTraverse.cpython-310.pyc
O_S_2f_2.cpython-310.pyc
sbixGlyph.cpython-310.pyc
sbixStrike.cpython-310.pyc
S_I_N_G_.cpython-310.pyc
S_T_A_T_.cpython-310.pyc
S_V_G_.cpython-310.pyc
S__i_l_f.cpython-310.pyc
S__i_l_l.cpython-310.pyc
ttProgram.cpython-310.pyc
TupleVariation.cpython-310.pyc
T_S_I_B_.cpython-310.pyc
T_S_I_C_.cpython-310.pyc
T_S_I_D_.cpython-310.pyc
T_S_I_J_.cpython-310.pyc
T_S_I_P_.cpython-310.pyc
T_S_I_S_.cpython-310.pyc
T_S_I_V_.cpython-310.pyc
T_S_I__0.cpython-310.pyc
T_S_I__1.cpython-310.pyc
T_S_I__2.cpython-310.pyc
T_S_I__3.cpython-310.pyc
T_S_I__5.cpython-310.pyc
T_T_F_A_.cpython-310.pyc
V_A_R_C_.cpython-310.pyc
V_D_M_X_.cpython-310.pyc
V_O_R_G_.cpython-310.pyc
V_V_A_R_.cpython-310.pyc
_a_n_k_r.cpython-310.pyc
_a_v_a_r.cpython-310.pyc
_b_s_l_n.cpython-310.pyc
_c_i_d_g.cpython-310.pyc
_c_m_a_p.cpython-310.pyc
_c_v_a_r.cpython-310.pyc
_c_v_t.cpython-310.pyc
_f_e_a_t.cpython-310.pyc
_f_p_g_m.cpython-310.pyc
_f_v_a_r.cpython-310.pyc
_g_a_s_p.cpython-310.pyc
_g_c_i_d.cpython-310.pyc
_g_l_y_f.cpython-310.pyc
_g_v_a_r.cpython-310.pyc
_h_d_m_x.cpython-310.pyc
_h_e_a_d.cpython-310.pyc
_h_h_e_a.cpython-310.pyc
_h_m_t_x.cpython-310.pyc
_k_e_r_n.cpython-310.pyc
_l_c_a_r.cpython-310.pyc

```

        _l_o_c_a.cpython-310.pyc
        _l_t_a_g.cpython-310.pyc
        _m_a_x_p.cpython-310.pyc
        _m_e_t_a.cpython-310.pyc
        _m_o_r_t.cpython-310.pyc
        _m_o_r_x.cpython-310.pyc
        _n_a_m_e.cpython-310.pyc
        _o_p_b_d.cpython-310.pyc
        _p_o_s_t.cpython-310.pyc
        _p_r_e_p.cpython-310.pyc
        _p_r_o_p.cpython-310.pyc
        _s_b_i_x.cpython-310.pyc
        _t_r_a_k.cpython-310.pyc
        _v_h_e_a.cpython-310.pyc
        _v_m_t_x.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        macUtils.cpython-310.pyc
        removeOverlaps.cpython-310.pyc
        reorderGlyphs.cpython-310.pyc
        scaleUpem.cpython-310.pyc
        sfnt.cpython-310.pyc
        standardGlyphOrder.cpython-310.pyc
        ttCollection.cpython-310.pyc
        ttFont.cpython-310.pyc
        ttGlyphSet.cpython-310.pyc
        ttVisitor.cpython-310.pyc
        woff2.cpython-310.pyc
        __init__.cpython-310.pyc
        __main__.cpython-310.pyc
+---ufoLib
    converters.py
    errors.py
    etree.py
    filenames.py
    glifLib.py
    kerning.py
    plistlib.py
    pointPen.py
    utils.py
    validators.py
    __init__.py
    \---__pycache__
        converters.cpython-310.pyc
        errors.cpython-310.pyc
        etree.cpython-310.pyc
        filenames.cpython-310.pyc
        glifLib.cpython-310.pyc
        kerning.cpython-310.pyc
        plistlib.cpython-310.pyc
        pointPen.cpython-310.pyc
        utils.cpython-310.pyc
        validators.cpython-310.pyc
        __init__.cpython-310.pyc
+---unicodedata
    Blocks.py
    Mirrored.py
    OTTags.py
    ScriptExtensions.py
    Scripts.py
    __init__.py
    \---__pycache__
        Blocks.cpython-310.pyc

```

```

        Mirrored.cpython-310.pyc
        OTTags.cpython-310.pyc
        ScriptExtensions.cpython-310.pyc
        Scripts.cpython-310.pyc
        __init__.cpython-310.pyc
+---varLib
    avarPlanner.py
    builder.py
    cff.py
    errors.py
    featureVars.py
    hvar.py
    interpolatable.py
    interpolatableHelpers.py
    interpolatablePlot.py
    interpolatableTestContourOrder.py
    interpolatableTestStartingPoint.py
    interpolate_layout.py
    iup.c
    iup.cp310-win_amd64.pyd
    iup.py
    merger.py
    models.py
    multiVarStore.py
    mutator.py
    mvar.py
    plot.py
    stat.py
    varStore.py
    __init__.py
    __main__.py
+---avar
    | build.py
    | map.py
    | plan.py
    | unbuild.py
    | __init__.py
    | __main__.py
    \---__pycache__
        build.cpython-310.pyc
        map.cpython-310.pyc
        plan.cpython-310.pyc
        unbuild.cpython-310.pyc
        __init__.cpython-310.pyc
        __main__.cpython-310.pyc
+---instancer
    | featureVars.py
    | names.py
    | solver.py
    | __init__.py
    | __main__.py
    \---__pycache__
        featureVars.cpython-310.pyc
        names.cpython-310.pyc
        solver.cpython-310.pyc
        __init__.cpython-310.pyc
        __main__.cpython-310.pyc
\---__pycache__
    avarPlanner.cpython-310.pyc
    builder.cpython-310.pyc
    cff.cpython-310.pyc
    errors.cpython-310.pyc

```

```

featureVars.cpython-310.pyc
hvar.cpython-310.pyc
interpolatable.cpython-310.pyc
interpolatableHelpers.cpython-310.pyc
interpolatablePlot.cpython-310.pyc
interpolatableTestContourOrder.cpython-310.pyc
interpolatableTestStartingPoint.cpython-310.pyc
interpolate_layout.cpython-310.pyc
iup.cpython-310.pyc
merger.cpython-310.pyc
models.cpython-310.pyc
multiVarStore.cpython-310.pyc
mutator.cpython-310.pyc
mvar.cpython-310.pyc
plot.cpython-310.pyc
stat.cpython-310.pyc
varStore.cpython-310.pyc
__init__.cpython-310.pyc
__main__.cpython-310.pyc

+---voltLib
|   ast.py
|   error.py
|   lexer.py
|   parser.py
|   voltToFea.py
|   __init__.py
|   __main__.py
|
| \---__pycache__
|     ast.cpython-310.pyc
|     error.cpython-310.pyc
|     lexer.cpython-310.pyc
|     parser.cpython-310.pyc
|     voltToFea.cpython-310.pyc
|     __init__.cpython-310.pyc
|     __main__.cpython-310.pyc
|
| \---__pycache__
|     afmLib.cpython-310.pyc
|     agl.cpython-310.pyc
|     annotations.cpython-310.pyc
|     fontBuilder.cpython-310.pyc
|     help.cpython-310.pyc
|     tfmLib.cpython-310.pyc
|     ttx.cpython-310.pyc
|     unicode.cpython-310.pyc
|     __init__.cpython-310.pyc
|     __main__.cpython-310.pyc
|
+---fonttools-4.60.1.dist-info
|   entry_points.txt
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
|
| \---licenses
|     LICENSE
|     LICENSE.external
|
+---geographiclib
|   accumulator.py
|   constants.py
|   geodesic.py
|   geodesiccapability.py

```



```

    geodesicline.py
    geomath.py
    polygonarea.py
    __init__.py
\---test
    __init__.py
+---geographiclib-2.1.dist-info
    INSTALLER
    METADATA
    RECORD
    top_level.txt
    WHEEL
\---licenses
    LICENSE
+---geopy
    adapters.py
    compat.py
    distance.py
    exc.py
    format.py
    location.py
    point.py
    timezone.py
    units.py
    util.py
    __init__.py
+---extra
    rate_limiter.py
    __init__.py
+---geocoders
    algolia.py
    arcgis.py
    azure.py
    baidu.py
    banfrance.py
    base.py
    bing.py
    databc.py
    dot_us.py
    geocodeearth.py
    geocodfarm.py
    geocodio.py
    geokeo.py
    geolake.py
    geonames.py
    google.py
    googlev3.py
    here.py
    ignfrance.py
    mapbox.py
    mapquest.py
    maptiler.py
    mapzen.py
    nominatim.py
    opencage.py
    openmapquest.py
    osm.py
    pelias.py
    photon.py
    pickpoint.py
    placefinder.py
    smartystreets.py

```

```

tomtom.py
what3words.py
woosmap.py
yandex.py
__init__.py
\---__pycache__
    arcgis.cpython-310.pyc
    azure.cpython-310.pyc
    baidu.cpython-310.pyc
    banfrance.cpython-310.pyc
    base.cpython-310.pyc
    bing.cpython-310.pyc
    databc.cpython-310.pyc
    geocodeearth.cpython-310.pyc
    geocodio.cpython-310.pyc
    geokeo.cpython-310.pyc
    geolake.cpython-310.pyc
    geonames.cpython-310.pyc
    google.cpython-310.pyc
    here.cpython-310.pyc
    ignfrance.cpython-310.pyc
    mapbox.cpython-310.pyc
    mapquest.cpython-310.pyc
    maptiler.cpython-310.pyc
    nominatim.cpython-310.pyc
    opencage.cpython-310.pyc
    openmapquest.cpython-310.pyc
    pelias.cpython-310.pyc
    photon.cpython-310.pyc
    pickpoint.cpython-310.pyc
    smartystreets.cpython-310.pyc
    tomtom.cpython-310.pyc
    what3words.cpython-310.pyc
    woosmap.cpython-310.pyc
    yandex.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    adapters.cpython-310.pyc
    compat.cpython-310.pyc
    exc.cpython-310.pyc
    format.cpython-310.pyc
    location.cpython-310.pyc
    point.cpython-310.pyc
    timezone.cpython-310.pyc
    units.cpython-310.pyc
    util.cpython-310.pyc
    __init__.cpython-310.pyc
+---geopy-2.4.1.dist-info
    AUTHORS
    INSTALLER
    LICENSE
    METADATA
    RECORD
    REQUESTED
    top_level.txt
    WHEEL
+---git
    cmd.py
    compat.py
    config.py
    db.py
    diff.py
    exc.py
    py.typed

```

```
remote.py
types.py
util.py
__init__.py
```

+---index

```
base.py
fun.py
typ.py
util.py
__init__.py
```

\---__pycache__

```
base.cpython-310.pyc
fun.cpython-310.pyc
typ.cpython-310.pyc
util.cpython-310.pyc
__init__.cpython-310.pyc
```

+---objects

```
base.py
blob.py
commit.py
fun.py
tag.py
tree.py
util.py
__init__.py
```

+---submodule

```
base.py
root.py
util.py
__init__.py
```

\---__pycache__

```
base.cpython-310.pyc
root.cpython-310.pyc
util.cpython-310.pyc
__init__.cpython-310.pyc
```

\---__pycache__

```
base.cpython-310.pyc
blob.cpython-310.pyc
commit.cpython-310.pyc
fun.cpython-310.pyc
tag.cpython-310.pyc
tree.cpython-310.pyc
util.cpython-310.pyc
__init__.cpython-310.pyc
```

+---refs

```
head.py
log.py
reference.py
remote.py
symbolic.py
tag.py
__init__.py
```

\---__pycache__

```
head.cpython-310.pyc
log.cpython-310.pyc
reference.cpython-310.pyc
remote.cpython-310.pyc
symbolic.cpython-310.pyc
tag.cpython-310.pyc
__init__.cpython-310.pyc
```

```

+---repo
|   base.py
|   fun.py
|   __init__.py
|
|   \---__pycache__
|       base.cpython-310.pyc
|       fun.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    cmd.cpython-310.pyc
    compat.cpython-310.pyc
    config.cpython-310.pyc
    db.cpython-310.pyc
    diff.cpython-310.pyc
    exc.cpython-310.pyc
    remote.cpython-310.pyc
    types.cpython-310.pyc
    util.cpython-310.pyc
    __init__.cpython-310.pyc

+---gitdb
|   base.py
|   const.py
|   exc.py
|   fun.py
|   pack.py
|   stream.py
|   typ.py
|   util.py
|   __init__.py
|
+---db
|   base.py
|   git.py
|   loose.py
|   mem.py
|   pack.py
|   ref.py
|   __init__.py
|
|   \---__pycache__
|       base.cpython-310.pyc
|       git.cpython-310.pyc
|       loose.cpython-310.pyc
|       mem.cpython-310.pyc
|       pack.cpython-310.pyc
|       ref.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---test
|   lib.py
|   test_base.py
|   test_example.py
|   test_pack.py
|   test_stream.py
|   test_util.py
|   __init__.py
|
\---__pycache__
    lib.cpython-310.pyc
    test_base.cpython-310.pyc
    test_example.cpython-310.pyc
    test_pack.cpython-310.pyc
    test_stream.cpython-310.pyc
    test_util.cpython-310.pyc
```

```

        __init__.cpython-310.pyc
+---utils
|   encoding.py
|   __init__.py
|
|   \---__pycache__
|       encoding.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    base.cpython-310.pyc
    const.cpython-310.pyc
    exc.cpython-310.pyc
    fun.cpython-310.pyc
    pack.cpython-310.pyc
    stream.cpython-310.pyc
    typ.cpython-310.pyc
    util.cpython-310.pyc
    __init__.cpython-310.pyc

+---gitdb-4.0.12.dist-info
|   AUTHORS
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
|
+---gitpython-3.1.45.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
|
|   \---licenses
|       AUTHORS
|       LICENSE
|
+---google
+---protobuf
|   any_pb2.py
|   api_pb2.py
|   descriptor.py
|   descriptor_database.py
|   descriptor_pb2.py
|   descriptor_pool.py
|   duration_pb2.py
|   empty_pb2.py
|   field_mask_pb2.py
|   json_format.py
|   message.py
|   message_factory.py
|   proto_builder.py
|   reflection.py
|   service.py
|   service_reflection.py
|   source_context_pb2.py
|   struct_pb2.py
|   symbol_database.py
|   text_encoding.py
|   text_format.py
|   timestamp_pb2.py
|   type_pb2.py
|   unknown_fields.py
|   wrappers_pb2.py

```

```

__init__.py
+---compiler
|   plugin_pb2.py
|   __init__.py
|
\---__pycache__
      plugin_pb2.cpython-310.pyc
      __init__.cpython-310.pyc

+---internal
|   api_implementation.py
|   builder.py
|   containers.py
|   decoder.py
|   encoder.py
|   enum_type_wrapper.py
|   extension_dict.py
|   field_mask.py
|   message_listener.py
|   python_message.py
|   testing_refleaks.py
|   type_checkers.py
|   well_known_types.py
|   wire_format.py
|   _parameterized.py
|   __init__.py
|
\---__pycache__
      api_implementation.cpython-310.pyc
      builder.cpython-310.pyc
      containers.cpython-310.pyc
      decoder.cpython-310.pyc
      encoder.cpython-310.pyc
      enum_type_wrapper.cpython-310.pyc
      extension_dict.cpython-310.pyc
      field_mask.cpython-310.pyc
      message_listener.cpython-310.pyc
      python_message.cpython-310.pyc
      testing_refleaks.cpython-310.pyc
      type_checkers.cpython-310.pyc
      well_known_types.cpython-310.pyc
      wire_format.cpython-310.pyc
      _parameterized.cpython-310.pyc
      __init__.cpython-310.pyc

+---pyext
|   cpp_message.py
|   __init__.py
|
\---__pycache__
      cpp_message.cpython-310.pyc
      __init__.cpython-310.pyc

+---testdata
|   __init__.py
|
\---__pycache__
      __init__.cpython-310.pyc

+---util
|   __init__.py
|
\---__pycache__
      __init__.cpython-310.pyc

\---__pycache__
      any_pb2.cpython-310.pyc

```

```

        api_pb2.cpython-310.pyc
        descriptor.cpython-310.pyc
        descriptor_database.cpython-310.pyc
        descriptor_pb2.cpython-310.pyc
        descriptor_pool.cpython-310.pyc
        duration_pb2.cpython-310.pyc
        empty_pb2.cpython-310.pyc
        field_mask_pb2.cpython-310.pyc
        json_format.cpython-310.pyc
        message.cpython-310.pyc
        message_factory.cpython-310.pyc
        proto_builder.cpython-310.pyc
        reflection.cpython-310.pyc
        service.cpython-310.pyc
        service_reflection.cpython-310.pyc
        source_context_pb2.cpython-310.pyc
        struct_pb2.cpython-310.pyc
        symbol_database.cpython-310.pyc
        text_encoding.cpython-310.pyc
        text_format.cpython-310.pyc
        timestamp_pb2.cpython-310.pyc
        type_pb2.cpython-310.pyc
        unknown_fields.cpython-310.pyc
        wrappers_pb2.cpython-310.pyc
        __init__.cpython-310.pyc
+---_upb
    _message.pyd
\---~upb
    _message.pyd
+---h11
    py.typed
    _abnf.py
    _connection.py
    _events.py
    _headers.py
    _readers.py
    _receivebuffer.py
    _state.py
    _util.py
    _version.py
    _writers.py
    __init__.py
\---__pycache__
    _abnf.cpython-310.pyc
    _connection.cpython-310.pyc
    _events.cpython-310.pyc
    _headers.cpython-310.pyc
    _readers.cpython-310.pyc
    _receivebuffer.cpython-310.pyc
    _state.cpython-310.pyc
    _util.cpython-310.pyc
    _version.cpython-310.pyc
    _writers.cpython-310.pyc
    __init__.cpython-310.pyc
+---h11-0.16.0.dist-info
    INSTALLER
    METADATA
    RECORD
    top_level.txt
    WHEEL
\---licenses
    LICENSE.txt

```

```

+---httpcore
    py.typed
    _api.py
    _exceptions.py
    _models.py
    _ssl.py
    _synchronization.py
    _trace.py
    _utils.py
    __init__.py

+---_async
    connection.py
    connection_pool.py
    http11.py
    http2.py
    http_proxy.py
    interfaces.py
    socks_proxy.py
    __init__.py

+---_backends
    anyio.py
    auto.py
    base.py
    mock.py
    sync.py
    trio.py
    __init__.py

\---_sync
    connection.py
    connection_pool.py
    http11.py
    http2.py
    http_proxy.py
    interfaces.py
    socks_proxy.py
    __init__.py

+---httpcore-1.0.9.dist-info
    INSTALLER
    METADATA
    RECORD
    WHEEL

\---licenses
+---httptools
    _version.py
    __init__.py

+---parser
    cparser.pxd
    errors.py
    parser.cp310-win_amd64.pyd
    parser.pyi
    parser.pyx
    protocol.py
    python.pxd
    url_cparser.pxd
    url_parser.cp310-win_amd64.pyd
    url_parser.pyi
    url_parser.pyx
    __init__.py

\---__pycache__
    errors.cpython-310.pyc

```



```

        protocol.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _version.cpython-310.pyc
        __init__.cpython-310.pyc
+---httptools-0.7.1.dist-info
    INSTALLER
    METADATA
    RECORD
    top_level.txt
    WHEEL
    \---licenses
        LICENSE
+---httpx
    py.typed
    _api.py
    _auth.py
    _client.py
    _compat.py
    _config.py
    _content.py
    _decoders.py
    _exceptions.py
    _main.py
    _models.py
    _multipart.py
    _status_codes.py
    _types.py
    _urlparse.py
    _urls.py
    _utils.py
    __init__.py
    __version__.py
    \---_transports
        asgi.py
        base.py
        default.py
        mock.py
        wsgi.py
        __init__.py
+---httpx-0.27.2.dist-info
    entry_points.txt
    INSTALLER
    METADATA
    RECORD
    WHEEL
    \---licenses
+---idna
    codec.py
    compat.py
    core.py
    idnadata.py
    intranges.py
    package_data.py
    py.typed
    uts46data.py
    __init__.py
    \---__pycache__
        codec.cpython-310.pyc
        compat.cpython-310.pyc

```

```

        core.cpython-310.pyc
        idnadata.cpython-310.pyc
        intranges.cpython-310.pyc
        package_data.cpython-310.pyc
        uts46data.cpython-310.pyc
        __init__.cpython-310.pyc
+---idna-3.11.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   WHEEL
|
|   \---licenses
|       LICENSE.md
+---importlib_metadata
|   diagnose.py
|   py.typed
|   _adapters.py
|   _collections.py
|   _compat.py
|   _functools.py
|   _itertools.py
|   _meta.py
|   _py39compat.py
|   _text.py
|   __init__.py
|
|   \---__pycache__
|       diagnose.cpython-310.pyc
|       _adapters.cpython-310.pyc
|       _collections.cpython-310.pyc
|       _compat.cpython-310.pyc
|       _functools.cpython-310.pyc
|       _itertools.cpython-310.pyc
|       _meta.cpython-310.pyc
|       _py39compat.cpython-310.pyc
|       _text.cpython-310.pyc
|       __init__.cpython-310.pyc
+---importlib_metadata-6.11.0.dist-info
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
+---iniconfig
|   exceptions.py
|   py.typed
|   _parse.py
|   _version.py
|   __init__.py
+---iniconfig-2.3.0.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
|
|   \---licenses
|       LICENSE
+---isort
|   api.py

```

```

comments.py
core.py
exceptions.py
files.py
format.py
hooks.py
identify.py
io.py
literal.py
logo.py
main.py
output.py
parse.py
place.py
profiles.py
py.typed
sections.py
settings.py
setuptools_commands.py
sorting.py
utils.py
wrap.py
wrap_modes.py
_version.py
__init__.py
__main__.py

+---deprecated
|   finders.py
|   __init__.py
|
+---stdlibs
|   all.py
|   py2.py
|   py27.py
|   py3.py
|   py310.py
|   py311.py
|   py312.py
|   py313.py
|   py314.py
|   py36.py
|   py37.py
|   py38.py
|   py39.py
|   __init__.py
|
\---_vendored
|   \---tomli
|       LICENSE
|       py.typed
|       _parser.py
|       _re.py
|       __init__.py
|
+---isort-7.0.0.dist-info
|   entry_points.txt
|   INSTALLER
|   METADATA
|   RECORD
|   WHEEL
|
|   \---licenses
|       LICENSE
|
+---itsdangerous
|   encoding.py
|   exc.py

```

```

py.typed
serializer.py
signer.py
timed.py
url_safe.py
_json.py
__init__.py
\---__pycache__
    encoding.cpython-310.pyc
    exc.cpython-310.pyc
    serializer.cpython-310.pyc
    signer.cpython-310.pyc
    timed.cpython-310.pyc
    url_safe.cpython-310.pyc
    _json.cpython-310.pyc
    __init__.cpython-310.pyc
+---itsdangerous-2.2.0.dist-info
    INSTALLER
    LICENSE.txt
    METADATA
    RECORD
    WHEEL
+---jinja2
    async_utils.py
    bccache.py
    compiler.py
    constants.py
    debug.py
    defaults.py
    environment.py
    exceptions.py
    ext.py
    filters.py
    idtracking.py
    lexer.py
    loaders.py
    meta.py
    nativetypes.py
    nodes.py
    optimizer.py
    parser.py
    py.typed
    runtime.py
    sandbox.py
    tests.py
    utils.py
    visitor.py
    _identifier.py
    __init__.py
\---__pycache__
    async_utils.cpython-310.pyc
    bccache.cpython-310.pyc
    compiler.cpython-310.pyc
    constants.cpython-310.pyc
    debug.cpython-310.pyc
    defaults.cpython-310.pyc
    environment.cpython-310.pyc
    exceptions.cpython-310.pyc
    ext.cpython-310.pyc
    filters.cpython-310.pyc
    idtracking.cpython-310.pyc
    lexer.cpython-310.pyc
    loaders.cpython-310.pyc
    meta.cpython-310.pyc

```

```

nativetypes.cpython-310.pyc
nodes.cpython-310.pyc
optimizer.cpython-310.pyc
parser.cpython-310.pyc
runtime.cpython-310.pyc
sandbox.cpython-310.pyc
tests.cpython-310.pyc
utils.cpython-310.pyc
visitor.cpython-310.pyc
__identifier__.cpython-310.pyc
__init__.cpython-310.pyc
+---jinja2-3.1.6.dist-info
|   entry_points.txt
|   INSTALLER
|   METADATA
|   RECORD
|   WHEEL
|
|   \---licenses
|       LICENSE.txt
|
+---jiter
|   jiter.cp310-win_amd64.pyd
|   py.typed
|   __init__.py
|   __init__.pyi
|
+---jiter-0.12.0.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   WHEEL
|
|   \---licenses
|       LICENSE
|
+---jsonschema
|   cli.py
|   exceptions.py
|   protocols.py
|   validators.py
|   _format.py
|   _keywords.py
|   _legacy_keywords.py
|   _types.py
|   _typing.py
|   _utils.py
|   __init__.py
|   __main__.py
|
+---benchmarks
|   const_vs_enum.py
|   contains.py
|   issue232.py
|   json_schema_test_suite.py
|   nested_schemas.py
|   subcomponents.py
|   unused_registry.py
|   useless_applicator_schemas.py
|   useless_keywords.py
|   validator_creation.py
|   __init__.py
|
+---issue232
|   issue.json
|
\---__pycache__

```

```

const_vs_enum.cpython-310.pyc
contains.cpython-310.pyc
issue232.cpython-310.pyc
json_schema_test_suite.cpython-310.pyc
nested_schemas.cpython-310.pyc
subcomponents.cpython-310.pyc
unused_registry.cpython-310.pyc
useless_applicator_schemas.cpython-310.pyc
useless_keywords.cpython-310.pyc
validator_creation.cpython-310.pyc
__init__.cpython-310.pyc

+---tests
|   fuzz_validate.py
|   test_cli.py
|   test_deprecations.py
|   test_exceptions.py
|   test_format.py
|   test_jsonschema_test_suite.py
|   test_types.py
|   test_utils.py
|   test_validators.py
|   _suite.py
|   __init__.py
|
+---typing
|   test_all_concrete_validators_match_protocol.py
|   __init__.py
|
\---__pycache__

test_all_concrete_validators_match_protocol.cpython-310.pyc
    __init__.cpython-310.pyc
    \---__pycache__
        fuzz_validate.cpython-310.pyc
        test_cli.cpython-310.pyc
        test_deprecations.cpython-310.pyc
        test_exceptions.cpython-310.pyc
        test_format.cpython-310.pyc
        test_jsonschema_test_suite.cpython-310.pyc
        test_types.cpython-310.pyc
        test_utils.cpython-310.pyc
        test_validators.cpython-310.pyc
        _suite.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        cli.cpython-310.pyc
        exceptions.cpython-310.pyc
        protocols.cpython-310.pyc
        validators.cpython-310.pyc
        _format.cpython-310.pyc
        _keywords.cpython-310.pyc
        _legacy_keywords.cpython-310.pyc
        _types.cpython-310.pyc
        _typing.cpython-310.pyc
        _utils.cpython-310.pyc
        __init__.cpython-310.pyc
        __main__.cpython-310.pyc

+---jsonschema-4.25.1.dist-info
|   entry_points.txt
|   INSTALLER
|   METADATA
|   RECORD
|   WHEEL

```

```

\---licenses
    COPYING

+---jsonschema_specifications
    _core.py
    __init__.py

    +---schemas
        +---draft201909
            metaschema.json
            \---vocabularies
                applicator
                content
                core
                format
                meta-data
                validation

        +---draft202012
            metaschema.json
            \---vocabularies
                applicator
                content
                core
                format-annotation
                format-assertion
                meta-data
                unevaluated
                validation

        +---draft3
            metaschema.json

        +---draft4
            metaschema.json

        +---draft6
            metaschema.json

        \---draft7
            metaschema.json

    +---tests
        test_jsonschema_specifications.py
        __init__.py

        \---__pycache__
            test_jsonschema_specifications.cpython-310.pyc
            __init__.cpython-310.pyc

    \---__pycache__
        _core.cpython-310.pyc
        __init__.cpython-310.pyc

+---jsonschema_specifications-2025.9.1.dist-info
    INSTALLER
    METADATA
    RECORD
    WHEEL

    \---licenses
        COPYING

+---jupyterlab_plotly
    __init__.py

```

```

+---labextension
|   package.json
|   \---static
|       133.7957020c5e8bc5703dbc.js
|       423.d0d3e2912c33c7566484.js
|       478.b48f45da3d88616ad3f9.js
|       478.b48f45da3d88616ad3f9.js.LICENSE.txt
|       486.6450efe6168c2f8caddb.js
|       486.6450efe6168c2f8caddb.js.LICENSE.txt
|       657.15db1deb504caf7dbc6d.js
|       855.323c80e7298812d692e7.js
|       remoteEntry.70a4f7e7a0383740860d.js
|       style.js
|       third-party-licenses.json
|
+---nbextension
|   extension.js
|   index.js
|   index.js.LICENSE.txt
|
\---__pycache__
    __init__.cpython-310.pyc

+---kiwisolver
|   exceptions.py
|   py.typed
|   _cext.cp310-win_amd64.pyd
|   _cext.pyi
|   __init__.py
|
\---__pycache__
    exceptions.cpython-310.pyc
    __init__.cpython-310.pyc

+---kiwisolver-1.4.9.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
|
\---licenses
    LICENSE

+---lxml
|   apihelpers.pxi
|   builder.cp310-win_amd64.pyd
|   builder.py
|   classlookup.pxi
|   cleanup.pxi
|   cssselect.py
|   debug.pxi
|   docloader.pxi
|   doctestcompare.py
|   dtd.pxi
|   ElementInclude.py
|   etree.cp310-win_amd64.pyd
|   etree.h
|   etree.pyx
|   etree_api.h
|   extensions.pxi
|   iterparse.pxi
|   lxml.etree.h
|   lxml.etree_api.h
|   nsclasses.pxi
|   objectify.cp310-win_amd64.pyd

```



```
objectify.pyx
objectpath.pxi
parser.pxi
parsertarget.pxi
proxy.pxi
public-api.pxi
pyclasslookup.py
readonlytree.pxi
relaxng.pxi
sax.cp310-win_amd64.pyd
sax.py
saxparser.pxi
schematron.pxi
serializer.pxi
usedoctest.py
xininclude.pxi
xmlerror.pxi
xmlid.pxi
xmlschema.pxi
xpath.pxi
xslt.pxi
xslttext.pxi
_elementpath.cp310-win_amd64.pyd
_elementpath.py
__init__.py
```

+---html

```
builder.py
clean.py
defs.py
diff.cp310-win_amd64.pyd
diff.py
ElementSoup.py
formfill.py
html5parser.py
soupparser.py
usedoctest.py
_diffcommand.py
_diffplib.cp310-win_amd64.pyd
_diffplib.py
_html5builder.py
_setmixin.py
__init__.py
```

+---includes

```
cl4n.pxd
config.pxd
dtdvalid.pxd
etreepublic.pxd
etree_defs.h
htmlparser.pxd
lxml-version.h
relaxng.pxd
schematron.pxd
tree.pxd
uri.pxd
xininclude.pxd
xmlerror.pxd
xmlparser.pxd
xmlschema.pxd
xpath.pxd
xslt.pxd
__init__.pxd
__init__.py
```

+---extlibs

```
zconf.h
zlib.h
```

```

        __init__.py
+---libexslt
    exslt.h
    exsltconfig.h
    exsltexports.h
    libexslt.h
    __init__.py
+---libxml
    c14n.h
    catalog.h
    chvalid.h
    debugXML.h
    dict.h
    encoding.h
    entities.h
    globals.h
    hash.h
    HTMLparser.h
    HTMLtree.h
    list.h
    nanoftp.h
    nanohttp.h
    parser.h
    parserInternals.h
    pattern.h
    relaxng.h
    SAX.h
    SAX2.h
    schemasInternals.h
    schematron.h
    threads.h
    tree.h
    uri.h
    valid.h
    xinclude.h
    xlink.h
    xmlautomata.h
    xmlerror.h
    xmlexports.h
    xmlIO.h
    xmlmemory.h
    xmlmodule.h
    xmlreader.h
    xmlregexp.h
    xmlsave.h
    xmlschemas.h
    xmlschematypes.h
    xmlstring.h
    xmlunicode.h
    xmlversion.h
    xmlwriter.h
    xpath.h
    xpathInternals.h
    xpointer.h
    __init__.py
\---libxslt
    attributes.h
    documents.h
    extensions.h
    extra.h
    functions.h
    imports.h
    keys.h
    libxslt.h
    namespaces.h

```

```

        numbersInternals.h
        preproc.h
        security.h
        templates.h
        transform.h
        trio.h
        triodef.h
        variables.h
        win32config.h
        xslt.h
        xsltconfig.h
        xsltexports.h
        xsltInternals.h
        xsltlocale.h
        xsltutils.h
        __init__.py
    \---isoschematron
        |   __init__.py
        |   \---resources
        |       +---rng
        |           |   iso-schematron.rng
        |           |   \---xsl
        |               |   RNG2Schtrn.xsl
        |               |   XSD2Schtrn.xsl
        |               |   \---iso-schematron-xslt1
        |                   |   iso_abstract_expand.xsl
        |                   |   iso_dsdl_include.xsl
        |                   |   iso_schematron_message.xsl
        |                   |   iso_schematron_skeleton_for_xslt1.xsl
        |                   |   iso_svrl_for_xslt1.xsl
        |                   |   readme.txt
        |
        +---lxml-6.0.2.dist-info
            |   INSTALLER
            |   METADATA
            |   RECORD
            |   top_level.txt
            |   WHEEL
            |
            \---licenses
                |   LICENSE.txt
                |   LICENSES.txt
            +---magic
                |   magic.py
                |   __init__.py
                |   \---libmagic
                |       |   libmagic.dll
                |       |   magic.mgc
            +---markdown_it
                |   main.py
                |   parser_block.py
                |   parser_core.py
                |   parser_inline.py
                |   port.yaml
                |   py.typed
                |   renderer.py
                |   ruler.py
                |   token.py
                |   tree.py
                |   utils.py
                |   _compat.py

```

```

    _punycode.py
    __init__.py

+---cli
|   parse.py
|   __init__.py
|
\---__pycache__
     parse.cpython-310.pyc
     __init__.cpython-310.pyc

+---common
|   entities.py
|   html_blocks.py
|   html_re.py
|   normalize_url.py
|   utils.py
|   __init__.py
|
\---__pycache__
     entities.cpython-310.pyc
     html_blocks.cpython-310.pyc
     html_re.cpython-310.pyc
     normalize_url.cpython-310.pyc
     utils.cpython-310.pyc
     __init__.cpython-310.pyc

+---helpers
|   parse_link_destination.py
|   parse_link_label.py
|   parse_link_title.py
|   __init__.py
|
\---__pycache__
     parse_link_destination.cpython-310.pyc
     parse_link_label.cpython-310.pyc
     parse_link_title.cpython-310.pyc
     __init__.cpython-310.pyc

+---presets
|   commonmark.py
|   default.py
|   zero.py
|   __init__.py
|
\---__pycache__
     commonmark.cpython-310.pyc
     default.cpython-310.pyc
     zero.cpython-310.pyc
     __init__.cpython-310.pyc

+---rules_block
|   blockquote.py
|   code.py
|   fence.py
|   heading.py
|   hr.py
|   html_block.py
|   lheading.py
|   list.py
|   paragraph.py
|   reference.py
|   state_block.py
|   table.py
|   __init__.py
|
\---__pycache__
     blockquote.cpython-310.pyc

```

```
code.cpython-310.pyc
fence.cpython-310.pyc
heading.cpython-310.pyc
hr.cpython-310.pyc
html_block.cpython-310.pyc
lheading.cpython-310.pyc
list.cpython-310.pyc
paragraph.cpython-310.pyc
reference.cpython-310.pyc
state_block.cpython-310.pyc
table.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---rules_core
```

```
block.py
inline.py
linkify.py
normalize.py
replacements.py
smartquotes.py
state_core.py
text_join.py
__init__.py
```

```
\---__pycache__
```

```
block.cpython-310.pyc
inline.cpython-310.pyc
linkify.cpython-310.pyc
normalize.cpython-310.pyc
replacements.cpython-310.pyc
smartquotes.cpython-310.pyc
state_core.cpython-310.pyc
text_join.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---rules_inline
```

```
autolink.py
backticks.py
balance_pairs.py
emphasis.py
entity.py
escape.py
fragments_join.py
html_inline.py
image.py
link.py
linkify.py
newline.py
state_inline.py
strikethrough.py
text.py
__init__.py
```

```
\---__pycache__
```

```
autolink.cpython-310.pyc
backticks.cpython-310.pyc
balance_pairs.cpython-310.pyc
emphasis.cpython-310.pyc
entity.cpython-310.pyc
escape.cpython-310.pyc
fragments_join.cpython-310.pyc
html_inline.cpython-310.pyc
image.cpython-310.pyc
link.cpython-310.pyc
linkify.cpython-310.pyc
newline.cpython-310.pyc
state_inline.cpython-310.pyc
strikethrough.cpython-310.pyc
```

```

        text.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        main.cpython-310.pyc
        parser_block.cpython-310.pyc
        parser_core.cpython-310.pyc
        parser_inline.cpython-310.pyc
        renderer.cpython-310.pyc
        ruler.cpython-310.pyc
        token.cpython-310.pyc
        tree.cpython-310.pyc
        utils.cpython-310.pyc
        _compat.cpython-310.pyc
        _punycode.cpython-310.pyc
        __init__.cpython-310.pyc
+---markdown_it_py-4.0.0.dist-info
    | entry_points.txt
    | INSTALLER
    | METADATA
    | RECORD
    | WHEEL
    \---licenses
        LICENSE
        LICENSE.markdown-it
+---markupsafe
    | py.typed
    | _native.py
    | _speedups.c
    | _speedups.cp310-win_amd64.pyd
    | _speedups.pyi
    | __init__.py
    \---__pycache__
        _native.cpython-310.pyc
        __init__.cpython-310.pyc
+---markupsafe-3.0.3.dist-info
    | INSTALLER
    | METADATA
    | RECORD
    | top_level.txt
    | WHEEL
    \---licenses
        LICENSE.txt
+---marshmallow
    | base.py
    | class_registry.py
    | decorators.py
    | error_store.py
    | exceptions.py
    | fields.py
    | orderedset.py
    | py.typed
    | schema.py
    | types.py
    | utils.py
    | validate.py
    | warnings.py
    | __init__.py
+---marshmallow-3.26.1.dist-info
    | INSTALLER

```

LICENSE
METADATA
RECORD
WHEEL

+---matplotlib
animation.py
animation.pyi
artist.py
artist.pyi
axis.py
axis.pyi
backend_bases.py
backend_bases.pyi
backend_managers.py
backend_managers.pyi
backend_tools.py
backend_tools.pyi
bezier.py
bezier.pyi
category.py
cbook.py
cbook.pyi
cm.py
cm.pyi
collections.py
collections.pyi
colorbar.py
colorbar.pyi
colorizer.py
colorizer.pyi
colors.py
colors.pyi
container.py
container.pyi
contour.py
contour.pyi
dates.py
dviread.py
dviread.pyi
figure.py
figure.pyi
font_manager.py
font_manager.pyi
ft2font.cp310-win_amd64.pyd
ft2font.pyi
gridspec.py
gridspec.pyi
hatch.py
hatch.pyi
image.py
image.pyi
inset.py
inset.pyi
layout_engine.py
layout_engine.pyi
legend.py
legend.pyi
legend_handler.py
legend_handler.pyi
lines.py
lines.pyi
markers.py
markers.pyi
mathtext.py
mathtext.pyi
mlab.py
mlab.pyi

offsetbox.py
offsetbox.pyi
patches.py
patches.pyi
path.py
path.pyi
patheffects.py
patheffects.pyi
py.typed
pylab.py
pyplot.py
quiver.py
quiver.pyi
rcsetup.py
rcsetup.pyi
sankey.py
sankey.pyi
scale.py
scale.pyi
spines.py
spines.pyi
stackplot.py
stackplot.pyi
streamplot.py
streamplot.pyi
table.py
table.pyi
texmanager.py
texmanager.pyi
text.py
text.pyi
textpath.py
textpath.pyi
ticker.py
ticker.pyi
transforms.py
transforms.pyi
typing.py
units.py
widgets.py
widgets.pyi
_afm.py
_animation_data.py
_blocking_input.py
_cm.py
_cm_bivar.py
_cm_listed.py
_cm_multivar.py
_color_data.py
_color_data.pyi
_constrained_layout.py
_c_internal_utils.cp310-win_amd64.pyd
_c_internal_utils.pyi
_docstring.py
_docstring.pyi
_enums.py
_enums.pyi
_fontconfig_pattern.py
_image.cp310-win_amd64.pyd
_image.pyi
_internal_utils.py
_layoutgrid.py
_mathtext.py
_mathtext_data.py
_path.cp310-win_amd64.pyd
_path.pyi
_pylab_helpers.py
_pylab_helpers.pyi


```
_qhull.cp310-win_amd64.pyd
_qhull.pyi
_text_helpers.py
_tight_bbox.py
_tight_layout.py
_tri.cp310-win_amd64.pyd
_tri.pyi
_typelfont.py
_version.py
__init__.py
__init__.pyi
```

+---axes

```
    _axes.py
    _axes.pyi
    _base.py
    _base.pyi
    _secondary_axes.py
    _secondary_axes.pyi
    __init__.py
    __init__.pyi
\---__pycache__
    _axes.cpython-310.pyc
    _base.cpython-310.pyc
    _secondary_axes.cpython-310.pyc
    __init__.cpython-310.pyc
```

+---backends

```
    backend_agg.py
    backend_cairo.py
    backend_gtk3.py
    backend_gtk3agg.py
    backend_gtk3cairo.py
    backend_gtk4.py
    backend_gtk4agg.py
    backend_gtk4cairo.py
    backend_macosx.py
    backend_mixed.py
    backend_nbagg.py
    backend_pdf.py
    backend_pgf.py
    backend_ps.py
    backend_qt.py
    backend_qt5.py
    backend_qt5agg.py
    backend_qt5cairo.py
    backend_qtagg.py
    backend_qtcairo.py
    backend_svg.py
    backend_template.py
    backend_tkagg.py
    backend_tkcairo.py
    backend_webagg.py
    backend_webagg_core.py
    backend_wx.py
    backend_wxagg.py
    backend_wxcairo.py
    qt_compat.py
    registry.py
    _backend_agg.cp310-win_amd64.pyd
    _backend_agg.pyi
    _backend_gtk.py
    _backend_pdf_ps.py
    _backend_tk.py
    _macosx.pyi
    _tkagg.cp310-win_amd64.pyd
    _tkagg.pyi
```

```

__init__.py
+---qt_editor
|   figureoptions.py
|   _formlayout.py
|   __init__.py
|
\---__pycache__
|   figureoptions.cpython-310.pyc
|   _formlayout.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---web_backend
|   all_figures.html
|   ipython_inline_figure.html
|   single_figure.html
|
+---css
|   boilerplate.css
|   fbm.css
|   mpl.css
|   page.css
|
\---js
|   mpl.js
|   mpl_tornado.js
|   nbagg_mpl.js
|
\---__pycache__
|   backend_agg.cpython-310.pyc
|   backend_cairo.cpython-310.pyc
|   backend_gtk3.cpython-310.pyc
|   backend_gtk3agg.cpython-310.pyc
|   backend_gtk3cairo.cpython-310.pyc
|   backend_gtk4.cpython-310.pyc
|   backend_gtk4agg.cpython-310.pyc
|   backend_gtk4cairo.cpython-310.pyc
|   backend_macosx.cpython-310.pyc
|   backend_mixed.cpython-310.pyc
|   backend_nbagg.cpython-310.pyc
|   backend_pdf.cpython-310.pyc
|   backend_pgf.cpython-310.pyc
|   backend_ps.cpython-310.pyc
|   backend_qt.cpython-310.pyc
|   backend_qt5.cpython-310.pyc
|   backend_qt5agg.cpython-310.pyc
|   backend_qt5cairo.cpython-310.pyc
|   backend_qtagg.cpython-310.pyc
|   backend_qtcairo.cpython-310.pyc
|   backend_svg.cpython-310.pyc
|   backend_template.cpython-310.pyc
|   backend_tkagg.cpython-310.pyc
|   backend_tkcairo.cpython-310.pyc
|   backend_webagg.cpython-310.pyc
|   backend_webagg_core.cpython-310.pyc
|   backend_wx.cpython-310.pyc
|   backend_wxagg.cpython-310.pyc
|   backend_wxcairo.cpython-310.pyc
|   qt_compat.cpython-310.pyc
|   registry.cpython-310.pyc
|   _backend_gtk.cpython-310.pyc
|   _backend_pdf_ps.cpython-310.pyc
|   _backend_tk.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---mpl-data
|   kpsewhich.lua
|   matplotlibrc

```

+---fonts

+---afm

cmex10.afm
cmmi10.afm
cmr10.afm
cmsy10.afm
cmtt10.afm
pagd8a.afm
pagdo8a.afm
pagk8a.afm
pagko8a.afm
pbkd8a.afm
pbkdi8a.afm
pbkl8a.afm
pbkli8a.afm
pcrb8a.afm
pcrbo8a.afm
pcrr8a.afm
pcrr8a.afm
phvb8a.afm
phvb8an.afm
phvbo8a.afm
phvbo8an.afm
phvl8a.afm
phvlo8a.afm
phvr8a.afm
phvr8an.afm
phvro8a.afm
phvro8an.afm
pncb8a.afm
pncbi8a.afm
pncr8a.afm
pncri8a.afm
pplb8a.afm
pplbi8a.afm
pplr8a.afm
pplr8a.afm
psyr.afm
ptmb8a.afm
ptmbi8a.afm
ptmr8a.afm
ptmri8a.afm
putb8a.afm
putbi8a.afm
putr8a.afm
putri8a.afm
pzcmi8a.afm
pzdr.afm

+---pdfcorefonts

Courier-Bold.afm
Courier-BoldOblique.afm
Courier-Oblique.afm
Courier.afm
Helvetica-Bold.afm
Helvetica-BoldOblique.afm
Helvetica-Oblique.afm
Helvetica.afm
readme.txt
Symbol.afm
Times-Bold.afm
Times-BoldItalic.afm
Times-Italic.afm
Times-Roman.afm
ZapfDingbats.afm

\---ttf

cmb10.ttf
cmex10.ttf
cmmi10.ttf
cmr10.ttf
cmss10.ttf
cmsy10.ttf
cmtt10.ttf
DejaVuSans-Bold.ttf
DejaVuSans-BoldOblique.ttf
DejaVuSans-Oblique.ttf
DejaVuSans.ttf
DejaVuSansDisplay.ttf
DejaVuSansMono-Bold.ttf
DejaVuSansMono-BoldOblique.ttf
DejaVuSansMono-Oblique.ttf
DejaVuSansMono.ttf
DejaVuSerif-Bold.ttf
DejaVuSerif-BoldItalic.ttf
DejaVuSerif-Italic.ttf
DejaVuSerif.ttf
DejaVuSerifDisplay.ttf
LICENSE_DEJAVU
LICENSE_STIX
STIXGeneral.ttf
STIXGeneralBol.ttf
STIXGeneralBolIta.ttf
STIXGeneralItalic.ttf
STIXNonUni.ttf
STIXNonUniBol.ttf
STIXNonUniBolIta.ttf
STIXNonUniIta.ttf
STIXSizFiveSymReg.ttf
STIXSizFourSymBol.ttf
STIXSizFourSymReg.ttf
STIXSizOneSymBol.ttf
STIXSizOneSymReg.ttf
STIXSizThreeSymBol.ttf
STIXSizThreeSymReg.ttf
STIXSizTwoSymBol.ttf
STIXSizTwoSymReg.ttf

+---images

back-symbolic.svg
back.pdf
back.png
back.svg
back_large.png
filesave-symbolic.svg
filesave.pdf
filesave.png
filesave.svg
filesave_large.png
forward-symbolic.svg
forward.pdf
forward.png
forward.svg
forward_large.png
hand.pdf
hand.png
hand.svg
help-symbolic.svg
help.pdf
help.png
help.svg
help_large.png
home-symbolic.svg
home.pdf
home.png

```

home.svg
home_large.png
matplotlib.pdf
matplotlib.png
matplotlib.svg
matplotlib_large.png
move-symbolic.svg
move.pdf
move.png
move.svg
move_large.png
qt4_editor_options.pdf
qt4_editor_options.png
qt4_editor_options.svg
qt4_editor_options_large.png
subplots-symbolic.svg
subplots.pdf
subplots.png
subplots.svg
subplots_large.png
zoom_to_rect-symbolic.svg
zoom_to_rect.pdf
zoom_to_rect.png
zoom_to_rect.svg
zoom_to_rect_large.png

+---plot_directive
|   plot_directive.css

+---sample_data
|   data_x_x2_x3.csv
|   eeg.dat
|   embedding_in_wx3.xrc
|   goog.npz
|   grace_hopper.jpg
|   jacksboro_fault_dem.npz
|   logo2.png
|   membrane.dat
|   Minduka_Present_Blue_Pack.png
|   msft.csv
|   README.txt
|   sl045.ima.gz
|   Stocks.csv
|   topobathy.npz
|
|   \---axes_grid
|       bivariate_normal.npy
|
\---stylelib
    bmh.mplstyle
    classic.mplstyle
    dark_background.mplstyle
    fast.mplstyle
    fivethirtyeight.mplstyle
    ggplot.mplstyle
    grayscale.mplstyle
    petroff10.mplstyle
    seaborn-v0_8-bright.mplstyle
    seaborn-v0_8-colorblind.mplstyle
    seaborn-v0_8-dark-palette.mplstyle
    seaborn-v0_8-dark.mplstyle
    seaborn-v0_8-darkgrid.mplstyle
    seaborn-v0_8-deep.mplstyle
    seaborn-v0_8-muted.mplstyle
    seaborn-v0_8-notebook.mplstyle
    seaborn-v0_8-paper.mplstyle
    seaborn-v0_8-pastel.mplstyle
    seaborn-v0_8-poster.mplstyle

```

```

        seaborn-v0_8-talk.mplstyle
        seaborn-v0_8-ticks.mplstyle
        seaborn-v0_8-white.mplstyle
        seaborn-v0_8-whitegrid.mplstyle
        seaborn-v0_8.mplstyle
        Solarize_Light2.mplstyle
        tableau-colorblind10.mplstyle
        _classic_test_patch.mplstyle
        _mpl-gallery-nogrid.mplstyle
        _mpl-gallery.mplstyle
+---projections
|   geo.py
|   geo.pyi
|   polar.py
|   polar.pyi
|   __init__.py
|   __init__.pyi
| \---__pycache__
|      geo.cpython-310.pyc
|      polar.cpython-310.pyc
|      __init__.cpython-310.pyc
+---sphinxext
|   figmpl_directive.py
|   mathmpl.py
|   plot_directive.py
|   roles.py
|   __init__.py
| \---__pycache__
|      figmpl_directive.cpython-310.pyc
|      mathmpl.cpython-310.pyc
|      plot_directive.cpython-310.pyc
|      roles.cpython-310.pyc
|      __init__.cpython-310.pyc
+---style
|   core.py
|   core.pyi
|   __init__.py
| \---__pycache__
|      core.cpython-310.pyc
|      __init__.cpython-310.pyc
+---testing
|   compare.py
|   compare.pyi
|   conftest.py
|   conftest.pyi
|   decorators.py
|   decorators.pyi
|   exceptions.py
|   widgets.py
|   widgets.pyi
|   _markers.py
|   __init__.py
|   __init__.pyi
+---jpl_units
|   Duration.py
|   Epoch.py
|   EpochConverter.py
|   StrConverter.py
|   UnitDbl.py
|   UnitDblConverter.py

```

```

    UnitDblFormatter.py
    __init__.py
\---__pycache__
    Duration.cpython-310.pyc
    Epoch.cpython-310.pyc
    EpochConverter.cpython-310.pyc
    StrConverter.cpython-310.pyc
    UnitDbl.cpython-310.pyc
    UnitDblConverter.cpython-310.pyc
    UnitDblFormatter.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    compare.cpython-310.pyc
    conftest.cpython-310.pyc
    decorators.cpython-310.pyc
    exceptions.cpython-310.pyc
    widgets.cpython-310.pyc
    _markers.cpython-310.pyc
    __init__.cpython-310.pyc
+---tests
    conftest.py
    test_afm.py
    test_agg.py
    test_agg_filter.py
    test_animation.py
    test_api.py
    test_arrow_patches.py
    test_artist.py
    test_axes.py
    test_axis.py
    test_backends_interactive.py
    test_backend_bases.py
    test_backend_cairo.py
    test_backend_gtk3.py
    test_backend_inline.py
    test_backend_macosx.py
    test_backend_nbagg.py
    test_backend_pdf.py
    test_backend_pgf.py
    test_backend_ps.py
    test_backend_qt.py
    test_backend_registry.py
    test_backend_svg.py
    test_backend_template.py
    test_backend_tk.py
    test_backend_tools.py
    test_backend_webagg.py
    test_basic.py
    test_bbox_tight.py
    test_bezier.py
    test_category.py
    test_cbook.py
    test_collections.py
    test_colorbar.py
    test_colors.py
    test_compare_images.py
    test_constrainedlayout.py
    test_container.py
    test_contour.py
    test_cycles.py
    test_dates.py
    test_datetime.py
    test_determinism.py
    test_doc.py
    test_dviread.py

```

```
test_figure.py
test_fontconfig_pattern.py
test_font_manager.py
test_ft2font.py
test_getattr.py
test_gridspec.py
test_image.py
test_legend.py
test_lines.py
test_marker.py
test_mathtext.py
test_matplotlib.py
test_mlab.py
test_multivariate_colormaps.py
test_offsetbox.py
test_patches.py
test_path.py
test_patheffects.py
test_pickle.py
test_png.py
test_polar.py
test_preprocess_data.py
test_pyplot.py
test_quiver.py
test_rcparams.py
test_sankey.py
test_scale.py
test_simplification.py
test_skew.py
test_sphinxext.py
test_spines.py
test_streamplot.py
test_style.py
test_subplots.py
test_table.py
test_testing.py
test_texmanager.py
test_text.py
test_textpath.py
test_ticker.py
test_tightlayout.py
test_transforms.py
test_triangulation.py
test_typelfont.py
test_units.py
test_usetex.py
test_widgets.py
__init__.py
\---__pycache__
    conftest.cpython-310.pyc
    test_afm.cpython-310.pyc
    test_agg.cpython-310.pyc
    test_agg_filter.cpython-310.pyc
    test_animation.cpython-310.pyc
    test_api.cpython-310.pyc
    test_arrow_patches.cpython-310.pyc
    test_artist.cpython-310.pyc
    test_axes.cpython-310.pyc
    test_axis.cpython-310.pyc
    test_backends_interactive.cpython-310.pyc
    test_backend_bases.cpython-310.pyc
    test_backend_cairo.cpython-310.pyc
    test_backend_gtk3.cpython-310.pyc
    test_backend_inline.cpython-310.pyc
    test_backend_macosx.cpython-310.pyc
    test_backend_nbagg.cpython-310.pyc
    test_backend_pdf.cpython-310.pyc
```


			test_backend_pgf.cpython-310.pyc
			test_backend_ps.cpython-310.pyc
			test_backend_qt.cpython-310.pyc
			test_backend_registry.cpython-310.pyc
			test_backend_svg.cpython-310.pyc
			test_backend_template.cpython-310.pyc
			test_backend_tk.cpython-310.pyc
			test_backend_tools.cpython-310.pyc
			test_backend_webagg.cpython-310.pyc
			test_basic.cpython-310.pyc
			test_bbox_tight.cpython-310.pyc
			test_bezier.cpython-310.pyc
			test_category.cpython-310.pyc
			test_cbook.cpython-310.pyc
			test_collections.cpython-310.pyc
			test_colorbar.cpython-310.pyc
			test_colors.cpython-310.pyc
			test_compare_images.cpython-310.pyc
			test_constrainedlayout.cpython-310.pyc
			test_container.cpython-310.pyc
			test_contour.cpython-310.pyc
			test_cycles.cpython-310.pyc
			test_dates.cpython-310.pyc
			test_datetime.cpython-310.pyc
			test_determinism.cpython-310.pyc
			test_doc.cpython-310.pyc
			test_dviread.cpython-310.pyc
			test_figure.cpython-310.pyc
			test_fontconfig_pattern.cpython-310.pyc
			test_font_manager.cpython-310.pyc
			test_ft2font.cpython-310.pyc
			test_getattr.cpython-310.pyc
			test_gridspec.cpython-310.pyc
			test_image.cpython-310.pyc
			test_legend.cpython-310.pyc
			test_lines.cpython-310.pyc
			test_marker.cpython-310.pyc
			test_mathtext.cpython-310.pyc
			test_matplotlib.cpython-310.pyc
			test_mlab.cpython-310.pyc
			test_multivariate_colormaps.cpython-310.pyc
			test_offsetbox.cpython-310.pyc
			test_patches.cpython-310.pyc
			test_path.cpython-310.pyc
			test_patheffects.cpython-310.pyc
			test_pickle.cpython-310.pyc
			test_png.cpython-310.pyc
			test_polar.cpython-310.pyc
			test_preprocess_data.cpython-310.pyc
			test_pyplot.cpython-310.pyc
			test_quiver.cpython-310.pyc
			test_rcparams.cpython-310.pyc
			test_sankey.cpython-310.pyc
			test_scale.cpython-310.pyc
			test_simplification.cpython-310.pyc
			test_skew.cpython-310.pyc
			test_sphinxext.cpython-310.pyc
			test_spines.cpython-310.pyc
			test_streamplot.cpython-310.pyc
			test_style.cpython-310.pyc
			test_subplots.cpython-310.pyc
			test_table.cpython-310.pyc
			test_testing.cpython-310.pyc
			test_texmanager.cpython-310.pyc
			test_text.cpython-310.pyc
			test_textpath.cpython-310.pyc
			test_ticker.cpython-310.pyc
			test_tightlayout.cpython-310.pyc

```

        test_transforms.cpython-310.pyc
        test_triangulation.cpython-310.pyc
        test_typelfont.cpython-310.pyc
        test_units.cpython-310.pyc
        test_usetex.cpython-310.pyc
        test_widgets.cpython-310.pyc
        __init__.cpython-310.pyc
+---tri
|   _triangulation.py
|   _triangulation.pyi
|   _tricontour.py
|   _tricontour.pyi
|   _trifinder.py
|   _trifinder.pyi
|   _triinterpolate.py
|   _triinterpolate.pyi
|   _tripcolor.py
|   _tripcolor.pyi
|   _tripplot.py
|   _tripplot.pyi
|   _trirefine.py
|   _trirefine.pyi
|   _tritools.py
|   _tritools.pyi
|   __init__.py
\---__pycache__
    _triangulation.cpython-310.pyc
    _tricontour.cpython-310.pyc
    _trifinder.cpython-310.pyc
    _triinterpolate.cpython-310.pyc
    _tripcolor.cpython-310.pyc
    _tripplot.cpython-310.pyc
    _trirefine.cpython-310.pyc
    _tritools.cpython-310.pyc
    __init__.cpython-310.pyc
+---_api
|   deprecation.py
|   deprecation.pyi
|   __init__.py
|   __init__.pyi
\---__pycache__
    deprecation.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    animation.cpython-310.pyc
    artist.cpython-310.pyc
    axis.cpython-310.pyc
    backend_bases.cpython-310.pyc
    backend_managers.cpython-310.pyc
    backend_tools.cpython-310.pyc
    bezier.cpython-310.pyc
    category.cpython-310.pyc
    cbook.cpython-310.pyc
    cm.cpython-310.pyc
    collections.cpython-310.pyc
    colorbar.cpython-310.pyc
    colorizer.cpython-310.pyc
    colors.cpython-310.pyc
    container.cpython-310.pyc
    contour.cpython-310.pyc
    dates.cpython-310.pyc
    dviread.cpython-310.pyc
    figure.cpython-310.pyc

```

```
font_manager.cpython-310.pyc
gridspec.cpython-310.pyc
hatch.cpython-310.pyc
image.cpython-310.pyc
inset.cpython-310.pyc
layout_engine.cpython-310.pyc
legend.cpython-310.pyc
legend_handler.cpython-310.pyc
lines.cpython-310.pyc
markers.cpython-310.pyc
mathtext.cpython-310.pyc
mlab.cpython-310.pyc
offsetbox.cpython-310.pyc
patches.cpython-310.pyc
path.cpython-310.pyc
patheffects.cpython-310.pyc
pylab.cpython-310.pyc
pyplot.cpython-310.pyc
quiver.cpython-310.pyc
rcsetup.cpython-310.pyc
sankey.cpython-310.pyc
scale.cpython-310.pyc
spines.cpython-310.pyc
stackplot.cpython-310.pyc
streamplot.cpython-310.pyc
table.cpython-310.pyc
texmanager.cpython-310.pyc
text.cpython-310.pyc
textpath.cpython-310.pyc
ticker.cpython-310.pyc
transforms.cpython-310.pyc
typing.cpython-310.pyc
units.cpython-310.pyc
widgets.cpython-310.pyc
_afm.cpython-310.pyc
_animation_data.cpython-310.pyc
_blocking_input.cpython-310.pyc
_cm.cpython-310.pyc
_cm_bivar.cpython-310.pyc
_cm_listed.cpython-310.pyc
_cm_multivar.cpython-310.pyc
_color_data.cpython-310.pyc
_constrained_layout.cpython-310.pyc
_docstring.cpython-310.pyc
_enums.cpython-310.pyc
_fontconfig_pattern.cpython-310.pyc
_internal_utils.cpython-310.pyc
_layoutgrid.cpython-310.pyc
_mathtext.cpython-310.pyc
_mathtext_data.cpython-310.pyc
_pylab_helpers.cpython-310.pyc
_text_helpers.cpython-310.pyc
_tight_bbox.cpython-310.pyc
_tight_layout.cpython-310.pyc
_typelfont.cpython-310.pyc
_version.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---matplotlib-3.10.7.dist-info
```

```
INSTALLER
LICENSE
METADATA
RECORD
REQUESTED
WHEEL
```

```
+---mccabe-0.7.0.dist-info
```

```
entry_points.txt
```

```

INSTALLER
LICENSE
METADATA
RECORD
top_level.txt
WHEEL

+---mdurl
|   py.typed
|   _decode.py
|   _encode.py
|   _format.py
|   _parse.py
|   _url.py
|   __init__.py
|
|   \---__pycache__
|       _decode.cpython-310.pyc
|       _encode.cpython-310.pyc
|       _format.cpython-310.pyc
|       _parse.cpython-310.pyc
|       _url.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---mdurl-0.1.2.dist-info
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   WHEEL
|
+---more_itertools
|   more.py
|   more.pyi
|   py.typed
|   recipes.py
|   recipes.pyi
|   __init__.py
|   __init__.pyi
|
+---more_itertools-10.8.0.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   WHEEL
|
|   \---licenses
|       LICENSE
|
+---mpl_toolkits
|   +---axes_grid1
|       |   anchored_artists.py
|       |   axes_divider.py
|       |   axes_grid.py
|       |   axes_rgb.py
|       |   axes_size.py
|       |   inset_locator.py
|       |   mpl_axes.py
|       |   parasite_axes.py
|       |   __init__.py
|       |
|       +---tests
|           |   conftest.py
|           |   test_axes_grid1.py
|           |   __init__.py
|           |
|           \---__pycache__
|               conftest.cpython-310.pyc

```

```

        test_axes_grid1.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    anchored_artists.cpython-310.pyc
    axes_divider.cpython-310.pyc
    axes_grid.cpython-310.pyc
    axes_rgb.cpython-310.pyc
    axes_size.cpython-310.pyc
    inset_locator.cpython-310.pyc
    mpl_axes.cpython-310.pyc
    parasite_axes.cpython-310.pyc
    __init__.cpython-310.pyc
+---axisartist
    angle_helper.py
    axes_divider.py
    axislines.py
    axisline_style.py
    axis_artist.py
    floating_axes.py
    grid_finder.py
    grid_helper_curvelinear.py
    parasite_axes.py
    __init__.py
+---tests
    conftest.py
    test_angle_helper.py
    test_axislines.py
    test_axis_artist.py
    test_floating_axes.py
    test_grid_finder.py
    test_grid_helper_curvelinear.py
    __init__.py
\---__pycache__
    conftest.cpython-310.pyc
    test_angle_helper.cpython-310.pyc
    test_axislines.cpython-310.pyc
    test_axis_artist.cpython-310.pyc
    test_floating_axes.cpython-310.pyc
    test_grid_finder.cpython-310.pyc
    test_grid_helper_curvelinear.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    angle_helper.cpython-310.pyc
    axes_divider.cpython-310.pyc
    axislines.cpython-310.pyc
    axisline_style.cpython-310.pyc
    axis_artist.cpython-310.pyc
    floating_axes.cpython-310.pyc
    grid_finder.cpython-310.pyc
    grid_helper_curvelinear.cpython-310.pyc
    parasite_axes.cpython-310.pyc
    __init__.cpython-310.pyc
\---mplot3d
    art3d.py
    axes3d.py
    axis3d.py
    proj3d.py
    __init__.py
+---tests
    conftest.py
    test_art3d.py

```

```

    test_axes3d.py
    test_legend3d.py
    __init__.py
\---__pycache__
    conftest.cpython-310.pyc
    test_art3d.cpython-310.pyc
    test_axes3d.cpython-310.pyc
    test_legend3d.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    art3d.cpython-310.pyc
    axes3d.cpython-310.pyc
    axis3d.cpython-310.pyc
    proj3d.cpython-310.pyc
    __init__.cpython-310.pyc
+---multipart
    decoders.py
    exceptions.py
    multipart.py
    __init__.py
+---tests
    compat.py
    test_multipart.py
    __init__.py
+---test_data
    \---http
        almost_match_boundary.http
        almost_match_boundary.yaml
        almost_match_boundary_without_CR.http
        almost_match_boundary_without_CR.yaml
        almost_match_boundary_without_final_hyphen.http
        almost_match_boundary_without_final_hyphen.yaml
        almost_match_boundary_without_LF.http
        almost_match_boundary_without_LF.yaml
        bad_end_of_headers.http
        bad_end_of_headers.yaml
        bad_header_char.http
        bad_header_char.yaml
        bad_initial_boundary.http
        bad_initial_boundary.yaml
        base64_encoding.http
        base64_encoding.yaml
        CR_in_header.http
        CR_in_header.yaml
        CR_in_header_value.http
        CR_in_header_value.yaml
        empty_header.http
        empty_header.yaml
        multiple_fields.http
        multiple_fields.yaml
        multiple_files.http
        multiple_files.yaml
        quoted_printable_encoding.http
        quoted_printable_encoding.yaml
        single_field.http
        single_field.yaml
        single_field_blocks.http
        single_field_blocks.yaml
        single_field_longer.http
        single_field_longer.yaml
        single_field_single_file.http
        single_field_single_file.yaml
        single_field_with_leading_newlines.http

```

```

        single_field_with_leading_newlines.yaml
        single_file.http
        single_file.yaml
        utf8_filename.http
        utf8_filename.yaml
    \---__pycache__
        compat.cpython-310.pyc
        test_multipart.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        decoders.cpython-310.pyc
        exceptions.cpython-310.pyc
        multipart.cpython-310.pyc
        __init__.cpython-310.pyc
+---mypy_extensions-1.1.0.dist-info
    INSTALLER
    METADATA
    RECORD
    WHEEL
    \---licenses
        LICENSE
+---narwhals
    compliant.py
    dataframe.py
    dependencies.py
    dtypes.py
    exceptions.py
    expr.py
    expr_cat.py
    expr_dt.py
    expr_list.py
    expr_name.py
    expr_str.py
    expr_struct.py
    functions.py
    group_by.py
    plugins.py
    py.typed
    schema.py
    selectors.py
    series.py
    series_cat.py
    series_dt.py
    series_list.py
    series_str.py
    series_struct.py
    this.py
    translate.py
    typing.py
    utils.py
    _constants.py
    _duration.py
    _enum.py
    _exceptions.py
    _expression_parsing.py
    _namespace.py
    _native.py
    _translate.py
    _typing.py
    _typing_compat.py
    _utils.py
    __init__.py

```

```

+---stable
|   __init__.py
|
|   +---v1
|   |   dependencies.py
|   |   dtypes.py
|   |   selectors.py
|   |   typing.py
|   |   _dtypes.py
|   |   _namespace.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       dependencies.cpython-310.pyc
|   |       dtypes.cpython-310.pyc
|   |       selectors.cpython-310.pyc
|   |       typing.cpython-310.pyc
|   |       _dtypes.cpython-310.pyc
|   |       _namespace.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   +---v2
|   |   dependencies.py
|   |   dtypes.py
|   |   selectors.py
|   |   typing.py
|   |   _namespace.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       dependencies.cpython-310.pyc
|   |       dtypes.cpython-310.pyc
|   |       selectors.cpython-310.pyc
|   |       typing.cpython-310.pyc
|   |       _namespace.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   \---__pycache__
|       __init__.cpython-310.pyc
|
+---testing
|   __init__.py
|
|   +---asserts
|   |   series.py
|   |   utils.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       series.cpython-310.pyc
|   |       utils.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   \---__pycache__
|       __init__.cpython-310.pyc
|
+---_arrow
|   dataframe.py
|   expr.py
|   group_by.py
|   namespace.py
|   selectors.py
|   series.py
|   series_cat.py
|   series_dt.py
|   series_list.py
|   series_str.py
|   series_struct.py

```



```

typing.py
utils.py
__init__.py
\---__pycache__
    dataframe.cpython-310.pyc
    expr.cpython-310.pyc
    group_by.cpython-310.pyc
    namespace.cpython-310.pyc
    selectors.cpython-310.pyc
    series.cpython-310.pyc
    series_cat.cpython-310.pyc
    series_dt.cpython-310.pyc
    series_list.cpython-310.pyc
    series_str.cpython-310.pyc
    series_struct.cpython-310.pyc
    typing.cpython-310.pyc
    utils.cpython-310.pyc
    __init__.cpython-310.pyc
+---_compliant
    any_namespace.py
    column.py
    dataframe.py
    expr.py
    group_by.py
    namespace.py
    selectors.py
    series.py
    typing.py
    window.py
    __init__.py
\---__pycache__
    any_namespace.cpython-310.pyc
    column.cpython-310.pyc
    dataframe.cpython-310.pyc
    expr.cpython-310.pyc
    group_by.cpython-310.pyc
    namespace.cpython-310.pyc
    selectors.cpython-310.pyc
    series.cpython-310.pyc
    typing.cpython-310.pyc
    window.cpython-310.pyc
    __init__.cpython-310.pyc
+---_dask
    dataframe.py
    expr.py
    expr_dt.py
    expr_str.py
    group_by.py
    namespace.py
    selectors.py
    utils.py
    __init__.py
\---__pycache__
    dataframe.cpython-310.pyc
    expr.cpython-310.pyc
    expr_dt.cpython-310.pyc
    expr_str.cpython-310.pyc
    group_by.cpython-310.pyc
    namespace.cpython-310.pyc
    selectors.cpython-310.pyc
    utils.cpython-310.pyc
    __init__.cpython-310.pyc

```

```
+---_duckdb
|
|   dataframe.py
|   expr.py
|   expr_dt.py
|   expr_list.py
|   expr_str.py
|   expr_struct.py
|   group_by.py
|   namespace.py
|   selectors.py
|   series.py
|   typing.py
|   utils.py
|   __init__.py
|
\---__pycache__
    dataframe.cpython-310.pyc
    expr.cpython-310.pyc
    expr_dt.cpython-310.pyc
    expr_list.cpython-310.pyc
    expr_str.cpython-310.pyc
    expr_struct.cpython-310.pyc
    group_by.cpython-310.pyc
    namespace.cpython-310.pyc
    selectors.cpython-310.pyc
    series.cpython-310.pyc
    typing.cpython-310.pyc
    utils.cpython-310.pyc
    __init__.cpython-310.pyc

+---_ibis
|
|   dataframe.py
|   expr.py
|   expr_dt.py
|   expr_list.py
|   expr_str.py
|   expr_struct.py
|   group_by.py
|   namespace.py
|   selectors.py
|   series.py
|   utils.py
|   __init__.py
|
\---__pycache__
    dataframe.cpython-310.pyc
    expr.cpython-310.pyc
    expr_dt.cpython-310.pyc
    expr_list.cpython-310.pyc
    expr_str.cpython-310.pyc
    expr_struct.cpython-310.pyc
    group_by.cpython-310.pyc
    namespace.cpython-310.pyc
    selectors.cpython-310.pyc
    series.cpython-310.pyc
    utils.cpython-310.pyc
    __init__.cpython-310.pyc

+---_interchange
|
|   dataframe.py
|   series.py
|   __init__.py
|
\---__pycache__
    dataframe.cpython-310.pyc
    series.cpython-310.pyc
    __init__.cpython-310.pyc
```

```

+---_pandas_like
|   dataframe.py
|   expr.py
|   group_by.py
|   namespace.py
|   selectors.py
|   series.py
|   series_cat.py
|   series_dt.py
|   series_list.py
|   series_str.py
|   series_struct.py
|   typing.py
|   utils.py
|   __init__.py
|
\---__pycache__
    dataframe.cpython-310.pyc
    expr.cpython-310.pyc
    group_by.cpython-310.pyc
    namespace.cpython-310.pyc
    selectors.cpython-310.pyc
    series.cpython-310.pyc
    series_cat.cpython-310.pyc
    series_dt.cpython-310.pyc
    series_list.cpython-310.pyc
    series_str.cpython-310.pyc
    series_struct.cpython-310.pyc
    typing.cpython-310.pyc
    utils.cpython-310.pyc
    __init__.cpython-310.pyc

+---_polars
|   dataframe.py
|   expr.py
|   group_by.py
|   namespace.py
|   series.py
|   typing.py
|   utils.py
|   __init__.py
|
\---__pycache__
    dataframe.cpython-310.pyc
    expr.cpython-310.pyc
    group_by.cpython-310.pyc
    namespace.cpython-310.pyc
    series.cpython-310.pyc
    typing.cpython-310.pyc
    utils.cpython-310.pyc
    __init__.cpython-310.pyc

+---_spark_like
|   dataframe.py
|   expr.py
|   expr_dt.py
|   expr_list.py
|   expr_str.py
|   expr_struct.py
|   group_by.py
|   namespace.py
|   selectors.py
|   utils.py
|   __init__.py
|
\---__pycache__
    dataframe.cpython-310.pyc
    expr.cpython-310.pyc

```

```

expr_dt.cpython-310.pyc
expr_list.cpython-310.pyc
expr_str.cpython-310.pyc
expr_struct.cpython-310.pyc
group_by.cpython-310.pyc
namespace.cpython-310.pyc
selectors.cpython-310.pyc
utils.cpython-310.pyc
__init__.cpython-310.pyc
+---_sql
|   dataframe.py
|   expr.py
|   expr_dt.py
|   expr_str.py
|   group_by.py
|   namespace.py
|   typing.py
|   __init__.py
\---__pycache__
    dataframe.cpython-310.pyc
    expr.cpython-310.pyc
    expr_dt.cpython-310.pyc
    expr_str.cpython-310.pyc
    group_by.cpython-310.pyc
    namespace.cpython-310.pyc
    typing.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    compliant.cpython-310.pyc
    dataframe.cpython-310.pyc
    dependencies.cpython-310.pyc
    dtypes.cpython-310.pyc
    exceptions.cpython-310.pyc
    expr.cpython-310.pyc
    expr_cat.cpython-310.pyc
    expr_dt.cpython-310.pyc
    expr_list.cpython-310.pyc
    expr_name.cpython-310.pyc
    expr_str.cpython-310.pyc
    expr_struct.cpython-310.pyc
    functions.cpython-310.pyc
    group_by.cpython-310.pyc
    plugins.cpython-310.pyc
    schema.cpython-310.pyc
    selectors.cpython-310.pyc
    series.cpython-310.pyc
    series_cat.cpython-310.pyc
    series_dt.cpython-310.pyc
    series_list.cpython-310.pyc
    series_str.cpython-310.pyc
    series_struct.cpython-310.pyc
    this.cpython-310.pyc
    translate.cpython-310.pyc
    typing.cpython-310.pyc
    utils.cpython-310.pyc
    _constants.cpython-310.pyc
    _duration.cpython-310.pyc
    _enum.cpython-310.pyc
    _exceptions.cpython-310.pyc
    _expression_parsing.cpython-310.pyc
    _namespace.cpython-310.pyc
    _native.cpython-310.pyc
    _translate.cpython-310.pyc
    _typing.cpython-310.pyc
    _typing_compat.cpython-310.pyc

```

```

        _utils.cpython-310.pyc
        __init__.cpython-310.pyc
+---narwhals-2.13.0.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   WHEEL
|
|   \---licenses
|       LICENSE.md
|
+---numpy
|   conftest.py
|   ctypeslib.py
|   ctypeslib.pyi
|   dtypes.py
|   dtypes.pyi
|   exceptions.py
|   exceptions.pyi
|   matlib.py
|   py.typed
|   version.py
|   _distributor_init.py
|   _globals.py
|   _pytesttester.py
|   _pytesttester.pyi
|   __config__.py
|   __init__.cython-30.pxd
|   __init__.pxd
|   __init__.py
|   __init__.pyi
|
+---array_api
|   linalg.py
|   setup.py
|   _array_object.py
|   _constants.py
|   _creation_functions.py
|   _data_type_functions.py
|   _dtypes.py
|   _elementwise_functions.py
|   _indexing_functions.py
|   _manipulation_functions.py
|   _searching_functions.py
|   _set_functions.py
|   _sorting_functions.py
|   _statistical_functions.py
|   _typing.py
|   _utility_functions.py
|   __init__.py
|
+---tests
|   test_array_object.py
|   test_creation_functions.py
|   test_data_type_functions.py
|   test_elementwise_functions.py
|   test_indexing_functions.py
|   test_manipulation_functions.py
|   test_set_functions.py
|   test_sorting_functions.py
|   test_validation.py
|   __init__.py
|
|   \---__pycache__
|       test_array_object.cpython-310.pyc
|       test_creation_functions.cpython-310.pyc
|       test_data_type_functions.cpython-310.pyc

```

```

        test_elementwise_functions.cpython-310.pyc
        test_indexing_functions.cpython-310.pyc
        test_manipulation_functions.cpython-310.pyc
        test_set_functions.cpython-310.pyc
        test_sorting_functions.cpython-310.pyc
        test_validation.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    linalg.cpython-310.pyc
    setup.cpython-310.pyc
    _array_object.cpython-310.pyc
    _constants.cpython-310.pyc
    _creation_functions.cpython-310.pyc
    _data_type_functions.cpython-310.pyc
    _dtypes.cpython-310.pyc
    _elementwise_functions.cpython-310.pyc
    _indexing_functions.cpython-310.pyc
    _manipulation_functions.cpython-310.pyc
    _searching_functions.cpython-310.pyc
    _set_functions.cpython-310.pyc
    _sorting_functions.cpython-310.pyc
    _statistical_functions.cpython-310.pyc
    _typing.cpython-310.pyc
    _utility_functions.cpython-310.pyc
    __init__.cpython-310.pyc
+---compat
    py3k.py
    setup.py
    __init__.py
+---tests
    test_compat.py
    __init__.py
    \---__pycache__
        test_compat.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    py3k.cpython-310.pyc
    setup.cpython-310.pyc
    __init__.cpython-310.pyc
+---core
    arrayprint.py
    arrayprint.pyi
    cversions.py
    defchararray.py
    defchararray.pyi
    einsumfunc.py
    einsumfunc.pyi
    fromnumeric.py
    fromnumeric.pyi
    function_base.py
    function_base.pyi
    getlimits.py
    getlimits.pyi
    memmap.py
    memmap.pyi
    multiarray.py
    multiarray.pyi
    numeric.py
    numeric.pyi
    numerictypes.py
    numerictypes.pyi
    overrides.py

```

```

records.py
records.pyi
shape_base.py
shape_base.pyi
umath.py
umath_tests.py
_add_newdocs.py
_add_newdocs_scalars.py
_asarray.py
_asarray.pyi
_dtype.py
_dtype_ctype.py
_exceptions.py
_internal.py
_internal.pyi
_machar.py
_methods.py
_multiarray_tests.cp310-win_amd64.lib
_multiarray_tests.cp310-win_amd64.pyd
_multiarray_umath.cp310-win_amd64.lib
_multiarray_umath.cp310-win_amd64.pyd
_operand_flag_tests.cp310-win_amd64.lib
_operand_flag_tests.cp310-win_amd64.pyd
_rational_tests.cp310-win_amd64.lib
_rational_tests.cp310-win_amd64.pyd
_simd.cp310-win_amd64.lib
_simd.cp310-win_amd64.pyd
_string_helpers.py
_struct_ufunc_tests.cp310-win_amd64.lib
_struct_ufunc_tests.cp310-win_amd64.pyd
_type_aliases.py
_type_aliases.pyi
_ufunc_config.py
_ufunc_config.pyi
_umath_tests.cp310-win_amd64.lib
_umath_tests.cp310-win_amd64.pyd
__init__.py
__init__.pyi

```

```

+---include
\---numpy
    arrayobject.h
    arrayscalars.h
    experimental_dtype_api.h
    halffloat.h
    ndarrayobject.h
    ndarraytypes.h
    noprefix.h
    npy_1_7_deprecated_api.h
    npy_3kcompat.h
    npy_common.h
    npy_cpu.h
    npy_endian.h
    npy_interrupt.h
    npy_math.h
    npy_no_deprecated_api.h
    npy_os.h
    numpyconfig.h
    old_defines.h
    ufuncobject.h
    utils.h
    _dtype_api.h
    _neighborhood_iterator_imp.h
    _numpyconfig.h
    __multiarray_api.c
    __multiarray_api.h
    __ufunc_api.c
    __ufunc_api.h

```

```

|
\---random
    bitgen.h
    distributions.h
    libdivide.h
    LICENSE.txt
+---lib
    |
    | npymath.lib
    |
    \---numpy-pkg-config
        mlib.ini
        npymath.ini
+---tests
    |
    | test_abc.py
    | test_api.py
    | test_argparse.py
    | test_arraymethod.py
    | test_arrayprint.py
    | test_array_coercion.py
    | test_array_interface.py
    | test_casting_floatingpoint_errors.py
    | test_casting_unittests.py
    | test_conversion_utils.py
    | test_cpu_dispatcher.py
    | test_cpu_features.py
    | test_custom_dtypes.py
    | test_cython.py
    | test_datetime.py
    | test_defchararray.py
    | test_deprecations.py
    | test_dlpack.py
    | test_dtype.py
    | test_einsum.py
    | test_errstate.py
    | test_extint128.py
    | test_function_base.py
    | test_getlimits.py
    | test_half.py
    | test_hashtable.py
    | test_indexerrors.py
    | test_indexing.py
    | test_item_selection.py
    | test_limited_api.py
    | test_longdouble.py
    | test_machar.py
    | test_mmap.py
    | test_mem_overlap.py
    | test_mem_policy.py
    | test_multiarray.py
    | test_nditer.py
    | test_nep50_promotions.py
    | test_numeric.py
    | test_numeric_types.py
    | test_numpy_2_0_compat.py
    | test_overrides.py
    | test_print.py
    | test_protocols.py
    | test_records.py
    | test_regression.py
    | test_scalarbuffer.py
    | test_scalarinherit.py
    | test_scalarmath.py
    | test_scalarprint.py
    | test_scalar_ctors.py
    | test_scalar_methods.py
    | test_shape_base.py

```



```
test_simd.py
test_simd_module.py
test_strings.py
test_ufunc.py
test_umath.py
test_umath_accuracy.py
test_umath_complex.py
test_unicode.py
test__exceptions.py
_locales.py
__init__.py
```

+++data

```
astype_copy.pkl
generate_umath_validation_data.cpp
numpy_2_0_array.pkl
recarray_from_file.fits
umath-validation-set-arccos.csv
umath-validation-set-arccosh.csv
umath-validation-set-arcsin.csv
umath-validation-set-arcsinh.csv
umath-validation-set-arctan.csv
umath-validation-set-arctanh.csv
umath-validation-set-cbrt.csv
umath-validation-set-cos.csv
umath-validation-set-cosh.csv
umath-validation-set-exp.csv
umath-validation-set-exp2.csv
umath-validation-set-expm1.csv
umath-validation-set-log.csv
umath-validation-set-log10.csv
umath-validation-set-log1p.csv
umath-validation-set-log2.csv
umath-validation-set-README.txt
umath-validation-set-sin.csv
umath-validation-set-sinh.csv
umath-validation-set-tan.csv
umath-validation-set-tanh.csv
```

+++examples

+++cython

```
checks.pyx
meson.build
setup.py
```

```
\---__pycache__
      setup.cpython-310.pyc
```

\---limited_api

```
limited_api.c
setup.py
```

```
\---__pycache__
      setup.cpython-310.pyc
```

\---__pycache__

```
test_abc.cpython-310.pyc
test_api.cpython-310.pyc
test_argparse.cpython-310.pyc
test_arraymethod.cpython-310.pyc
test_arrayprint.cpython-310.pyc
test_array_coercion.cpython-310.pyc
test_array_interface.cpython-310.pyc
test_casting_floatingpoint_errors.cpython-310.pyc
test_casting_unittests.cpython-310.pyc
test_conversion_utils.cpython-310.pyc
test_cpu_dispatcher.cpython-310.pyc
test_cpu_features.cpython-310.pyc
```

```
test_custom_dtypes.cpython-310.pyc
test_cython.cpython-310.pyc
test_datetime.cpython-310.pyc
test_defchararray.cpython-310.pyc
test_deprecations.cpython-310.pyc
test_dlpack.cpython-310.pyc
test_dtype.cpython-310.pyc
test_einsum.cpython-310.pyc
test_errstate.cpython-310.pyc
test_extint128.cpython-310.pyc
test_function_base.cpython-310.pyc
test_getlimits.cpython-310.pyc
test_half.cpython-310.pyc
test_hashtable.cpython-310.pyc
test_indexerrors.cpython-310.pyc
test_indexing.cpython-310.pyc
test_item_selection.cpython-310.pyc
test_limited_api.cpython-310.pyc
test_longdouble.cpython-310.pyc
test_machar.cpython-310.pyc
test_mmap.cpython-310.pyc
test_mem_overlap.cpython-310.pyc
test_mem_policy.cpython-310.pyc
test_multiarray.cpython-310.pyc
test_nditer.cpython-310.pyc
test_nep50_promotions.cpython-310.pyc
test_numeric.cpython-310.pyc
test_numerictypes.cpython-310.pyc
test_numpy_2_0_compat.cpython-310.pyc
test_overrides.cpython-310.pyc
test_print.cpython-310.pyc
test_protocols.cpython-310.pyc
test_records.cpython-310.pyc
test_regression.cpython-310.pyc
test_scalarbuffer.cpython-310.pyc
test_scalarinherit.cpython-310.pyc
test_scalarmath.cpython-310.pyc
test_scalarprint.cpython-310.pyc
test_scalar_ctors.cpython-310.pyc
test_scalar_methods.cpython-310.pyc
test_shape_base.cpython-310.pyc
test_simd.cpython-310.pyc
test_simd_module.cpython-310.pyc
test_strings.cpython-310.pyc
test_ufunc.cpython-310.pyc
test_umath.cpython-310.pyc
test_umath_accuracy.cpython-310.pyc
test_umath_complex.cpython-310.pyc
test_unicode.cpython-310.pyc
test__exceptions.cpython-310.pyc
_locales.cpython-310.pyc
__init__.cpython-310.pyc
```

\---__pycache__

```
arrayprint.cpython-310.pyc
cversions.cpython-310.pyc
defchararray.cpython-310.pyc
einsumfunc.cpython-310.pyc
fromnumeric.cpython-310.pyc
function_base.cpython-310.pyc
getlimits.cpython-310.pyc
mmap.cpython-310.pyc
multiarray.cpython-310.pyc
numeric.cpython-310.pyc
numerictypes.cpython-310.pyc
overrides.cpython-310.pyc
records.cpython-310.pyc
shape_base.cpython-310.pyc
```

```
umath.cpython-310.pyc
umath_tests.cpython-310.pyc
_add_newdocs.cpython-310.pyc
_add_newdocs_scalars.cpython-310.pyc
_astype.cpython-310.pyc
_dtype.cpython-310.pyc
_dtype_ctype.cpython-310.pyc
_exceptions.cpython-310.pyc
_internal.cpython-310.pyc
_machar.cpython-310.pyc
_methods.cpython-310.pyc
_string_helpers.cpython-310.pyc
_type_aliases.cpython-310.pyc
_ufunc_config.cpython-310.pyc
__init__.cpython-310.pyc
```

+---distutils

```
armccompiler.py
ccompiler.py
ccompiler_opt.py
conv_template.py
core.py
cpuinfo.py
exec_command.py
extension.py
from_template.py
fujitsucompiler.py
intelccompiler.py
lib2def.py
line_endings.py
log.py
mingw32ccompiler.py
misc_util.py
msvc9compiler.py
msvccompiler.py
numpy_pkg_config.py
numpy_distribution.py
pathccompiler.py
setup.py
system_info.py
unixccompiler.py
_shell_utils.py
__init__.py
__init__.pyi
```

+---checks

```
cpu_asimd.c
cpu_asimddp.c
cpu_asimdfhm.c
cpu_asimdhp.c
cpu_avx.c
cpu_avx2.c
cpu_avx512cd.c
cpu_avx512f.c
cpu_avx512_clx.c
cpu_avx512_cnl.c
cpu_avx512_icl.c
cpu_avx512_knl.c
cpu_avx512_knm.c
cpu_avx512_skx.c
cpu_avx512_spr.c
cpu_f16c.c
cpu_fma3.c
cpu_fma4.c
cpu_neon.c
cpu_neon_fp16.c
cpu_neon_vfpv4.c
cpu_popcnt.c
```

```
cpu_sse.c
cpu_sse2.c
cpu_sse3.c
cpu_sse41.c
cpu_sse42.c
cpu_ssse3.c
cpu_vsx.c
cpu_vsx2.c
cpu_vsx3.c
cpu_vsx4.c
cpu_vx.c
cpu_vxe.c
cpu_vxe2.c
cpu_xop.c
extra_avx512bw_mask.c
extra_avx512dq_mask.c
extra_avx512f_reduce.c
extra_vsx3_half_double.c
extra_vsx4_mma.c
extra_vsx_asm.c
test_flags.c
```

+---command

```
autodist.py
bdist_rpm.py
build.py
build_clib.py
build_ext.py
build_py.py
build_scripts.py
build_src.py
config.py
config_compiler.py
develop.py
egg_info.py
install.py
install_clib.py
install_data.py
install_headers.py
sdist.py
__init__.py
```

\---__pycache__

```
autodist.cpython-310.pyc
bdist_rpm.cpython-310.pyc
build.cpython-310.pyc
build_clib.cpython-310.pyc
build_ext.cpython-310.pyc
build_py.cpython-310.pyc
build_scripts.cpython-310.pyc
build_src.cpython-310.pyc
config.cpython-310.pyc
config_compiler.cpython-310.pyc
develop.cpython-310.pyc
egg_info.cpython-310.pyc
install.cpython-310.pyc
install_clib.cpython-310.pyc
install_data.cpython-310.pyc
install_headers.cpython-310.pyc
sdist.cpython-310.pyc
__init__.cpython-310.pyc
```

+---fcompiler

```
absoft.py
arm.py
compaq.py
environment.py
fujitsu.py
```

```
g95.py
gnu.py
hpux.py
ibm.py
intel.py
lahey.py
mips.py
nag.py
none.py
nv.py
pathf95.py
pg.py
sun.py
vast.py
__init__.py
```

```
\---__pycache__
    absoft.cpython-310.pyc
    arm.cpython-310.pyc
    compaq.cpython-310.pyc
    environment.cpython-310.pyc
    fujitsu.cpython-310.pyc
    g95.cpython-310.pyc
    gnu.cpython-310.pyc
    hpux.cpython-310.pyc
    ibm.cpython-310.pyc
    intel.cpython-310.pyc
    lahey.cpython-310.pyc
    mips.cpython-310.pyc
    nag.cpython-310.pyc
    none.cpython-310.pyc
    nv.cpython-310.pyc
    pathf95.cpython-310.pyc
    pg.cpython-310.pyc
    sun.cpython-310.pyc
    vast.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---mingw
    gfortran_vs2003_hack.c
```

```
+---tests
    test_build_ext.py
    test_ccompiler_opt.py
    test_ccompiler_opt_conf.py
    test_exec_command.py
    test_fcompiler.py
    test_fcompiler_gnu.py
    test_fcompiler_intel.py
    test_fcompiler_nagfor.py
    test_from_template.py
    test_log.py
    test_mingw32ccompiler.py
    test_misc_util.py
    test_npy_pkg_config.py
    test_shell_utils.py
    test_system_info.py
    __init__.py
```

```
\---__pycache__
    test_build_ext.cpython-310.pyc
    test_ccompiler_opt.cpython-310.pyc
    test_ccompiler_opt_conf.cpython-310.pyc
    test_exec_command.cpython-310.pyc
    test_fcompiler.cpython-310.pyc
    test_fcompiler_gnu.cpython-310.pyc
    test_fcompiler_intel.cpython-310.pyc
    test_fcompiler_nagfor.cpython-310.pyc
```

```

        test_from_template.cpython-310.pyc
        test_log.cpython-310.pyc
        test_mingw32ccompiler.cpython-310.pyc
        test_misc_util.cpython-310.pyc
        test_npy_pkg_config.cpython-310.pyc
        test_shell_utils.cpython-310.pyc
        test_system_info.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    armccompiler.cpython-310.pyc
    ccompiler.cpython-310.pyc
    ccompiler_opt.cpython-310.pyc
    conv_template.cpython-310.pyc
    core.cpython-310.pyc
    cpuinfo.cpython-310.pyc
    exec_command.cpython-310.pyc
    extension.cpython-310.pyc
    from_template.cpython-310.pyc
    fujitsucompiler.cpython-310.pyc
    intelccompiler.cpython-310.pyc
    lib2def.cpython-310.pyc
    line_endings.cpython-310.pyc
    log.cpython-310.pyc
    mingw32ccompiler.cpython-310.pyc
    misc_util.cpython-310.pyc
    msvc9compiler.cpython-310.pyc
    msvccompiler.cpython-310.pyc
    npy_pkg_config.cpython-310.pyc
    numpy_distribution.cpython-310.pyc
    pathccompiler.cpython-310.pyc
    setup.cpython-310.pyc
    system_info.cpython-310.pyc
    unixccompiler.cpython-310.pyc
    _shell_utils.cpython-310.pyc
    __init__.cpython-310.pyc
+---doc
    constants.py
    ufuncs.py
    __init__.py
\---__pycache__
    constants.cpython-310.pyc
    ufuncs.cpython-310.pyc
    __init__.cpython-310.pyc
+---f2py
    auxfuncs.py
    capi_maps.py
    cb_rules.py
    cfuncs.py
    common_rules.py
    crackfortran.py
    diagnose.py
    f2py2e.py
    f90mod_rules.py
    func2subr.py
    rules.py
    setup.cfg
    setup.py
    symbolic.py
    use_rules.py
    _isocbind.py
    _src_pyf.py
    __init__.py
    __init__.pyi
    __main__.py

```

```

__version__.py
+---src
|   fortranobject.c
|   fortranobject.h
+---tests
|   test_abstract_interface.py
|   test_array_from_pyobj.py
|   test_assumed_shape.py
|   test_block_docstring.py
|   test_callback.py
|   test_character.py
|   test_common.py
|   test_compile_function.py
|   test_crackfortran.py
|   test_data.py
|   test_docs.py
|   test_f2cmap.py
|   test_f2py2e.py
|   test_isoc.py
|   test_kind.py
|   test_mixed.py
|   test_module_doc.py
|   test_parameter.py
|   test_pyf_src.py
|   test_quoted_character.py
|   test_regression.py
|   test_return_character.py
|   test_return_complex.py
|   test_return_integer.py
|   test_return_logical.py
|   test_return_real.py
|   test_semicolon_split.py
|   test_size.py
|   test_string.py
|   test_symbolic.py
|   test_value_attrspec.py
|   util.py
|   __init__.py
+---src
|   +---abstract_interface
|   |   foo.f90
|   |   gh18403_mod.f90
|   +---array_from_pyobj
|   |   wrapmodule.c
|   +---assumed_shape
|   |   .f2py_f2cmap
|   |   foo_free.f90
|   |   foo_mod.f90
|   |   foo_use.f90
|   |   precision.f90
|   +---block_docstring
|   |   foo.f
|   +---callback
|   |   foo.f
|   |   gh17797.f90
|   |   gh18335.f90
|   |   gh25211.f
|   |   gh25211.pyf
|   +---cli
|   |   gh_22819.pyf

```

```

        hi77.f
        hiworld.f90
+---common
|       block.f
|       gh19161.f90
+---crackfortran
|       accesstype.f90
|       data_common.f
|       data_multiplier.f
|       data_stmts.f90
|       data_with_comments.f
|       foo_deps.f90
|       gh15035.f
|       gh17859.f
|       gh22648.pyf
|       gh23533.f
|       gh23598.f90
|       gh23598Warn.f90
|       gh23879.f90
|       gh2848.f90
|       operators.f90
|       privatemod.f90
|       publicmod.f90
|       pubprivmod.f90
|       unicode_comment.f90
+---f2cmap
|       .f2py_f2cmap
|       isoFortranEnvMap.f90
+---isocintrin
|       isoCtests.f90
+---kind
|       foo.f90
+---mixed
|       foo.f
|       foo_fixed.f90
|       foo_free.f90
+---module_data
|       mod.mod
|       module_data_docstring.f90
+---negative_bounds
|       issue_20853.f90
+---parameter
|       constant_both.f90
|       constant_compound.f90
|       constant_integer.f90
|       constant_non_compound.f90
|       constant_real.f90
+---quoted_character
|       foo.f
+---regression
|       |       inout.f90
|       |
|       \---gh25337
|           data.f90
|           use_data.f90
+---return_character

```



```

        foo77.f
        foo90.f90
+---return_complex
|   foo77.f
|   foo90.f90
+---return_integer
|   foo77.f
|   foo90.f90
+---return_logical
|   foo77.f
|   foo90.f90
+---return_real
|   foo77.f
|   foo90.f90
+---size
|   foo.f90
+---string
|   char.f90
|   fixed_string.f90
|   gh24008.f
|   gh24662.f90
|   gh25286.f90
|   gh25286.pyf
|   gh25286_bc.pyf
|   scalar_string.f90
|   string.f
\---value_attrspec
    gh21665.f90
\---__pycache__
    test_abstract_interface.cpython-310.pyc
    test_array_from_pyobj.cpython-310.pyc
    test_assumed_shape.cpython-310.pyc
    test_block_docstring.cpython-310.pyc
    test_callback.cpython-310.pyc
    test_character.cpython-310.pyc
    test_common.cpython-310.pyc
    test_compile_function.cpython-310.pyc
    test_crackfortran.cpython-310.pyc
    test_data.cpython-310.pyc
    test_docs.cpython-310.pyc
    test_f2cmap.cpython-310.pyc
    test_f2py2e.cpython-310.pyc
    test_isoc.cpython-310.pyc
    test_kind.cpython-310.pyc
    test_mixed.cpython-310.pyc
    test_module_doc.cpython-310.pyc
    test_parameter.cpython-310.pyc
    test_pyf_src.cpython-310.pyc
    test_quoted_character.cpython-310.pyc
    test_regression.cpython-310.pyc
    test_return_character.cpython-310.pyc
    test_return_complex.cpython-310.pyc
    test_return_integer.cpython-310.pyc
    test_return_logical.cpython-310.pyc
    test_return_real.cpython-310.pyc
    test_semicolon_split.cpython-310.pyc
    test_size.cpython-310.pyc
    test_string.cpython-310.pyc
    test_symbolic.cpython-310.pyc
    test_value_attrspec.cpython-310.pyc

```

```

        util.cpython-310.pyc
        __init__.cpython-310.pyc
+---_backends
|   meson.build.template
|   _backend.py
|   _distutils.py
|   _meson.py
|   __init__.py
|
|   \---__pycache__
|       _backend.cpython-310.pyc
|       _distutils.cpython-310.pyc
|       _meson.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    auxfuncs.cpython-310.pyc
    capi_maps.cpython-310.pyc
    cb_rules.cpython-310.pyc
    cfuncs.cpython-310.pyc
    common_rules.cpython-310.pyc
    crackfortran.cpython-310.pyc
    diagnose.cpython-310.pyc
    f2py2e.cpython-310.pyc
    f90mod_rules.cpython-310.pyc
    func2subr.cpython-310.pyc
    rules.cpython-310.pyc
    setup.cpython-310.pyc
    symbolic.cpython-310.pyc
    use_rules.cpython-310.pyc
    _isocbind.cpython-310.pyc
    _src_pyf.cpython-310.pyc
    __init__.cpython-310.pyc
    __main__.cpython-310.pyc
    __version__.cpython-310.pyc
+---fft
|   helper.py
|   helper.pyi
|   _pocketfft.py
|   _pocketfft.pyi
|   _pocketfft_internal.cp310-win_amd64.lib
|   _pocketfft_internal.cp310-win_amd64.pyd
|   __init__.py
|   __init__.pyi
|
+---tests
|   test_helper.py
|   test_pocketfft.py
|   __init__.py
|
|   \---__pycache__
|       test_helper.cpython-310.pyc
|       test_pocketfft.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    helper.cpython-310.pyc
    _pocketfft.cpython-310.pyc
    __init__.cpython-310.pyc
+---lib
|   arraypad.py
|   arraypad.pyi
|   arraysetops.py
|   arraysetops.pyi
|   arrayiterator.py

```

```
arrayiterator.pyi
format.py
format.pyi
function_base.py
function_base.pyi
histograms.py
histograms.pyi
index_tricks.py
index_tricks.pyi
mixins.py
mixins.pyi
nanfunctions.py
nanfunctions.pyi
npzio.py
npzio.pyi
polynomial.py
polynomial.pyi
recfunctions.py
scimath.py
scimath.pyi
setup.py
shape_base.py
shape_base.pyi
stride_tricks.py
stride_tricks.pyi
twodim_base.py
twodim_base.pyi
type_check.py
type_check.pyi
ufunclike.py
ufunclike.pyi
user_array.py
utils.py
utils.pyi
__datasource.py
__iotools.py
__version.py
__version.pyi
__init__.py
__init__.pyi
```

+---tests

```
test_arraypad.py
test_arraysetops.py
test_arrayiterator.py
test_financial_expired.py
test_format.py
test_function_base.py
test_histograms.py
test_index_tricks.py
test_io.py
test_loadtxt.py
test_mixins.py
test_nanfunctions.py
test_packbits.py
test_polynomial.py
test_recfunctions.py
test_regression.py
test_shape_base.py
test_stride_tricks.py
test_twodim_base.py
test_type_check.py
test_ufunclike.py
test_utils.py
test__datasource.py
test__iotools.py
test__version.py
__init__.py
```

```
+---data
    py2-objarr.npy
    py2-objarr.npz
    py3-objarr.npy
    py3-objarr.npz
    python3.npy
    win64python2.npy
\---__pycache__
    test_arraypad.cpython-310.pyc
    test_arraysetops.cpython-310.pyc
    test_arrayiterator.cpython-310.pyc
    test_financial_expired.cpython-310.pyc
    test_format.cpython-310.pyc
    test_function_base.cpython-310.pyc
    test_histograms.cpython-310.pyc
    test_index_tricks.cpython-310.pyc
    test_io.cpython-310.pyc
    test_loadtxt.cpython-310.pyc
    test_mixins.cpython-310.pyc
    test_nanfunctions.cpython-310.pyc
    test_packbits.cpython-310.pyc
    test_polynomial.cpython-310.pyc
    test_recfunctions.cpython-310.pyc
    test_regression.cpython-310.pyc
    test_shape_base.cpython-310.pyc
    test_stride_tricks.cpython-310.pyc
    test_twodim_base.cpython-310.pyc
    test_type_check.cpython-310.pyc
    test_ufunclike.cpython-310.pyc
    test_utils.cpython-310.pyc
    test__datasource.cpython-310.pyc
    test__iotools.cpython-310.pyc
    test__version.cpython-310.pyc
    __init__.cpython-310.pyc
-__pycache__
    arraypad.cpython-310.pyc
    arraysetops.cpython-310.pyc
    arrayiterator.cpython-310.pyc
    format.cpython-310.pyc
    function_base.cpython-310.pyc
    histograms.cpython-310.pyc
    index_tricks.cpython-310.pyc
    mixins.cpython-310.pyc
    nanfunctions.cpython-310.pyc
    npyio.cpython-310.pyc
    polynomial.cpython-310.pyc
    recfunctions.cpython-310.pyc
    scimath.cpython-310.pyc
    setup.cpython-310.pyc
    shape_base.cpython-310.pyc
    stride_tricks.cpython-310.pyc
    twodim_base.cpython-310.pyc
    type_check.cpython-310.pyc
    unclike.cpython-310.pyc
    user_array.cpython-310.pyc
    utils.cpython-310.pyc
    _datasource.cpython-310.pyc
    _iotools.cpython-310.pyc
    _version.cpython-310.pyc
    __init__.cpython-310.pyc
alg
lapack_lite.cp310-win_amd64.lib
lapack_lite.cp310-win_amd64.pyd
linalg.py
```

```

linalg.pyi
_umath_linalg.cp310-win_amd64.lib
_umath_linalg.cp310-win_amd64.pyd
__init__.py
__init__.pyi
+---tests
|   test_deprecations.py
|   test_linalg.py
|   test_regression.py
|   __init__.py
|
\---__pycache__
|   test_deprecations.cpython-310.pyc
|   test_linalg.cpython-310.pyc
|   test_regression.cpython-310.pyc
|   __init__.cpython-310.pyc
\---__pycache__
|   linalg.cpython-310.pyc
|   __init__.cpython-310.pyc
+---ma
|   API_CHANGES.txt
|   core.py
|   core.pyi
|   extras.py
|   extras.pyi
|   LICENSE
|   mrecords.py
|   mrecords.pyi
|   README.rst
|   setup.py
|   testutils.py
|   timer_comparison.py
|   __init__.py
|   __init__.pyi
|
+---tests
|   test_core.py
|   test_deprecations.py
|   test_extras.py
|   test_mrecords.py
|   test_old_ma.py
|   test_regression.py
|   test_subclassing.py
|   __init__.py
|
\---__pycache__
|   test_core.cpython-310.pyc
|   test_deprecations.cpython-310.pyc
|   test_extras.cpython-310.pyc
|   test_mrecords.cpython-310.pyc
|   test_old_ma.cpython-310.pyc
|   test_regression.cpython-310.pyc
|   test_subclassing.cpython-310.pyc
|   __init__.cpython-310.pyc
\---__pycache__
|   core.cpython-310.pyc
|   extras.cpython-310.pyc
|   mrecords.cpython-310.pyc
|   setup.cpython-310.pyc
|   testutils.cpython-310.pyc
|   timer_comparison.cpython-310.pyc
|   __init__.cpython-310.pyc
+---matrixlib

```

```

defmatrix.py
defmatrix.pyi
setup.py
__init__.py
__init__.pyi

+---tests
|   test_defmatrix.py
|   test_interaction.py
|   test_masked_matrix.py
|   test_matrix_linalg.py
|   test_multiarray.py
|   test_numeric.py
|   test_regression.py
|   __init__.py
|
\---__pycache__
|   test_defmatrix.cpython-310.pyc
|   test_interaction.cpython-310.pyc
|   test_masked_matrix.cpython-310.pyc
|   test_matrix_linalg.cpython-310.pyc
|   test_multiarray.cpython-310.pyc
|   test_numeric.cpython-310.pyc
|   test_regression.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   defmatrix.cpython-310.pyc
|   setup.cpython-310.pyc
|   __init__.cpython-310.pyc
|

+---polynomial
|   chebyshev.py
|   chebyshev.pyi
|   hermite.py
|   hermite.pyi
|   hermite_e.py
|   hermite_e.pyi
|   laguerre.py
|   laguerre.pyi
|   legendre.py
|   legendre.pyi
|   polynomial.py
|   polynomial.pyi
|   polyutils.py
|   polyutils.pyi
|   setup.py
|   _polybase.py
|   _polybase.pyi
|   __init__.py
|   __init__.pyi
|
+---tests
|   test_chebyshev.py
|   test_classes.py
|   test_hermite.py
|   test_hermite_e.py
|   test_laguerre.py
|   test_legendre.py
|   test_polynomial.py
|   test_polyutils.py
|   test_printing.py
|   test_symbol.py
|   __init__.py
|
\---__pycache__
|   test_chebyshev.cpython-310.pyc
|   test_classes.cpython-310.pyc

```

```

        test_hermite.cpython-310.pyc
        test_hermite_e.cpython-310.pyc
        test_laguerre.cpython-310.pyc
        test_legendre.cpython-310.pyc
        test_polynomial.cpython-310.pyc
        test_polyutils.cpython-310.pyc
        test_printing.cpython-310.pyc
        test_symbol.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        chebyshev.cpython-310.pyc
        hermite.cpython-310.pyc
        hermite_e.cpython-310.pyc
        laguerre.cpython-310.pyc
        legendre.cpython-310.pyc
        polynomial.cpython-310.pyc
        polyutils.cpython-310.pyc
        setup.cpython-310.pyc
        _polybase.cpython-310.pyc
        __init__.cpython-310.pyc
+---random
    bit_generator.cp310-win_amd64.lib
    bit_generator.cp310-win_amd64.pyd
    bit_generator.pxd
    bit_generator.pyi
    c_distributions.pxd
    LICENSE.md
    mtrand.cp310-win_amd64.lib
    mtrand.cp310-win_amd64.pyd
    mtrand.pyi
    _bounded_integers.cp310-win_amd64.lib
    _bounded_integers.cp310-win_amd64.pyd
    _bounded_integers.pxd
    _common.cp310-win_amd64.lib
    _common.cp310-win_amd64.pyd
    _common.pxd
    _generator.cp310-win_amd64.lib
    _generator.cp310-win_amd64.pyd
    _generator.pyi
    _mt19937.cp310-win_amd64.lib
    _mt19937.cp310-win_amd64.pyd
    _mt19937.pyi
    _pcg64.cp310-win_amd64.lib
    _pcg64.cp310-win_amd64.pyd
    _pcg64.pyi
    _philox.cp310-win_amd64.lib
    _philox.cp310-win_amd64.pyd
    _philox.pyi
    _pickle.py
    _sfc64.cp310-win_amd64.lib
    _sfc64.cp310-win_amd64.pyd
    _sfc64.pyi
    __init__.pxd
    __init__.py
    __init__.pyi
+---lib
    npyrandom.lib
+---tests
    test_direct.py
    test_extending.py
    test_generator_mt19937.py
    test_generator_mt19937_regressions.py
    test_random.py
    test_randomstate.py

```

```

test_randomstate_regression.py
test_regression.py
test_seed_sequence.py
test_smoke.py
__init__.py
+---data
|   mt19937-testset-1.csv
|   mt19937-testset-2.csv
|   pcg64-testset-1.csv
|   pcg64-testset-2.csv
|   pcg64dxsm-testset-1.csv
|   pcg64dxsm-testset-2.csv
|   philox-testset-1.csv
|   philox-testset-2.csv
|   sfc64-testset-1.csv
|   sfc64-testset-2.csv
|   __init__.py
\---__pycache__
    __init__.cpython-310.pyc
\---__pycache__
    test_direct.cpython-310.pyc
    test_extending.cpython-310.pyc
    test_generator_mt19937.cpython-310.pyc
    test_generator_mt19937_regressions.cpython-310.pyc
    test_random.cpython-310.pyc
    test_randomstate.cpython-310.pyc
    test_randomstate_regression.cpython-310.pyc
    test_regression.cpython-310.pyc
    test_seed_sequence.cpython-310.pyc
    test_smoke.cpython-310.pyc
    __init__.cpython-310.pyc
+---_examples
+---cffi
|   extending.py
|   parse.py
\---__pycache__
    extending.cpython-310.pyc
    parse.cpython-310.pyc
+---cython
|   extending.pyx
|   extending_distributions.pyx
|   meson.build
\---numba
|   extending.py
|   extending_distributions.py
\---__pycache__
    extending.cpython-310.pyc
    extending_distributions.cpython-310.pyc
\---__pycache__
    _pickle.cpython-310.pyc
    __init__.cpython-310.pyc
+---testing
|   overrides.py
|   print_coercion_tables.py
|   setup.py
|   __init__.py
|   __init__.pyi

```



```

+---tests
|   test_utils.py
|   __init__.py
|
\---__pycache__
|   test_utils.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---_private
|   extbuild.py
|   utils.py
|   utils.pyi
|   __init__.py
|
\---__pycache__
|   extbuild.cpython-310.pyc
|   utils.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   overrides.cpython-310.pyc
|   print_coercion_tables.cpython-310.pyc
|   setup.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---tests
|   test_ctypeslib.py
|   test_lazyloading.py
|   test_matlib.py
|   test_numpy_config.py
|   test_numpy_version.py
|   test_public_api.py
|   test_reloading.py
|   test_scripts.py
|   test_warnings.py
|   test__all__.py
|   __init__.py
|
\---__pycache__
|   test_ctypeslib.cpython-310.pyc
|   test_lazyloading.cpython-310.pyc
|   test_matlib.cpython-310.pyc
|   test_numpy_config.cpython-310.pyc
|   test_numpy_version.cpython-310.pyc
|   test_public_api.cpython-310.pyc
|   test_reloading.cpython-310.pyc
|   test_scripts.cpython-310.pyc
|   test_warnings.cpython-310.pyc
|   test__all__.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---typing
|   mypy_plugin.py
|   setup.py
|   __init__.py
|
+---tests
|   test_isfile.py
|   test_runtime.py
|   test_typing.py
|   __init__.py
|
+---data
|   mypy.ini
|
+---fail
|   arithmetic.pyi
|   arrayprint.pyi

```

```
arrayiterator.pyi
array_constructors.pyi
array_like.pyi
array_pad.pyi
bitwise_ops.pyi
char.pyi
chararray.pyi
comparisons.pyi
constants.pyi
datasource.pyi
dtype.pyi
einsumfunc.pyi
false_positives.pyi
flatiter.pyi
fromnumeric.pyi
histograms.pyi
index_tricks.pyi
lib_function_base.pyi
lib_polynomial.pyi
lib_utils.pyi
lib_version.pyi
linalg.pyi
memmap.pyi
modules.pyi
multiarray.pyi
ndarray.pyi
ndarray_misc.pyi
nditer.pyi
nested_sequence.pyi
npio.pyi
numerictypes.pyi
random.pyi
rec.pyi
scalars.pyi
shape_base.pyi
stride_tricks.pyi
testing.pyi
twodim_base.pyi
type_check.pyi
ufunclike.pyi
ufuncs.pyi
ufunc_config.pyi
warnings_and_errors.pyi
```

```
+---misc
```

```
    extended_precision.pyi
```

```
+---pass
```

```
    arithmetic.py
    arrayprint.py
    arrayiterator.py
    array_constructors.py
    array_like.py
    bitwise_ops.py
    comparisons.py
    dtype.py
    einsumfunc.py
    flatiter.py
    fromnumeric.py
    index_tricks.py
    lib_utils.py
    lib_version.py
    literal.py
    mod.py
    modules.py
    multiarray.py
    ndarray_conversion.py
    ndarray_misc.py
```

```

ndarray_shape_manipulation.py
numeric.py
numerictypes.py
random.py
scalars.py
simple.py
simple_py3.py
ufunclike.py
ufuncs.py
ufunc_config.py
warnings_and_errors.py

\---__pycache__
    arithmetic.cpython-310.pyc
    arrayprint.cpython-310.pyc
    arrayiterator.cpython-310.pyc
    array_constructors.cpython-310.pyc
    array_like.cpython-310.pyc
    bitwise_ops.cpython-310.pyc
    comparisons.cpython-310.pyc
    dtype.cpython-310.pyc
    einsumfunc.cpython-310.pyc
    flatiter.cpython-310.pyc
    fromnumeric.cpython-310.pyc
    index_tricks.cpython-310.pyc
    lib_utils.cpython-310.pyc
    lib_version.cpython-310.pyc
    literal.cpython-310.pyc
    mod.cpython-310.pyc
    modules.cpython-310.pyc
    multiarray.cpython-310.pyc
    ndarray_conversion.cpython-310.pyc
    ndarray_misc.cpython-310.pyc
    ndarray_shape_manipulation.cpython-310.pyc
    numeric.cpython-310.pyc
    numerictypes.cpython-310.pyc
    random.cpython-310.pyc
    scalars.cpython-310.pyc
    simple.cpython-310.pyc
    simple_py3.cpython-310.pyc
    ufunclike.cpython-310.pyc
    ufuncs.cpython-310.pyc
    ufunc_config.cpython-310.pyc
    warnings_and_errors.cpython-310.pyc

\---reveal
    arithmetic.pyi
    arraypad.pyi
    arrayprint.pyi
    arraysetops.pyi
    arrayiterator.pyi
    array_constructors.pyi
    bitwise_ops.pyi
    char.pyi
    chararray.pyi
    comparisons.pyi
    constants.pyi
    ctypeslib.pyi
    datasource.pyi
    dtype.pyi
    einsumfunc.pyi
    emath.pyi
    false_positives.pyi
    fft.pyi
    flatiter.pyi
    fromnumeric.pyi
    getlimits.pyi
    histograms.pyi

```

```

index_tricks.pyi
lib_function_base.pyi
lib_polynomial.pyi
lib_utils.pyi
lib_version.pyi
linalg.pyi
matrix.pyi
memmap.pyi
mod.pyi
modules.pyi
multiarray.pyi
nbit_base_example.pyi
ndarray_conversion.pyi
ndarray_misc.pyi
ndarray_shape_manipulation.pyi
nditer.pyi
nested_sequence.pyi
npio.pyi
numeric.pyi
numerictypes.pyi
random.pyi
rec.pyi
scalars.pyi
shape_base.pyi
stride_tricks.pyi
testing.pyi
twodim_base.pyi
type_check.pyi
ufunclike.pyi
ufuncs.pyi
ufunc_config.pyi
warnings_and_errors.pyi

\---__pycache__
    test_isfile.cpython-310.pyc
    test_runtime.cpython-310.pyc
    test_typing.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    mypy_plugin.cpython-310.pyc
    setup.cpython-310.pyc
    __init__.cpython-310.pyc

+---_core
    multiarray.py
    umath.py
    _dtype.py
    _dtype_ctypes.py
    _internal.py
    _multiarray_umath.py
    __init__.py
    __init__.pyi

\---__pycache__
    multiarray.cpython-310.pyc
    umath.cpython-310.pyc
    _dtype.cpython-310.pyc
    _dtype_ctypes.cpython-310.pyc
    _internal.cpython-310.pyc
    _multiarray_umath.cpython-310.pyc
    __init__.cpython-310.pyc

+---_pyinstaller
    hook-numpy.py
    pyinstaller-smoke.py
    test_pyinstaller.py
    __init__.py

```

```

|
| \---__pycache__
|     hook-numpy.cpython-310.pyc
|     pyinstaller-smoke.cpython-310.pyc
|     test_pyinstaller.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---_typing
|     setup.py
|     _add_docstring.py
|     _array_like.py
|     _callable.pyi
|     _char_codes.py
|     _dtype_like.py
|     _extended_precision.py
|     _nbit.py
|     _nested_sequence.py
|     _scalars.py
|     _shape.py
|     _ufunc.pyi
|     __init__.py
|
| \---__pycache__
|     setup.cpython-310.pyc
|     _add_docstring.cpython-310.pyc
|     _array_like.cpython-310.pyc
|     _char_codes.cpython-310.pyc
|     _dtype_like.cpython-310.pyc
|     _extended_precision.cpython-310.pyc
|     _nbit.cpython-310.pyc
|     _nested_sequence.cpython-310.pyc
|     _scalars.cpython-310.pyc
|     _shape.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---_utils
|     _conversions.py
|     _inspect.py
|     _pep440.py
|     __init__.py
|
| \---__pycache__
|     _conversions.cpython-310.pyc
|     _inspect.cpython-310.pyc
|     _pep440.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     conftest.cpython-310.pyc
|     ctypeslib.cpython-310.pyc
|     dtypes.cpython-310.pyc
|     exceptions.cpython-310.pyc
|     matplotlib.cpython-310.pyc
|     version.cpython-310.pyc
|     _distributor_init.cpython-310.pyc
|     _globals.cpython-310.pyc
|     _pytesttester.cpython-310.pyc
|     __config__.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---numpy-1.26.4.dist-info
|     DELVEWHEEL
|     entry_points.txt
|     INSTALLER
|     LICENSE.txt
|     METADATA
|     RECORD
|     REQUESTED

```

```

WHEEL
+---numpy.libs
libopenblas64__v0.3.23-293-gc2f4bdbb-gcc_10_3_0-2bde3a66a51006b2b53eb373ff767a3f.dll
+---ollama
    py.typed
    _client.py
    _types.py
    __init__.py
+---ollama-0.3.3.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    REQUESTED
    WHEEL
+---openai
    pagination.py
    py.typed
    version.py
    _base_client.py
    _client.py
    _compat.py
    _constants.py
    _exceptions.py
    _files.py
    _legacy_response.py
    _models.py
    _module_client.py
    _qs.py
    _resource.py
    _response.py
    _streaming.py
    _types.py
    _version.py
    __init__.py
    __main__.py
+---cli
    _cli.py
    _errors.py
    _models.py
    _progress.py
    _utils.py
    __init__.py
+---_api
    audio.py
    completions.py
    files.py
    image.py
    models.py
    _main.py
    __init__.py
+---chat
    completions.py
    __init__.py
\---fine_tuning
    jobs.py
    __init__.py
\---_tools

```

```

        fine_tunes.py
        migrate.py
        _main.py
        __init__.py
+---helpers
|   local_audio_player.py
|   microphone.py
|   __init__.py
+---lib
|   .keep
|   azure.py
|   _old_api.py
|   _pydantic.py
|   _realtime.py
|   _tools.py
|   _validators.py
|   __init__.py
|
|   +---streaming
|   |   _assistants.py
|   |   _deltas.py
|   |   __init__.py
|   |
|   |   +---chat
|   |   |   _completions.py
|   |   |   _events.py
|   |   |   _types.py
|   |   |   __init__.py
|   |   |
|   |   \---responses
|   |       _events.py
|   |       _responses.py
|   |       _types.py
|   |       __init__.py
|   |
|   \---_parsing
|       _completions.py
|       _responses.py
|       __init__.py
|
+---resources
|   batches.py
|   completions.py
|   embeddings.py
|   files.py
|   images.py
|   models.py
|   moderations.py
|   videos.py
|   webhooks.py
|   __init__.py
|
+---audio
|   audio.py
|   speech.py
|   transcriptions.py
|   translations.py
|   __init__.py
|
+---beta
|   assistants.py
|   beta.py
|   __init__.py
|
+---chatkit
|   chatkit.py

```

```

        sessions.py
        threads.py
        __init__.py
+---realtime
|   realtime.py
|   sessions.py
|   transcription_sessions.py
|   __init__.py
\---threads
|   messages.py
|   threads.py
|   __init__.py
\---runs
    runs.py
    steps.py
    __init__.py

+---chat
|   chat.py
|   __init__.py
\---completions
    completions.py
    messages.py
    __init__.py

+---containers
|   containers.py
|   __init__.py
\---files
    content.py
    files.py
    __init__.py

+---conversations
|   conversations.py
|   items.py
|   __init__.py

+---evals
|   evals.py
|   __init__.py
\---runs
    output_items.py
    runs.py
    __init__.py

+---fine_tuning
|   fine_tuning.py
|   __init__.py
+---alpha
|   alpha.py
|   graders.py
|   __init__.py
+---checkpoints
|   checkpoints.py
|   permissions.py
|   __init__.py
\---jobs
    checkpoints.py

```



```

        jobs.py
        __init__.py
+---realtime
    calls.py
    client_secrets.py
    realtime.py
    __init__.py
+---responses
    input_items.py
    input_tokens.py
    responses.py
    __init__.py
+---uploads
    parts.py
    uploads.py
    __init__.py
\---vector_stores
    files.py
    file_batches.py
    vector_stores.py
    __init__.py
+---types
    audio_model.py
    audio_response_format.py
    auto_file_chunking_strategy_param.py
    batch.py
    batch_create_params.py
    batch_error.py
    batch_list_params.py
    batch_request_counts.py
    batch_usage.py
    chat_model.py
    completion.py
    completion_choice.py
    completion_create_params.py
    completion_usage.py
    container_create_params.py
    container_create_response.py
    container_list_params.py
    container_list_response.py
    container_retrieve_response.py
    create_embedding_response.py
    embedding.py
    embedding_create_params.py
    embedding_model.py
    eval_create_params.py
    eval_create_response.py
    eval_custom_data_source_config.py
    eval_delete_response.py
    eval_list_params.py
    eval_list_response.py
    eval_retrieve_response.py
    eval_stored_completions_data_source_config.py
    eval_update_params.py
    eval_update_response.py
    file_chunking_strategy.py
    file_chunking_strategy_param.py
    file_content.py
    file_create_params.py
    file_deleted.py
    file_list_params.py
    file_object.py
    file_purpose.py

```

```
image.py
images_response.py
image_create_variation_params.py
image_edit_completed_event.py
image_edit_params.py
image_edit_partial_image_event.py
image_edit_stream_event.py
image_generate_params.py
image_gen_completed_event.py
image_gen_partial_image_event.py
image_gen_stream_event.py
image_model.py
model.py
model_deleted.py
moderation.py
moderation_create_params.py
moderation_create_response.py
moderation_image_url_input_param.py
moderation_model.py
moderation_multi_modal_input_param.py
moderation_text_input_param.py
other_file_chunking_strategy_object.py
static_file_chunking_strategy.py
static_file_chunking_strategy_object.py
static_file_chunking_strategy_object_param.py
static_file_chunking_strategy_param.py
upload.py
upload_complete_params.py
upload_create_params.py
vector_store.py
vector_store_create_params.py
vector_store_deleted.py
vector_store_list_params.py
vector_store_search_params.py
vector_store_search_response.py
vector_store_update_params.py
video.py
video_create_error.py
video_create_params.py
video_delete_response.py
video_download_content_params.py
video_list_params.py
video_model.py
video_remix_params.py
video_seconds.py
video_size.py
websocket_connection_options.py
__init__.py
```

----audio

```
speech_create_params.py
speech_model.py
transcription.py
transcription_create_params.py
transcription_create_response.py
transcription_diarized.py
transcription_diarized_segment.py
transcription_include.py
transcription_segment.py
transcription_stream_event.py
transcription_text_delta_event.py
transcription_text_done_event.py
transcription_text_segment_event.py
transcription_verbose.py
transcription_word.py
translation.py
translation_create_params.py
translation_create_response.py
```

```
translation_verbose.py
__init__.py
```

+---beta

```
assistant.py
assistant_create_params.py
assistant_deleted.py
assistant_list_params.py
assistant_response_format_option.py
assistant_response_format_option_param.py
assistant_stream_event.py
assistant_tool.py
assistant_tool_choice.py
assistant_tool_choice_function.py
assistant_tool_choice_function_param.py
assistant_tool_choice_option.py
assistant_tool_choice_option_param.py
assistant_tool_choice_param.py
assistant_tool_param.py
assistant_update_params.py
chatkit_workflow.py
code_interpreter_tool.py
code_interpreter_tool_param.py
file_search_tool.py
file_search_tool_param.py
function_tool.py
function_tool_param.py
thread.py
thread_create_and_run_params.py
thread_create_params.py
thread_deleted.py
thread_update_params.py
__init__.py
```

+---chat

```
__init__.py
```

+---chatkit

```
chatkit_attachment.py
chatkit_response_output_text.py
chatkit_thread.py
chatkit_thread_assistant_message_item.py
chatkit_thread_item_list.py
chatkit_thread_user_message_item.py
chatkit_widget_item.py
chat_session.py
chat_session_automatic_thread_titling.py
chat_session_chatkit_configuration.py
chat_session_chatkit_configuration_param.py
chat_session_expires_after_param.py
chat_session_file_upload.py
chat_session_history.py
chat_session_rate_limits.py
chat_session_rate_limits_param.py
chat_session_status.py
chat_session_workflow_param.py
session_create_params.py
thread_delete_response.py
thread_list_items_params.py
thread_list_params.py
__init__.py
```

+---realtime

```
conversation_created_event.py
conversation_item.py
conversation_item_content.py
conversation_item_content_param.py
conversation_item_created_event.py
```

					conversation_item_create_event.py
					conversation_item_create_event_param.py
					conversation_item_deleted_event.py
					conversation_item_delete_event.py
					conversation_item_delete_event_param.py
					conversation_item_input_audio_transcription_completed_event.py
					conversation_item_input_audio_transcription_delta_event.py
					conversation_item_input_audio_transcription_failed_event.py
					conversation_item_param.py
					conversation_item_retrieve_event.py
					conversation_item_retrieve_event_param.py
					conversation_item_truncated_event.py
					conversation_item_truncate_event.py
					conversation_item_truncate_event_param.py
					conversation_item_with_reference.py
					conversation_item_with_reference_param.py
					error_event.py
					input_audio_buffer_append_event.py
					input_audio_buffer_append_event_param.py
					input_audio_buffer_cleared_event.py
					input_audio_buffer_clear_event.py
					input_audio_buffer_clear_event_param.py
					input_audio_buffer_committed_event.py
					input_audio_buffer_commit_event.py
					input_audio_buffer_commit_event_param.py
					input_audio_buffer_speech_started_event.py
					input_audio_buffer_speech_stopped_event.py
					rate_limits_updated_event.py
					realtime_client_event.py
					realtime_client_event_param.py
					realtime_connect_params.py
					realtime_response.py
					realtime_response_status.py
					realtime_response_usage.py
					realtime_server_event.py
					response_audio_delta_event.py
					response_audio_done_event.py
					response_audio_transcript_delta_event.py
					response_audio_transcript_done_event.py
					response_cancel_event.py
					response_cancel_event_param.py
					response_content_part_added_event.py
					response_content_part_done_event.py
					response_created_event.py
					response_create_event.py
					response_create_event_param.py
					response_done_event.py
					response_function_call_arguments_delta_event.py
					response_function_call_arguments_done_event.py
					response_output_item_added_event.py
					response_output_item_done_event.py
					response_text_delta_event.py
					response_text_done_event.py
					session.py
					session_created_event.py
					session_create_params.py
					session_create_response.py
					session_updated_event.py
					session_update_event.py
					session_update_event_param.py
					transcription_session.py
					transcription_session_create_params.py
					transcription_session_update.py
					transcription_session_updated_event.py
					transcription_session_update_param.py

```

|         __init__.py
|
| \---threads
|     annotation.py
|     annotation_delta.py
|     file_citation_annotation.py
|     file_citation_delta_annotation.py
|     file_path_annotation.py
|     file_path_delta_annotation.py
|     image_file.py
|     image_file_content_block.py
|     image_file_content_block_param.py
|     image_file_delta.py
|     image_file_delta_block.py
|     image_file_param.py
|     image_url.py
|     image_url_content_block.py
|     image_url_content_block_param.py
|     image_url_delta.py
|     image_url_delta_block.py
|     image_url_param.py
|     message.py
|     message_content.py
|     message_content_delta.py
|     message_content_part_param.py
|     message_create_params.py
|     message_deleted.py
|     message_delta.py
|     message_delta_event.py
|     message_list_params.py
|     message_update_params.py
|     refusal_content_block.py
|     refusal_delta_block.py
|     required_action_function_tool_call.py
|     run.py
|     run_create_params.py
|     run_list_params.py
|     run_status.py
|     run_submit_tool_outputs_params.py
|     run_update_params.py
|     text.py
|     text_content_block.py
|     text_content_block_param.py
|     text_delta.py
|     text_delta_block.py
|     __init__.py
|
| \---runs
|     code_interpreter_logs.py
|     code_interpreter_output_image.py
|     code_interpreter_tool_call.py
|     code_interpreter_tool_call_delta.py
|     file_search_tool_call.py
|     file_search_tool_call_delta.py
|     function_tool_call.py
|     function_tool_call_delta.py
|     message_creation_step_details.py
|     run_step.py
|     run_step_delta.py
|     run_step_delta_event.py
|     run_step_delta_message_delta.py
|     run_step_include.py
|     step_list_params.py
|     step_retrieve_params.py
|     tool_call.py
|     tool_calls_step_details.py
|     tool_call_delta.py
|     tool_call_delta_object.py

```

```

__init__.py

+---chat
    chat_completion.py
    chat_completion_allowed_tools_param.py
    chat_completion_allowed_tool_choice_param.py
    chat_completion_assistant_message_param.py
    chat_completion_audio.py
    chat_completion_audio_param.py
    chat_completion_chunk.py
    chat_completion_content_part_image.py
    chat_completion_content_part_image_param.py
    chat_completion_content_part_input_audio_param.py
    chat_completion_content_part_param.py
    chat_completion_content_part_refusal_param.py
    chat_completion_content_part_text.py
    chat_completion_content_part_text_param.py
    chat_completion_custom_tool_param.py
    chat_completion_deleted.py
    chat_completion_developer_message_param.py
    chat_completion_function_call_option_param.py
    chat_completion_function_message_param.py
    chat_completion_function_tool.py
    chat_completion_function_tool_param.py
    chat_completion_message.py
    chat_completion_message_custom_tool_call.py
    chat_completion_message_custom_tool_call_param.py
    chat_completion_message_function_tool_call.py
    chat_completion_message_function_tool_call_param.py
    chat_completion_message_param.py
    chat_completion_message_tool_call.py
    chat_completion_message_tool_call_param.py
    chat_completion_message_tool_call_union_param.py
    chat_completion_modality.py
    chat_completion_named_tool_choice_custom_param.py
    chat_completion_named_tool_choice_param.py
    chat_completion_prediction_content_param.py
    chat_completion_reasoning_effort.py
    chat_completion_role.py
    chat_completion_store_message.py
    chat_completion_stream_options_param.py
    chat_completion_system_message_param.py
    chat_completion_token_logprob.py
    chat_completion_tool_choice_option_param.py
    chat_completion_tool_message_param.py
    chat_completion_tool_param.py
    chat_completion_tool_union_param.py
    chat_completion_user_message_param.py
    completion_create_params.py
    completion_list_params.py
    completion_update_params.py
    parsed_chat_completion.py
    parsed_function_tool_call.py
    __init__.py

\---completions
    message_list_params.py
    __init__.py

+---containers
    file_create_params.py
    file_create_response.py
    file_list_params.py
    file_list_response.py
    file_retrieve_response.py
    __init__.py

\---files

```

```

__init__.py

+---conversations
    computer_screenshot_content.py
    conversation.py
    conversation_create_params.py
    conversation_deleted_resource.py
    conversation_item.py
    conversation_item_list.py
    conversation_update_params.py
    input_file_content.py
    input_file_content_param.py
    input_image_content.py
    input_image_content_param.py
    input_text_content.py
    input_text_content_param.py
    item_create_params.py
    item_list_params.py
    item_retrieve_params.py
    message.py
    output_text_content.py
    output_text_content_param.py
    refusal_content.py
    refusal_content_param.py
    summary_text_content.py
    text_content.py
    __init__.py

+---evals
    create_eval_completions_run_data_source.py
    create_eval_completions_run_data_source_param.py
    create_eval_jsonl_run_data_source.py
    create_eval_jsonl_run_data_source_param.py
    eval_api_error.py
    run_cancel_response.py
    run_create_params.py
    run_create_response.py
    run_delete_response.py
    run_list_params.py
    run_list_response.py
    run_retrieve_response.py
    __init__.py

\---runs
    output_item_list_params.py
    output_item_list_response.py
    output_item_retrieve_response.py
    __init__.py

+---fine_tuning
    dpo_hyperparameters.py
    dpo_hyperparameters_param.py
    dpo_method.py
    dpo_method_param.py
    fine_tuning_job.py
    fine_tuning_job_event.py
    fine_tuning_job_integration.py
    fine_tuning_job_wandb_integration.py
    fine_tuning_job_wandb_integration_object.py
    job_create_params.py
    job_list_events_params.py
    job_list_params.py
    reinforcement_hyperparameters.py
    reinforcement_hyperparameters_param.py
    reinforcement_method.py
    reinforcement_method_param.py
    supervised_hyperparameters.py
    supervised_hyperparameters_param.py

```

```
supervised_method.py
supervised_method_param.py
__init__.py
```

+---alpha

```
grader_run_params.py
grader_run_response.py
grader_validate_params.py
grader_validate_response.py
__init__.py
```

+---checkpoints

```
permission_create_params.py
permission_create_response.py
permission_delete_response.py
permission_retrieve_params.py
permission_retrieve_response.py
__init__.py
```

\---jobs

```
checkpoint_list_params.py
fine_tuning_job_checkpoint.py
__init__.py
```

+---graders

```
label_model_grader.py
label_model_grader_param.py
multi_grader.py
multi_grader_param.py
python_grader.py
python_grader_param.py
score_model_grader.py
score_model_grader_param.py
string_check_grader.py
string_check_grader_param.py
text_similarity_grader.py
text_similarity_grader_param.py
__init__.py
```

+---realtime

```
audio_transcription.py
audio_transcription_param.py
call_accept_params.py
call_create_params.py
call_refer_params.py
call_reject_params.py
client_secret_create_params.py
client_secret_create_response.py
conversation_created_event.py
conversation_item.py
conversation_item_added.py
conversation_item_created_event.py
conversation_item_create_event.py
conversation_item_create_event_param.py
conversation_item_deleted_event.py
conversation_item_delete_event.py
conversation_item_delete_event_param.py
conversation_item_done.py
```

```
conversation_item_input_audio_transcription_completed_event.py
conversation_item_input_audio_transcription_delta_event.py
conversation_item_input_audio_transcription_failed_event.py
conversation_item_input_audio_transcription_segment.py
conversation_item_param.py
conversation_item_retrieve_event.py
conversation_item_retrieve_event_param.py
conversation_item_truncated_event.py
conversation_item_truncate_event.py
```


conversation_item_truncate_event_param.py
input_audio_buffer_append_event.py
input_audio_buffer_append_event_param.py
input_audio_buffer_cleared_event.py
input_audio_buffer_clear_event.py
input_audio_buffer_clear_event_param.py
input_audio_buffer_committed_event.py
input_audio_buffer_commit_event.py
input_audio_buffer_commit_event_param.py
input_audio_buffer_speech_started_event.py
input_audio_buffer_speech_stopped_event.py
input_audio_buffer_timeout_triggered.py
log_prob_properties.py
mcp_list_tools_completed.py
mcp_list_tools_failed.py
mcp_list_tools_in_progress.py
noise_reduction_type.py
output_audio_buffer_clear_event.py
output_audio_buffer_clear_event_param.py
rate_limits_updated_event.py
realtime_audio_config.py
realtime_audio_config_input.py
realtime_audio_config_input_param.py
realtime_audio_config_output.py
realtime_audio_config_output_param.py
realtime_audio_config_param.py
realtime_audio_formats.py
realtime_audio_formats_param.py
realtime_audio_input_turn_detection.py
realtime_audio_input_turn_detection_param.py
realtime_client_event.py
realtime_client_event_param.py
realtime_connect_params.py
realtime_conversation_item_assistant_message.py
realtime_conversation_item_assistant_message_param.py
realtime_conversation_item_function_call.py
realtime_conversation_item_function_call_output.py
realtime_conversation_item_function_call_output_param.py
realtime_conversation_item_function_call_param.py
realtime_conversation_item_system_message.py
realtime_conversation_item_system_message_param.py
realtime_conversation_item_user_message.py
realtime_conversation_item_user_message_param.py
realtime_error.py
realtime_error_event.py
realtime_function_tool.py
realtime_function_tool_param.py
realtime_mcphttp_error.py
realtime_mcphttp_error_param.py
realtime_mcp_approval_request.py
realtime_mcp_approval_request_param.py
realtime_mcp_approval_response.py
realtime_mcp_approval_response_param.py
realtime_mcp_list_tools.py
realtime_mcp_list_tools_param.py
realtime_mcp_protocol_error.py
realtime_mcp_protocol_error_param.py
realtime_mcp_tool_call.py
realtime_mcp_tool_call_param.py
realtime_mcp_tool_execution_error.py
realtime_mcp_tool_execution_error_param.py
realtime_response.py
realtime_response_create_audio_output.py
realtime_response_create_audio_output_param.py
realtime_response_create_mcp_tool.py
realtime_response_create_mcp_tool_param.py
realtime_response_create_params.py
realtime_response_create_params_param.py

				realtime_response_status.py
				realtime_response_usage.py
				realtime_response_usage_input_token_details.py
				realtime_response_usage_output_token_details.py
				realtime_server_event.py
				realtime_session_client_secret.py
				realtime_session_create_request.py
				realtime_session_create_request_param.py
				realtime_session_create_response.py
				realtime_tools_config.py
				realtime_tools_config_param.py
				realtime_tools_config_union.py
				realtime_tools_config_union_param.py
				realtime_tool_choice_config.py
				realtime_tool_choice_config_param.py
				realtime_tracing_config.py
				realtime_tracing_config_param.py
				realtime_transcription_session_audio.py
				realtime_transcription_session_audio_input.py
				realtime_transcription_session_audio_input_param.py
				realtime_transcription_session_audio_input_turn_detection.py
				realtime_transcription_session_audio_input_turn_detection_param.py
				realtime_transcription_session_audio_param.py
				realtime_transcription_session_create_request.py
				realtime_transcription_session_create_request_param.py
				realtime_transcription_session_create_response.py
				realtime_transcription_session_turn_detection.py
				realtime_truncation.py
				realtime_truncation_param.py
				realtime_truncation_retention_ratio.py
				realtime_truncation_retention_ratio_param.py
				response_audio_delta_event.py
				response_audio_done_event.py
				response_audio_transcript_delta_event.py
				response_audio_transcript_done_event.py
				response_cancel_event.py
				response_cancel_event_param.py
				response_content_part_added_event.py
				response_content_part_done_event.py
				response_created_event.py
				response_create_event.py
				response_create_event_param.py
				response_done_event.py
				response_function_call_arguments_delta_event.py
				response_function_call_arguments_done_event.py
				response_mcp_call_arguments_delta.py
				response_mcp_call_arguments_done.py
				response_mcp_call_completed.py
				response_mcp_call_failed.py
				response_mcp_call_in_progress.py
				response_output_item_added_event.py
				response_output_item_done_event.py
				response_text_delta_event.py
				response_text_done_event.py
				session_created_event.py
				session_updated_event.py
				session_update_event.py
				session_update_event_param.py
				__init__.py
			----	responses
				apply_patch_tool.py
				apply_patch_tool_param.py
				computer_tool.py
				computer_tool_param.py
				custom_tool.py

custom_tool_param.py
easy_input_message.py
easy_input_message_param.py
file_search_tool.py
file_search_tool_param.py
function_shell_tool.py
function_shell_tool_param.py
function_tool.py
function_tool_param.py
input_item_list_params.py
input_token_count_params.py
input_token_count_response.py
parsed_response.py
response.py
response_apply_patch_tool_call.py
response_apply_patch_tool_call_output.py
response_audio_delta_event.py
response_audio_done_event.py
response_audio_transcript_delta_event.py
response_audio_transcript_done_event.py
response_code_interpreter_call_code_delta_event.py
response_code_interpreter_call_code_done_event.py
response_code_interpreter_call_completed_event.py
response_code_interpreter_call_interpreting_event.py
response_code_interpreter_call_in_progress_event.py
response_code_interpreter_tool_call.py
response_code_interpreter_tool_call_param.py
response_completed_event.py
response_computer_tool_call.py
response_computer_tool_call_output_item.py
response_computer_tool_call_output_screenshot.py
response_computer_tool_call_output_screenshot_param.py
response_computer_tool_call_param.py
response_content_part_added_event.py
response_content_part_done_event.py
response_conversation_param.py
response_created_event.py
response_create_params.py
response_custom_tool_call.py
response_custom_tool_call_input_delta_event.py
response_custom_tool_call_input_done_event.py
response_custom_tool_call_output.py
response_custom_tool_call_output_param.py
response_custom_tool_call_param.py
response_error.py
response_error_event.py
response_failed_event.py
response_file_search_call_completed_event.py
response_file_search_call_in_progress_event.py
response_file_search_call_searching_event.py
response_file_search_tool_call.py
response_file_search_tool_call_param.py
response_format_text_config.py
response_format_text_config_param.py
response_format_text_json_schema_config.py
response_format_text_json_schema_config_param.py
response_function_call_arguments_delta_event.py
response_function_call_arguments_done_event.py
response_function_call_output_item.py
response_function_call_output_item_list.py
response_function_call_output_item_list_param.py
response_function_call_output_item_param.py
response_function_shell_call_output_content.py
response_function_shell_call_output_content_param.py
response_function_shell_tool_call.py
response_function_shell_tool_call_output.py
response_function_tool_call.py
response_function_tool_call_item.py

response_function_tool_call_output_item.py
response_function_tool_call_param.py
response_function_web_search.py
response_function_web_search_param.py
response_image_gen_call_completed_event.py
response_image_gen_call_generating_event.py
response_image_gen_call_in_progress_event.py
response_image_gen_call_partial_image_event.py
response_includable.py
response_incomplete_event.py
response_input_audio.py
response_input_audio_param.py
response_input_content.py
response_input_content_param.py
response_input_file.py
response_input_file_content.py
response_input_file_content_param.py
response_input_file_param.py
response_input_image.py
response_input_image_content.py
response_input_image_content_param.py
response_input_image_param.py
response_input_item.py
response_input_item_param.py
response_input_message_content_list.py
response_input_message_content_list_param.py
response_input_message_item.py
response_input_param.py
response_input_text.py
response_input_text_content.py
response_input_text_content_param.py
response_input_text_param.py
response_in_progress_event.py
response_item.py
response_item_list.py
response_mcp_call_arguments_delta_event.py
response_mcp_call_arguments_done_event.py
response_mcp_call_completed_event.py
response_mcp_call_failed_event.py
response_mcp_call_in_progress_event.py
response_mcp_list_tools_completed_event.py
response_mcp_list_tools_failed_event.py
response_mcp_list_tools_in_progress_event.py
response_output_item.py
response_output_item_added_event.py
response_output_item_done_event.py
response_output_message.py
response_output_message_param.py
response_output_refusal.py
response_output_refusal_param.py
response_output_text.py
response_output_text_annotation_added_event.py
response_output_text_param.py
response_prompt.py
response_prompt_param.py
response_queued_event.py
response_reasoning_item.py
response_reasoning_item_param.py
response_reasoning_summary_part_added_event.py
response_reasoning_summary_part_done_event.py
response_reasoning_summary_text_delta_event.py
response_reasoning_summary_text_done_event.py
response_reasoning_text_delta_event.py
response_reasoning_text_done_event.py
response_refusal_delta_event.py
response_refusal_done_event.py
response_retrieve_params.py
response_status.py

```
response_stream_event.py
response_text_config.py
response_text_config_param.py
response_text_delta_event.py
response_text_done_event.py
response_usage.py
response_web_search_call_completed_event.py
response_web_search_call_in_progress_event.py
response_web_search_call_searching_event.py
tool.py
tool_choice_allowed.py
tool_choice_allowed_param.py
tool_choice_apply_patch.py
tool_choice_apply_patch_param.py
tool_choice_custom.py
tool_choice_custom_param.py
tool_choice_function.py
tool_choice_function_param.py
tool_choice_mcp.py
tool_choice_mcp_param.py
tool_choice_options.py
tool_choice_shell.py
tool_choice_shell_param.py
tool_choice_types.py
tool_choice_types_param.py
tool_param.py
web_search_preview_tool.py
web_search_preview_tool_param.py
web_search_tool.py
web_search_tool_param.py
__init__.py
```

+---shared

```
all_models.py
chat_model.py
comparison_filter.py
compound_filter.py
custom_tool_input_format.py
error_object.py
function_definition.py
function_parameters.py
metadata.py
reasoning.py
reasoning_effort.py
responses_model.py
response_format_json_object.py
response_format_json_schema.py
response_format_text.py
response_format_text_grammar.py
response_format_text_python.py
__init__.py
```

+---shared_params

```
chat_model.py
comparison_filter.py
compound_filter.py
custom_tool_input_format.py
function_definition.py
function_parameters.py
metadata.py
reasoning.py
reasoning_effort.py
responses_model.py
response_format_json_object.py
response_format_json_schema.py
response_format_text.py
__init__.py
```

```

+---uploads
|   part_create_params.py
|   upload_part.py
|   __init__.py
|
+---vector_stores
|   file_batch_create_params.py
|   file_batch_list_files_params.py
|   file_content_response.py
|   file_create_params.py
|   file_list_params.py
|   file_update_params.py
|   vector_store_file.py
|   vector_store_file_batch.py
|   vector_store_file_deleted.py
|   __init__.py
|
\---webhooks
    batch_cancelled_webhook_event.py
    batch_completed_webhook_event.py
    batch_expired_webhook_event.py
    batch_failed_webhook_event.py
    eval_run_cancelled_webhook_event.py
    eval_run_failed_webhook_event.py
    eval_run_succeeded_webhook_event.py
    fine_tuning_job_cancelled_webhook_event.py
    fine_tuning_job_failed_webhook_event.py
    fine_tuning_job_succeeded_webhook_event.py
    realtime_call_incoming_webhook_event.py
    response_cancelled_webhook_event.py
    response_completed_webhook_event.py
    response_failed_webhook_event.py
    response_incomplete_webhook_event.py
    unwrap_webhook_event.py
    __init__.py

+---_extras
|   numpy_proxy.py
|   pandas_proxy.py
|   sounddevice_proxy.py
|   _common.py
|   __init__.py
|
\---_utils
    _compat.py
    _datetime_parse.py
    _logs.py
    _proxy.py
    _reflection.py
    _resources_proxy.py
    _streams.py
    _sync.py
    _transform.py
    _typing.py
    _utils.py
    __init__.py

+---openai-2.8.1.dist-info
|   entry_points.txt
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   WHEEL
|
\---licenses
    LICENSE

```

```

+---opencv_python-4.9.0.80.dist-info
|   INSTALLER
|   LICENSE-3RD-PARTY.txt
|   LICENSE.txt
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
+---openpyxl
|   _constants.py
|   __init__.py
|   +---cell
|   |   cell.py
|   |   read_only.py
|   |   rich_text.py
|   |   text.py
|   |   _writer.py
|   |   __init__.py
|   |   \---__pycache__
|   |       cell.cpython-310.pyc
|   |       read_only.cpython-310.pyc
|   |       rich_text.cpython-310.pyc
|   |       text.cpython-310.pyc
|   |       _writer.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   +---chart
|   |   area_chart.py
|   |   axis.py
|   |   bar_chart.py
|   |   bubble_chart.py
|   |   chartspace.py
|   |   data_source.py
|   |   descriptors.py
|   |   error_bar.py
|   |   label.py
|   |   layout.py
|   |   legend.py
|   |   line_chart.py
|   |   marker.py
|   |   picture.py
|   |   pie_chart.py
|   |   pivot.py
|   |   plotarea.py
|   |   print_settings.py
|   |   radar_chart.py
|   |   reader.py
|   |   reference.py
|   |   scatter_chart.py
|   |   series.py
|   |   series_factory.py
|   |   shapes.py
|   |   stock_chart.py
|   |   surface_chart.py
|   |   text.py
|   |   title.py
|   |   trendline.py
|   |   updown_bars.py
|   |   _3d.py
|   |   _chart.py
|   |   __init__.py
|   |   \---__pycache__
|   |       area_chart.cpython-310.pyc

```

```
axis.cpython-310.pyc
bar_chart.cpython-310.pyc
bubble_chart.cpython-310.pyc
chartspace.cpython-310.pyc
data_source.cpython-310.pyc
descriptors.cpython-310.pyc
error_bar.cpython-310.pyc
label.cpython-310.pyc
layout.cpython-310.pyc
legend.cpython-310.pyc
line_chart.cpython-310.pyc
marker.cpython-310.pyc
picture.cpython-310.pyc
pie_chart.cpython-310.pyc
pivot.cpython-310.pyc
plotarea.cpython-310.pyc
print_settings.cpython-310.pyc
radar_chart.cpython-310.pyc
reader.cpython-310.pyc
reference.cpython-310.pyc
scatter_chart.cpython-310.pyc
series.cpython-310.pyc
series_factory.cpython-310.pyc
shapes.cpython-310.pyc
stock_chart.cpython-310.pyc
surface_chart.cpython-310.pyc
text.cpython-310.pyc
title.cpython-310.pyc
trendline.cpython-310.pyc
updown_bars.cpython-310.pyc
_3d.cpython-310.pyc
_chart.cpython-310.pyc
__init__.cpython-310.pyc
```

+---chartsheet

```
chartsheet.py
custom.py
properties.py
protection.py
publish.py
relation.py
views.py
__init__.py
```

\---__pycache__

```
chartsheet.cpython-310.pyc
custom.cpython-310.pyc
properties.cpython-310.pyc
protection.cpython-310.pyc
publish.cpython-310.pyc
relation.cpython-310.pyc
views.cpython-310.pyc
__init__.cpython-310.pyc
```

+---comments

```
author.py
comments.py
comment_sheet.py
shape_writer.py
__init__.py
```

\---__pycache__

```
author.cpython-310.pyc
comments.cpython-310.pyc
comment_sheet.cpython-310.pyc
shape_writer.cpython-310.pyc
__init__.cpython-310.pyc
```



```
+---compat
|   abc.py
|   numbers.py
|   product.py
|   singleton.py
|   strings.py
|   __init__.py
|
|   \---__pycache__
|       abc.cpython-310.pyc
|       numbers.cpython-310.pyc
|       product.cpython-310.pyc
|       singleton.cpython-310.pyc
|       strings.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---descriptors
|   base.py
|   excel.py
|   namespace.py
|   nested.py
|   sequence.py
|   serialisable.py
|   slots.py
|   __init__.py
|
|   \---__pycache__
|       base.cpython-310.pyc
|       excel.cpython-310.pyc
|       namespace.cpython-310.pyc
|       nested.cpython-310.pyc
|       sequence.cpython-310.pyc
|       serialisable.cpython-310.pyc
|       slots.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---drawing
|   colors.py
|   connector.py
|   drawing.py
|   effect.py
|   fill.py
|   geometry.py
|   graphic.py
|   image.py
|   line.py
|   picture.py
|   properties.py
|   relation.py
|   spreadsheet_drawing.py
|   text.py
|   xdr.py
|   __init__.py
|
|   \---__pycache__
|       colors.cpython-310.pyc
|       connector.cpython-310.pyc
|       drawing.cpython-310.pyc
|       effect.cpython-310.pyc
|       fill.cpython-310.pyc
|       geometry.cpython-310.pyc
|       graphic.cpython-310.pyc
|       image.cpython-310.pyc
|       line.cpython-310.pyc
|       picture.cpython-310.pyc
|       properties.cpython-310.pyc
|       relation.cpython-310.pyc
|       spreadsheet_drawing.cpython-310.pyc
```

```

        text.cpython-310.pyc
        xdr.cpython-310.pyc
        __init__.cpython-310.pyc

+---formatting
|   formatting.py
|   rule.py
|   __init__.py
|
\---__pycache__
    formatting.cpython-310.pyc
    rule.cpython-310.pyc
    __init__.cpython-310.pyc

+---formula
|   tokenizer.py
|   translate.py
|   __init__.py
|
\---__pycache__
    tokenizer.cpython-310.pyc
    translate.cpython-310.pyc
    __init__.cpython-310.pyc

+---packaging
|   core.py
|   custom.py
|   extended.py
|   interface.py
|   manifest.py
|   relationship.py
|   workbook.py
|   __init__.py
|
\---__pycache__
    core.cpython-310.pyc
    custom.cpython-310.pyc
    extended.cpython-310.pyc
    interface.cpython-310.pyc
    manifest.cpython-310.pyc
    relationship.cpython-310.pyc
    workbook.cpython-310.pyc
    __init__.cpython-310.pyc

+---pivot
|   cache.py
|   fields.py
|   record.py
|   table.py
|   __init__.py
|
\---__pycache__
    cache.cpython-310.pyc
    fields.cpython-310.pyc
    record.cpython-310.pyc
    table.cpython-310.pyc
    __init__.cpython-310.pyc

+---reader
|   drawings.py
|   excel.py
|   strings.py
|   workbook.py
|   __init__.py
|
\---__pycache__
    drawings.cpython-310.pyc
    excel.cpython-310.pyc

```

```

        strings.cpython-310.pyc
        workbook.cpython-310.pyc
        __init__.cpython-310.pyc

+---styles
|
|   alignment.py
|   borders.py
|   builtins.py
|   cell_style.py
|   colors.py
|   differential.py
|   fills.py
|   fonts.py
|   named_styles.py
|   numbers.py
|   protection.py
|   proxy.py
|   styleable.py
|   stylesheet.py
|   table.py
|   __init__.py
|
\---__pycache__
    alignment.cpython-310.pyc
    borders.cpython-310.pyc
    builtins.cpython-310.pyc
    cell_style.cpython-310.pyc
    colors.cpython-310.pyc
    differential.cpython-310.pyc
    fills.cpython-310.pyc
    fonts.cpython-310.pyc
    named_styles.cpython-310.pyc
    numbers.cpython-310.pyc
    protection.cpython-310.pyc
    proxy.cpython-310.pyc
    styleable.cpython-310.pyc
    stylesheet.cpython-310.pyc
    table.cpython-310.pyc
    __init__.cpython-310.pyc

+---utils
|
|   bound_dictionary.py
|   cell.py
|   dataframe.py
|   datetime.py
|   escape.py
|   exceptions.py
|   formulas.py
|   indexed_list.py
|   inference.py
|   protection.py
|   units.py
|   __init__.py
|
\---__pycache__
    bound_dictionary.cpython-310.pyc
    cell.cpython-310.pyc
    dataframe.cpython-310.pyc
    datetime.cpython-310.pyc
    escape.cpython-310.pyc
    exceptions.cpython-310.pyc
    formulas.cpython-310.pyc
    indexed_list.cpython-310.pyc
    inference.cpython-310.pyc
    protection.cpython-310.pyc
    units.cpython-310.pyc
    __init__.cpython-310.pyc

```

```
+---workbook
|   child.py
|   defined_name.py
|   external_reference.py
|   function_group.py
|   properties.py
|   protection.py
|   smart_tags.py
|   views.py
|   web.py
|   workbook.py
|   _writer.py
|   __init__.py
|
+---external_link
|   |   external.py
|   |   __init__.py
|   |
|   \---__pycache__
|           external.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
    child.cpython-310.pyc
    defined_name.cpython-310.pyc
    external_reference.cpython-310.pyc
    function_group.cpython-310.pyc
    properties.cpython-310.pyc
    protection.cpython-310.pyc
    smart_tags.cpython-310.pyc
    views.cpython-310.pyc
    web.cpython-310.pyc
    workbook.cpython-310.pyc
    _writer.cpython-310.pyc
    __init__.cpython-310.pyc

+---worksheet
|   cell_range.py
|   cell_watch.py
|   controls.py
|   copier.py
|   custom.py
|   datavalidation.py
|   dimensions.py
|   drawing.py
|   errors.py
|   filters.py
|   formula.py
|   header_footer.py
|   hyperlink.py
|   merge.py
|   ole.py
|   page.py
|   pagebreak.py
|   picture.py
|   print_settings.py
|   properties.py
|   protection.py
|   related.py
|   scenario.py
|   smart_tag.py
|   table.py
|   views.py
|   worksheet.py
|   _reader.py
|   _read_only.py
|   _writer.py
|   _write_only.py
```

```

|   __init__.py
|
|   \---__pycache__
|       cell_range.cpython-310.pyc
|       cell_watch.cpython-310.pyc
|       controls.cpython-310.pyc
|       copier.cpython-310.pyc
|       custom.cpython-310.pyc
|       datavalidation.cpython-310.pyc
|       dimensions.cpython-310.pyc
|       drawing.cpython-310.pyc
|       errors.cpython-310.pyc
|       filters.cpython-310.pyc
|       formula.cpython-310.pyc
|       header_footer.cpython-310.pyc
|       hyperlink.cpython-310.pyc
|       merge.cpython-310.pyc
|       ole.cpython-310.pyc
|       page.cpython-310.pyc
|       pagebreak.cpython-310.pyc
|       picture.cpython-310.pyc
|       print_settings.cpython-310.pyc
|       properties.cpython-310.pyc
|       protection.cpython-310.pyc
|       related.cpython-310.pyc
|       scenario.cpython-310.pyc
|       smart_tag.cpython-310.pyc
|       table.cpython-310.pyc
|       views.cpython-310.pyc
|       worksheet.cpython-310.pyc
|       _reader.cpython-310.pyc
|       _read_only.cpython-310.pyc
|       _writer.cpython-310.pyc
|       _write_only.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---writer
|   excel.py
|   theme.py
|   __init__.py
|
|   \---__pycache__
|       excel.cpython-310.pyc
|       theme.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---xml
|   constants.py
|   functions.py
|   __init__.py
|
|   \---__pycache__
|       constants.cpython-310.pyc
|       functions.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _constants.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---openpyxl-3.1.2.dist-info
|   INSTALLER
|   LICENCE.rst
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL

```

```

+---packaging
|   markers.py
|   metadata.py
|   py.typed
|   requirements.py
|   specifiers.py
|   tags.py
|   utils.py
|   version.py
|   _elffile.py
|   _manylinux.py
|   _musllinux.py
|   _parser.py
|   _structures.py
|   _tokenizer.py
|   __init__.py
|
| \---__pycache__
|     markers.cpython-310.pyc
|     metadata.cpython-310.pyc
|     requirements.cpython-310.pyc
|     specifiers.cpython-310.pyc
|     tags.cpython-310.pyc
|     utils.cpython-310.pyc
|     version.cpython-310.pyc
|     _elffile.cpython-310.pyc
|     _manylinux.cpython-310.pyc
|     _musllinux.cpython-310.pyc
|     _parser.cpython-310.pyc
|     _structures.cpython-310.pyc
|     _tokenizer.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---packaging-23.2.dist-info
|   INSTALLER
|   LICENSE
|   LICENSE.APACHE
|   LICENSE.BSD
|   METADATA
|   RECORD
|   WHEEL
|
+---pandas
|   conftest.py
|   pyproject.toml
|   testing.py
|   _typing.py
|   _version.py
|   _version_meson.py
|   __init__.py
|
| +---api
| |   __init__.py
| |
| | +---extensions
| | |   __init__.py
| | |
| | | \---__pycache__
| | |     __init__.cpython-310.pyc
| | |
| | +---indexers
| | |   __init__.py
| | |
| | | \---__pycache__
| | |     __init__.cpython-310.pyc
| | |
| | +---interchange

```

```

|   __init__.py
|   \--- __pycache__
|           __init__.cpython-310.pyc
+---types
|   __init__.py
|   \--- __pycache__
|           __init__.cpython-310.pyc
+---typing
|   __init__.py
|   \--- __pycache__
|           __init__.cpython-310.pyc
|   \--- __pycache__
|           __init__.cpython-310.pyc
+---arrays
|   __init__.py
|   \--- __pycache__
|           __init__.cpython-310.pyc
+---compat
|   compressors.py
|   pickle_compat.py
|   pyarrow.py
|   _constants.py
|   _optional.py
|   __init__.py
+---numpy
|   function.py
|   __init__.py
|   \--- __pycache__
|           function.cpython-310.pyc
|           __init__.cpython-310.pyc
|   \--- __pycache__
|           compressors.cpython-310.pyc
|           pickle_compat.cpython-310.pyc
|           pyarrow.cpython-310.pyc
|           _constants.cpython-310.pyc
|           _optional.cpython-310.pyc
|           __init__.cpython-310.pyc
+---core
|   accessor.py
|   algorithms.py
|   api.py
|   apply.py
|   arraylike.py
|   base.py
|   common.py
|   config_init.py
|   construction.py
|   flags.py
|   frame.py
|   generic.py
|   indexing.py
|   missing.py
|   nanops.py
|   resample.py
|   roperator.py

```

```
sample.py
series.py
shared_docs.py
sorting.py
__init__.py
```

+---arrays

```
base.py
boolean.py
categorical.py
datetimelike.py
datetimes.py
floating.py
integer.py
interval.py
masked.py
numeric.py
numpy_.py
period.py
string_.py
string_arrow.py
timedeltas.py
_arrow_string_mixins.py
_mixins.py
_ranges.py
__init__.py
```

+---arrow

```
array.py
extension_types.py
_arrow_utils.py
__init__.py
```

\---__pycache__

```
array.cpython-310.pyc
extension_types.cpython-310.pyc
_arrow_utils.cpython-310.pyc
__init__.cpython-310.pyc
```

+---sparse

```
accessor.py
array.py
scipy_sparse.py
__init__.py
```

\---__pycache__

```
accessor.cpython-310.pyc
array.cpython-310.pyc
scipy_sparse.cpython-310.pyc
__init__.cpython-310.pyc
```

\---__pycache__

```
base.cpython-310.pyc
boolean.cpython-310.pyc
categorical.cpython-310.pyc
datetimelike.cpython-310.pyc
datetimes.cpython-310.pyc
floating.cpython-310.pyc
integer.cpython-310.pyc
interval.cpython-310.pyc
masked.cpython-310.pyc
numeric.cpython-310.pyc
numpy_.cpython-310.pyc
period.cpython-310.pyc
string_.cpython-310.pyc
string_arrow.cpython-310.pyc
timedeltas.cpython-310.pyc
_arrow_string_mixins.cpython-310.pyc
```



```

        _mixins.cpython-310.pyc
        _ranges.cpython-310.pyc
        __init__.cpython-310.pyc
+---array_algos
|   datetimelike_accumulations.py
|   masked_accumulations.py
|   masked_reductions.py
|   putmask.py
|   quantile.py
|   replace.py
|   take.py
|   transforms.py
|   __init__.py
\---__pycache__
    datetimelike_accumulations.cpython-310.pyc
    masked_accumulations.cpython-310.pyc
    masked_reductions.cpython-310.pyc
    putmask.cpython-310.pyc
    quantile.cpython-310.pyc
    replace.cpython-310.pyc
    take.cpython-310.pyc
    transforms.cpython-310.pyc
    __init__.cpython-310.pyc
+---computation
|   align.py
|   api.py
|   check.py
|   common.py
|   engines.py
|   eval.py
|   expr.py
|   expressions.py
|   ops.py
|   parsing.py
|   pytables.py
|   scope.py
|   __init__.py
\---__pycache__
    align.cpython-310.pyc
    api.cpython-310.pyc
    check.cpython-310.pyc
    common.cpython-310.pyc
    engines.cpython-310.pyc
    eval.cpython-310.pyc
    expr.cpython-310.pyc
    expressions.cpython-310.pyc
    ops.cpython-310.pyc
    parsing.cpython-310.pyc
    pytables.cpython-310.pyc
    scope.cpython-310.pyc
    __init__.cpython-310.pyc
+---dtypes
|   api.py
|   astype.py
|   base.py
|   cast.py
|   common.py
|   concat.py
|   dtypes.py
|   generic.py
|   inference.py
|   missing.py
|   __init__.py

```

```

|
\---__pycache__
    api.cpython-310.pyc
    astype.cpython-310.pyc
    base.cpython-310.pyc
    cast.cpython-310.pyc
    common.cpython-310.pyc
    concat.cpython-310.pyc
    dtypes.cpython-310.pyc
    generic.cpython-310.pyc
    inference.cpython-310.pyc
    missing.cpython-310.pyc
    __init__.cpython-310.pyc

+---groupby
    base.py
    categorical.py
    generic.py
    groupby.py
    grouper.py
    indexing.py
    numba_.py
    ops.py
    __init__.py

\---__pycache__
    base.cpython-310.pyc
    categorical.cpython-310.pyc
    generic.cpython-310.pyc
    groupby.cpython-310.pyc
    grouper.cpython-310.pyc
    indexing.cpython-310.pyc
    numba_.cpython-310.pyc
    ops.cpython-310.pyc
    __init__.cpython-310.pyc

+---indexers
    objects.py
    utils.py
    __init__.py

\---__pycache__
    objects.cpython-310.pyc
    utils.cpython-310.pyc
    __init__.cpython-310.pyc

+---indexes
    accessors.py
    api.py
    base.py
    category.py
    datetimelike.py
    datetimes.py
    extension.py
    frozen.py
    interval.py
    multi.py
    period.py
    range.py
    timedeltas.py
    __init__.py

\---__pycache__
    accessors.cpython-310.pyc
    api.cpython-310.pyc
    base.cpython-310.pyc
    category.cpython-310.pyc
    datetimelike.cpython-310.pyc

```

```

        datetimes.cpython-310.pyc
        extension.cpython-310.pyc
        frozen.cpython-310.pyc
        interval.cpython-310.pyc
        multi.cpython-310.pyc
        period.cpython-310.pyc
        range.cpython-310.pyc
        timedeltas.cpython-310.pyc
        __init__.cpython-310.pyc
+---interchange
|   buffer.py
|   column.py
|   dataframe.py
|   dataframe_protocol.py
|   from_dataframe.py
|   utils.py
|   __init__.py
|
|   \---__pycache__
|       buffer.cpython-310.pyc
|       column.cpython-310.pyc
|       dataframe.cpython-310.pyc
|       dataframe_protocol.cpython-310.pyc
|       from_dataframe.cpython-310.pyc
|       utils.cpython-310.pyc
|       __init__.cpython-310.pyc
+---internals
|   api.py
|   array_manager.py
|   base.py
|   blocks.py
|   concat.py
|   construction.py
|   managers.py
|   ops.py
|   __init__.py
|
|   \---__pycache__
|       api.cpython-310.pyc
|       array_manager.cpython-310.pyc
|       base.cpython-310.pyc
|       blocks.cpython-310.pyc
|       concat.cpython-310.pyc
|       construction.cpython-310.pyc
|       managers.cpython-310.pyc
|       ops.cpython-310.pyc
|       __init__.cpython-310.pyc
+---methods
|   describe.py
|   selectn.py
|   to_dict.py
|   __init__.py
|
|   \---__pycache__
|       describe.cpython-310.pyc
|       selectn.cpython-310.pyc
|       to_dict.cpython-310.pyc
|       __init__.cpython-310.pyc
+---ops
|   array_ops.py
|   common.py
|   dispatch.py
|   docstrings.py
|   invalid.py

```

```

    mask_ops.py
    missing.py
    __init__.py
\---__pycache__
    array_ops.cpython-310.pyc
    common.cpython-310.pyc
    dispatch.cpython-310.pyc
    docstrings.cpython-310.pyc
    invalid.cpython-310.pyc
    mask_ops.cpython-310.pyc
    missing.cpython-310.pyc
    __init__.cpython-310.pyc
+---reshape
    api.py
    concat.py
    encoding.py
    melt.py
    merge.py
    pivot.py
    reshape.py
    tile.py
    util.py
    __init__.py
\---__pycache__
    api.cpython-310.pyc
    concat.cpython-310.pyc
    encoding.cpython-310.pyc
    melt.cpython-310.pyc
    merge.cpython-310.pyc
    pivot.cpython-310.pyc
    reshape.cpython-310.pyc
    tile.cpython-310.pyc
    util.cpython-310.pyc
    __init__.cpython-310.pyc
+---sparse
    api.py
    __init__.py
\---__pycache__
    api.cpython-310.pyc
    __init__.cpython-310.pyc
+---strings
    accessor.py
    base.py
    object_array.py
    __init__.py
\---__pycache__
    accessor.cpython-310.pyc
    base.cpython-310.pyc
    object_array.cpython-310.pyc
    __init__.cpython-310.pyc
+---tools
    datetimes.py
    numeric.py
    timedeltas.py
    times.py
    __init__.py
\---__pycache__
    datetimes.cpython-310.pyc
    numeric.cpython-310.pyc

```

```

timedeltas.cpython-310.pyc
times.cpython-310.pyc
__init__.cpython-310.pyc

+---util
|   hashing.py
|   numba_.py
|   __init__.py
|
|   \---__pycache__
|           hashing.cpython-310.pyc
|           numba_.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---window
|   common.py
|   doc.py
|   ewm.py
|   expanding.py
|   numba_.py
|   online.py
|   rolling.py
|   __init__.py
|
|   \---__pycache__
|           common.cpython-310.pyc
|           doc.cpython-310.pyc
|           ewm.cpython-310.pyc
|           expanding.cpython-310.pyc
|           numba_.cpython-310.pyc
|           online.cpython-310.pyc
|           rolling.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---_numba
|   executor.py
|   __init__.py
|
|   +---kernels
|   |   mean_.py
|   |   min_max_.py
|   |   shared.py
|   |   sum_.py
|   |   var_.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |           mean_.cpython-310.pyc
|   |           min_max_.cpython-310.pyc
|   |           shared.cpython-310.pyc
|   |           sum_.cpython-310.pyc
|   |           var_.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
|   |   \---__pycache__
|   |           executor.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
|   \---__pycache__
|           accessor.cpython-310.pyc
|           algorithms.cpython-310.pyc
|           api.cpython-310.pyc
|           apply.cpython-310.pyc
|           arraylike.cpython-310.pyc
|           base.cpython-310.pyc
|           common.cpython-310.pyc
|           config_init.cpython-310.pyc
|           construction.cpython-310.pyc

```

```

        flags.cpython-310.pyc
        frame.cpython-310.pyc
        generic.cpython-310.pyc
        indexing.cpython-310.pyc
        missing.cpython-310.pyc
        nanops.cpython-310.pyc
        resample.cpython-310.pyc
        roperator.cpython-310.pyc
        sample.cpython-310.pyc
        series.cpython-310.pyc
        shared_docs.cpython-310.pyc
        sorting.cpython-310.pyc
        __init__.cpython-310.pyc
+---errors
|   __init__.py
|
|   \---__pycache__
|           __init__.cpython-310.pyc
+---io
|   api.py
|   clipboards.py
|   common.py
|   feather_format.py
|   gbq.py
|   html.py
|   orc.py
|   parquet.py
|   pickle.py
|   pytables.py
|   spss.py
|   sql.py
|   stata.py
|   xml.py
|   _util.py
|   __init__.py
|
|   +---clipboard
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |           __init__.cpython-310.pyc
|   |
|   +---excel
|   |   _base.py
|   |   _odfreader.py
|   |   _odswriter.py
|   |   _openpyxl.py
|   |   _pyxlsb.py
|   |   _util.py
|   |   _xlrd.py
|   |   _xlsxwriter.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |           _base.cpython-310.pyc
|   |           _odfreader.cpython-310.pyc
|   |           _odswriter.cpython-310.pyc
|   |           _openpyxl.cpython-310.pyc
|   |           _pyxlsb.cpython-310.pyc
|   |           _util.cpython-310.pyc
|   |           _xlrd.cpython-310.pyc
|   |           _xlsxwriter.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
|   +---formats
|   |   console.py

```

```

css.py
csvs.py
excel.py
format.py
html.py
info.py
printing.py
string.py
style.py
style_render.py
xml.py
_color_data.py
__init__.py

+---templates
|   html.tpl
|   html_style.tpl
|   html_table.tpl
|   latex.tpl
|   latex_longtable.tpl
|   latex_table.tpl
|   string.tpl
\---__pycache__
      console.cpython-310.pyc
      css.cpython-310.pyc
      csvs.cpython-310.pyc
      excel.cpython-310.pyc
      format.cpython-310.pyc
      html.cpython-310.pyc
      info.cpython-310.pyc
      printing.cpython-310.pyc
      string.cpython-310.pyc
      style.cpython-310.pyc
      style_render.cpython-310.pyc
      xml.cpython-310.pyc
      _color_data.cpython-310.pyc
      __init__.cpython-310.pyc

+---json
|   _json.py
|   _normalize.py
|   _table_schema.py
|   __init__.py
\---__pycache__
      _json.cpython-310.pyc
      _normalize.cpython-310.pyc
      _table_schema.cpython-310.pyc
      __init__.cpython-310.pyc

+---parsers
|   arrow_parser_wrapper.py
|   base_parser.py
|   c_parser_wrapper.py
|   python_parser.py
|   readers.py
|   __init__.py
\---__pycache__
      arrow_parser_wrapper.cpython-310.pyc
      base_parser.cpython-310.pyc
      c_parser_wrapper.cpython-310.pyc
      python_parser.cpython-310.pyc
      readers.cpython-310.pyc
      __init__.cpython-310.pyc

+---sas

```

```

    sas7bdat.py
    sasreader.py
    sas_constants.py
    sas_xport.py
    __init__.py
\---__pycache__
    sas7bdat.cpython-310.pyc
    sasreader.cpython-310.pyc
    sas_constants.cpython-310.pyc
    sas_xport.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    api.cpython-310.pyc
    clipboards.cpython-310.pyc
    common.cpython-310.pyc
    feather_format.cpython-310.pyc
    gbq.cpython-310.pyc
    html.cpython-310.pyc
    orc.cpython-310.pyc
    parquet.cpython-310.pyc
    pickle.cpython-310.pyc
    pytables.cpython-310.pyc
    spss.cpython-310.pyc
    sql.cpython-310.pyc
    stata.cpython-310.pyc
    xml.cpython-310.pyc
    _util.cpython-310.pyc
    __init__.cpython-310.pyc
+---plotting
    _core.py
    _misc.py
    __init__.py
+---matplotlib
    boxplot.py
    converter.py
    core.py
    groupby.py
    hist.py
    misc.py
    style.py
    timeseries.py
    tools.py
    __init__.py
\---__pycache__
    boxplot.cpython-310.pyc
    converter.cpython-310.pyc
    core.cpython-310.pyc
    groupby.cpython-310.pyc
    hist.cpython-310.pyc
    misc.cpython-310.pyc
    style.cpython-310.pyc
    timeseries.cpython-310.pyc
    tools.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _core.cpython-310.pyc
    _misc.cpython-310.pyc
    __init__.cpython-310.pyc
+---tests
    test_aggregation.py
    test_algos.py

```



```
test_common.py
test_downstream.py
test_errors.py
test_expressions.py
test_flags.py
test_multilevel.py
test_nanops.py
test_optional_dependency.py
test_register_accessor.py
test_sorting.py
test_take.py
__init__.py
```

+---api

```
test_api.py
test_types.py
__init__.py
```

\---__pycache__

```
test_api.cpython-310.pyc
test_types.cpython-310.pyc
__init__.cpython-310.pyc
```

+---apply

```
common.py
conftest.py
test_frame_apply.py
test_frame_apply_relabeling.py
test_frame_transform.py
test_invalid_arg.py
test_series_apply.py
test_series_apply_relabeling.py
test_series_transform.py
test_str.py
__init__.py
```

\---__pycache__

```
common.cpython-310.pyc
conftest.cpython-310.pyc
test_frame_apply.cpython-310.pyc
test_frame_apply_relabeling.cpython-310.pyc
test_frame_transform.cpython-310.pyc
test_invalid_arg.cpython-310.pyc
test_series_apply.cpython-310.pyc
test_series_apply_relabeling.cpython-310.pyc
test_series_transform.cpython-310.pyc
test_str.cpython-310.pyc
__init__.cpython-310.pyc
```

+---arithmetic

```
common.py
conftest.py
test_array_ops.py
test_categorical.py
test_datetime64.py
test_interval.py
test_numeric.py
test_object.py
test_period.py
test_timedelta64.py
__init__.py
```

\---__pycache__

```
common.cpython-310.pyc
conftest.cpython-310.pyc
test_array_ops.cpython-310.pyc
test_categorical.cpython-310.pyc
test_datetime64.cpython-310.pyc
```

```
test_interval.cpython-310.pyc
test_numeric.cpython-310.pyc
test_object.cpython-310.pyc
test_period.cpython-310.pyc
test_timedelta64.cpython-310.pyc
__init__.cpython-310.pyc
```

+---arrays

```
masked_shared.py
test_array.py
test_datetimelike.py
test_datetimes.py
test_ndarray_backed.py
test_period.py
test_timedeltas.py
__init__.py
```

+---boolean

```
test_arithmetic.py
test_astype.py
test_comparison.py
test_construction.py
test_function.py
test_indexing.py
test_logical.py
test_ops.py
test_reduction.py
test_repr.py
__init__.py
```

\---__pycache__

```
test_arithmetic.cpython-310.pyc
test_astype.cpython-310.pyc
test_comparison.cpython-310.pyc
test_construction.cpython-310.pyc
test_function.cpython-310.pyc
test_indexing.cpython-310.pyc
test_logical.cpython-310.pyc
test_ops.cpython-310.pyc
test_reduction.cpython-310.pyc
test_repr.cpython-310.pyc
__init__.cpython-310.pyc
```

+---categorical

```
conftest.py
test_algos.py
test_analytics.py
test_api.py
test_astype.py
test_constructors.py
test_dtypes.py
test_indexing.py
test_map.py
test_missing.py
test_operators.py
test_replace.py
test_repr.py
test_sorting.py
test_subclass.py
test_take.py
test_warnings.py
__init__.py
```

\---__pycache__

```
conftest.cpython-310.pyc
test_algos.cpython-310.pyc
test_analytics.cpython-310.pyc
test_api.cpython-310.pyc
```

```

test_astype.cpython-310.pyc
test_constructors.cpython-310.pyc
test_dtypes.cpython-310.pyc
test_indexing.cpython-310.pyc
test_map.cpython-310.pyc
test_missing.cpython-310.pyc
test_operators.cpython-310.pyc
test_replace.cpython-310.pyc
test_repr.cpython-310.pyc
test_sorting.cpython-310.pyc
test_subclass.cpython-310.pyc
test_take.cpython-310.pyc
test_warnings.cpython-310.pyc
__init__.cpython-310.pyc

+---datetimes
|   test_constructors.py
|   test_cumulative.py
|   test_reductions.py
|   __init__.py
|
\---__pycache__
    test_constructors.cpython-310.pyc
    test_cumulative.cpython-310.pyc
    test_reductions.cpython-310.pyc
    __init__.cpython-310.pyc

+---floating
|   conftest.py
|   test_arithmetic.py
|   test_astype.py
|   test_comparison.py
|   test_concat.py
|   test_construction.py
|   test_contains.py
|   test_function.py
|   test_repr.py
|   test_to_numpy.py
|   __init__.py
|
\---__pycache__
    conftest.cpython-310.pyc
    test_arithmetic.cpython-310.pyc
    test_astype.cpython-310.pyc
    test_comparison.cpython-310.pyc
    test_concat.cpython-310.pyc
    test_construction.cpython-310.pyc
    test_contains.cpython-310.pyc
    test_function.cpython-310.pyc
    test_repr.cpython-310.pyc
    test_to_numpy.cpython-310.pyc
    __init__.cpython-310.pyc

+---integer
|   conftest.py
|   test_arithmetic.py
|   test_comparison.py
|   test_concat.py
|   test_construction.py
|   test_dtypes.py
|   test_function.py
|   test_indexing.py
|   test_reduction.py
|   test_repr.py
|   __init__.py
|
\---__pycache__
    conftest.cpython-310.pyc

```

```

test_arithmetic.cpython-310.pyc
test_comparison.cpython-310.pyc
test_concat.cpython-310.pyc
test_construction.cpython-310.pyc
test_dtypes.cpython-310.pyc
test_function.cpython-310.pyc
test_indexing.cpython-310.pyc
test_reduction.cpython-310.pyc
test_repr.cpython-310.pyc
__init__.cpython-310.pyc

+---interval
|   test_astype.py
|   test_interval.py
|   test_ops.py
|   __init__.py
|
\---__pycache__
     test_astype.cpython-310.pyc
     test_interval.cpython-310.pyc
     test_ops.cpython-310.pyc
     __init__.cpython-310.pyc

+---masked
|   test_arithmetic.py
|   test_arrow_compat.py
|   test_function.py
|   test_indexing.py
|   __init__.py
|
\---__pycache__
     test_arithmetic.cpython-310.pyc
     test_arrow_compat.cpython-310.pyc
     test_function.cpython-310.pyc
     test_indexing.cpython-310.pyc
     __init__.cpython-310.pyc

+---numpy_
|   test_indexing.py
|   test_numpy.py
|   __init__.py
|
\---__pycache__
     test_indexing.cpython-310.pyc
     test_numpy.cpython-310.pyc
     __init__.cpython-310.pyc

+---period
|   test_arrow_compat.py
|   test_astype.py
|   test_constructors.py
|   test_reductions.py
|   __init__.py
|
\---__pycache__
     test_arrow_compat.cpython-310.pyc
     test_astype.cpython-310.pyc
     test_constructors.cpython-310.pyc
     test_reductions.cpython-310.pyc
     __init__.cpython-310.pyc

+---sparse
|   test_accessor.py
|   test_arithmetics.py
|   test_array.py
|   test_astype.py
|   test_combine_concat.py
|   test_constructors.py

```

```

    test_dtype.py
    test_indexing.py
    test_libsparse.py
    test_reductions.py
    test_unary.py
    __init__.py
\---__pycache__
    test_accessor.cpython-310.pyc
    test_arithmetics.cpython-310.pyc
    test_array.cpython-310.pyc
    test_astype.cpython-310.pyc
    test_combine_concat.cpython-310.pyc
    test_constructors.cpython-310.pyc
    test_dtype.cpython-310.pyc
    test_indexing.cpython-310.pyc
    test_libsparse.cpython-310.pyc
    test_reductions.cpython-310.pyc
    test_unary.cpython-310.pyc
    __init__.cpython-310.pyc
+---string_
    |
    |   test_string.py
    |   test_string_arrow.py
    |   __init__.py
    |
    \---__pycache__
        test_string.cpython-310.pyc
        test_string_arrow.cpython-310.pyc
        __init__.cpython-310.pyc
+---timedeltas
    |
    |   test_constructors.py
    |   test_cumulative.py
    |   test_reductions.py
    |   __init__.py
    |
    \---__pycache__
        test_constructors.cpython-310.pyc
        test_cumulative.cpython-310.pyc
        test_reductions.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    masked_shared.cpython-310.pyc
    test_array.cpython-310.pyc
    test_datetimelike.cpython-310.pyc
    test_datetimes.cpython-310.pyc
    test_ndarray_backed.cpython-310.pyc
    test_period.cpython-310.pyc
    test_timedeltas.cpython-310.pyc
    __init__.cpython-310.pyc
+---base
    |
    |   common.py
    |   test_constructors.py
    |   test_conversion.py
    |   test_fillna.py
    |   test_misc.py
    |   test_transpose.py
    |   test_unique.py
    |   test_value_counts.py
    |   __init__.py
    |
    \---__pycache__
        common.cpython-310.pyc
        test_constructors.cpython-310.pyc
        test_conversion.cpython-310.pyc

```

```

        test_fillna.cpython-310.pyc
        test_misc.cpython-310.pyc
        test_transpose.cpython-310.pyc
        test_unique.cpython-310.pyc
        test_value_counts.cpython-310.pyc
        __init__.cpython-310.pyc
+---computation
|   test_compat.py
|   test_eval.py
|   __init__.py
|
\---__pycache__
    test_compat.cpython-310.pyc
    test_eval.cpython-310.pyc
    __init__.cpython-310.pyc
+---config
|   test_config.py
|   test_localization.py
|   __init__.py
|
\---__pycache__
    test_config.cpython-310.pyc
    test_localization.cpython-310.pyc
    __init__.cpython-310.pyc
+---construction
|   test_extract_array.py
|   __init__.py
|
\---__pycache__
    test_extract_array.cpython-310.pyc
    __init__.cpython-310.pyc
+---copy_view
|   test_array.py
|   test_astype.py
|   test_clip.py
|   test_constructors.py
|   test_core_functionalities.py
|   test_functions.py
|   test_indexing.py
|   test_internals.py
|   test_interp_fillna.py
|   test_methods.py
|   test_replace.py
|   test_setitem.py
|   test_util.py
|   util.py
|   __init__.py
|
+---index
|   test_datetimeindex.py
|   test_index.py
|   test_periodindex.py
|   test_timedeltaindex.py
|   __init__.py
|
\---__pycache__
    test_datetimeindex.cpython-310.pyc
    test_index.cpython-310.pyc
    test_periodindex.cpython-310.pyc
    test_timedeltaindex.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    test_array.cpython-310.pyc

```

```
test_astype.cpython-310.pyc
test_clip.cpython-310.pyc
test_constructors.cpython-310.pyc
test_core_functionalities.cpython-310.pyc
test_functions.cpython-310.pyc
test_indexing.cpython-310.pyc
test_internals.cpython-310.pyc
test_interp_fillna.cpython-310.pyc
test_methods.cpython-310.pyc
test_replace.cpython-310.pyc
test_setitem.cpython-310.pyc
test_util.cpython-310.pyc
util.cpython-310.pyc
__init__.cpython-310.pyc
```

+---dtypes

```
test_common.py
test_concat.py
test_dtypes.py
test_generic.py
test_inference.py
test_missing.py
__init__.py
```

+---cast

```
test_can_hold_element.py
test_construct_from_scalar.py
test_construct_ndarray.py
test_construct_object_arr.py
test_dict_compat.py
test_downcast.py
test_find_common_type.py
test_infer_datetimelike.py
test_infer_dtype.py
test_maybe_box_native.py
test_promote.py
__init__.py
```

\---__pycache__

```
test_can_hold_element.cpython-310.pyc
test_construct_from_scalar.cpython-310.pyc
test_construct_ndarray.cpython-310.pyc
test_construct_object_arr.cpython-310.pyc
test_dict_compat.cpython-310.pyc
test_downcast.cpython-310.pyc
test_find_common_type.cpython-310.pyc
test_infer_datetimelike.cpython-310.pyc
test_infer_dtype.cpython-310.pyc
test_maybe_box_native.cpython-310.pyc
test_promote.cpython-310.pyc
__init__.cpython-310.pyc
```

\---__pycache__

```
test_common.cpython-310.pyc
test_concat.cpython-310.pyc
test_dtypes.cpython-310.pyc
test_generic.cpython-310.pyc
test_inference.cpython-310.pyc
test_missing.cpython-310.pyc
__init__.cpython-310.pyc
```

+---extension

```
conftest.py
test_arrow.py
test_categorical.py
test_common.py
test_datetime.py
test_extension.py
```

```
test_interval.py
test_masked.py
test_numpy.py
test_period.py
test_sparse.py
test_string.py
__init__.py
```

```
+---array_with_attr
|   array.py
|   test_array_with_attr.py
|   __init__.py
|
\---__pycache__
|   array.cpython-310.pyc
|   test_array_with_attr.cpython-310.pyc
|   __init__.cpython-310.pyc
```

```
+---base
|   accumulate.py
|   base.py
|   casting.py
|   constructors.py
|   dim2.py
|   dtype.py
|   getitem.py
|   groupby.py
|   index.py
|   interface.py
|   io.py
|   methods.py
|   missing.py
|   ops.py
|   printing.py
|   reduce.py
|   reshaping.py
|   setitem.py
|   __init__.py
|
\---__pycache__
|   accumulate.cpython-310.pyc
|   base.cpython-310.pyc
|   casting.cpython-310.pyc
|   constructors.cpython-310.pyc
|   dim2.cpython-310.pyc
|   dtype.cpython-310.pyc
|   getitem.cpython-310.pyc
|   groupby.cpython-310.pyc
|   index.cpython-310.pyc
|   interface.cpython-310.pyc
|   io.cpython-310.pyc
|   methods.cpython-310.pyc
|   missing.cpython-310.pyc
|   ops.cpython-310.pyc
|   printing.cpython-310.pyc
|   reduce.cpython-310.pyc
|   reshaping.cpython-310.pyc
|   setitem.cpython-310.pyc
|   __init__.cpython-310.pyc
```

```
+---date
|   array.py
|   __init__.py
|
\---__pycache__
|   array.cpython-310.pyc
|   __init__.cpython-310.pyc
```



```

+---decimal
|   array.py
|   test_decimal.py
|   __init__.py
|
\---__pycache__
      array.cpython-310.pyc
      test_decimal.cpython-310.pyc
      __init__.cpython-310.pyc

+---json
|   array.py
|   test_json.py
|   __init__.py
|
\---__pycache__
      array.cpython-310.pyc
      test_json.cpython-310.pyc
      __init__.cpython-310.pyc

+---list
|   array.py
|   test_list.py
|   __init__.py
|
\---__pycache__
      array.cpython-310.pyc
      test_list.cpython-310.pyc
      __init__.cpython-310.pyc

\---__pycache__
      conftest.cpython-310.pyc
      test_arrow.cpython-310.pyc
      test_categorical.cpython-310.pyc
      test_common.cpython-310.pyc
      test_datetime.cpython-310.pyc
      test_extension.cpython-310.pyc
      test_interval.cpython-310.pyc
      test_masked.cpython-310.pyc
      test_numpy.cpython-310.pyc
      test_period.cpython-310.pyc
      test_sparse.cpython-310.pyc
      test_string.cpython-310.pyc
      __init__.cpython-310.pyc

+---frame
|   common.py
|   conftest.py
|   test_alter_axes.py
|   test_api.py
|   test_arithmetic.py
|   test_block_internals.py
|   test_constructors.py
|   test_cumulative.py
|   test_iteration.py
|   test_logical_ops.py
|   test_nonunique_indexes.py
|   test_npfuncs.py
|   test_query_eval.py
|   test_reductions.py
|   test_repr_info.py
|   test_stack_unstack.py
|   test_subclass.py
|   test_ufunc.py
|   test_unary.py
|   test_validate.py
|   __init__.py

```

```

+---constructors
|   test_from_dict.py
|   test_from_records.py
|   __init__.py
|
\---__pycache__
|   test_from_dict.cpython-310.pyc
|   test_from_records.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---indexing
|   test_coercion.py
|   test_delitem.py
|   test_get.py
|   test_getitem.py
|   test_get_value.py
|   test_indexing.py
|   test_insert.py
|   test_mask.py
|   test_setitem.py
|   test_set_value.py
|   test_take.py
|   test_where.py
|   test_xs.py
|   __init__.py
|
\---__pycache__
|   test_coercion.cpython-310.pyc
|   test_delitem.cpython-310.pyc
|   test_get.cpython-310.pyc
|   test_getitem.cpython-310.pyc
|   test_get_value.cpython-310.pyc
|   test_indexing.cpython-310.pyc
|   test_insert.cpython-310.pyc
|   test_mask.cpython-310.pyc
|   test_setitem.cpython-310.pyc
|   test_set_value.cpython-310.pyc
|   test_take.cpython-310.pyc
|   test_where.cpython-310.pyc
|   test_xs.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---methods
|   test_add_prefix_suffix.py
|   test_align.py
|   test_asfreq.py
|   test_asof.py
|   test_assign.py
|   test_astype.py
|   test_at_time.py
|   test_between_time.py
|   test_clip.py
|   test_combine.py
|   test_combine_first.py
|   test_compare.py
|   test_convert_dtypes.py
|   test_copy.py
|   test_count.py
|   test_cov_corr.py
|   test_describe.py
|   test_diff.py
|   test_dot.py
|   test_drop.py
|   test_droplevel.py
|   test_dropna.py
|   test_drop_duplicates.py
|   test_dtypes.py
|   test_duplicated.py

```

```
test_equals.py
test_explode.py
test_fillna.py
test_filter.py
test_first_and_last.py
test_first_valid_index.py
test_get_numeric_data.py
test_head_tail.py
test_infer_objects.py
test_interpolate.py
test_isetitem.py
test_isin.py
test_is_homogeneous_dtype.py
test_iterrows.py
test_join.py
test_map.py
test_matmul.py
test_nlargest.py
test_pct_change.py
test_pipe.py
test_pop.py
test_quantile.py
test_rank.py
test_reindex.py
test_reindex_like.py
test_rename.py
test_rename_axis.py
test_reorder_levels.py
test_replace.py
test_reset_index.py
test_round.py
test_sample.py
test_select_dtypes.py
test_set_axis.py
test_set_index.py
test_shift.py
test_size.py
test_sort_index.py
test_sort_values.py
test_swapaxes.py
test_swaplevel.py
test_to_csv.py
test_to_dict.py
test_to_dict_of_blocks.py
test_to_numpy.py
test_to_period.py
test_to_records.py
test_to_timestamp.py
test_transpose.py
test_truncate.py
test_tz_convert.py
test_tz_localize.py
test_update.py
test_values.py
test_value_counts.py
__init__.py
```

```
\---__pycache__
    test_add_prefix_suffix.cpython-310.pyc
    test_align.cpython-310.pyc
    test_asfreq.cpython-310.pyc
    test_asof.cpython-310.pyc
    test_assign.cpython-310.pyc
    test_astype.cpython-310.pyc
    test_at_time.cpython-310.pyc
    test_between_time.cpython-310.pyc
    test_clip.cpython-310.pyc
    test_combine.cpython-310.pyc
```

test_combine_first.cpython-310.pyc
test_compare.cpython-310.pyc
test_convert_dtypes.cpython-310.pyc
test_copy.cpython-310.pyc
test_count.cpython-310.pyc
test_cov_corr.cpython-310.pyc
test_describe.cpython-310.pyc
test_diff.cpython-310.pyc
test_dot.cpython-310.pyc
test_drop.cpython-310.pyc
test_droplevel.cpython-310.pyc
test_dropna.cpython-310.pyc
test_drop_duplicates.cpython-310.pyc
test_dtypes.cpython-310.pyc
test_duplicated.cpython-310.pyc
test_equals.cpython-310.pyc
test_explode.cpython-310.pyc
test_fillna.cpython-310.pyc
test_filter.cpython-310.pyc
test_first_and_last.cpython-310.pyc
test_first_valid_index.cpython-310.pyc
test_get_numeric_data.cpython-310.pyc
test_head_tail.cpython-310.pyc
test_infer_objects.cpython-310.pyc
test_interpolate.cpython-310.pyc
test_isetitem.cpython-310.pyc
test_isin.cpython-310.pyc
test_is_homogeneous_dtype.cpython-310.pyc
test_iterrows.cpython-310.pyc
test_join.cpython-310.pyc
test_map.cpython-310.pyc
test_matmul.cpython-310.pyc
test_nlargest.cpython-310.pyc
test_pct_change.cpython-310.pyc
test_pipe.cpython-310.pyc
test_pop.cpython-310.pyc
test_quantile.cpython-310.pyc
test_rank.cpython-310.pyc
test_reindex.cpython-310.pyc
test_reindex_like.cpython-310.pyc
test_rename.cpython-310.pyc
test_rename_axis.cpython-310.pyc
test_reorder_levels.cpython-310.pyc
test_replace.cpython-310.pyc
test_reset_index.cpython-310.pyc
test_round.cpython-310.pyc
test_sample.cpython-310.pyc
test_select_dtypes.cpython-310.pyc
test_set_axis.cpython-310.pyc
test_set_index.cpython-310.pyc
test_shift.cpython-310.pyc
test_size.cpython-310.pyc
test_sort_index.cpython-310.pyc
test_sort_values.cpython-310.pyc
test_swapaxes.cpython-310.pyc
test_swaplevel.cpython-310.pyc
test_to_csv.cpython-310.pyc
test_to_dict.cpython-310.pyc
test_to_dict_of_blocks.cpython-310.pyc
test_to_numpy.cpython-310.pyc
test_to_period.cpython-310.pyc
test_to_records.cpython-310.pyc
test_to_timestamp.cpython-310.pyc
test_transpose.cpython-310.pyc
test_truncate.cpython-310.pyc
test_tz_convert.cpython-310.pyc
test_tz_localize.cpython-310.pyc
test_update.cpython-310.pyc

```

        test_values.cpython-310.pyc
        test_value_counts.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    common.cpython-310.pyc
    conftest.cpython-310.pyc
    test_alter_axes.cpython-310.pyc
    test_api.cpython-310.pyc
    test_arithmetic.cpython-310.pyc
    test_block_internals.cpython-310.pyc
    test_constructors.cpython-310.pyc
    test_cumulative.cpython-310.pyc
    test_iteration.cpython-310.pyc
    test_logical_ops.cpython-310.pyc
    test_nonunique_indexes.cpython-310.pyc
    test_npfuncs.cpython-310.pyc
    test_query_eval.cpython-310.pyc
    test_reductions.cpython-310.pyc
    test_repr_info.cpython-310.pyc
    test_stack_unstack.cpython-310.pyc
    test_subclass.cpython-310.pyc
    test_ufunc.cpython-310.pyc
    test_unary.cpython-310.pyc
    test_validate.cpython-310.pyc
    __init__.cpython-310.pyc
+---generic
    test_duplicate_labels.py
    test_finalize.py
    test_frame.py
    test_generic.py
    test_label_or_level_utils.py
    test_series.py
    test_to_xarray.py
    __init__.py
\---__pycache__
    test_duplicate_labels.cpython-310.pyc
    test_finalize.cpython-310.pyc
    test_frame.cpython-310.pyc
    test_generic.cpython-310.pyc
    test_label_or_level_utils.cpython-310.pyc
    test_series.cpython-310.pyc
    test_to_xarray.cpython-310.pyc
    __init__.cpython-310.pyc
+---groupby
    conftest.py
    test_any_all.py
    test_api.py
    test_apply.py
    test_apply_mutate.py
    test_bin_groupby.py
    test_categorical.py
    test_counting.py
    test_filters.py
    test_function.py
    test_groupby.py
    test_groupby_dropna.py
    test_groupby_shift_diff.py
    test_groupby_subclass.py
    test_grouping.py
    test_indexing.py
    test_index_as_string.py
    test_libgroupby.py
    test_min_max.py
    test_missing.py

```

```

test_nth.py
test_numba.py
test_nunique.py
test_pipe.py
test_quantile.py
test_raises.py
test_rank.py
test_sample.py
test_size.py
test_skew.py
test_timegrouper.py
test_value_counts.py
__init__.py

+---aggregate
|   test_aggregate.py
|   test_cython.py
|   test_numba.py
|   test_other.py
|   __init__.py
|
\---__pycache__
|   test_aggregate.cpython-310.pyc
|   test_cython.cpython-310.pyc
|   test_numba.cpython-310.pyc
|   test_other.cpython-310.pyc
|   __init__.cpython-310.pyc

+---transform
|   test_numba.py
|   test_transform.py
|   __init__.py
|
\---__pycache__
|   test_numba.cpython-310.pyc
|   test_transform.cpython-310.pyc
|   __init__.cpython-310.pyc

\---__pycache__
|   conftest.cpython-310.pyc
|   test_any_all.cpython-310.pyc
|   test_api.cpython-310.pyc
|   test_apply.cpython-310.pyc
|   test_apply_mutate.cpython-310.pyc
|   test_bin_groupby.cpython-310.pyc
|   test_categorical.cpython-310.pyc
|   test_counting.cpython-310.pyc
|   test_filters.cpython-310.pyc
|   test_function.cpython-310.pyc
|   test_groupby.cpython-310.pyc
|   test_groupby_dropna.cpython-310.pyc
|   test_groupby_shift_diff.cpython-310.pyc
|   test_groupby_subclass.cpython-310.pyc
|   test_grouping.cpython-310.pyc
|   test_indexing.cpython-310.pyc
|   test_index_as_string.cpython-310.pyc
|   test_libgroupby.cpython-310.pyc
|   test_min_max.cpython-310.pyc
|   test_missing.cpython-310.pyc
|   test_nth.cpython-310.pyc
|   test_numba.cpython-310.pyc
|   test_nunique.cpython-310.pyc
|   test_pipe.cpython-310.pyc
|   test_quantile.cpython-310.pyc
|   test_raises.cpython-310.pyc
|   test_rank.cpython-310.pyc
|   test_sample.cpython-310.pyc
|   test_size.cpython-310.pyc

```

```
test_skew.cpython-310.pyc
test_timegrouper.cpython-310.pyc
test_value_counts.cpython-310.pyc
__init__.cpython-310.pyc
```

+---indexes

```
conftest.py
test_any_index.py
test_base.py
test_common.py
test_datetimelike.py
test_engines.py
test_frozen.py
test_indexing.py
test_index_new.py
test_numpy_compat.py
test_old_base.py
test_setops.py
test_subclass.py
__init__.py
```

+---base_class

```
test_constructors.py
test_formats.py
test_indexing.py
test_pickle.py
test_reshape.py
test_setops.py
test_where.py
__init__.py
```

\---__pycache__

```
test_constructors.cpython-310.pyc
test_formats.cpython-310.pyc
test_indexing.cpython-310.pyc
test_pickle.cpython-310.pyc
test_reshape.cpython-310.pyc
test_setops.cpython-310.pyc
test_where.cpython-310.pyc
__init__.cpython-310.pyc
```

+---categorical

```
test_append.py
test_astype.py
test_category.py
test_constructors.py
test_equals.py
test_fillna.py
test_formats.py
test_indexing.py
test_map.py
test_reindex.py
__init__.py
```

\---__pycache__

```
test_append.cpython-310.pyc
test_astype.cpython-310.pyc
test_category.cpython-310.pyc
test_constructors.cpython-310.pyc
test_equals.cpython-310.pyc
test_fillna.cpython-310.pyc
test_formats.cpython-310.pyc
test_indexing.cpython-310.pyc
test_map.cpython-310.pyc
test_reindex.cpython-310.pyc
__init__.cpython-310.pyc
```

+---datetimelike_

```
test_drop_duplicates.py
test_equals.py
test_indexing.py
test_is_monotonic.py
test_nat.py
test_sort_values.py
test_value_counts.py
__init__.py
```

```
\---__pycache__
```

```
test_drop_duplicates.cpython-310.pyc
test_equals.cpython-310.pyc
test_indexing.cpython-310.pyc
test_is_monotonic.cpython-310.pyc
test_nat.cpython-310.pyc
test_sort_values.cpython-310.pyc
test_value_counts.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---datetimes
```

```
test_asof.py
test_constructors.py
test_datetime.py
test_datetimelike.py
test_date_range.py
test_delete.py
test_formats.py
test_freq_attr.py
test_indexing.py
test_join.py
test_map.py
test_misc.py
test_npfuncs.py
test_ops.py
test_partial_slicing.py
test_pickle.py
test_reindex.py
test_scalar_compat.py
test_setops.py
test_timezones.py
test_unique.py
__init__.py
```

```
+---methods
```

```
test_astype.py
test_factorize.py
test_fillna.py
test_insert.py
test_isocalendar.py
test_repeat.py
test_shift.py
test_snap.py
test_to_frame.py
test_to_period.py
test_to_series.py
__init__.py
```

```
\---__pycache__
```

```
test_astype.cpython-310.pyc
test_factorize.cpython-310.pyc
test_fillna.cpython-310.pyc
test_insert.cpython-310.pyc
test_isocalendar.cpython-310.pyc
test_repeat.cpython-310.pyc
test_shift.cpython-310.pyc
test_snap.cpython-310.pyc
test_to_frame.cpython-310.pyc
test_to_period.cpython-310.pyc
```



```

        test_to_series.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    test_asof.cpython-310.pyc
    test_constructors.cpython-310.pyc
    test_datetime.cpython-310.pyc
    test_datetimelike.cpython-310.pyc
    test_date_range.cpython-310.pyc
    test_delete.cpython-310.pyc
    test_formats.cpython-310.pyc
    test_freq_attr.cpython-310.pyc
    test_indexing.cpython-310.pyc
    test_join.cpython-310.pyc
    test_map.cpython-310.pyc
    test_misc.cpython-310.pyc
    test_npfuncs.cpython-310.pyc
    test_ops.cpython-310.pyc
    test_partial_slicing.cpython-310.pyc
    test_pickle.cpython-310.pyc
    test_reindex.cpython-310.pyc
    test_scalar_compat.cpython-310.pyc
    test_setops.cpython-310.pyc
    test_timezones.cpython-310.pyc
    test_unique.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---interval

```

```

    test_astype.py
    test_base.py
    test_constructors.py
    test_equals.py
    test_formats.py
    test_indexing.py
    test_interval.py
    test_interval_range.py
    test_interval_tree.py
    test_join.py
    test_pickle.py
    test_setops.py
    __init__.py

```

```

\---__pycache__
    test_astype.cpython-310.pyc
    test_base.cpython-310.pyc
    test_constructors.cpython-310.pyc
    test_equals.cpython-310.pyc
    test_formats.cpython-310.pyc
    test_indexing.cpython-310.pyc
    test_interval.cpython-310.pyc
    test_interval_range.cpython-310.pyc
    test_interval_tree.cpython-310.pyc
    test_join.cpython-310.pyc
    test_pickle.cpython-310.pyc
    test_setops.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---multi

```

```

    conftest.py
    test_analytics.py
    test_astype.py
    test_compat.py
    test_constructors.py
    test_conversion.py
    test_copy.py
    test_drop.py
    test_duplicates.py
    test_equivalence.py

```

```
test_formats.py
test_get_level_values.py
test_get_set.py
test_indexing.py
test_integrity.py
test_isin.py
test_join.py
test_lexsort.py
test_missing.py
test_monotonic.py
test_names.py
test_partial_indexing.py
test_pickle.py
test_reindex.py
test_reshape.py
test_setops.py
test_sorting.py
test_take.py
__init__.py
```

```
\---__pycache__
```

```
conftest.cpython-310.pyc
test_analytics.cpython-310.pyc
test_astype.cpython-310.pyc
test_compat.cpython-310.pyc
test_constructors.cpython-310.pyc
test_conversion.cpython-310.pyc
test_copy.cpython-310.pyc
test_drop.cpython-310.pyc
test_duplicates.cpython-310.pyc
test_equivalence.cpython-310.pyc
test_formats.cpython-310.pyc
test_get_level_values.cpython-310.pyc
test_get_set.cpython-310.pyc
test_indexing.cpython-310.pyc
test_integrity.cpython-310.pyc
test_isin.cpython-310.pyc
test_join.cpython-310.pyc
test_lexsort.cpython-310.pyc
test_missing.cpython-310.pyc
test_monotonic.cpython-310.pyc
test_names.cpython-310.pyc
test_partial_indexing.cpython-310.pyc
test_pickle.cpython-310.pyc
test_reindex.cpython-310.pyc
test_reshape.cpython-310.pyc
test_setops.cpython-310.pyc
test_sorting.cpython-310.pyc
test_take.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---numeric
```

```
test_astype.py
test_indexing.py
test_join.py
test_numeric.py
test_setops.py
__init__.py
```

```
\---__pycache__
```

```
test_astype.cpython-310.pyc
test_indexing.cpython-310.pyc
test_join.cpython-310.pyc
test_numeric.cpython-310.pyc
test_setops.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---object
```

```

test_astype.py
test_indexing.py
__init__.py
\---__pycache__
    test_astype.cpython-310.pyc
    test_indexing.cpython-310.pyc
    __init__.cpython-310.pyc
+---period
    test_constructors.py
    test_formats.py
    test_freq_attr.py
    test_indexing.py
    test_join.py
    test_monotonic.py
    test_partial_slicing.py
    test_period.py
    test_period_range.py
    test_pickle.py
    test_resolution.py
    test_scalar_compat.py
    test_searchsorted.py
    test_setops.py
    test_tools.py
    __init__.py
+---methods
    test_asfreq.py
    test_astype.py
    test_factorize.py
    test_fillna.py
    test_insert.py
    test_is_full.py
    test_repeat.py
    test_shift.py
    test_to_timestamp.py
    __init__.py
\---__pycache__
    test_asfreq.cpython-310.pyc
    test_astype.cpython-310.pyc
    test_factorize.cpython-310.pyc
    test_fillna.cpython-310.pyc
    test_insert.cpython-310.pyc
    test_is_full.cpython-310.pyc
    test_repeat.cpython-310.pyc
    test_shift.cpython-310.pyc
    test_to_timestamp.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    test_constructors.cpython-310.pyc
    test_formats.cpython-310.pyc
    test_freq_attr.cpython-310.pyc
    test_indexing.cpython-310.pyc
    test_join.cpython-310.pyc
    test_monotonic.cpython-310.pyc
    test_partial_slicing.cpython-310.pyc
    test_period.cpython-310.pyc
    test_period_range.cpython-310.pyc
    test_pickle.cpython-310.pyc
    test_resolution.cpython-310.pyc
    test_scalar_compat.cpython-310.pyc
    test_searchsorted.cpython-310.pyc
    test_setops.cpython-310.pyc
    test_tools.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---ranges
|   test_constructors.py
|   test_indexing.py
|   test_join.py
|   test_range.py
|   test_setops.py
|   __init__.py
|
\---__pycache__
|   test_constructors.cpython-310.pyc
|   test_indexing.cpython-310.pyc
|   test_join.cpython-310.pyc
|   test_range.cpython-310.pyc
|   test_setops.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---timedeltas
|   test_constructors.py
|   test_delete.py
|   test_formats.py
|   test_freq_attr.py
|   test_indexing.py
|   test_join.py
|   test_ops.py
|   test_pickle.py
|   test_scalar_compat.py
|   test_searchsorted.py
|   test_setops.py
|   test_timedelta.py
|   test_timedelta_range.py
|   __init__.py
|
+---methods
|   test_astype.py
|   test_factorize.py
|   test_fillna.py
|   test_insert.py
|   test_repeat.py
|   test_shift.py
|   __init__.py
|
\---__pycache__
|   test_astype.cpython-310.pyc
|   test_factorize.cpython-310.pyc
|   test_fillna.cpython-310.pyc
|   test_insert.cpython-310.pyc
|   test_repeat.cpython-310.pyc
|   test_shift.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   test_constructors.cpython-310.pyc
|   test_delete.cpython-310.pyc
|   test_formats.cpython-310.pyc
|   test_freq_attr.cpython-310.pyc
|   test_indexing.cpython-310.pyc
|   test_join.cpython-310.pyc
|   test_ops.cpython-310.pyc
|   test_pickle.cpython-310.pyc
|   test_scalar_compat.cpython-310.pyc
|   test_searchsorted.cpython-310.pyc
|   test_setops.cpython-310.pyc
|   test_timedelta.cpython-310.pyc
|   test_timedelta_range.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__

```

```
conftest.cpython-310.pyc
test_any_index.cpython-310.pyc
test_base.cpython-310.pyc
test_common.cpython-310.pyc
test_datetimelike.cpython-310.pyc
test_engines.cpython-310.pyc
test_frozen.cpython-310.pyc
test_indexing.cpython-310.pyc
test_index_new.cpython-310.pyc
test_numpy_compat.cpython-310.pyc
test_old_base.cpython-310.pyc
test_setops.cpython-310.pyc
test_subclass.cpython-310.pyc
__init__.cpython-310.pyc
```

+---indexing

```
common.py
conftest.py
test_at.py
test_categorical.py
test_chaining_and_caching.py
test_check_indexer.py
test_coercion.py
test_datetime.py
test_floats.py
test_iat.py
test_iloc.py
test_indexers.py
test_indexing.py
test_loc.py
test_na_indexing.py
test_partial.py
test_scalar.py
__init__.py
```

+---interval

```
test_interval.py
test_interval_new.py
__init__.py
```

\---__pycache__

```
test_interval.cpython-310.pyc
test_interval_new.cpython-310.pyc
__init__.cpython-310.pyc
```

+---multiindex

```
test_chaining_and_caching.py
test_datetime.py
test_getitem.py
test_iloc.py
test_indexing_slow.py
test_loc.py
test_multiindex.py
test_partial.py
test_setitem.py
test_slice.py
test_sorted.py
__init__.py
```

\---__pycache__

```
test_chaining_and_caching.cpython-310.pyc
test_datetime.cpython-310.pyc
test_getitem.cpython-310.pyc
test_iloc.cpython-310.pyc
test_indexing_slow.cpython-310.pyc
test_loc.cpython-310.pyc
test_multiindex.cpython-310.pyc
test_partial.cpython-310.pyc
```

```

        test_setitem.cpython-310.pyc
        test_slice.cpython-310.pyc
        test_sorted.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    common.cpython-310.pyc
    conftest.cpython-310.pyc
    test_at.cpython-310.pyc
    test_categorical.cpython-310.pyc
    test_chaining_and_caching.cpython-310.pyc
    test_check_indexer.cpython-310.pyc
    test_coercion.cpython-310.pyc
    test_datetime.cpython-310.pyc
    test_floats.cpython-310.pyc
    test_iat.cpython-310.pyc
    test_iloc.cpython-310.pyc
    test_indexers.cpython-310.pyc
    test_indexing.cpython-310.pyc
    test_loc.cpython-310.pyc
    test_na_indexing.cpython-310.pyc
    test_partial.cpython-310.pyc
    test_scalar.cpython-310.pyc
    __init__.cpython-310.pyc
+---interchange
    test_impl.py
    test_spec_conformance.py
    test_utils.py
    __init__.py
\---__pycache__
    test_impl.cpython-310.pyc
    test_spec_conformance.cpython-310.pyc
    test_utils.cpython-310.pyc
    __init__.cpython-310.pyc
+---internals
    test_api.py
    test_internals.py
    test_managers.py
    __init__.py
\---__pycache__
    test_api.cpython-310.pyc
    test_internals.cpython-310.pyc
    test_managers.cpython-310.pyc
    __init__.cpython-310.pyc
+---io
    conftest.py
    generate_legacy_storage_files.py
    test_clipboard.py
    test_common.py
    test_compression.py
    test_feather.py
    test_fsspec.py
    test_gcs.py
    test_html.py
    test_orc.py
    test_parquet.py
    test_pickle.py
    test_s3.py
    test_spss.py
    test_sql.py
    test_stata.py
    test_user_agent.py
    __init__.py

```

```

+---excel
|   conftest.py
|   test_odf.py
|   test_odswriter.py
|   test_openpyxl.py
|   test_readers.py
|   test_style.py
|   test_writers.py
|   test_xlrd.py
|   test_xlsxwriter.py
|   __init__.py
|
\---__pycache__
|   conftest.cpython-310.pyc
|   test_odf.cpython-310.pyc
|   test_odswriter.cpython-310.pyc
|   test_openpyxl.cpython-310.pyc
|   test_readers.cpython-310.pyc
|   test_style.cpython-310.pyc
|   test_writers.cpython-310.pyc
|   test_xlrd.cpython-310.pyc
|   test_xlsxwriter.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---formats
|   test_console.py
|   test_css.py
|   test_eng_formatting.py
|   test_format.py
|   test_info.py
|   test_printing.py
|   test_series_info.py
|   test_to_csv.py
|   test_to_excel.py
|   test_to_html.py
|   test_to_latex.py
|   test_to_markdown.py
|   test_to_string.py
|   __init__.py
|
+---style
|   test_bar.py
|   test_exceptions.py
|   test_format.py
|   test_highlight.py
|   test_html.py
|   test_matplotlib.py
|   test_non_unique.py
|   test_style.py
|   test_tooltip.py
|   test_to_latex.py
|   test_to_string.py
|   __init__.py
|
\---__pycache__
|   test_bar.cpython-310.pyc
|   test_exceptions.cpython-310.pyc
|   test_format.cpython-310.pyc
|   test_highlight.cpython-310.pyc
|   test_html.cpython-310.pyc
|   test_matplotlib.cpython-310.pyc
|   test_non_unique.cpython-310.pyc
|   test_style.cpython-310.pyc
|   test_tooltip.cpython-310.pyc
|   test_to_latex.cpython-310.pyc
|   test_to_string.cpython-310.pyc
|   __init__.cpython-310.pyc

```

```

|
| \---__pycache__
|     test_console.cpython-310.pyc
|     test_css.cpython-310.pyc
|     test_eng_formatting.cpython-310.pyc
|     test_format.cpython-310.pyc
|     test_info.cpython-310.pyc
|     test_printing.cpython-310.pyc
|     test_series_info.cpython-310.pyc
|     test_to_csv.cpython-310.pyc
|     test_to_excel.cpython-310.pyc
|     test_to_html.cpython-310.pyc
|     test_to_latex.cpython-310.pyc
|     test_to_markdown.cpython-310.pyc
|     test_to_string.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---json
|     conftest.py
|     test_compression.py
|     test_deprecated_kwargs.py
|     test_json_table_schema.py
|     test_json_table_schema_ext_dtype.py
|     test_normalize.py
|     test_pandas.py
|     test_readlines.py
|     test_ujson.py
|     __init__.py
|
| \---__pycache__
|     conftest.cpython-310.pyc
|     test_compression.cpython-310.pyc
|     test_deprecated_kwargs.cpython-310.pyc
|     test_json_table_schema.cpython-310.pyc
|     test_json_table_schema_ext_dtype.cpython-310.pyc
|     test_normalize.cpython-310.pyc
|     test_pandas.cpython-310.pyc
|     test_readlines.cpython-310.pyc
|     test_ujson.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---parser
|     conftest.py
|     test_comment.py
|     test_compression.py
|     test_concatenate_chunks.py
|     test_converters.py
|     test_c_parser_only.py
|     test_dialect.py
|     test_encoding.py
|     test_header.py
|     test_index_col.py
|     test_mangle_dupes.py
|     test_multi_thread.py
|     test_na_values.py
|     test_network.py
|     test_parse_dates.py
|     test_python_parser_only.py
|     test_quoting.py
|     test_read_fwf.py
|     test_skiprows.py
|     test_textreader.py
|     test_unsupported.py
|     test_upcast.py
|     __init__.py
|
+---common
|     test_chunksize.py

```



```

test_common_basic.py
test_data_list.py
test_decimal.py
test_file_buffer_url.py
test_float.py
test_index.py
test_inf.py
test_ints.py
test_iterator.py
test_read_errors.py
test_verbose.py
__init__.py
\---__pycache__
    test_chunksize.cpython-310.pyc
    test_common_basic.cpython-310.pyc
    test_data_list.cpython-310.pyc
    test_decimal.cpython-310.pyc
    test_file_buffer_url.cpython-310.pyc
    test_float.cpython-310.pyc
    test_index.cpython-310.pyc
    test_inf.cpython-310.pyc
    test_ints.cpython-310.pyc
    test_iterator.cpython-310.pyc
    test_read_errors.cpython-310.pyc
    test_verbose.cpython-310.pyc
    __init__.cpython-310.pyc
+---dtypes
|   test_categorical.py
|   test_dtypes_basic.py
|   test_empty.py
|   __init__.py
|
\---__pycache__
    test_categorical.cpython-310.pyc
    test_dtypes_basic.cpython-310.pyc
    test_empty.cpython-310.pyc
    __init__.cpython-310.pyc
+---usecols
|   test_parse_dates.py
|   test_strings.py
|   test_usecols_basic.py
|   __init__.py
|
\---__pycache__
    test_parse_dates.cpython-310.pyc
    test_strings.cpython-310.pyc
    test_usecols_basic.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    conftest.cpython-310.pyc
    test_comment.cpython-310.pyc
    test_compression.cpython-310.pyc
    test_concatenate_chunks.cpython-310.pyc
    test_converters.cpython-310.pyc
    test_c_parser_only.cpython-310.pyc
    test_dialect.cpython-310.pyc
    test_encoding.cpython-310.pyc
    test_header.cpython-310.pyc
    test_index_col.cpython-310.pyc
    test_mangle_dupes.cpython-310.pyc
    test_multi_thread.cpython-310.pyc
    test_na_values.cpython-310.pyc
    test_network.cpython-310.pyc
    test_parse_dates.cpython-310.pyc

```

```
test_python_parser_only.cpython-310.pyc
test_quoting.cpython-310.pyc
test_read_fwf.cpython-310.pyc
test_skiprows.cpython-310.pyc
test_textreader.cpython-310.pyc
test_unsupported.cpython-310.pyc
test_upcast.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---pytables
```

```
common.py
conftest.py
test_append.py
test_categorical.py
test_compat.py
test_complex.py
test_errors.py
test_file_handling.py
test_keys.py
test_put.py
test_pytables_missing.py
test_read.py
test_retain_attributes.py
test_round_trip.py
test_select.py
test_store.py
test_subclass.py
test_timezones.py
test_time_series.py
__init__.py
```

```
\---__pycache__
```

```
common.cpython-310.pyc
conftest.cpython-310.pyc
test_append.cpython-310.pyc
test_categorical.cpython-310.pyc
test_compat.cpython-310.pyc
test_complex.cpython-310.pyc
test_errors.cpython-310.pyc
test_file_handling.cpython-310.pyc
test_keys.cpython-310.pyc
test_put.cpython-310.pyc
test_pytables_missing.cpython-310.pyc
test_read.cpython-310.pyc
test_retain_attributes.cpython-310.pyc
test_round_trip.cpython-310.pyc
test_select.cpython-310.pyc
test_store.cpython-310.pyc
test_subclass.cpython-310.pyc
test_timezones.cpython-310.pyc
test_time_series.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---sas
```

```
test_byteswap.py
test_sas.py
test_sas7bdat.py
test_xport.py
__init__.py
```

```
\---__pycache__
```

```
test_byteswap.cpython-310.pyc
test_sas.cpython-310.pyc
test_sas7bdat.cpython-310.pyc
test_xport.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---xml
```

```

    conftest.py
    test_to_xml.py
    test_xml.py
    test_xml_dtypes.py
    __init__.py
\---__pycache__
    conftest.cpython-310.pyc
    test_to_xml.cpython-310.pyc
    test_xml.cpython-310.pyc
    test_xml_dtypes.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    conftest.cpython-310.pyc
    generate_legacy_storage_files.cpython-310.pyc
    test_clipboard.cpython-310.pyc
    test_common.cpython-310.pyc
    test_compression.cpython-310.pyc
    test_feather.cpython-310.pyc
    test_fsspec.cpython-310.pyc
    test_gcs.cpython-310.pyc
    test_html.cpython-310.pyc
    test_orc.cpython-310.pyc
    test_parquet.cpython-310.pyc
    test_pickle.cpython-310.pyc
    test_s3.cpython-310.pyc
    test_spss.cpython-310.pyc
    test_sql.cpython-310.pyc
    test_stata.cpython-310.pyc
    test_user_agent.cpython-310.pyc
    __init__.cpython-310.pyc
+---libs
    test_hashtable.py
    test_join.py
    test_lib.py
    __init__.py
\---__pycache__
    test_hashtable.cpython-310.pyc
    test_join.cpython-310.pyc
    test_lib.cpython-310.pyc
    __init__.cpython-310.pyc
+---plotting
    common.py
    conftest.py
    test_backend.py
    test_boxplot_method.py
    test_common.py
    test_converter.py
    test_datetimelike.py
    test_groupby.py
    test_hist_method.py
    test_misc.py
    test_series.py
    test_style.py
    __init__.py
+---frame
    test_frame.py
    test_frame_color.py
    test_frame_groupby.py
    test_frame_legend.py
    test_frame_subplots.py
    test_hist_box_by.py
    __init__.py

```

```

|
\---__pycache__
    test_frame.cpython-310.pyc
    test_frame_color.cpython-310.pyc
    test_frame_groupby.cpython-310.pyc
    test_frame_legend.cpython-310.pyc
    test_frame_subplots.cpython-310.pyc
    test_hist_box_by.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    common.cpython-310.pyc
    conftest.cpython-310.pyc
    test_backend.cpython-310.pyc
    test_boxplot_method.cpython-310.pyc
    test_common.cpython-310.pyc
    test_converter.cpython-310.pyc
    test_datetimelike.cpython-310.pyc
    test_groupby.cpython-310.pyc
    test_hist_method.cpython-310.pyc
    test_misc.cpython-310.pyc
    test_series.cpython-310.pyc
    test_style.cpython-310.pyc
    __init__.cpython-310.pyc

+---reductions
|   test_reductions.py
|   test_stat_reductions.py
|   __init__.py
|
\---__pycache__
    test_reductions.cpython-310.pyc
    test_stat_reductions.cpython-310.pyc
    __init__.cpython-310.pyc

+---resample
|   conftest.py
|   test_base.py
|   test_datetime_index.py
|   test_period_index.py
|   test_resampler_grouper.py
|   test_resample_api.py
|   test_timedelta.py
|   test_time_grouper.py
|   __init__.py
|
\---__pycache__
    conftest.cpython-310.pyc
    test_base.cpython-310.pyc
    test_datetime_index.cpython-310.pyc
    test_period_index.cpython-310.pyc
    test_resampler_grouper.cpython-310.pyc
    test_resample_api.cpython-310.pyc
    test_timedelta.cpython-310.pyc
    test_time_grouper.cpython-310.pyc
    __init__.cpython-310.pyc

+---reshape
|   test_crosstab.py
|   test_cut.py
|   test_from_dummies.py
|   test_get_dummies.py
|   test_melt.py
|   test_pivot.py
|   test_pivot_multilevel.py
|   test_qcut.py
|   test_union_categoricals.py
|   test_util.py

```

```

__init__.py
+---concat
|   conftest.py
|   test_append.py
|   test_append_common.py
|   test_categorical.py
|   test_concat.py
|   test_dataframe.py
|   test_datetimes.py
|   test_empty.py
|   test_index.py
|   test_invalid.py
|   test_series.py
|   test_sort.py
|   __init__.py
\---__pycache__
|   conftest.cpython-310.pyc
|   test_append.cpython-310.pyc
|   test_append_common.cpython-310.pyc
|   test_categorical.cpython-310.pyc
|   test_concat.cpython-310.pyc
|   test_dataframe.cpython-310.pyc
|   test_datetimes.cpython-310.pyc
|   test_empty.cpython-310.pyc
|   test_index.cpython-310.pyc
|   test_invalid.cpython-310.pyc
|   test_series.cpython-310.pyc
|   test_sort.cpython-310.pyc
|   __init__.cpython-310.pyc
+---merge
|   test_join.py
|   test_merge.py
|   test_merge_asof.py
|   test_merge_cross.py
|   test_merge_index_as_string.py
|   test_merge_ordered.py
|   test_multi.py
|   __init__.py
\---__pycache__
|   test_join.cpython-310.pyc
|   test_merge.cpython-310.pyc
|   test_merge_asof.cpython-310.pyc
|   test_merge_cross.cpython-310.pyc
|   test_merge_index_as_string.cpython-310.pyc
|   test_merge_ordered.cpython-310.pyc
|   test_multi.cpython-310.pyc
|   __init__.cpython-310.pyc
\---__pycache__
|   test_crosstab.cpython-310.pyc
|   test_cut.cpython-310.pyc
|   test_from_dummies.cpython-310.pyc
|   test_get_dummies.cpython-310.pyc
|   test_melt.cpython-310.pyc
|   test_pivot.cpython-310.pyc
|   test_pivot_multilevel.cpython-310.pyc
|   test_qcut.cpython-310.pyc
|   test_union_categoricals.cpython-310.pyc
|   test_util.cpython-310.pyc
|   __init__.cpython-310.pyc
+---scalar
|   test_nat.py
|   test_na_scalar.py

```

```

__init__.py
+---interval
|   test_arithmetic.py
|   test_interval.py
|   test_ops.py
|   __init__.py
|
|   \---__pycache__
|       test_arithmetic.cpython-310.pyc
|       test_interval.cpython-310.pyc
|       test_ops.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---period
|   test_asfreq.py
|   test_period.py
|   __init__.py
|
|   \---__pycache__
|       test_asfreq.cpython-310.pyc
|       test_period.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---timedelta
|   test_arithmetic.py
|   test_constructors.py
|   test_formats.py
|   test_timedelta.py
|   __init__.py
|
|   \---__pycache__
|       test_arithmetic.cpython-310.pyc
|       test_constructors.cpython-310.pyc
|       test_formats.cpython-310.pyc
|       test_timedelta.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---timestamp
|   test_arithmetic.py
|   test_comparisons.py
|   test_constructors.py
|   test_formats.py
|   test_rendering.py
|   test_timestamp.py
|   test_timezones.py
|   test_unary_ops.py
|   __init__.py
|
|   \---__pycache__
|       test_arithmetic.cpython-310.pyc
|       test_comparisons.cpython-310.pyc
|       test_constructors.cpython-310.pyc
|       test_formats.cpython-310.pyc
|       test_rendering.cpython-310.pyc
|       test_timestamp.cpython-310.pyc
|       test_timezones.cpython-310.pyc
|       test_unary_ops.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       test_nat.cpython-310.pyc
|       test_na_scalar.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---series
|   test_api.py
|   test_arithmetic.py

```

```
test_constructors.py
test_cumulative.py
test_iteration.py
test_logical_ops.py
test_missing.py
test_npfuncs.py
test_reductions.py
test_repr.py
test_subclass.py
test_ufunc.py
test_unary.py
test_validate.py
__init__.py
```

+++accessors

```
test_cat_accessor.py
test_dt_accessor.py
test_sparse_accessor.py
test_str_accessor.py
__init__.py
```

\---__pycache__

```
test_cat_accessor.cpython-310.pyc
test_dt_accessor.cpython-310.pyc
test_sparse_accessor.cpython-310.pyc
test_str_accessor.cpython-310.pyc
__init__.cpython-310.pyc
```

+++indexing

```
test_datetime.py
test_delitem.py
test_get.py
test_getitem.py
test_indexing.py
test_mask.py
test_setitem.py
test_set_value.py
test_take.py
test_where.py
test_xs.py
__init__.py
```

\---__pycache__

```
test_datetime.cpython-310.pyc
test_delitem.cpython-310.pyc
test_get.cpython-310.pyc
test_getitem.cpython-310.pyc
test_indexing.cpython-310.pyc
test_mask.cpython-310.pyc
test_setitem.cpython-310.pyc
test_set_value.cpython-310.pyc
test_take.cpython-310.pyc
test_where.cpython-310.pyc
test_xs.cpython-310.pyc
__init__.cpython-310.pyc
```

+++methods

```
test_add_prefix_suffix.py
test_align.py
test_argsort.py
test_asof.py
test_astype.py
test_autocorr.py
test_between.py
test_clip.py
test_combine.py
test_combine_first.py
test_compare.py
```

```
test_convert_dtypes.py
test_copy.py
test_count.py
test_cov_corr.py
test_describe.py
test_diff.py
test_drop.py
test_dropna.py
test_drop_duplicates.py
test_dtypes.py
test_duplicated.py
test_equals.py
test_explode.py
test_fillna.py
test_get_numeric_data.py
test_head_tail.py
test_infer_objects.py
test_interpolate.py
test_isin.py
test_isna.py
test_is_monotonic.py
test_is_unique.py
test_item.py
test_map.py
test_matmul.py
test_nlargest.py
test_nunique.py
test_pct_change.py
test_pop.py
test_quantile.py
test_rank.py
test_reindex.py
test_reindex_like.py
test_rename.py
test_rename_axis.py
test_repeat.py
test_replace.py
test_reset_index.py
test_round.py
test_searchsorted.py
test_set_name.py
test_size.py
test_sort_index.py
test_sort_values.py
test_tolist.py
test_to_csv.py
test_to_dict.py
test_to_frame.py
test_to_numpy.py
test_truncate.py
test_tz_localize.py
test_unique.py
test_unstack.py
test_update.py
test_values.py
test_value_counts.py
test_view.py
__init__.py
\---__pycache__
    test_add_prefix_suffix.cpython-310.pyc
    test_align.cpython-310.pyc
    test_argsort.cpython-310.pyc
    test_asof.cpython-310.pyc
    test_astype.cpython-310.pyc
    test_autocorr.cpython-310.pyc
    test_between.cpython-310.pyc
    test_clip.cpython-310.pyc
```



```
test_combine.cpython-310.pyc
test_combine_first.cpython-310.pyc
test_compare.cpython-310.pyc
test_convert_dtypes.cpython-310.pyc
test_copy.cpython-310.pyc
test_count.cpython-310.pyc
test_cov_corr.cpython-310.pyc
test_describe.cpython-310.pyc
test_diff.cpython-310.pyc
test_drop.cpython-310.pyc
test_dropna.cpython-310.pyc
test_drop_duplicates.cpython-310.pyc
test_dtypes.cpython-310.pyc
test_duplicated.cpython-310.pyc
test_equals.cpython-310.pyc
test_explode.cpython-310.pyc
test_fillna.cpython-310.pyc
test_get_numeric_data.cpython-310.pyc
test_head_tail.cpython-310.pyc
test_infer_objects.cpython-310.pyc
test_interpolate.cpython-310.pyc
test_isin.cpython-310.pyc
test_isna.cpython-310.pyc
test_is_monotonic.cpython-310.pyc
test_is_unique.cpython-310.pyc
test_item.cpython-310.pyc
test_map.cpython-310.pyc
test_matmul.cpython-310.pyc
test_nlargest.cpython-310.pyc
test_nunique.cpython-310.pyc
test_pct_change.cpython-310.pyc
test_pop.cpython-310.pyc
test_quantile.cpython-310.pyc
test_rank.cpython-310.pyc
test_reindex.cpython-310.pyc
test_reindex_like.cpython-310.pyc
test_rename.cpython-310.pyc
test_rename_axis.cpython-310.pyc
test_repeat.cpython-310.pyc
test_replace.cpython-310.pyc
test_reset_index.cpython-310.pyc
test_round.cpython-310.pyc
test_searchsorted.cpython-310.pyc
test_set_name.cpython-310.pyc
test_size.cpython-310.pyc
test_sort_index.cpython-310.pyc
test_sort_values.cpython-310.pyc
test_tolist.cpython-310.pyc
test_to_csv.cpython-310.pyc
test_to_dict.cpython-310.pyc
test_to_frame.cpython-310.pyc
test_to_numpy.cpython-310.pyc
test_truncate.cpython-310.pyc
test_tz_localize.cpython-310.pyc
test_unique.cpython-310.pyc
test_unstack.cpython-310.pyc
test_update.cpython-310.pyc
test_values.cpython-310.pyc
test_value_counts.cpython-310.pyc
test_view.cpython-310.pyc
__init__.cpython-310.pyc
```

```
\---__pycache__
```

```
test_api.cpython-310.pyc
test_arithmetic.cpython-310.pyc
test_constructors.cpython-310.pyc
test_cumulative.cpython-310.pyc
test_iteration.cpython-310.pyc
```

```

test_logical_ops.cpython-310.pyc
test_missing.cpython-310.pyc
test_npfuncs.cpython-310.pyc
test_reductions.cpython-310.pyc
test_repr.cpython-310.pyc
test_subclass.cpython-310.pyc
test_ufunc.cpython-310.pyc
test_unary.cpython-310.pyc
test_validate.cpython-310.pyc
__init__.cpython-310.pyc
+---strings
|   conftest.py
|   test_api.py
|   test_case_justify.py
|   test_cat.py
|   test_extract.py
|   test_find_replace.py
|   test_get_dummies.py
|   test_split_partition.py
|   test_strings.py
|   test_string_array.py
|   __init__.py
|
|   \---__pycache__
|       conftest.cpython-310.pyc
|       test_api.cpython-310.pyc
|       test_case_justify.cpython-310.pyc
|       test_cat.cpython-310.pyc
|       test_extract.cpython-310.pyc
|       test_find_replace.cpython-310.pyc
|       test_get_dummies.cpython-310.pyc
|       test_split_partition.cpython-310.pyc
|       test_strings.cpython-310.pyc
|       test_string_array.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---tools
|   test_to_datetime.py
|   test_to_numeric.py
|   test_to_time.py
|   test_to_timedelta.py
|   __init__.py
|
|   \---__pycache__
|       test_to_datetime.cpython-310.pyc
|       test_to_numeric.cpython-310.pyc
|       test_to_time.cpython-310.pyc
|       test_to_timedelta.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---tseries
|   __init__.py
|
|   +---frequencies
|       |   test_frequencies.py
|       |   test_freq_code.py
|       |   test_inference.py
|       |   __init__.py
|       |
|       |   \---__pycache__
|           |       test_frequencies.cpython-310.pyc
|           |       test_freq_code.cpython-310.pyc
|           |       test_inference.cpython-310.pyc
|           |       __init__.cpython-310.pyc
|           |
|   +---holiday
|       |   test_calendar.py

```

```

test_federal.py
test_holiday.py
test_observance.py
__init__.py
\---__pycache__
    test_calendar.cpython-310.pyc
    test_federal.cpython-310.pyc
    test_holiday.cpython-310.pyc
    test_observance.cpython-310.pyc
    __init__.cpython-310.pyc
+---offsets
    common.py
    conftest.py
    test_business_day.py
    test_business_hour.py
    test_business_month.py
    test_business_quarter.py
    test_business_year.py
    test_common.py
    test_custom_business_day.py
    test_custom_business_hour.py
    test_custom_business_month.py
    test_dst.py
    test_easter.py
    test_fiscal.py
    test_index.py
    test_month.py
    test_offsets.py
    test_offsets_properties.py
    test_quarter.py
    test_ticks.py
    test_week.py
    test_year.py
    __init__.py
\---__pycache__
    common.cpython-310.pyc
    conftest.cpython-310.pyc
    test_business_day.cpython-310.pyc
    test_business_hour.cpython-310.pyc
    test_business_month.cpython-310.pyc
    test_business_quarter.cpython-310.pyc
    test_business_year.cpython-310.pyc
    test_common.cpython-310.pyc
    test_custom_business_day.cpython-310.pyc
    test_custom_business_hour.cpython-310.pyc
    test_custom_business_month.cpython-310.pyc
    test_dst.cpython-310.pyc
    test_easter.cpython-310.pyc
    test_fiscal.cpython-310.pyc
    test_index.cpython-310.pyc
    test_month.cpython-310.pyc
    test_offsets.cpython-310.pyc
    test_offsets_properties.cpython-310.pyc
    test_quarter.cpython-310.pyc
    test_ticks.cpython-310.pyc
    test_week.cpython-310.pyc
    test_year.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    __init__.cpython-310.pyc
+---tslibs
    test_api.py
    test_array_to_datetime.py

```

```
test_ccalendar.py
test_conversion.py
test_fields.py
test_libfrequencies.py
test_liboffsets.py
test_np_datetime.py
test_parse_iso8601.py
test_parsing.py
test_period_asfreq.py
test_resolution.py
test_timedeltas.py
test_timezones.py
test_to_offset.py
test_tzconversion.py
__init__.py
```

```
\---__pycache__
```

```
test_api.cpython-310.pyc
test_array_to_datetime.cpython-310.pyc
test_ccalendar.cpython-310.pyc
test_conversion.cpython-310.pyc
test_fields.cpython-310.pyc
test_libfrequencies.cpython-310.pyc
test_liboffsets.cpython-310.pyc
test_np_datetime.cpython-310.pyc
test_parse_iso8601.cpython-310.pyc
test_parsing.cpython-310.pyc
test_period_asfreq.cpython-310.pyc
test_resolution.cpython-310.pyc
test_timedeltas.cpython-310.pyc
test_timezones.cpython-310.pyc
test_to_offset.cpython-310.pyc
test_tzconversion.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---util
```

```
conftest.py
test_assert_almost_equal.py
test_assert_attr_equal.py
test_assert_categorical_equal.py
test_assert_extension_array_equal.py
test_assert_frame_equal.py
test_assert_index_equal.py
test_assert_interval_array_equal.py
test_assert_numpy_array_equal.py
test_assert_produces_warning.py
test_assert_series_equal.py
test_deprecate.py
test_deprecate_kwarg.py
test_deprecate_nonkeyword_arguments.py
test_doc.py
test_hashing.py
test_make_objects.py
test_numba.py
test_rewrite_warning.py
test_safe_import.py
test_shares_memory.py
test_show_versions.py
test_util.py
test_validate_args.py
test_validate_args_and_kwargs.py
test_validate_inclusive.py
test_validate_kwargs.py
__init__.py
```

```
\---__pycache__
```

```
conftest.cpython-310.pyc
test_assert_almost_equal.cpython-310.pyc
```

```

test_assert_attr_equal.cpython-310.pyc
test_assert_categorical_equal.cpython-310.pyc
test_assert_extension_array_equal.cpython-310.pyc
test_assert_frame_equal.cpython-310.pyc
test_assert_index_equal.cpython-310.pyc
test_assert_interval_array_equal.cpython-310.pyc
test_assert_numpy_array_equal.cpython-310.pyc
test_assert_produces_warning.cpython-310.pyc
test_assert_series_equal.cpython-310.pyc
test_deprecate.cpython-310.pyc
test_deprecate_kwarg.cpython-310.pyc
test_deprecate_nonkeyword_arguments.cpython-310.pyc
test_doc.cpython-310.pyc
test_hashing.cpython-310.pyc
test_make_objects.cpython-310.pyc
test_numba.cpython-310.pyc
test_rewrite_warning.cpython-310.pyc
test_safe_import.cpython-310.pyc
test_shares_memory.cpython-310.pyc
test_show_versions.cpython-310.pyc
test_util.cpython-310.pyc
test_validate_args.cpython-310.pyc
test_validate_args_and_kwargs.cpython-310.pyc
test_validate_inclusive.cpython-310.pyc
test_validate_kwargs.cpython-310.pyc
__init__.cpython-310.pyc

```

+---window

```

conftest.py
test_api.py
test_apply.py
test_base_indexer.py
test_cython_aggregations.py
test_dtypes.py
test_ewm.py
test_expanding.py
test_groupby.py
test_numba.py
test_online.py
test_pairwise.py
test_rolling.py
test_rolling_functions.py
test_rolling_quantile.py
test_rolling_skew_kurt.py
test_timeseries_window.py
test_win_type.py
__init__.py

```

+---moments

```

conftest.py
test_moments_consistency_ewm.py
test_moments_consistency_expanding.py
test_moments_consistency_rolling.py
__init__.py

```

\---__pycache__

```

conftest.cpython-310.pyc
test_moments_consistency_ewm.cpython-310.pyc
test_moments_consistency_expanding.cpython-310.pyc
test_moments_consistency_rolling.cpython-310.pyc
__init__.cpython-310.pyc

```

\---__pycache__

```

conftest.cpython-310.pyc
test_api.cpython-310.pyc
test_apply.cpython-310.pyc
test_base_indexer.cpython-310.pyc
test_cython_aggregations.cpython-310.pyc

```

```

        test_dtypes.cpython-310.pyc
        test_ewm.cpython-310.pyc
        test_expanding.cpython-310.pyc
        test_groupby.cpython-310.pyc
        test_numba.cpython-310.pyc
        test_online.cpython-310.pyc
        test_pairwise.cpython-310.pyc
        test_rolling.cpython-310.pyc
        test_rolling_functions.cpython-310.pyc
        test_rolling_quantile.cpython-310.pyc
        test_rolling_skew_kurt.cpython-310.pyc
        test_timeseries_window.cpython-310.pyc
        test_win_type.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        test_aggregation.cpython-310.pyc
        test_algos.cpython-310.pyc
        test_common.cpython-310.pyc
        test_downstream.cpython-310.pyc
        test_errors.cpython-310.pyc
        test_expressions.cpython-310.pyc
        test_flags.cpython-310.pyc
        test_multilevel.cpython-310.pyc
        test_nanops.cpython-310.pyc
        test_optional_dependency.cpython-310.pyc
        test_register_accessor.cpython-310.pyc
        test_sorting.cpython-310.pyc
        test_take.cpython-310.pyc
        __init__.cpython-310.pyc
+---tseries
    |
    |   api.py
    |   frequencies.py
    |   holiday.py
    |   offsets.py
    |   __init__.py
    |
    |   \---__pycache__
    |       api.cpython-310.pyc
    |       frequencies.cpython-310.pyc
    |       holiday.cpython-310.pyc
    |       offsets.cpython-310.pyc
    |       __init__.cpython-310.pyc
+---util
    |
    |   _decorators.py
    |   _doctools.py
    |   _exceptions.py
    |   _print_versions.py
    |   _tester.py
    |   _test_decorators.py
    |   _validators.py
    |   __init__.py
+---version
    |
    |   __init__.py
    |
    |   \---__pycache__
    |       __init__.cpython-310.pyc
    |
    |   \---__pycache__
    |       _decorators.cpython-310.pyc
    |       _doctools.cpython-310.pyc
    |       _exceptions.cpython-310.pyc
    |       _print_versions.cpython-310.pyc
    |       _tester.cpython-310.pyc
    |       _test_decorators.cpython-310.pyc

```

```

        _validators.cpython-310.pyc
        __init__.cpython-310.pyc
+---_config
|   config.py
|   dates.py
|   display.py
|   localization.py
|   __init__.py
|
|   \---__pycache__
|       config.cpython-310.pyc
|       dates.cpython-310.pyc
|       display.cpython-310.pyc
|       localization.cpython-310.pyc
|       __init__.cpython-310.pyc
+---_libs
|   algos.cp310-win_amd64.lib
|   algos.cp310-win_amd64.pyd
|   algos.pyi
|   arrays.cp310-win_amd64.lib
|   arrays.cp310-win_amd64.pyd
|   arrays.pyi
|   byteswap.cp310-win_amd64.lib
|   byteswap.cp310-win_amd64.pyd
|   byteswap.pyi
|   groupby.cp310-win_amd64.lib
|   groupby.cp310-win_amd64.pyd
|   groupby.pyi
|   hashing.cp310-win_amd64.lib
|   hashing.cp310-win_amd64.pyd
|   hashing.pyi
|   hashtable.cp310-win_amd64.lib
|   hashtable.cp310-win_amd64.pyd
|   hashtable.pyi
|   index.cp310-win_amd64.lib
|   index.cp310-win_amd64.pyd
|   index.pyi
|   indexing.cp310-win_amd64.lib
|   indexing.cp310-win_amd64.pyd
|   indexing.pyi
|   internals.cp310-win_amd64.lib
|   internals.cp310-win_amd64.pyd
|   internals.pyi
|   interval.cp310-win_amd64.lib
|   interval.cp310-win_amd64.pyd
|   interval.pyi
|   join.cp310-win_amd64.lib
|   join.cp310-win_amd64.pyd
|   join.pyi
|   json.cp310-win_amd64.lib
|   json.cp310-win_amd64.pyd
|   json.pyi
|   lib.cp310-win_amd64.lib
|   lib.cp310-win_amd64.pyd
|   lib.pyi
|   missing.cp310-win_amd64.lib
|   missing.cp310-win_amd64.pyd
|   missing.pyi
|   ops.cp310-win_amd64.lib
|   ops.cp310-win_amd64.pyd
|   ops.pyi
|   ops_dispatch.cp310-win_amd64.lib
|   ops_dispatch.cp310-win_amd64.pyd
|   ops_dispatch.pyi
|   pandas_datetime.cp310-win_amd64.lib
|   pandas_datetime.cp310-win_amd64.pyd

```

```
pandas_parser.cp310-win_amd64.lib
pandas_parser.cp310-win_amd64.pyd
parsers.cp310-win_amd64.lib
parsers.cp310-win_amd64.pyd
parsers.pyi
properties.cp310-win_amd64.lib
properties.cp310-win_amd64.pyd
properties.pyi
reshape.cp310-win_amd64.lib
reshape.cp310-win_amd64.pyd
reshape.pyi
sas.cp310-win_amd64.lib
sas.cp310-win_amd64.pyd
sas.pyi
sparse.cp310-win_amd64.lib
sparse.cp310-win_amd64.pyd
sparse.pyi
testing.cp310-win_amd64.lib
testing.cp310-win_amd64.pyd
testing.pyi
tslib.cp310-win_amd64.lib
tslib.cp310-win_amd64.pyd
tslib.pyi
writers.cp310-win_amd64.lib
writers.cp310-win_amd64.pyd
writers.pyi
__init__.py
```

----tslibs

```
base.cp310-win_amd64.lib
base.cp310-win_amd64.pyd
ccalendar.cp310-win_amd64.lib
ccalendar.cp310-win_amd64.pyd
ccalendar.pyi
conversion.cp310-win_amd64.lib
conversion.cp310-win_amd64.pyd
conversion.pyi
dtypes.cp310-win_amd64.lib
dtypes.cp310-win_amd64.pyd
dtypes.pyi
fields.cp310-win_amd64.lib
fields.cp310-win_amd64.pyd
fields.pyi
nattype.cp310-win_amd64.lib
nattype.cp310-win_amd64.pyd
nattype.pyi
np_datetime.cp310-win_amd64.lib
np_datetime.cp310-win_amd64.pyd
np_datetime.pyi
offsets.cp310-win_amd64.lib
offsets.cp310-win_amd64.pyd
offsets.pyi
parsing.cp310-win_amd64.lib
parsing.cp310-win_amd64.pyd
parsing.pyi
period.cp310-win_amd64.lib
period.cp310-win_amd64.pyd
period.pyi
strptime.cp310-win_amd64.lib
strptime.cp310-win_amd64.pyd
strptime.pyi
timedeltas.cp310-win_amd64.lib
timedeltas.cp310-win_amd64.pyd
timedeltas.pyi
timestamps.cp310-win_amd64.lib
timestamps.cp310-win_amd64.pyd
timestamps.pyi
timezones.cp310-win_amd64.lib
```



```

timezones.cp310-win_amd64.pyd
timezones.pyi
tzconversion.cp310-win_amd64.lib
tzconversion.cp310-win_amd64.pyd
tzconversion.pyi
vectorized.cp310-win_amd64.lib
vectorized.cp310-win_amd64.pyd
vectorized.pyi
__init__.py
\---__pycache__
    __init__.cpython-310.pyc
+---window
    aggregations.cp310-win_amd64.lib
    aggregations.cp310-win_amd64.pyd
    aggregations.pyi
    indexers.cp310-win_amd64.lib
    indexers.cp310-win_amd64.pyd
    indexers.pyi
    __init__.py
\---__pycache__
    __init__.cpython-310.pyc
\---__pycache__
    __init__.cpython-310.pyc
+---_testing
    asserters.py
    compat.py
    contexts.py
    _hypothesis.py
    _io.py
    _warnings.py
    __init__.py
\---__pycache__
    asserters.cpython-310.pyc
    compat.cpython-310.pyc
    contexts.cpython-310.pyc
    _hypothesis.cpython-310.pyc
    _io.cpython-310.pyc
    _warnings.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    conftest.cpython-310.pyc
    testing.cpython-310.pyc
    _typing.cpython-310.pyc
    _version.cpython-310.pyc
    _version_meson.cpython-310.pyc
    __init__.cpython-310.pyc
+---pandas-2.1.4.dist-info
    DELVEWHEEL
    entry_points.txt
    INSTALLER
    LICENSE
    METADATA
    RECORD
    REQUESTED
    WHEEL
+---pandas.libs
    msvcpl40-fa0758dedafbbe194d3ee96e3dc2b9a3.dll
+---pdf2image

```

```

        exceptions.py
        generators.py
        parsers.py
        pdf2image.py
        py.typed
        __init__.py
+---pdf2image-1.17.0.dist-info
        INSTALLER
        LICENSE
        METADATA
        RECORD
        REQUESTED
        top_level.txt
        WHEEL
+---pdfminer
        arcfour.py
        ascii85.py
        casting.py
        ccitt.py
        cmapdb.py
        converter.py
        data_structures.py
        encodingdb.py
        fontmetrics.py
        glyphlist.py
        high_level.py
        image.py
        jbig2.py
        latin_enc.py
        layout.py
        lzw.py
        pdfcolor.py
        pdfdevice.py
        pdfdocument.py
        pdfexceptions.py
        pdffont.py
        pdfinterp.py
        pdfpage.py
        pdfparser.py
        pdftypes.py
        psexceptions.py
        psparser.py
        py.typed
        runlength.py
        settings.py
        utils.py
        _saslprep.py
        __init__.py
+---cmap
        78-EUC-H.pickle.gz
        78-EUC-V.pickle.gz
        78-H.pickle.gz
        78-RKSJ-H.pickle.gz
        78-RKSJ-V.pickle.gz
        78-V.pickle.gz
        78ms-RKSJ-H.pickle.gz
        78ms-RKSJ-V.pickle.gz
        83pv-RKSJ-H.pickle.gz
        83pv-RKSJ-V.pickle.gz
        90ms-RKSJ-H.pickle.gz
        90ms-RKSJ-V.pickle.gz
        90msp-RKSJ-H.pickle.gz
        90msp-RKSJ-V.pickle.gz
        90pv-RKSJ-H.pickle.gz
        90pv-RKSJ-V.pickle.gz

```

Add-H.pickle.gz
Add-RKSJ-H.pickle.gz
Add-RKSJ-V.pickle.gz
Add-V.pickle.gz
B5-H.pickle.gz
B5-V.pickle.gz
B5pc-H.pickle.gz
B5pc-V.pickle.gz
CNS-EUC-H.pickle.gz
CNS-EUC-V.pickle.gz
CNS1-H.pickle.gz
CNS1-V.pickle.gz
CNS2-H.pickle.gz
CNS2-V.pickle.gz
ETen-B5-H.pickle.gz
ETen-B5-V.pickle.gz
ETenms-B5-H.pickle.gz
ETenms-B5-V.pickle.gz
ETHK-B5-H.pickle.gz
ETHK-B5-V.pickle.gz
EUC-H.pickle.gz
EUC-V.pickle.gz
Ext-H.pickle.gz
Ext-RKSJ-H.pickle.gz
Ext-RKSJ-V.pickle.gz
Ext-V.pickle.gz
GB-EUC-H.pickle.gz
GB-EUC-V.pickle.gz
GB-H.pickle.gz
GB-V.pickle.gz
GBK-EUC-H.pickle.gz
GBK-EUC-V.pickle.gz
GBK2K-H.pickle.gz
GBK2K-V.pickle.gz
GBKp-EUC-H.pickle.gz
GBKp-EUC-V.pickle.gz
GBpc-EUC-H.pickle.gz
GBpc-EUC-V.pickle.gz
GBT-EUC-H.pickle.gz
GBT-EUC-V.pickle.gz
GBT-H.pickle.gz
GBT-V.pickle.gz
GBTpc-EUC-H.pickle.gz
GBTpc-EUC-V.pickle.gz
H.pickle.gz
Hankaku-H.pickle.gz
Hankaku-V.pickle.gz
Hiragana-H.pickle.gz
Hiragana-V.pickle.gz
HKdla-B5-H.pickle.gz
HKdla-B5-V.pickle.gz
HKdlb-B5-H.pickle.gz
HKdlb-B5-V.pickle.gz
HKgccs-B5-H.pickle.gz
HKgccs-B5-V.pickle.gz
HKm314-B5-H.pickle.gz
HKm314-B5-V.pickle.gz
HKm471-B5-H.pickle.gz
HKm471-B5-V.pickle.gz
HKscs-B5-H.pickle.gz
HKscs-B5-V.pickle.gz
Katakana-H.pickle.gz
Katakana-V.pickle.gz
KSC-EUC-H.pickle.gz
KSC-EUC-V.pickle.gz
KSC-H.pickle.gz
KSC-Johab-H.pickle.gz
KSC-Johab-V.pickle.gz

KSC-V.pickle.gz
KSCms-UHC-H.pickle.gz
KSCms-UHC-HW-H.pickle.gz
KSCms-UHC-HW-V.pickle.gz
KSCms-UHC-V.pickle.gz
KSCpc-EUC-H.pickle.gz
KSCpc-EUC-V.pickle.gz
NWP-H.pickle.gz
NWP-V.pickle.gz
README.txt
RKSJ-H.pickle.gz
RKSJ-V.pickle.gz
Roman-H.pickle.gz
Roman-V.pickle.gz
to-unicode-Adobe-CNS1.pickle.gz
to-unicode-Adobe-GB1.pickle.gz
to-unicode-Adobe-Japan1.pickle.gz
to-unicode-Adobe-Koreal.pickle.gz
UniCNS-UCS2-H.pickle.gz
UniCNS-UCS2-V.pickle.gz
UniCNS-UTF16-H.pickle.gz
UniCNS-UTF16-V.pickle.gz
UniCNS-UTF32-H.pickle.gz
UniCNS-UTF32-V.pickle.gz
UniCNS-UTF8-H.pickle.gz
UniCNS-UTF8-V.pickle.gz
UniGB-UCS2-H.pickle.gz
UniGB-UCS2-V.pickle.gz
UniGB-UTF16-H.pickle.gz
UniGB-UTF16-V.pickle.gz
UniGB-UTF32-H.pickle.gz
UniGB-UTF32-V.pickle.gz
UniGB-UTF8-H.pickle.gz
UniGB-UTF8-V.pickle.gz
UniJIS-UCS2-H.pickle.gz
UniJIS-UCS2-HW-H.pickle.gz
UniJIS-UCS2-HW-V.pickle.gz
UniJIS-UCS2-V.pickle.gz
UniJIS-UTF16-H.pickle.gz
UniJIS-UTF16-V.pickle.gz
UniJIS-UTF32-H.pickle.gz
UniJIS-UTF32-V.pickle.gz
UniJIS-UTF8-H.pickle.gz
UniJIS-UTF8-V.pickle.gz
UniJIS2004-UTF16-H.pickle.gz
UniJIS2004-UTF16-V.pickle.gz
UniJIS2004-UTF32-H.pickle.gz
UniJIS2004-UTF32-V.pickle.gz
UniJIS2004-UTF8-H.pickle.gz
UniJIS2004-UTF8-V.pickle.gz
UniJISX0213-UTF32-H.pickle.gz
UniJISX0213-UTF32-V.pickle.gz
UniJISX02132004-UTF32-H.pickle.gz
UniJISX02132004-UTF32-V.pickle.gz
UniKS-UCS2-H.pickle.gz
UniKS-UCS2-V.pickle.gz
UniKS-UTF16-H.pickle.gz
UniKS-UTF16-V.pickle.gz
UniKS-UTF32-H.pickle.gz
UniKS-UTF32-V.pickle.gz
UniKS-UTF8-H.pickle.gz
UniKS-UTF8-V.pickle.gz
V.pickle.gz
WP-Symbol-H.pickle.gz
WP-Symbol-V.pickle.gz

\---__pycache__
arcfour.cpython-310.pyc

```
ascii85.cpython-310.pyc
casting.cpython-310.pyc
ccitt.cpython-310.pyc
cmapdb.cpython-310.pyc
converter.cpython-310.pyc
data_structures.cpython-310.pyc
encodingdb.cpython-310.pyc
fontmetrics.cpython-310.pyc
glyphlist.cpython-310.pyc
high_level.cpython-310.pyc
image.cpython-310.pyc
jbig2.cpython-310.pyc
latin_enc.cpython-310.pyc
layout.cpython-310.pyc
lzw.cpython-310.pyc
pdfcolor.cpython-310.pyc
pdfdevice.cpython-310.pyc
pdfdocument.cpython-310.pyc
pdfexceptions.cpython-310.pyc
pdffont.cpython-310.pyc
pdfinterp.cpython-310.pyc
pdfpage.cpython-310.pyc
pdfparser.cpython-310.pyc
pdftypes.cpython-310.pyc
psexceptions.cpython-310.pyc
psparser.cpython-310.pyc
runlength.cpython-310.pyc
settings.cpython-310.pyc
utils.cpython-310.pyc
_saslprep.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---pdfminer_six-20251107.dist-info
```

```
INSTALLER
METADATA
RECORD
REQUESTED
top_level.txt
WHEEL
```

```
\---licenses
LICENSE
```

```
+---pdfplumber
```

```
cli.py
container.py
convert.py
ctm.py
display.py
page.py
pdf.py
py.typed
repair.py
structure.py
table.py
_typing.py
_version.py
__init__.py
```

```
+---utils
```

```
clustering.py
exceptions.py
generic.py
geometry.py
pdfinternals.py
text.py
__init__.py
```

```

\---__pycache__
    clustering.cpython-310.pyc
    exceptions.cpython-310.pyc
    generic.cpython-310.pyc
    geometry.cpython-310.pyc
    pdfinternals.cpython-310.pyc
    text.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    cli.cpython-310.pyc
    container.cpython-310.pyc
    convert.cpython-310.pyc
    ctm.cpython-310.pyc
    display.cpython-310.pyc
    page.cpython-310.pyc
    pdf.cpython-310.pyc
    repair.cpython-310.pyc
    structure.cpython-310.pyc
    table.cpython-310.pyc
    _typing.cpython-310.pyc
    _version.cpython-310.pyc
    __init__.cpython-310.pyc

+---pdfplumber-0.11.8.dist-info
    entry_points.txt
    INSTALLER
    METADATA
    RECORD
    REQUESTED
    top_level.txt
    WHEEL

\---licenses
    LICENSE.txt

+---PIL
    BdfFontFile.py
    BlpImagePlugin.py
    BmpImagePlugin.py
    BufrStubImagePlugin.py
    ContainerIO.py
    CurImagePlugin.py
    DcxImagePlugin.py
    DdsImagePlugin.py
    EpsImagePlugin.py
    ExifTags.py
    features.py
    FitsImagePlugin.py
    FliImagePlugin.py
    FontFile.py
    FpxImagePlugin.py
    FtexImagePlugin.py
    GbrImagePlugin.py
    GdImageFile.py
    GifImagePlugin.py
    GimpGradientFile.py
    GimpPaletteFile.py
    GribStubImagePlugin.py
    Hdf5StubImagePlugin.py
    IcnsImagePlugin.py
    IcoImagePlugin.py
    Image.py
    ImageChops.py
    ImageCms.py
    ImageColor.py
    ImageDraw.py
    ImageDraw2.py

```

ImageEnhance.py
ImageFile.py
ImageFilter.py
ImageFont.py
ImageGrab.py
ImageMath.py
ImageMode.py
ImageMorph.py
ImageOps.py
ImagePalette.py
ImagePath.py
ImageQt.py
ImageSequence.py
ImageShow.py
ImageStat.py
ImageTk.py
ImageTransform.py
ImageWin.py
ImImagePlugin.py
ImtImagePlugin.py
IptcImagePlugin.py
Jpeg2KImagePlugin.py
JpegImagePlugin.py
JpegPresets.py
McIdasImagePlugin.py
MicImagePlugin.py
MpegImagePlugin.py
MpoImagePlugin.py
MspImagePlugin.py
PaletteFile.py
PalmImagePlugin.py
PcdImagePlugin.py
PcfFontFile.py
PcxImagePlugin.py
PdfImagePlugin.py
PdfParser.py
PixarImagePlugin.py
PngImagePlugin.py
PpmImagePlugin.py
PsdImagePlugin.py
PSDraw.py
PyAccess.py
QoiImagePlugin.py
SgiImagePlugin.py
SpiderImagePlugin.py
SunImagePlugin.py
TarIO.py
TgaImagePlugin.py
TiffImagePlugin.py
TiffTags.py
WallImageFile.py
WebPImagePlugin.py
WmfImagePlugin.py
XbmImagePlugin.py
XpmImagePlugin.py
XVThumbImagePlugin.py
_binary.py
_deprecate.py
_imaging.cp310-win_amd64.pyd
_imagingcms.cp310-win_amd64.pyd
_imagingft.cp310-win_amd64.pyd
_imagingmath.cp310-win_amd64.pyd
_imagingmorph.cp310-win_amd64.pyd
_imagingtk.cp310-win_amd64.pyd
_tkinter_finder.py
_util.py
_version.py
_webp.cp310-win_amd64.pyd

```
__init__.py
__main__.py
\---__pycache__
    BdfFontFile.cpython-310.pyc
    BlpImagePlugin.cpython-310.pyc
    BmpImagePlugin.cpython-310.pyc
    BufrStubImagePlugin.cpython-310.pyc
    ContainerIO.cpython-310.pyc
    CurImagePlugin.cpython-310.pyc
    DcxImagePlugin.cpython-310.pyc
    DdsImagePlugin.cpython-310.pyc
    EpsImagePlugin.cpython-310.pyc
    ExifTags.cpython-310.pyc
    features.cpython-310.pyc
    FitsImagePlugin.cpython-310.pyc
    FliImagePlugin.cpython-310.pyc
    FontFile.cpython-310.pyc
    FpxImagePlugin.cpython-310.pyc
    FtexImagePlugin.cpython-310.pyc
    GbrImagePlugin.cpython-310.pyc
    GdImageFile.cpython-310.pyc
    GifImagePlugin.cpython-310.pyc
    GimpGradientFile.cpython-310.pyc
    GimpPaletteFile.cpython-310.pyc
    GribStubImagePlugin.cpython-310.pyc
    Hdf5StubImagePlugin.cpython-310.pyc
    IcnsImagePlugin.cpython-310.pyc
    IcoImagePlugin.cpython-310.pyc
    Image.cpython-310.pyc
    ImageChops.cpython-310.pyc
    ImageCms.cpython-310.pyc
    ImageColor.cpython-310.pyc
    ImageDraw.cpython-310.pyc
    ImageDraw2.cpython-310.pyc
    ImageEnhance.cpython-310.pyc
    ImageFile.cpython-310.pyc
    ImageFilter.cpython-310.pyc
    ImageFont.cpython-310.pyc
    ImageGrab.cpython-310.pyc
    ImageMath.cpython-310.pyc
    ImageMode.cpython-310.pyc
    ImageMorph.cpython-310.pyc
    ImageOps.cpython-310.pyc
    ImagePalette.cpython-310.pyc
    ImagePath.cpython-310.pyc
    ImageQt.cpython-310.pyc
    ImageSequence.cpython-310.pyc
    ImageShow.cpython-310.pyc
    ImageStat.cpython-310.pyc
    ImageTk.cpython-310.pyc
    ImageTransform.cpython-310.pyc
    ImageWin.cpython-310.pyc
    ImImagePlugin.cpython-310.pyc
    ImtImagePlugin.cpython-310.pyc
    IptcImagePlugin.cpython-310.pyc
    Jpeg2KImagePlugin.cpython-310.pyc
    JpegImagePlugin.cpython-310.pyc
    JpegPresets.cpython-310.pyc
    McIDASImagePlugin.cpython-310.pyc
    MicImagePlugin.cpython-310.pyc
    MpegImagePlugin.cpython-310.pyc
    MpoImagePlugin.cpython-310.pyc
    MspImagePlugin.cpython-310.pyc
    PaletteFile.cpython-310.pyc
    PalmImagePlugin.cpython-310.pyc
    PcdImagePlugin.cpython-310.pyc
    PcfFontFile.cpython-310.pyc
```



```
PcxImagePlugin.cpython-310.pyc
PdfImagePlugin.cpython-310.pyc
PdfParser.cpython-310.pyc
PixerImagePlugin.cpython-310.pyc
PngImagePlugin.cpython-310.pyc
PpmImagePlugin.cpython-310.pyc
PsdImagePlugin.cpython-310.pyc
PSDraw.cpython-310.pyc
PyAccess.cpython-310.pyc
QoiImagePlugin.cpython-310.pyc
SgiImagePlugin.cpython-310.pyc
SpiderImagePlugin.cpython-310.pyc
SunImagePlugin.cpython-310.pyc
TarIO.cpython-310.pyc
TgaImagePlugin.cpython-310.pyc
TiffImagePlugin.cpython-310.pyc
TiffTags.cpython-310.pyc
WalImageFile.cpython-310.pyc
WebPImagePlugin.cpython-310.pyc
WmfImagePlugin.cpython-310.pyc
XbmImagePlugin.cpython-310.pyc
XpmImagePlugin.cpython-310.pyc
XVThumbImagePlugin.cpython-310.pyc
_binary.cpython-310.pyc
_deprecate.cpython-310.pyc
_tkinter_finder.cpython-310.pyc
_util.cpython-310.pyc
_version.cpython-310.pyc
__init__.cpython-310.pyc
__main__.cpython-310.pyc
```

```
+---Pillow-10.1.0.dist-info
```

```
INSTALLER
LICENSE
METADATA
RECORD
REQUESTED
top_level.txt
WHEEL
zip-safe
```

```
+---pip
```

```
py.typed
__init__.py
__main__.py
__pip-runner__.py
```

```
+---_internal
```

```
build_env.py
cache.py
configuration.py
exceptions.py
main.py
pyproject.py
self_outdated_check.py
wheel_builder.py
__init__.py
```

```
+---cli
```

```
autocompletion.py
base_command.py
cmdoptions.py
command_context.py
index_command.py
main.py
main_parser.py
parser.py
progressBars.py
```

```

req_command.py
spinners.py
status_codes.py
__init__.py
\---__pycache__
    autocompletion.cpython-310.pyc
    base_command.cpython-310.pyc
    cmdoptions.cpython-310.pyc
    command_context.cpython-310.pyc
    index_command.cpython-310.pyc
    main.cpython-310.pyc
    main_parser.cpython-310.pyc
    parser.cpython-310.pyc
    progressBars.cpython-310.pyc
    req_command.cpython-310.pyc
    spinners.cpython-310.pyc
    status_codes.cpython-310.pyc
    __init__.cpython-310.pyc
+---commands
    cache.py
    check.py
    completion.py
    configuration.py
    debug.py
    download.py
    freeze.py
    hash.py
    help.py
    index.py
    inspect.py
    install.py
    list.py
    lock.py
    search.py
    show.py
    uninstall.py
    wheel.py
    __init__.py
\---__pycache__
    install.cpython-310.pyc
    list.cpython-310.pyc
    show.cpython-310.pyc
    uninstall.cpython-310.pyc
    __init__.cpython-310.pyc
+---distributions
    base.py
    installed.py
    sdist.py
    wheel.py
    __init__.py
\---__pycache__
    base.cpython-310.pyc
    installed.cpython-310.pyc
    sdist.cpython-310.pyc
    wheel.cpython-310.pyc
    __init__.cpython-310.pyc
+---index
    collector.py
    package_finder.py
    sources.py
    __init__.py

```

```

\---__pycache__
    collector.cpython-310.pyc
    package_finder.cpython-310.pyc
    sources.cpython-310.pyc
    __init__.cpython-310.pyc

+---locations
|
|   base.py
|   _distutils.py
|   _sysconfig.py
|   __init__.py
|
\---__pycache__
    base.cpython-310.pyc
    _sysconfig.cpython-310.pyc
    __init__.cpython-310.pyc

+---metadata
|
|   base.py
|   pkg_resources.py
|   _json.py
|   __init__.py
|
+---importlib
|
|   _compat.py
|   _dists.py
|   _envs.py
|   __init__.py
|
\---__pycache__
    base.cpython-310.pyc
    pkg_resources.cpython-310.pyc
    _json.cpython-310.pyc
    __init__.cpython-310.pyc

+---models
|
|   candidate.py
|   direct_url.py
|   format_control.py
|   index.py
|   installation_report.py
|   link.py
|   pylock.py
|   scheme.py
|   search_scope.py
|   selection_prefs.py
|   target_python.py
|   wheel.py
|   __init__.py
|
\---__pycache__
    candidate.cpython-310.pyc
    direct_url.cpython-310.pyc
    format_control.cpython-310.pyc
    index.cpython-310.pyc
    installation_report.cpython-310.pyc
    link.cpython-310.pyc
    scheme.cpython-310.pyc
    search_scope.cpython-310.pyc
    selection_prefs.cpython-310.pyc
    target_python.cpython-310.pyc
    wheel.cpython-310.pyc
    __init__.cpython-310.pyc

+---network
|
|   auth.py
|   cache.py
|   download.py

```

```

    lazy_wheel.py
    session.py
    utils.py
    xmlrpc.py
    __init__.py
\---__pycache__
    auth.cpython-310.pyc
    cache.cpython-310.pyc
    download.cpython-310.pyc
    lazy_wheel.cpython-310.pyc
    session.cpython-310.pyc
    utils.cpython-310.pyc
    __init__.cpython-310.pyc
+---operations
    check.py
    freeze.py
    prepare.py
    __init__.py
+---build
    build_tracker.py
    metadata.py
    metadata_editable.py
    wheel.py
    wheel_editable.py
    __init__.py
\---__pycache__
    build_tracker.cpython-310.pyc
    metadata.cpython-310.pyc
    metadata_editable.cpython-310.pyc
    wheel.cpython-310.pyc
    wheel_editable.cpython-310.pyc
    __init__.cpython-310.pyc
+---install
    wheel.py
    __init__.py
\---__pycache__
    wheel.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    check.cpython-310.pyc
    prepare.cpython-310.pyc
    __init__.cpython-310.pyc
+---req
    constructors.py
    req_dependency_group.py
    req_file.py
    req_install.py
    req_set.py
    req_uninstall.py
    __init__.py
\---__pycache__
    constructors.cpython-310.pyc
    req_dependency_group.cpython-310.pyc
    req_file.cpython-310.pyc
    req_install.cpython-310.pyc
    req_set.cpython-310.pyc
    req_uninstall.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---resolution
|   base.py
|   __init__.py
|
+---legacy
|   resolver.py
|   __init__.py
|
+---resolvelib
|   base.py
|   candidates.py
|   factory.py
|   found_candidates.py
|   provider.py
|   reporter.py
|   requirements.py
|   resolver.py
|   __init__.py
|
\---__pycache__
|   base.cpython-310.pyc
|   candidates.cpython-310.pyc
|   factory.cpython-310.pyc
|   found_candidates.cpython-310.pyc
|   provider.cpython-310.pyc
|   reporter.cpython-310.pyc
|   requirements.cpython-310.pyc
|   resolver.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   base.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---utils
|   appdirs.py
|   compat.py
|   compatibility_tags.py
|   datetime.py
|   deprecation.py
|   direct_url_helpers.py
|   egg_link.py
|   entrypoints.py
|   filesystem.py
|   filetypes.py
|   glibc.py
|   hashes.py
|   logging.py
|   misc.py
|   packaging.py
|   retry.py
|   subprocess.py
|   temp_dir.py
|   unpacking.py
|   urls.py
|   virtualenv.py
|   wheel.py
|   _jaraco_text.py
|   _log.py
|   __init__.py
|
\---__pycache__
|   appdirs.cpython-310.pyc
|   compat.cpython-310.pyc
|   compatibility_tags.cpython-310.pyc
|   deprecation.cpython-310.pyc
|   direct_url_helpers.cpython-310.pyc
|   egg_link.cpython-310.pyc

```

```

        entrypoints.cpython-310.pyc
        filesystem.cpython-310.pyc
        filetypes.cpython-310.pyc
        glibc.cpython-310.pyc
        hashes.cpython-310.pyc
        logging.cpython-310.pyc
        misc.cpython-310.pyc
        packaging.cpython-310.pyc
        retry.cpython-310.pyc
        subprocess.cpython-310.pyc
        temp_dir.cpython-310.pyc
        unpacking.cpython-310.pyc
        urls.cpython-310.pyc
        virtualenv.cpython-310.pyc
        wheel.cpython-310.pyc
        _jaraco_text.cpython-310.pyc
        _log.cpython-310.pyc
        __init__.cpython-310.pyc
+---vcs
|   bazaar.py
|   git.py
|   mercurial.py
|   subversion.py
|   versioncontrol.py
|   __init__.py
|
|   \---__pycache__
|       bazaar.cpython-310.pyc
|       git.cpython-310.pyc
|       mercurial.cpython-310.pyc
|       subversion.cpython-310.pyc
|       versioncontrol.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       build_env.cpython-310.pyc
|       cache.cpython-310.pyc
|       configuration.cpython-310.pyc
|       exceptions.cpython-310.pyc
|       pyproject.cpython-310.pyc
|       self_outdated_check.cpython-310.pyc
|       wheel_builder.cpython-310.pyc
|       __init__.cpython-310.pyc
+---_vendor
|   README.rst
|   vendor.txt
|   __init__.py
|
|   +---cachecontrol
|       adapter.py
|       cache.py
|       controller.py
|       filewrapper.py
|       heuristics.py
|       LICENSE.txt
|       py.typed
|       serialize.py
|       wrapper.py
|       _cmd.py
|       __init__.py
|
|   +---caches
|       file_cache.py
|       redis_cache.py
|       __init__.py

```

```

\---__pycache__
    file_cache.cpython-310.pyc
    redis_cache.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    adapter.cpython-310.pyc
    cache.cpython-310.pyc
    controller.cpython-310.pyc
    filewrapper.cpython-310.pyc
    serialize.cpython-310.pyc
    wrapper.cpython-310.pyc
    __init__.cpython-310.pyc

+---certifi
    cacert.pem
    core.py
    LICENSE
    py.typed
    __init__.py
    __main__.py

\---__pycache__
    core.cpython-310.pyc
    __init__.cpython-310.pyc

+---dependency_groups
    LICENSE.txt
    py.typed
    _implementation.py
    _lint_dependency_groups.py
    _pip_wrapper.py
    _toml_compat.py
    __init__.py
    __main__.py

\---__pycache__
    _implementation.cpython-310.pyc
    __init__.cpython-310.pyc

+---distlib
    compat.py
    LICENSE.txt
    resources.py
    scripts.py
    t32.exe
    t64-arm.exe
    t64.exe
    util.py
    w32.exe
    w64-arm.exe
    w64.exe
    __init__.py

\---__pycache__
    compat.cpython-310.pyc
    resources.cpython-310.pyc
    scripts.cpython-310.pyc
    util.cpython-310.pyc
    __init__.cpython-310.pyc

+---distro
    distro.py
    LICENSE
    py.typed
    __init__.py
    __main__.py

```

```

+---idna
|   codec.py
|   compat.py
|   core.py
|   idnadata.py
|   intranges.py
|   package_data.py
|   py.typed
|   uts46data.py
|   __init__.py
|
|   \---__pycache__
|       core.cpython-310.pyc
|       idnadata.cpython-310.pyc
|       intranges.cpython-310.pyc
|       package_data.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---msgpack
|   COPYING
|   exceptions.py
|   ext.py
|   fallback.py
|   __init__.py
|
|   \---__pycache__
|       exceptions.cpython-310.pyc
|       ext.cpython-310.pyc
|       fallback.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---packaging
|   LICENSE
|   LICENSE.APACHE
|   LICENSE.BSD
|   markers.py
|   metadata.py
|   py.typed
|   requirements.py
|   specifiers.py
|   tags.py
|   utils.py
|   version.py
|   _elffile.py
|   _manylinux.py
|   _musllinux.py
|   _parser.py
|   _structures.py
|   _tokenizer.py
|   __init__.py
|
+---licenses
|   _spdx.py
|   __init__.py
|
|   \---__pycache__
|       markers.cpython-310.pyc
|       requirements.cpython-310.pyc
|       specifiers.cpython-310.pyc
|       tags.cpython-310.pyc
|       utils.cpython-310.pyc
|       version.cpython-310.pyc
|       _elffile.cpython-310.pyc
|       _manylinux.cpython-310.pyc
|       _musllinux.cpython-310.pyc
|       _parser.cpython-310.pyc
|       _structures.cpython-310.pyc
|       _tokenizer.cpython-310.pyc

```



```

        __init__.cpython-310.pyc
+---pkg_resources
|   LICENSE
|   __init__.py
|
\---__pycache__
    __init__.cpython-310.pyc

+---platformdirs
|   android.py
|   api.py
|   LICENSE
|   macos.py
|   py.typed
|   unix.py
|   version.py
|   windows.py
|   __init__.py
|   __main__.py
|
\---__pycache__
    api.cpython-310.pyc
    version.cpython-310.pyc
    windows.cpython-310.pyc
    __init__.cpython-310.pyc

+---pygments
|   console.py
|   filter.py
|   formatter.py
|   lexer.py
|   LICENSE
|   modeline.py
|   plugin.py
|   regexopt.py
|   scanner.py
|   sphinxext.py
|   style.py
|   token.py
|   unistring.py
|   util.py
|   __init__.py
|   __main__.py
|
+---filters
|   __init__.py
|
\---__pycache__
    __init__.cpython-310.pyc

+---formatters
|   _mapping.py
|   __init__.py
|
+---lexers
|   python.py
|   _mapping.py
|   __init__.py
|
\---__pycache__
    _mapping.cpython-310.pyc
    __init__.cpython-310.pyc

+---styles
|   _mapping.py
|   __init__.py

```

```

\---__pycache__
    _mapping.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    filter.cpython-310.pyc
    lexer.cpython-310.pyc
    modeline.cpython-310.pyc
    plugin.cpython-310.pyc
    regexopt.cpython-310.pyc
    style.cpython-310.pyc
    token.cpython-310.pyc
    util.cpython-310.pyc
    __init__.cpython-310.pyc

+---pyproject_hooks
    LICENSE
    py.typed
    _impl.py
    __init__.py

+---_in_process
    _in_process.py
    __init__.py

    \---__pycache__
        __init__.cpython-310.pyc

\---__pycache__
    _impl.cpython-310.pyc
    __init__.cpython-310.pyc

+---requests
    adapters.py
    api.py
    auth.py
    certs.py
    compat.py
    cookies.py
    exceptions.py
    help.py
    hooks.py
    LICENSE
    models.py
    packages.py
    sessions.py
    status_codes.py
    structures.py
    utils.py
    _internal_utils.py
    __init__.py
    __version__.py

\---__pycache__
    adapters.cpython-310.pyc
    api.cpython-310.pyc
    auth.cpython-310.pyc
    certs.cpython-310.pyc
    compat.cpython-310.pyc
    cookies.cpython-310.pyc
    exceptions.cpython-310.pyc
    hooks.cpython-310.pyc
    models.cpython-310.pyc
    packages.cpython-310.pyc
    sessions.cpython-310.pyc
    status_codes.cpython-310.pyc
    structures.cpython-310.pyc
    utils.cpython-310.pyc

```

```

        _internal_utils.cpython-310.pyc
        __init__.cpython-310.pyc
        __version__.cpython-310.pyc
+---resolvelib
|   LICENSE
|   providers.py
|   py.typed
|   reporters.py
|   structs.py
|   __init__.py
|
+---resolvers
|   abstract.py
|   criterion.py
|   exceptions.py
|   resolution.py
|   __init__.py
|
\---__pycache__
    abstract.cpython-310.pyc
    criterion.cpython-310.pyc
    exceptions.cpython-310.pyc
    resolution.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    providers.cpython-310.pyc
    reporters.cpython-310.pyc
    structs.cpython-310.pyc
    __init__.cpython-310.pyc
+---rich
|   abc.py
|   align.py
|   ansi.py
|   bar.py
|   box.py
|   cells.py
|   color.py
|   color_triplet.py
|   columns.py
|   console.py
|   constrain.py
|   containers.py
|   control.py
|   default_styles.py
|   diagnose.py
|   emoji.py
|   errors.py
|   filesize.py
|   file_proxy.py
|   highlighter.py
|   json.py
|   jupyter.py
|   layout.py
|   LICENSE
|   live.py
|   live_render.py
|   logging.py
|   markup.py
|   measure.py
|   padding.py
|   pager.py
|   palette.py
|   panel.py
|   pretty.py
|   progress.py

```

```
progress_bar.py
prompt.py
protocol.py
py.typed
region.py
repr.py
rule.py
scope.py
screen.py
segment.py
spinner.py
status.py
style.py
styled.py
syntax.py
table.py
terminal_theme.py
text.py
theme.py
themes.py
traceback.py
tree.py
_cell_widths.py
_emoji_codes.py
_emoji_replace.py
_export_format.py
_extension.py
_fileno.py
_inspect.py
_log_render.py
_loop.py
_null_file.py
_palettes.py
_pick.py
_ratio.py
_spinners.py
_stack.py
_timer.py
_win32_console.py
_windows.py
_windows_renderer.py
_wrap.py
__init__.py
__main__.py

\---__pycache__
    abc.cpython-310.pyc
    align.cpython-310.pyc
    ansi.cpython-310.pyc
    box.cpython-310.pyc
    cells.cpython-310.pyc
    color.cpython-310.pyc
    color_triplet.cpython-310.pyc
    columns.cpython-310.pyc
    console.cpython-310.pyc
    constrain.cpython-310.pyc
    containers.cpython-310.pyc
    control.cpython-310.pyc
    default_styles.cpython-310.pyc
    emoji.cpython-310.pyc
    errors.cpython-310.pyc
    filesize.cpython-310.pyc
    file_proxy.cpython-310.pyc
    highlighter.cpython-310.pyc
    jupyter.cpython-310.pyc
    live.cpython-310.pyc
    live_render.cpython-310.pyc
    logging.cpython-310.pyc
```

```
markup.cpython-310.pyc
measure.cpython-310.pyc
padding.cpython-310.pyc
pager.cpython-310.pyc
palette.cpython-310.pyc
panel.cpython-310.pyc
pretty.cpython-310.pyc
progress.cpython-310.pyc
progress_bar.cpython-310.pyc
protocol.cpython-310.pyc
region.cpython-310.pyc
repr.cpython-310.pyc
scope.cpython-310.pyc
screen.cpython-310.pyc
segment.cpython-310.pyc
spinner.cpython-310.pyc
style.cpython-310.pyc
styled.cpython-310.pyc
syntax.cpython-310.pyc
table.cpython-310.pyc
terminal_theme.cpython-310.pyc
text.cpython-310.pyc
theme.cpython-310.pyc
themes.cpython-310.pyc
traceback.cpython-310.pyc
_cell_widths.cpython-310.pyc
_emoji_codes.cpython-310.pyc
_emoji_replace.cpython-310.pyc
_export_format.cpython-310.pyc
_extension.cpython-310.pyc
_fileno.cpython-310.pyc
_log_render.cpython-310.pyc
_loop.cpython-310.pyc
_null_file.cpython-310.pyc
_palettes.cpython-310.pyc
_pick.cpython-310.pyc
_ratio.cpython-310.pyc
_spinners.cpython-310.pyc
_win32_console.cpython-310.pyc
_windows.cpython-310.pyc
_windows_renderer.cpython-310.pyc
_wrap.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---tomli
```

```
| LICENSE
| py.typed
| _parser.py
| _re.py
| _types.py
| __init__.py
```

```
\---__pycache__
```

```
    _parser.cpython-310.pyc
    _re.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---tomli_w
```

```
| LICENSE
| py.typed
| _writer.py
| __init__.py
```

```
+---truststore
```

```
| LICENSE
| py.typed
| _api.py
| _macos.py
```

```

    _openssl.py
    _ssl_constants.py
    _windows.py
    __init__.py
\---__pycache__
    _api.cpython-310.pyc
    _ssl_constants.cpython-310.pyc
    _windows.cpython-310.pyc
    __init__.cpython-310.pyc
+---urllib3
    connection.py
    connectionpool.py
    exceptions.py
    fields.py
    filepost.py
    LICENSE.txt
    poolmanager.py
    request.py
    response.py
    _collections.py
    _version.py
    __init__.py
+---contrib
    | appengine.py
    | ntlmpool.py
    | pyopenssl.py
    | securetransport.py
    | socks.py
    | _appengine_environ.py
    | __init__.py
    |
+---_securetransport
    | bindings.py
    | low_level.py
    | __init__.py
    |
\---__pycache__
    socks.cpython-310.pyc
    _appengine_environ.cpython-310.pyc
    __init__.cpython-310.pyc
+---packages
    | six.py
    | __init__.py
    |
+---backports
    | makefile.py
    | weakref_finalize.py
    | __init__.py
    |
\---__pycache__
    six.cpython-310.pyc
    __init__.cpython-310.pyc
+---util
    | connection.py
    | proxy.py
    | queue.py
    | request.py
    | response.py
    | retry.py
    | ssltransport.py
    | ssl_.py
    | ssl_match_hostname.py
    | timeout.py

```

```

    url.py
    wait.py
    __init__.py
\---__pycache__
    connection.cpython-310.pyc
    proxy.cpython-310.pyc
    queue.cpython-310.pyc
    request.cpython-310.pyc
    response.cpython-310.pyc
    retry.cpython-310.pyc
    ssltransport.cpython-310.pyc
    ssl_.cpython-310.pyc
    ssl_match_hostname.cpython-310.pyc
    timeout.cpython-310.pyc
    url.cpython-310.pyc
    wait.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    connection.cpython-310.pyc
    connectionpool.cpython-310.pyc
    exceptions.cpython-310.pyc
    fields.cpython-310.pyc
    filepost.cpython-310.pyc
    poolmanager.cpython-310.pyc
    request.cpython-310.pyc
    response.cpython-310.pyc
    _collections.cpython-310.pyc
    _version.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    __init__.cpython-310.pyc
\---__pycache__
    __init__.cpython-310.pyc
    __main__.cpython-310.pyc
+---pip-25.3.dist-info
    entry_points.txt
    INSTALLER
    METADATA
    RECORD
    REQUESTED
    WHEEL
\---licenses
    AUTHORS.txt
    LICENSE.txt
\---src
    \---pip
        \---_vendor
            +---cachecontrol
                LICENSE.txt
            +---certifi
                LICENSE
            +---dependency_groups
                LICENSE.txt
            +---distlib
                LICENSE.txt
            +---distro
                LICENSE

```

```

|
+---idna
+---msgpack
|   COPYING
|
+---packaging
|   LICENSE
|   LICENSE.APACHE
|   LICENSE.BSD
|
+---pkg_resources
|   LICENSE
|
+---platformdirs
|   LICENSE
|
+---pygments
|   LICENSE
|
+---pyproject_hooks
|   LICENSE
|
+---requests
|   LICENSE
|
+---resolvelib
|   LICENSE
|
+---rich
|   LICENSE
|
+---tomli
|   LICENSE
|
+---tomli_w
|   LICENSE
|
+---truststore
|   LICENSE
|
\---urllib3
    LICENSE.txt

```

```

+---pkg_resources
|   __init__.py
|
+---extern
|   __init__.py
|   \---__pycache__
|       __init__.cpython-310.pyc
|
+---_vendor
|   appdirs.py
|   zipp.py
|   __init__.py
|
+---importlib_resources
|   abc.py
|   readers.py
|   simple.py
|   _adapters.py
|   _common.py
|   _compat.py
|   _itertools.py
|   _legacy.py
|   __init__.py

```



```

+---jaraco
|   context.py
|   functools.py
|   __init__.py
|
+---text
|   |   __init__.py
|   |
|   \---__pycache__
|           __init__.cpython-310.pyc
|
\---__pycache__
        context.cpython-310.pyc
        functools.cpython-310.pyc
        __init__.cpython-310.pyc

+---more_itertools
|   more.py
|   recipes.py
|   __init__.py
|
\---__pycache__
        more.cpython-310.pyc
        recipes.cpython-310.pyc
        __init__.cpython-310.pyc

+---packaging
|   markers.py
|   requirements.py
|   specifiers.py
|   tags.py
|   utils.py
|   version.py
|   _manylinux.py
|   _musllinux.py
|   _structures.py
|   __about__.py
|   __init__.py
|
\---__pycache__
        markers.cpython-310.pyc
        requirements.cpython-310.pyc
        specifiers.cpython-310.pyc
        tags.cpython-310.pyc
        utils.cpython-310.pyc
        version.cpython-310.pyc
        _manylinux.cpython-310.pyc
        _musllinux.cpython-310.pyc
        _structures.cpython-310.pyc
        __about__.cpython-310.pyc
        __init__.cpython-310.pyc

+---pyparsing
|   actions.py
|   common.py
|   core.py
|   exceptions.py
|   helpers.py
|   results.py
|   testing.py
|   unicode.py
|   util.py
|   __init__.py
|
+---diagram
|   __init__.py
|
\---__pycache__

```

```

        actions.cpython-310.pyc
        common.cpython-310.pyc
        core.cpython-310.pyc
        exceptions.cpython-310.pyc
        helpers.cpython-310.pyc
        results.cpython-310.pyc
        testing.cpython-310.pyc
        unicode.cpython-310.pyc
        util.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        appdirs.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    __init__.cpython-310.pyc
+---platformdirs
    android.py
    api.py
    macos.py
    py.typed
    unix.py
    version.py
    windows.py
    __init__.py
    __main__.py
+---platformdirs-4.5.0.dist-info
    INSTALLER
    METADATA
    RECORD
    WHEEL
\---licenses
    LICENSE
+---plotly
    animation.py
    basedatatypes.py
    basewidget.py
    callbacks.py
    config.py
    conftest.py
    dashboard_objs.py
    exceptions.py
    files.py
    grid_objs.py
    missing_ipywidgets.py
    optional_imports.py
    presentation_objs.py
    serializers.py
    session.py
    shapeannotation.py
    subplots.py
    tools.py
    utils.py
    validator_cache.py
    version.py
    widgets.py
    _subplots.py
    _version.py
    _widget_version.py
    __init__.py
+---colors
    | __init__.py

```

```

\---__pycache__
    __init__.cpython-310.pyc

+---data
|
|   __init__.py
|
\---__pycache__
    __init__.cpython-310.pyc

+---express
|
|   imshow_utils.py
|   _chart_types.py
|   _core.py
|   _doc.py
|   _imshow.py
|   _special_inputs.py
|   __init__.py
|
+---colors
|
|   __init__.py
|
\---__pycache__
    __init__.cpython-310.pyc

+---data
|
|   __init__.py
|
\---__pycache__
    __init__.cpython-310.pyc

+---trendline_functions
|
|   __init__.py
|
\---__pycache__
    __init__.cpython-310.pyc

\---__pycache__
    imshow_utils.cpython-310.pyc
    _chart_types.cpython-310.pyc
    _core.cpython-310.pyc
    _doc.cpython-310.pyc
    _imshow.cpython-310.pyc
    _special_inputs.cpython-310.pyc
    __init__.cpython-310.pyc

+---figure_factory
|
|   utils.py
|   _2d_density.py
|   _annotated_heatmap.py
|   _bullet.py
|   _candlestick.py
|   _county_choropleth.py
|   _dendrogram.py
|   _distplot.py
|   _facet_grid.py
|   _gantt.py
|   _hexbin_mapbox.py
|   _ohlc.py
|   _quiver.py
|   _scatterplot.py
|   _streamline.py
|   _table.py
|   _ternary_contour.py
|   _trisurf.py
|   _violin.py
|   __init__.py

```

```

\---__pycache__
    utils.cpython-310.pyc
    _2d_density.cpython-310.pyc
    _annotated_heatmap.cpython-310.pyc
    _bullet.cpython-310.pyc
    _candlestick.cpython-310.pyc
    _county_choropleth.cpython-310.pyc
    _dendrogram.cpython-310.pyc
    _distplot.cpython-310.pyc
    _facet_grid.cpython-310.pyc
    _gantt.cpython-310.pyc
    _hexbin_mapbox.cpython-310.pyc
    _ohlc.cpython-310.pyc
    _quiver.cpython-310.pyc
    _scatterplot.cpython-310.pyc
    _streamline.cpython-310.pyc
    _table.cpython-310.pyc
    _ternary_contour.cpython-310.pyc
    _trisurf.cpython-310.pyc
    _violin.cpython-310.pyc
    __init__.cpython-310.pyc

+---graph_objects
    |
    |   __init__.py
    |
    |   \---__pycache__
    |       __init__.cpython-310.pyc

+---graph_objs
    graph_objs.py
    _bar.py
    _barpolar.py
    _box.py
    _candlestick.py
    _carpet.py
    _choropleth.py
    _choroplethmapbox.py
    _cone.py
    _contour.py
    _contourcarpet.py
    _densitymapbox.py
    _deprecations.py
    _figure.py
    _figurewidget.py
    _frame.py
    _funnel.py
    _funnelarea.py
    _heatmap.py
    _heatmapgl.py
    _histogram.py
    _histogram2d.py
    _histogram2dcontour.py
    _icicle.py
    _image.py
    _indicator.py
    _isosurface.py
    _layout.py
    _mesh3d.py
    _ohlc.py
    _parcats.py
    _parcoords.py
    _pie.py
    _pointcloud.py
    _sankey.py
    _scatter.py
    _scatter3d.py
    _scattercarpet.py
    _scattergeo.py

```

```
_scattergl.py
_scattermapbox.py
_scatterpolar.py
_scatterpolargl.py
_scattersmith.py
_scatterternary.py
_splom.py
_streamtube.py
_sunburst.py
_surface.py
_table.py
_treemap.py
_violin.py
_volume.py
_waterfall.py
__init__.py
```

```
+---bar
```

```
| _error_x.py
| _error_y.py
| _hoverlabel.py
| _insidetextfont.py
| _legendgrouptitle.py
| _marker.py
| _outsidetextfont.py
| _selected.py
| _stream.py
| _textfont.py
| _unselected.py
| __init__.py
```

```
+---hoverlabel
```

```
| _font.py
| __init__.py
```

```
\---__pycache__
```

```
    _font.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---legendgrouptitle
```

```
| _font.py
| __init__.py
```

```
\---__pycache__
```

```
    _font.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---marker
```

```
| _colorbar.py
| _line.py
| _pattern.py
| __init__.py
```

```
+---colorbar
```

```
| _tickfont.py
| _tickformatstop.py
| _title.py
| __init__.py
```

```
+---title
```

```
| _font.py
| __init__.py
```

```
\---__pycache__
```

```
    _font.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
```

```

_tickfont.cpython-310.pyc
_tickformatstop.cpython-310.pyc
_title.cpython-310.pyc
__init__.cpython-310.pyc
\---__pycache__
_colorbar.cpython-310.pyc
_line.cpython-310.pyc
_pattern.cpython-310.pyc
__init__.cpython-310.pyc
+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|
|   \---__pycache__
|       _marker.cpython-310.pyc
|       _textfont.cpython-310.pyc
|       __init__.cpython-310.pyc
+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
|   \---__pycache__
|       _marker.cpython-310.pyc
|       _textfont.cpython-310.pyc
|       __init__.cpython-310.pyc
\---__pycache__
_error_x.cpython-310.pyc
_error_y.cpython-310.pyc
_hoverlabel.cpython-310.pyc
_insidetextfont.cpython-310.pyc
_legendgrouptitle.cpython-310.pyc
_marker.cpython-310.pyc
_outsidetextfont.cpython-310.pyc
_selected.cpython-310.pyc
_stream.cpython-310.pyc
_textfont.cpython-310.pyc
_unselected.cpython-310.pyc
__init__.cpython-310.pyc
+---barpolar
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _marker.py
|   _selected.py
|   _stream.py
|   _unselected.py
|   __init__.py
|
|   +---hoverlabel
|       |   _font.py
|       |   __init__.py
|       |
|       |   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|       +---legendgrouptitle
|           |   _font.py
|           |   __init__.py
|           |
|           |   \---__pycache__
|               _font.cpython-310.pyc

```

```

__init__.cpython-310.pyc
+---marker
|   _colorbar.py
|   _line.py
|   _pattern.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _tickfont.cpython-310.pyc
|           _tickformatstop.cpython-310.pyc
|           _title.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _colorbar.cpython-310.pyc
|           _line.cpython-310.pyc
|           _pattern.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|
|   \---__pycache__
|           _marker.cpython-310.pyc
|           _textfont.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
|   \---__pycache__
|           _marker.cpython-310.pyc
|           _textfont.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _hoverlabel.cpython-310.pyc
|           _legendgrouptitle.cpython-310.pyc
|           _marker.cpython-310.pyc
|           _selected.cpython-310.pyc
|           _stream.cpython-310.pyc
|           _unselected.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---box
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _line.py
|   _marker.py

```

```

_selected.py
_stream.py
_unselected.py
__init__.py

+---hoverlabel
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---marker
|   _line.py
|   __init__.py
|
|   \---__pycache__
|           _line.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---selected
|   _marker.py
|   __init__.py
|
|   \---__pycache__
|           _marker.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   __init__.py
|
|   \---__pycache__
|           _marker.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _hoverlabel.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _line.cpython-310.pyc
        _marker.cpython-310.pyc
        _selected.cpython-310.pyc
        _stream.cpython-310.pyc
        _unselected.cpython-310.pyc
        __init__.cpython-310.pyc

+---candlestick
|   _decreasing.py
|   _hoverlabel.py
|   _increasing.py
|   _legendgrouptitle.py
|   _line.py
|   _stream.py
|   __init__.py
|
+---decreasing
|   _line.py
|   __init__.py

```



```

\---__pycache__
    _line.cpython-310.pyc
    __init__.cpython-310.pyc

+---hoverlabel
|   _font.py
|   __init__.py
|
\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc

+---increasing
|   _line.py
|   __init__.py
|
\---__pycache__
    _line.cpython-310.pyc
    __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   __init__.py
|
\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _decreasing.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _increasing.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _line.cpython-310.pyc
    _stream.cpython-310.pyc
    __init__.cpython-310.pyc

+---carpet
|   _aaxis.py
|   _baxis.py
|   _font.py
|   _legendgrouptitle.py
|   _stream.py
|   __init__.py
|
+---aaxis
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _tickfont.cpython-310.pyc
    _tickformatstop.cpython-310.pyc
    _title.cpython-310.pyc
    __init__.cpython-310.pyc

+---baxis
|   _tickfont.py
|   _tickformatstop.py

```

```

        _title.py
        __init__.py
+---title
|   _font.py
|   __init__.py
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _tickfont.cpython-310.pyc
|           _tickformatstop.cpython-310.pyc
|           _title.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   __init__.py
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _aaxis.cpython-310.pyc
|           _baxis.cpython-310.pyc
|           _font.cpython-310.pyc
|           _legendgrouptitle.cpython-310.pyc
|           _stream.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---choropleth
|   _colorbar.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _marker.py
|   _selected.py
|   _stream.py
|   _unselected.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _tickfont.cpython-310.pyc
|           _tickformatstop.cpython-310.pyc
|           _title.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---hoverlabel
|   _font.py
|   __init__.py
|
|   \---__pycache__

```

```

        _font.cpython-310.pyc
        __init__.cpython-310.pyc
+---legendgrouptitle
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---marker
|   _line.py
|   __init__.py
|
|   \---__pycache__
|           _line.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---selected
|   _marker.py
|   __init__.py
|
|   \---__pycache__
|           _marker.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   __init__.py
|
|   \---__pycache__
|           _marker.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _colorbar.cpython-310.pyc
|           _hoverlabel.cpython-310.pyc
|           _legendgrouptitle.cpython-310.pyc
|           _marker.cpython-310.pyc
|           _selected.cpython-310.pyc
|           _stream.cpython-310.pyc
|           _unselected.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---choroplethmapbox
|   _colorbar.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _marker.py
|   _selected.py
|   _stream.py
|   _unselected.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc

```

```

|
| \---__pycache__
|     _tickfont.cpython-310.pyc
|     _tickformatstop.cpython-310.pyc
|     _title.cpython-310.pyc
|     __init__.cpython-310.pyc
+---hoverlabel
|     _font.py
|     __init__.py
|
| \---__pycache__
|     _font.cpython-310.pyc
|     __init__.cpython-310.pyc
+---legendgrouptitle
|     _font.py
|     __init__.py
|
| \---__pycache__
|     _font.cpython-310.pyc
|     __init__.cpython-310.pyc
+---marker
|     _line.py
|     __init__.py
|
| \---__pycache__
|     _line.cpython-310.pyc
|     __init__.cpython-310.pyc
+---selected
|     _marker.py
|     __init__.py
|
| \---__pycache__
|     _marker.cpython-310.pyc
|     __init__.cpython-310.pyc
+---unselected
|     _marker.py
|     __init__.py
|
| \---__pycache__
|     _marker.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _colorbar.cpython-310.pyc
|     _hoverlabel.cpython-310.pyc
|     _legendgrouptitle.cpython-310.pyc
|     _marker.cpython-310.pyc
|     _selected.cpython-310.pyc
|     _stream.cpython-310.pyc
|     _unselected.cpython-310.pyc
|     __init__.cpython-310.pyc
+---cone
|     _colorbar.py
|     _hoverlabel.py
|     _legendgrouptitle.py
|     _lighting.py
|     _lightposition.py
|     _stream.py
|     __init__.py
+---colorbar
|     _tickfont.py

```

```

_tickformatstop.py
_title.py
__init__.py

+---title
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _tickfont.cpython-310.pyc
        _tickformatstop.cpython-310.pyc
        _title.cpython-310.pyc
        __init__.cpython-310.pyc

+---hoverlabel
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _colorbar.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _lighting.cpython-310.pyc
        _lightposition.cpython-310.pyc
        _stream.cpython-310.pyc
        __init__.cpython-310.pyc

+---contour
|   _colorbar.py
|   _contours.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _line.py
|   _stream.py
|   _textfont.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc

```

```

_tickfont.cpython-310.pyc
_tickformatstop.cpython-310.pyc
_title.cpython-310.pyc
__init__.cpython-310.pyc

+---contours
|   _labelfont.py
|   __init__.py
|
|   \---__pycache__
|           _labelfont.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---hoverlabel
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _colorbar.cpython-310.pyc
        _contours.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _line.cpython-310.pyc
        _stream.cpython-310.pyc
        _textfont.cpython-310.pyc
        __init__.cpython-310.pyc

+---contourcarpet
|   _colorbar.py
|   _contours.py
|   _legendgrouptitle.py
|   _line.py
|   _stream.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
|   +---title
|   |   _font.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |           _font.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
|   \---__pycache__
|           _tickfont.cpython-310.pyc
|           _tickformatstop.cpython-310.pyc
|           _title.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---contours

```

```

        _labelfont.py
        __init__.py
    \--- __pycache__
        _labelfont.cpython-310.pyc
        __init__.cpython-310.pyc
+--- legendgrouptitle
    |   _font.py
    |   __init__.py
    |
    \--- __pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
    _colorbar.cpython-310.pyc
    _contours.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _line.cpython-310.pyc
    _stream.cpython-310.pyc
    __init__.cpython-310.pyc
+--- densitymapbox
    |   _colorbar.py
    |   _hoverlabel.py
    |   _legendgrouptitle.py
    |   _stream.py
    |   __init__.py
    |
+--- colorbar
    |   _tickfont.py
    |   _tickformatstop.py
    |   _title.py
    |   __init__.py
    |
+--- title
    |   _font.py
    |   __init__.py
    |
    \--- __pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
    _tickfont.cpython-310.pyc
    _tickformatstop.cpython-310.pyc
    _title.cpython-310.pyc
    __init__.cpython-310.pyc
+--- hoverlabel
    |   _font.py
    |   __init__.py
    |
    \--- __pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc
+--- legendgrouptitle
    |   _font.py
    |   __init__.py
    |
    \--- __pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
    _colorbar.cpython-310.pyc

```

```

        _hoverlabel.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _stream.cpython-310.pyc
        __init__.cpython-310.pyc
+---funnel
|   _connector.py
|   _hoverlabel.py
|   _insidetextfont.py
|   _legendgrouptitle.py
|   _marker.py
|   _outsidetextfont.py
|   _stream.py
|   _textfont.py
|   __init__.py
+---connector
|   |   _line.py
|   |   __init__.py
|   \---__pycache__
|           _line.cpython-310.pyc
|           __init__.cpython-310.pyc
+---hoverlabel
|   |   _font.py
|   |   __init__.py
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
+---legendgrouptitle
|   |   _font.py
|   |   __init__.py
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
+---marker
|   |   _colorbar.py
|   |   _line.py
|   |   __init__.py
|   +---colorbar
|   |   |   _tickfont.py
|   |   |   _tickformatstop.py
|   |   |   _title.py
|   |   |   __init__.py
|   |   +---title
|   |   |   |   _font.py
|   |   |   |   __init__.py
|   |   |   \---__pycache__
|   |   |           _font.cpython-310.pyc
|   |   |           __init__.cpython-310.pyc
|   |   \---__pycache__
|   |           _tickfont.cpython-310.pyc
|   |           _tickformatstop.cpython-310.pyc
|   |           _title.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   \---__pycache__
|           _colorbar.cpython-310.pyc
|           _line.cpython-310.pyc

```



```

|         __init__.cpython-310.pyc
|
| \--- __pycache__
|         _connector.cpython-310.pyc
|         _hoverlabel.cpython-310.pyc
|         _insidetextfont.cpython-310.pyc
|         _legendgrouptitle.cpython-310.pyc
|         _marker.cpython-310.pyc
|         _outsidetextfont.cpython-310.pyc
|         _stream.cpython-310.pyc
|         _textfont.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+--- funnelarea
|     _domain.py
|     _hoverlabel.py
|     _insidetextfont.py
|     _legendgrouptitle.py
|     _marker.py
|     _stream.py
|     _textfont.py
|     _title.py
|     __init__.py
|
+--- hoverlabel
|     _font.py
|     __init__.py
|
| \--- __pycache__
|         _font.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+--- legendgrouptitle
|     _font.py
|     __init__.py
|
| \--- __pycache__
|         _font.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+--- marker
|     _line.py
|     _pattern.py
|     __init__.py
|
| \--- __pycache__
|         _line.cpython-310.pyc
|         _pattern.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+--- title
|     _font.py
|     __init__.py
|
| \--- __pycache__
|         _font.cpython-310.pyc
|         __init__.cpython-310.pyc
|
| \--- __pycache__
|         _domain.cpython-310.pyc
|         _hoverlabel.cpython-310.pyc
|         _insidetextfont.cpython-310.pyc
|         _legendgrouptitle.cpython-310.pyc
|         _marker.cpython-310.pyc
|         _stream.cpython-310.pyc
|         _textfont.cpython-310.pyc
|         _title.cpython-310.pyc
|         __init__.cpython-310.pyc

```

```

+---heatmap
|   _colorbar.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _stream.py
|   _textfont.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
\---__pycache__
|   _font.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _tickfont.cpython-310.pyc
|   _tickformatstop.cpython-310.pyc
|   _title.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---hoverlabel
|   _font.py
|   __init__.py
|
\---__pycache__
|   _font.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   __init__.py
|
\---__pycache__
|   _font.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _colorbar.cpython-310.pyc
|   _hoverlabel.cpython-310.pyc
|   _legendgrouptitle.cpython-310.pyc
|   _stream.cpython-310.pyc
|   _textfont.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---heatmapgl
|   _colorbar.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _stream.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py

```

```

|         __init__.py
|
|         \--- __pycache__
|             _font.cpython-310.pyc
|             __init__.cpython-310.pyc
|
|         \--- __pycache__
|             _tickfont.cpython-310.pyc
|             _tickformatstop.cpython-310.pyc
|             _title.cpython-310.pyc
|             __init__.cpython-310.pyc
|
+--- hoverlabel
|   _font.py
|   __init__.py
|
|   \--- __pycache__
|       _font.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+--- legendgrouptitle
|   _font.py
|   __init__.py
|
|   \--- __pycache__
|       _font.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\--- __pycache__
    _colorbar.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _stream.cpython-310.pyc
    __init__.cpython-310.pyc

+--- histogram
|   _cumulative.py
|   _error_x.py
|   _error_y.py
|   _hoverlabel.py
|   _insidetextfont.py
|   _legendgrouptitle.py
|   _marker.py
|   _outsidetextfont.py
|   _selected.py
|   _stream.py
|   _textfont.py
|   _unselected.py
|   _xbins.py
|   _ybins.py
|   __init__.py
|
+--- hoverlabel
|   _font.py
|   __init__.py
|
|   \--- __pycache__
|       _font.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+--- legendgrouptitle
|   _font.py
|   __init__.py
|
|   \--- __pycache__
|       _font.cpython-310.pyc
|       __init__.cpython-310.pyc

```

```

+---marker
|   _colorbar.py
|   _line.py
|   _pattern.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _tickfont.cpython-310.pyc
|           _tickformatstop.cpython-310.pyc
|           _title.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _colorbar.cpython-310.pyc
|           _line.cpython-310.pyc
|           _pattern.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|
|   \---__pycache__
|           _marker.cpython-310.pyc
|           _textfont.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
|   \---__pycache__
|           _marker.cpython-310.pyc
|           _textfont.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
    _cumulative.cpython-310.pyc
    _error_x.cpython-310.pyc
    _error_y.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _insidetextfont.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _marker.cpython-310.pyc
    _outsidetextfont.cpython-310.pyc
    _selected.cpython-310.pyc
    _stream.cpython-310.pyc
    _textfont.cpython-310.pyc
    _unselected.cpython-310.pyc
    _xbins.cpython-310.pyc
    _ybins.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---histogram2d
|   _colorbar.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _marker.py
|   _stream.py
|   _textfont.py
|   _xbins.py
|   _ybins.py
|   __init__.py
|
+---colorbar
|   |   _tickfont.py
|   |   _tickformatstop.py
|   |   _title.py
|   |   __init__.py
|   |
|   +---title
|   |   |   _font.py
|   |   |   __init__.py
|   |   |
|   |   \---__pycache__
|   |           _font.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
|   \---__pycache__
|           _tickfont.cpython-310.pyc
|           _tickformatstop.cpython-310.pyc
|           _title.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---hoverlabel
|   |   _font.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---legendgrouptitle
|   |   _font.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _colorbar.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _marker.cpython-310.pyc
        _stream.cpython-310.pyc
        _textfont.cpython-310.pyc
        _xbins.cpython-310.pyc
        _ybins.cpython-310.pyc
        __init__.cpython-310.pyc

+---histogram2dcontour
|   _colorbar.py
|   _contours.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _line.py
|   _marker.py
|   _stream.py
|   _textfont.py

```

```

_xbins.py
_ybins.py
__init__.py

+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
\---__pycache__
      _font.cpython-310.pyc
      __init__.cpython-310.pyc
\---__pycache__
      _tickfont.cpython-310.pyc
      _tickformatstop.cpython-310.pyc
      _title.cpython-310.pyc
      __init__.cpython-310.pyc

+---contours
|   _labelfont.py
|   __init__.py
|
\---__pycache__
      _labelfont.cpython-310.pyc
      __init__.cpython-310.pyc

+---hoverlabel
|   _font.py
|   __init__.py
|
\---__pycache__
      _font.cpython-310.pyc
      __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   __init__.py
|
\---__pycache__
      _font.cpython-310.pyc
      __init__.cpython-310.pyc
\---__pycache__
      _colorbar.cpython-310.pyc
      _contours.cpython-310.pyc
      _hoverlabel.cpython-310.pyc
      _legendgrouptitle.cpython-310.pyc
      _line.cpython-310.pyc
      _marker.cpython-310.pyc
      _stream.cpython-310.pyc
      _textfont.cpython-310.pyc
      _xbins.cpython-310.pyc
      _ybins.cpython-310.pyc
      __init__.cpython-310.pyc

+---icicle
|   _domain.py
|   _hoverlabel.py
|   _insidetextfont.py
|   _leaf.py
|   _legendgrouptitle.py
|   _marker.py

```

```

_outsidetextfont.py
_pathbar.py
_root.py
_stream.py
_textfont.py
_tiling.py
__init__.py

+---hoverlabel
|   _font.py
|   __init__.py
|
\---__pycache__
     _font.cpython-310.pyc
     __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   __init__.py
|
\---__pycache__
     _font.cpython-310.pyc
     __init__.cpython-310.pyc

+---marker
|   _colorbar.py
|   _line.py
|   _pattern.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
\---__pycache__
     _font.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _tickfont.cpython-310.pyc
     _tickformatstop.cpython-310.pyc
     _title.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _colorbar.cpython-310.pyc
     _line.cpython-310.pyc
     _pattern.cpython-310.pyc
     __init__.cpython-310.pyc

+---pathbar
|   _textfont.py
|   __init__.py
|
\---__pycache__
     _textfont.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _domain.cpython-310.pyc
     _hoverlabel.cpython-310.pyc
     _insidetextfont.cpython-310.pyc

```

```

        _leaf.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _marker.cpython-310.pyc
        _outsidetextfont.cpython-310.pyc
        _pathbar.cpython-310.pyc
        _root.cpython-310.pyc
        _stream.cpython-310.pyc
        _textfont.cpython-310.pyc
        _tiling.cpython-310.pyc
        __init__.cpython-310.pyc
+---image
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _stream.py
|   __init__.py
|
|   +---hoverlabel
|   |   _font.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       _font.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   +---legendgrouptitle
|   |   _font.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       _font.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   \---__pycache__
|       _hoverlabel.cpython-310.pyc
|       _legendgrouptitle.cpython-310.pyc
|       _stream.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---indicator
|   _delta.py
|   _domain.py
|   _gauge.py
|   _legendgrouptitle.py
|   _number.py
|   _stream.py
|   _title.py
|   __init__.py
|
|   +---delta
|   |   _decreasing.py
|   |   _font.py
|   |   _increasing.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       _decreasing.cpython-310.pyc
|   |       _font.cpython-310.pyc
|   |       _increasing.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   +---gauge
|   |   _axis.py
|   |   _bar.py
|   |   _step.py
|   |   _threshold.py
|   |   __init__.py

```



```

+---axis
|   _tickfont.py
|   _tickformatstop.py
|   __init__.py
|
\---__pycache__
      _tickfont.cpython-310.pyc
      _tickformatstop.cpython-310.pyc
      __init__.cpython-310.pyc

+---bar
|   _line.py
|   __init__.py
|
\---__pycache__
      _line.cpython-310.pyc
      __init__.cpython-310.pyc

+---step
|   _line.py
|   __init__.py
|
\---__pycache__
      _line.cpython-310.pyc
      __init__.cpython-310.pyc

+---threshold
|   _line.py
|   __init__.py
|
\---__pycache__
      _line.cpython-310.pyc
      __init__.cpython-310.pyc

\---__pycache__
      _axis.cpython-310.pyc
      _bar.cpython-310.pyc
      _step.cpython-310.pyc
      _threshold.cpython-310.pyc
      __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   __init__.py
|
\---__pycache__
      _font.cpython-310.pyc
      __init__.cpython-310.pyc

+---number
|   _font.py
|   __init__.py
|
\---__pycache__
      _font.cpython-310.pyc
      __init__.cpython-310.pyc

+---title
|   _font.py
|   __init__.py
|
\---__pycache__
      _font.cpython-310.pyc
      __init__.cpython-310.pyc

\---__pycache__
      _delta.cpython-310.pyc
      _domain.cpython-310.pyc

```

```

        _gauge.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _number.cpython-310.pyc
        _stream.cpython-310.pyc
        _title.cpython-310.pyc
        __init__.cpython-310.pyc
+---isosurface
    _caps.py
    _colorbar.py
    _contour.py
    _hoverlabel.py
    _legendgrouptitle.py
    _lighting.py
    _lightposition.py
    _slices.py
    _spaceframe.py
    _stream.py
    _surface.py
    __init__.py
+---caps
    |   _x.py
    |   _y.py
    |   _z.py
    |   __init__.py
    |
    \---__pycache__
        _x.cpython-310.pyc
        _y.cpython-310.pyc
        _z.cpython-310.pyc
        __init__.cpython-310.pyc
+---colorbar
    |   _tickfont.py
    |   _tickformatstop.py
    |   _title.py
    |   __init__.py
    |
    +---title
        |   _font.py
        |   __init__.py
        |
        \---__pycache__
            _font.cpython-310.pyc
            __init__.cpython-310.pyc
    |
    \---__pycache__
        _tickfont.cpython-310.pyc
        _tickformatstop.cpython-310.pyc
        _title.cpython-310.pyc
        __init__.cpython-310.pyc
+---hoverlabel
    |   _font.py
    |   __init__.py
    |
    \---__pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc
+---legendgrouptitle
    |   _font.py
    |   __init__.py
    |
    \---__pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc

```

```

+---slices
|   _x.py
|   _y.py
|   _z.py
|   __init__.py
|
|   \---__pycache__
|       _x.cpython-310.pyc
|       _y.cpython-310.pyc
|       _z.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _caps.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _contour.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _lighting.cpython-310.pyc
    _lightposition.cpython-310.pyc
    _slices.cpython-310.pyc
    _spaceframe.cpython-310.pyc
    _stream.cpython-310.pyc
    _surface.cpython-310.pyc
    __init__.cpython-310.pyc

+---layout
|   _activeselection.py
|   _activeshape.py
|   _annotation.py
|   _coloraxis.py
|   _colorscale.py
|   _font.py
|   _geo.py
|   _grid.py
|   _hoverlabel.py
|   _image.py
|   _legend.py
|   _mapbox.py
|   _margin.py
|   _modebar.py
|   _newselection.py
|   _newshape.py
|   _polar.py
|   _scene.py
|   _selection.py
|   _shape.py
|   _slider.py
|   _smith.py
|   _template.py
|   _ternary.py
|   _title.py
|   _transition.py
|   _uniformtext.py
|   _updatemenu.py
|   _xaxis.py
|   _yaxis.py
|   __init__.py
|
+---annotation
|   _font.py
|   _hoverlabel.py
|   __init__.py
|
+---hoverlabel
|   _font.py
|   __init__.py

```

```

|
| \---__pycache__
|      _font.cpython-310.pyc
|      __init__.cpython-310.pyc
|
| \---__pycache__
|      _font.cpython-310.pyc
|      _hoverlabel.cpython-310.pyc
|      __init__.cpython-310.pyc
+---coloraxis
|   _colorbar.py
|   __init__.py
|
| +---colorbar
|   |   _tickfont.py
|   |   _tickformatstop.py
|   |   _title.py
|   |   __init__.py
|   |
|   +---title
|   |   |   _font.py
|   |   |   __init__.py
|   |   |
|   |   \---__pycache__
|   |           _font.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
|   \---__pycache__
|           _tickfont.cpython-310.pyc
|           _tickformatstop.cpython-310.pyc
|           _title.cpython-310.pyc
|           __init__.cpython-310.pyc
|
| \---__pycache__
|      _colorbar.cpython-310.pyc
|      __init__.cpython-310.pyc
+---geo
|   _center.py
|   _domain.py
|   _lataxis.py
|   _lonaxis.py
|   _projection.py
|   __init__.py
|
| +---projection
|   |   _rotation.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _rotation.cpython-310.pyc
|           __init__.cpython-310.pyc
|
| \---__pycache__
|      _center.cpython-310.pyc
|      _domain.cpython-310.pyc
|      _lataxis.cpython-310.pyc
|      _lonaxis.cpython-310.pyc
|      _projection.cpython-310.pyc
|      __init__.cpython-310.pyc
+---grid
|   _domain.py
|   __init__.py
|
| \---__pycache__
|      _domain.cpython-310.pyc

```

```

__init__.cpython-310.pyc
+---hoverlabel
|   _font.py
|   _grouptitlefont.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           _grouptitlefont.cpython-310.pyc
|           __init__.cpython-310.pyc
+---legend
|   _font.py
|   _grouptitlefont.py
|   _title.py
|   __init__.py
|
|   +---title
|   |   _font.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |           _font.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
|   |   \---__pycache__
|   |           _font.cpython-310.pyc
|   |           _grouptitlefont.cpython-310.pyc
|   |           _title.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
+---mapbox
|   _bounds.py
|   _center.py
|   _domain.py
|   _layer.py
|   __init__.py
|
|   +---layer
|   |   _circle.py
|   |   _fill.py
|   |   _line.py
|   |   _symbol.py
|   |   __init__.py
|   |
|   |   +---symbol
|   |   |   _textfont.py
|   |   |   __init__.py
|   |   |
|   |   |   \---__pycache__
|   |   |           _textfont.cpython-310.pyc
|   |   |           __init__.cpython-310.pyc
|   |   |
|   |   |   \---__pycache__
|   |   |           _circle.cpython-310.pyc
|   |   |           _fill.cpython-310.pyc
|   |   |           _line.cpython-310.pyc
|   |   |           _symbol.cpython-310.pyc
|   |   |           __init__.cpython-310.pyc
|   |   |
|   |   |   \---__pycache__
|   |   |           _bounds.cpython-310.pyc
|   |   |           _center.cpython-310.pyc
|   |   |           _domain.cpython-310.pyc
|   |   |           _layer.cpython-310.pyc
|   |   |           __init__.cpython-310.pyc
|   |   |
+---__pycache__
        _bounds.cpython-310.pyc
        _center.cpython-310.pyc
        _domain.cpython-310.pyc
        _layer.cpython-310.pyc
        __init__.cpython-310.pyc

```

```

+---newselection
|   _line.py
|   __init__.py
|
|   \---__pycache__
|       _line.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---newshape
|   _label.py
|   _legendgrouptitle.py
|   _line.py
|   __init__.py
|
+---label
|   _font.py
|   __init__.py
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   __init__.py
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _label.cpython-310.pyc
|       _legendgrouptitle.cpython-310.pyc
|       _line.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---polar
|   _angularaxis.py
|   _domain.py
|   _radialaxis.py
|   __init__.py
|
+---angularaxis
|   _tickfont.py
|   _tickformatstop.py
|   __init__.py
|
|   \---__pycache__
|       _tickfont.cpython-310.pyc
|       _tickformatstop.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---radialaxis
|   _autorangeoptions.py
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__

```

```

        _autorangeoptions.cpython-310.pyc
        _tickfont.cpython-310.pyc
        _tickformatstop.cpython-310.pyc
        _title.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _angularaxis.cpython-310.pyc
        _domain.cpython-310.pyc
        _radialaxis.cpython-310.pyc
        __init__.cpython-310.pyc
+---scene
    _annotation.py
    _aspectratio.py
    _camera.py
    _domain.py
    _xaxis.py
    _yaxis.py
    _zaxis.py
    __init__.py
+---annotation
    |   _font.py
    |   _hoverlabel.py
    |   __init__.py
    |
    +---hoverlabel
    |   |   _font.py
    |   |   __init__.py
    |   |
    |   \---__pycache__
    |       _font.cpython-310.pyc
    |       __init__.cpython-310.pyc
    |
    \---__pycache__
        _font.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        __init__.cpython-310.pyc
+---camera
    |   _center.py
    |   _eye.py
    |   _projection.py
    |   _up.py
    |   __init__.py
    |
    \---__pycache__
        _center.cpython-310.pyc
        _eye.cpython-310.pyc
        _projection.cpython-310.pyc
        _up.cpython-310.pyc
        __init__.cpython-310.pyc
+---xaxis
    |   _autorangeoptions.py
    |   _tickfont.py
    |   _tickformatstop.py
    |   _title.py
    |   __init__.py
    |
    +---title
    |   |   _font.py
    |   |   __init__.py
    |   |
    |   \---__pycache__
    |       _font.cpython-310.pyc
    |       __init__.cpython-310.pyc

```

```

|
| \---__pycache__
|     _autorangooptions.cpython-310.pyc
|     _tickfont.cpython-310.pyc
|     _tickformatstop.cpython-310.pyc
|     _title.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---yaxis
|     _autorangooptions.py
|     _tickfont.py
|     _tickformatstop.py
|     _title.py
|     __init__.py
|
+---title
|     _font.py
|     __init__.py
|
| \---__pycache__
|     _font.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _autorangooptions.cpython-310.pyc
|     _tickfont.cpython-310.pyc
|     _tickformatstop.cpython-310.pyc
|     _title.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---zaxis
|     _autorangooptions.py
|     _tickfont.py
|     _tickformatstop.py
|     _title.py
|     __init__.py
|
+---title
|     _font.py
|     __init__.py
|
| \---__pycache__
|     _font.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _autorangooptions.cpython-310.pyc
|     _tickfont.cpython-310.pyc
|     _tickformatstop.cpython-310.pyc
|     _title.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _annotation.cpython-310.pyc
|     _aspectratio.cpython-310.pyc
|     _camera.cpython-310.pyc
|     _domain.cpython-310.pyc
|     _xaxis.cpython-310.pyc
|     _yaxis.cpython-310.pyc
|     _zaxis.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---selection
|     _line.py
|     __init__.py
|
| \---__pycache__
|     _line.cpython-310.pyc

```



```

__init__.cpython-310.pyc
+---shape
|   _label.py
|   _legendgrouptitle.py
|   _line.py
|   __init__.py
+---label
|   _font.py
|   __init__.py
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
+---legendgrouptitle
|   _font.py
|   __init__.py
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|   \---__pycache__
|           _label.cpython-310.pyc
|           _legendgrouptitle.cpython-310.pyc
|           _line.cpython-310.pyc
|           __init__.cpython-310.pyc
+---slider
|   _currentvalue.py
|   _font.py
|   _pad.py
|   _step.py
|   _transition.py
|   __init__.py
+---currentvalue
|   _font.py
|   __init__.py
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|   \---__pycache__
|           _currentvalue.cpython-310.pyc
|           _font.cpython-310.pyc
|           _pad.cpython-310.pyc
|           _step.cpython-310.pyc
|           _transition.cpython-310.pyc
|           __init__.cpython-310.pyc
+---smith
|   _domain.py
|   _imaginaryaxis.py
|   _realaxis.py
|   __init__.py
+---imaginaryaxis
|   _tickfont.py
|   __init__.py
|   \---__pycache__
|           _tickfont.cpython-310.pyc
|           __init__.cpython-310.pyc

```

```

+---realaxis
|   _tickfont.py
|   __init__.py
|
|   \---__pycache__
|           _tickfont.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _domain.cpython-310.pyc
        _imaginaryaxis.cpython-310.pyc
        _realaxis.cpython-310.pyc
        __init__.cpython-310.pyc

+---template
|   _data.py
|   _layout.py
|   __init__.py
|
+---data
|   _bar.py
|   _barpolar.py
|   _box.py
|   _candlestick.py
|   _carpet.py
|   _choropleth.py
|   _choroplethmapbox.py
|   _cone.py
|   _contour.py
|   _contourcarpet.py
|   _densitymapbox.py
|   _funnel.py
|   _funnelarea.py
|   _heatmap.py
|   _heatmapgl.py
|   _histogram.py
|   _histogram2d.py
|   _histogram2dcontour.py
|   _icicle.py
|   _image.py
|   _indicator.py
|   _isosurface.py
|   _mesh3d.py
|   _ohlc.py
|   _parcats.py
|   _parcoords.py
|   _pie.py
|   _pointcloud.py
|   _sankey.py
|   _scatter.py
|   _scatter3d.py
|   _scattercarpet.py
|   _scattergeo.py
|   _scattergl.py
|   _scattermapbox.py
|   _scatterpolar.py
|   _scatterpolargl.py
|   _scattersmith.py
|   _scatterternary.py
|   _splom.py
|   _streamtube.py
|   _sunburst.py
|   _surface.py
|   _table.py
|   _treemap.py
|   _violin.py
|   _volume.py
|   _waterfall.py

```

```

|   __init__.py
|
\---__pycache__
|   _bar.cpython-310.pyc
|   _barpolar.cpython-310.pyc
|   _box.cpython-310.pyc
|   _candlestick.cpython-310.pyc
|   _carpet.cpython-310.pyc
|   _choropleth.cpython-310.pyc
|   _choroplethmapbox.cpython-310.pyc
|   _cone.cpython-310.pyc
|   _contour.cpython-310.pyc
|   _contourcarpet.cpython-310.pyc
|   _densitymapbox.cpython-310.pyc
|   _funnel.cpython-310.pyc
|   _funnelarea.cpython-310.pyc
|   _heatmap.cpython-310.pyc
|   _heatmapgl.cpython-310.pyc
|   _histogram.cpython-310.pyc
|   _histogram2d.cpython-310.pyc
|   _histogram2dcontour.cpython-310.pyc
|   _icicle.cpython-310.pyc
|   _image.cpython-310.pyc
|   _indicator.cpython-310.pyc
|   _isosurface.cpython-310.pyc
|   _mesh3d.cpython-310.pyc
|   _ohlc.cpython-310.pyc
|   _parcats.cpython-310.pyc
|   _parcoords.cpython-310.pyc
|   _pie.cpython-310.pyc
|   _pointcloud.cpython-310.pyc
|   _sankey.cpython-310.pyc
|   _scatter.cpython-310.pyc
|   _scatter3d.cpython-310.pyc
|   _scattercarpet.cpython-310.pyc
|   _scattergeo.cpython-310.pyc
|   _scattergl.cpython-310.pyc
|   _scattermapbox.cpython-310.pyc
|   _scatterpolar.cpython-310.pyc
|   _scatterpolargl.cpython-310.pyc
|   _scattersmith.cpython-310.pyc
|   _scatterternary.cpython-310.pyc
|   _splom.cpython-310.pyc
|   _streamtube.cpython-310.pyc
|   _sunburst.cpython-310.pyc
|   _surface.cpython-310.pyc
|   _table.cpython-310.pyc
|   _treemap.cpython-310.pyc
|   _violin.cpython-310.pyc
|   _volume.cpython-310.pyc
|   _waterfall.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _data.cpython-310.pyc
|   _layout.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---ternary
|   _aaxis.py
|   _baxis.py
|   _caxis.py
|   _domain.py
|   __init__.py
|
+---aaxis
|   _tickfont.py
|   _tickformatstop.py

```

```

    _title.py
    __init__.py

+---title
|   _font.py
|   __init__.py
|
\---__pycache__
     _font.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _tickfont.cpython-310.pyc
     _tickformatstop.cpython-310.pyc
     _title.cpython-310.pyc
     __init__.cpython-310.pyc

+---baxis
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
\---__pycache__
     _font.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _tickfont.cpython-310.pyc
     _tickformatstop.cpython-310.pyc
     _title.cpython-310.pyc
     __init__.cpython-310.pyc

+---caxis
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
\---__pycache__
     _font.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _tickfont.cpython-310.pyc
     _tickformatstop.cpython-310.pyc
     _title.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _aaxis.cpython-310.pyc
     _baxis.cpython-310.pyc
     _caxis.cpython-310.pyc
     _domain.cpython-310.pyc
     __init__.cpython-310.pyc

+---title
|   _font.py
|   _pad.py
|   __init__.py

```

```

|
| \---__pycache__
|     _font.cpython-310.pyc
|     _pad.cpython-310.pyc
|     __init__.cpython-310.pyc
+---updatemenu
|     _button.py
|     _font.py
|     _pad.py
|     __init__.py
|
| \---__pycache__
|     _button.cpython-310.pyc
|     _font.cpython-310.pyc
|     _pad.cpython-310.pyc
|     __init__.cpython-310.pyc
+---xaxis
|     _autorangeoptions.py
|     _minor.py
|     _rangebreak.py
|     _rangeselector.py
|     _rangeslider.py
|     _tickfont.py
|     _tickformatstop.py
|     _title.py
|     __init__.py
|
+---rangeselector
|     _button.py
|     _font.py
|     __init__.py
|
| \---__pycache__
|     _button.cpython-310.pyc
|     _font.cpython-310.pyc
|     __init__.cpython-310.pyc
+---rangeslider
|     _yaxis.py
|     __init__.py
|
| \---__pycache__
|     _yaxis.cpython-310.pyc
|     __init__.cpython-310.pyc
+---title
|     _font.py
|     __init__.py
|
| \---__pycache__
|     _font.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _autorangeoptions.cpython-310.pyc
|     _minor.cpython-310.pyc
|     _rangebreak.cpython-310.pyc
|     _rangeselector.cpython-310.pyc
|     _rangeslider.cpython-310.pyc
|     _tickfont.cpython-310.pyc
|     _tickformatstop.cpython-310.pyc
|     _title.cpython-310.pyc
|     __init__.cpython-310.pyc
+---yaxis
|     _autorangeoptions.py

```

```

    _minor.py
    _rangebreak.py
    _tickfont.py
    _tickformatstop.py
    _title.py
    __init__.py
+---title
|   _font.py
|   __init__.py
|
\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _autorangeoptions.cpython-310.pyc
    _minor.cpython-310.pyc
    _rangebreak.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformatstop.cpython-310.pyc
    _title.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _activeselection.cpython-310.pyc
    _activeshape.cpython-310.pyc
    _annotation.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorscale.cpython-310.pyc
    _font.cpython-310.pyc
    _geo.cpython-310.pyc
    _grid.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _image.cpython-310.pyc
    _legend.cpython-310.pyc
    _mapbox.cpython-310.pyc
    _margin.cpython-310.pyc
    _modebar.cpython-310.pyc
    _newselection.cpython-310.pyc
    _newshape.cpython-310.pyc
    _polar.cpython-310.pyc
    _scene.cpython-310.pyc
    _selection.cpython-310.pyc
    _shape.cpython-310.pyc
    _slider.cpython-310.pyc
    _smith.cpython-310.pyc
    _template.cpython-310.pyc
    _ternary.cpython-310.pyc
    _title.cpython-310.pyc
    _transition.cpython-310.pyc
    _uniformtext.cpython-310.pyc
    _updatemenu.cpython-310.pyc
    _xaxis.cpython-310.pyc
    _yaxis.cpython-310.pyc
    __init__.cpython-310.pyc
+---mesh3d
|   _colorbar.py
|   _contour.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _lighting.py
|   _lightposition.py
|   _stream.py
|   __init__.py
+---colorbar

```

```

_tickfont.py
_tickformatstop.py
_title.py
__init__.py

+---title
|   _font.py
|   __init__.py
|
\---__pycache__
      _font.cpython-310.pyc
      __init__.cpython-310.pyc

\---__pycache__
      _tickfont.cpython-310.pyc
      _tickformatstop.cpython-310.pyc
      _title.cpython-310.pyc
      __init__.cpython-310.pyc

+---hoverlabel
|   _font.py
|   __init__.py
|
\---__pycache__
      _font.cpython-310.pyc
      __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   __init__.py
|
\---__pycache__
      _font.cpython-310.pyc
      __init__.cpython-310.pyc

\---__pycache__
      _colorbar.cpython-310.pyc
      _contour.cpython-310.pyc
      _hoverlabel.cpython-310.pyc
      _legendgrouptitle.cpython-310.pyc
      _lighting.cpython-310.pyc
      _lightposition.cpython-310.pyc
      _stream.cpython-310.pyc
      __init__.cpython-310.pyc

+---ohlcv
|   _decreasing.py
|   _hoverlabel.py
|   _increasing.py
|   _legendgrouptitle.py
|   _line.py
|   _stream.py
|   __init__.py
|
+---decreasing
|   _line.py
|   __init__.py
|
\---__pycache__
      _line.cpython-310.pyc
      __init__.cpython-310.pyc

+---hoverlabel
|   _font.py
|   __init__.py
|
\---__pycache__
      _font.cpython-310.pyc

```

```

        __init__.cpython-310.pyc
+---increasing
|   _line.py
|   __init__.py
|
|   \---__pycache__
|           _line.cpython-310.pyc
|           __init__.cpython-310.pyc
+---legendgrouptitle
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _decreasing.cpython-310.pyc
|           _hoverlabel.cpython-310.pyc
|           _increasing.cpython-310.pyc
|           _legendgrouptitle.cpython-310.pyc
|           _line.cpython-310.pyc
|           _stream.cpython-310.pyc
|           __init__.cpython-310.pyc
+---parcats
|   _dimension.py
|   _domain.py
|   _labelfont.py
|   _legendgrouptitle.py
|   _line.py
|   _stream.py
|   _tickfont.py
|   __init__.py
|
|   +---legendgrouptitle
|   |   _font.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |           _font.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
|   +---line
|   |   _colorbar.py
|   |   __init__.py
|   |
|   |   +---colorbar
|   |   |   _tickfont.py
|   |   |   _tickformatstop.py
|   |   |   _title.py
|   |   |   __init__.py
|   |   |
|   |   |   +---title
|   |   |   |   _font.py
|   |   |   |   __init__.py
|   |   |   |
|   |   |   |   \---__pycache__
|   |   |   |           _font.cpython-310.pyc
|   |   |   |           __init__.cpython-310.pyc
|   |   |   |
|   |   |   \---__pycache__
|   |   |           _tickfont.cpython-310.pyc
|   |   |           _tickformatstop.cpython-310.pyc
|   |   |           _title.cpython-310.pyc
|   |   |           __init__.cpython-310.pyc

```



```

|
| \---__pycache__
|     _colorbar.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _dimension.cpython-310.pyc
|     _domain.cpython-310.pyc
|     _labelfont.cpython-310.pyc
|     _legendgrouptitle.cpython-310.pyc
|     _line.cpython-310.pyc
|     _stream.cpython-310.pyc
|     _tickfont.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---parcoords
|     _dimension.py
|     _domain.py
|     _labelfont.py
|     _legendgrouptitle.py
|     _line.py
|     _rangefont.py
|     _stream.py
|     _tickfont.py
|     _unselected.py
|     __init__.py
|
+---legendgrouptitle
|     _font.py
|     __init__.py
|
| \---__pycache__
|     _font.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---line
|     _colorbar.py
|     __init__.py
|
| +---colorbar
| |     _tickfont.py
| |     _tickformatstop.py
| |     _title.py
| |     __init__.py
| |
| | +---title
| | |     _font.py
| | |     __init__.py
| | |
| | | \---__pycache__
| | |     _font.cpython-310.pyc
| | |     __init__.cpython-310.pyc
| | |
| | | \---__pycache__
| | |     _tickfont.cpython-310.pyc
| | |     _tickformatstop.cpython-310.pyc
| | |     _title.cpython-310.pyc
| | |     __init__.cpython-310.pyc
| |
| | \---__pycache__
| |     _colorbar.cpython-310.pyc
| |     __init__.cpython-310.pyc
| |
|
+---unselected
|     _line.py
|     __init__.py
|
| \---__pycache__

```

```

        _line.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _dimension.cpython-310.pyc
    _domain.cpython-310.pyc
    _labelfont.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _line.cpython-310.pyc
    _rangefont.cpython-310.pyc
    _stream.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _unselected.cpython-310.pyc
    __init__.cpython-310.pyc
+---pie
    _domain.py
    _hoverlabel.py
    _insidetextfont.py
    _legendgrouptitle.py
    _marker.py
    _outsidetextfont.py
    _stream.py
    _textfont.py
    _title.py
    __init__.py
+---hoverlabel
    |   _font.py
    |   __init__.py
    |
    \---__pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc
+---legendgrouptitle
    |   _font.py
    |   __init__.py
    |
    \---__pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc
+---marker
    |   _line.py
    |   _pattern.py
    |   __init__.py
    |
    \---__pycache__
        _line.cpython-310.pyc
        _pattern.cpython-310.pyc
        __init__.cpython-310.pyc
+---title
    |   _font.py
    |   __init__.py
    |
    \---__pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _domain.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _insidetextfont.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _marker.cpython-310.pyc
    _outsidetextfont.cpython-310.pyc

```

```

        _stream.cpython-310.pyc
        _textfont.cpython-310.pyc
        _title.cpython-310.pyc
        __init__.cpython-310.pyc
+---pointcloud
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _marker.py
|   _stream.py
|   __init__.py
|
+---hoverlabel
|   _font.py
|   __init__.py
|
\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc
+---legendgrouptitle
|   _font.py
|   __init__.py
|
\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc
+---marker
|   _border.py
|   __init__.py
|
\---__pycache__
    _border.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _hoverlabel.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _marker.cpython-310.pyc
    _stream.cpython-310.pyc
    __init__.cpython-310.pyc
+---sankey
|   _domain.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _link.py
|   _node.py
|   _stream.py
|   _textfont.py
|   __init__.py
|
+---hoverlabel
|   _font.py
|   __init__.py
|
\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc
+---legendgrouptitle
|   _font.py
|   __init__.py
|
\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---link
|   _colorscale.py
|   _hoverlabel.py
|   _line.py
|   __init__.py
|
+---hoverlabel
|   _font.py
|   __init__.py
|
\---__pycache__
|   _font.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _colorscale.cpython-310.pyc
|   _hoverlabel.cpython-310.pyc
|   _line.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---node
|   _hoverlabel.py
|   _line.py
|   __init__.py
|
+---hoverlabel
|   _font.py
|   __init__.py
|
\---__pycache__
|   _font.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _hoverlabel.cpython-310.pyc
|   _line.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _domain.cpython-310.pyc
|   _hoverlabel.cpython-310.pyc
|   _legendgrouptitle.cpython-310.pyc
|   _link.cpython-310.pyc
|   _node.cpython-310.pyc
|   _stream.cpython-310.pyc
|   _textfont.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---scatter
|   _error_x.py
|   _error_y.py
|   _fillpattern.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _line.py
|   _marker.py
|   _selected.py
|   _stream.py
|   _textfont.py
|   _unselected.py
|   __init__.py
|
+---hoverlabel
|   _font.py
|   __init__.py
|
\---__pycache__

```

```

        _font.cpython-310.pyc
        __init__.cpython-310.pyc
+---legendgrouptitle
|   _font.py
|   __init__.py
|
\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc
+---marker
|   _colorbar.py
|   _gradient.py
|   _line.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc
|
\---__pycache__
    _tickfont.cpython-310.pyc
    _tickformatstop.cpython-310.pyc
    _title.cpython-310.pyc
    __init__.cpython-310.pyc
|
\---__pycache__
    _colorbar.cpython-310.pyc
    _gradient.cpython-310.pyc
    _line.cpython-310.pyc
    __init__.cpython-310.pyc
+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|
\---__pycache__
    _marker.cpython-310.pyc
    _textfont.cpython-310.pyc
    __init__.cpython-310.pyc
+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
\---__pycache__
    _marker.cpython-310.pyc
    _textfont.cpython-310.pyc
    __init__.cpython-310.pyc
|
\---__pycache__
    _error_x.cpython-310.pyc
    _error_y.cpython-310.pyc
    _fillpattern.cpython-310.pyc
    _hoverlabel.cpython-310.pyc

```

```

        _legendgrouptitle.cpython-310.pyc
        _line.cpython-310.pyc
        _marker.cpython-310.pyc
        _selected.cpython-310.pyc
        _stream.cpython-310.pyc
        _textfont.cpython-310.pyc
        _unselected.cpython-310.pyc
        __init__.cpython-310.pyc
+---scatter3d
|   _error_x.py
|   _error_y.py
|   _error_z.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _line.py
|   _marker.py
|   _projection.py
|   _stream.py
|   _textfont.py
|   __init__.py
+---hoverlabel
|   |   _font.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
+---legendgrouptitle
|   |   _font.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
+---line
|   |   _colorbar.py
|   |   __init__.py
|   |
|   +---colorbar
|   |   |   _tickfont.py
|   |   |   _tickformatstop.py
|   |   |   _title.py
|   |   |   __init__.py
|   |   |
|   |   +---title
|   |   |   |   _font.py
|   |   |   |   __init__.py
|   |   |   |
|   |   |   \---__pycache__
|   |   |           _font.cpython-310.pyc
|   |   |           __init__.cpython-310.pyc
|   |   |
|   |   \---__pycache__
|   |           _tickfont.cpython-310.pyc
|   |           _tickformatstop.cpython-310.pyc
|   |           _title.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
|   \---__pycache__
|           _colorbar.cpython-310.pyc
|           __init__.cpython-310.pyc
+---marker
|   |   _colorbar.py

```

```

    _line.py
    __init__.py

+---colorbar
    |   _tickfont.py
    |   _tickformatstop.py
    |   _title.py
    |   __init__.py
    |
    +---title
    |   |   _font.py
    |   |   __init__.py
    |   |
    |   \---__pycache__
    |           _font.cpython-310.pyc
    |           __init__.cpython-310.pyc
    |
    \---__pycache__
            _tickfont.cpython-310.pyc
            _tickformatstop.cpython-310.pyc
            _title.cpython-310.pyc
            __init__.cpython-310.pyc

\---__pycache__
    _colorbar.cpython-310.pyc
    _line.cpython-310.pyc
    __init__.cpython-310.pyc

+---projection
    |   _x.py
    |   _y.py
    |   _z.py
    |   __init__.py
    |
    \---__pycache__
            _x.cpython-310.pyc
            _y.cpython-310.pyc
            _z.cpython-310.pyc
            __init__.cpython-310.pyc

\---__pycache__
    _error_x.cpython-310.pyc
    _error_y.cpython-310.pyc
    _error_z.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _line.cpython-310.pyc
    _marker.cpython-310.pyc
    _projection.cpython-310.pyc
    _stream.cpython-310.pyc
    _textfont.cpython-310.pyc
    __init__.cpython-310.pyc

+---scattercarpet
    |   _hoverlabel.py
    |   _legendgrouptitle.py
    |   _line.py
    |   _marker.py
    |   _selected.py
    |   _stream.py
    |   _textfont.py
    |   _unselected.py
    |   __init__.py
    |
    +---hoverlabel
    |   |   _font.py
    |   |   __init__.py
    |   |
    |   \---__pycache__
    |           _font.cpython-310.pyc
    |           __init__.cpython-310.pyc
    |
    \---__pycache__
        _hoverlabel.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _line.cpython-310.pyc
        _marker.cpython-310.pyc
        _selected.cpython-310.pyc
        _stream.cpython-310.pyc
        _textfont.cpython-310.pyc
        _unselected.cpython-310.pyc
        __init__.cpython-310.pyc

```

```

\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   __init__.py
|
\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc

+---marker
|   _colorbar.py
|   _gradient.py
|   _line.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc
|
\---__pycache__
    _tickfont.cpython-310.pyc
    _tickformatstop.cpython-310.pyc
    _title.cpython-310.pyc
    __init__.cpython-310.pyc
|
\---__pycache__
    _colorbar.cpython-310.pyc
    _gradient.cpython-310.pyc
    _line.cpython-310.pyc
    __init__.cpython-310.pyc

+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|
\---__pycache__
    _marker.cpython-310.pyc
    _textfont.cpython-310.pyc
    __init__.cpython-310.pyc

+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
\---__pycache__
    _marker.cpython-310.pyc
    _textfont.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _hoverlabel.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _line.cpython-310.pyc

```



```

        _marker.cpython-310.pyc
        _selected.cpython-310.pyc
        _stream.cpython-310.pyc
        _textfont.cpython-310.pyc
        _unselected.cpython-310.pyc
        __init__.cpython-310.pyc
+---scattergeo
    _hoverlabel.py
    _legendgrouptitle.py
    _line.py
    _marker.py
    _selected.py
    _stream.py
    _textfont.py
    _unselected.py
    __init__.py
+---hoverlabel
    |   _font.py
    |   __init__.py
    |
    \---__pycache__
            _font.cpython-310.pyc
            __init__.cpython-310.pyc
+---legendgrouptitle
    |   _font.py
    |   __init__.py
    |
    \---__pycache__
            _font.cpython-310.pyc
            __init__.cpython-310.pyc
+---marker
    |   _colorbar.py
    |   _gradient.py
    |   _line.py
    |   __init__.py
    |
    +---colorbar
        |   _tickfont.py
        |   _tickformatstop.py
        |   _title.py
        |   __init__.py
        |
        +---title
            |   _font.py
            |   __init__.py
            |
            \---__pycache__
                    _font.cpython-310.pyc
                    __init__.cpython-310.pyc
            \---__pycache__
                    _tickfont.cpython-310.pyc
                    _tickformatstop.cpython-310.pyc
                    _title.cpython-310.pyc
                    __init__.cpython-310.pyc
        \---__pycache__
                _colorbar.cpython-310.pyc
                _gradient.cpython-310.pyc
                _line.cpython-310.pyc
                __init__.cpython-310.pyc
+---selected
    |   _marker.py

```

```

        _textfont.py
        __init__.py
    \--- __pycache__
        _marker.cpython-310.pyc
        _textfont.cpython-310.pyc
        __init__.cpython-310.pyc
+---unselected
    |
    | _marker.py
    | _textfont.py
    | __init__.py
    |
    \--- __pycache__
        _marker.cpython-310.pyc
        _textfont.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
    _hoverlabel.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _line.cpython-310.pyc
    _marker.cpython-310.pyc
    _selected.cpython-310.pyc
    _stream.cpython-310.pyc
    _textfont.cpython-310.pyc
    _unselected.cpython-310.pyc
    __init__.cpython-310.pyc
+---scattergl
    |
    | _error_x.py
    | _error_y.py
    | _hoverlabel.py
    | _legendgrouptitle.py
    | _line.py
    | _marker.py
    | _selected.py
    | _stream.py
    | _textfont.py
    | _unselected.py
    | __init__.py
    |
+---hoverlabel
    |
    | _font.py
    | __init__.py
    |
    \--- __pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc
+---legendgrouptitle
    |
    | _font.py
    | __init__.py
    |
    \--- __pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc
+---marker
    |
    | _colorbar.py
    | _line.py
    | __init__.py
    |
+---colorbar
    |
    | _tickfont.py
    | _tickformatstop.py
    | _title.py
    | __init__.py

```

```

+---title
|   _font.py
|   __init__.py
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _tickfont.cpython-310.pyc
|           _tickformatstop.cpython-310.pyc
|           _title.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _colorbar.cpython-310.pyc
|           _line.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|   \---__pycache__
|           _marker.cpython-310.pyc
|           _textfont.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|   \---__pycache__
|           _marker.cpython-310.pyc
|           _textfont.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _error_x.cpython-310.pyc
|           _error_y.cpython-310.pyc
|           _hoverlabel.cpython-310.pyc
|           _legendgrouptitle.cpython-310.pyc
|           _line.cpython-310.pyc
|           _marker.cpython-310.pyc
|           _selected.cpython-310.pyc
|           _stream.cpython-310.pyc
|           _textfont.cpython-310.pyc
|           _unselected.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---scattermapbox
|   _cluster.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _line.py
|   _marker.py
|   _selected.py
|   _stream.py
|   _textfont.py
|   _unselected.py
|   __init__.py
|
+---hoverlabel
|   _font.py
|   __init__.py

```

```

\---__pycache__
    _font.cpython-310.pyc
    __init__.cpython-310.pyc
+---legendgrouptitle
    |
    | _font.py
    | __init__.py
    |
    \---__pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc
+---marker
    |
    | _colorbar.py
    | __init__.py
    |
    +---colorbar
    |   |
    |   | _tickfont.py
    |   | _tickformatstop.py
    |   | _title.py
    |   | __init__.py
    |   |
    |   +---title
    |   |   |
    |   |   | _font.py
    |   |   | __init__.py
    |   |   |
    |   |   \---__pycache__
    |   |       _font.cpython-310.pyc
    |   |       __init__.cpython-310.pyc
    |   |
    |   \---__pycache__
    |       _tickfont.cpython-310.pyc
    |       _tickformatstop.cpython-310.pyc
    |       _title.cpython-310.pyc
    |       __init__.cpython-310.pyc
    |
    \---__pycache__
        _colorbar.cpython-310.pyc
        __init__.cpython-310.pyc
+---selected
    |
    | _marker.py
    | __init__.py
    |
    \---__pycache__
        _marker.cpython-310.pyc
        __init__.cpython-310.pyc
+---unselected
    |
    | _marker.py
    | __init__.py
    |
    \---__pycache__
        _marker.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _cluster.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _line.cpython-310.pyc
    _marker.cpython-310.pyc
    _selected.cpython-310.pyc
    _stream.cpython-310.pyc
    _textfont.cpython-310.pyc
    _unselected.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---scatterpolar
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _line.py
|   _marker.py
|   _selected.py
|   _stream.py
|   _textfont.py
|   _unselected.py
|   __init__.py
|
+---hoverlabel
|   |   _font.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---legendgrouptitle
|   |   _font.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---marker
|   |   _colorbar.py
|   |   _gradient.py
|   |   _line.py
|   |   __init__.py
|   |
|   +---colorbar
|   |   |   _tickfont.py
|   |   |   _tickformatstop.py
|   |   |   _title.py
|   |   |   __init__.py
|   |   |
|   |   +---title
|   |   |   |   _font.py
|   |   |   |   __init__.py
|   |   |   |
|   |   |   \---__pycache__
|   |   |           _font.cpython-310.pyc
|   |   |           __init__.cpython-310.pyc
|   |   |
|   |   \---__pycache__
|   |           _tickfont.cpython-310.pyc
|   |           _tickformatstop.cpython-310.pyc
|   |           _title.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
|   \---__pycache__
|           _colorbar.cpython-310.pyc
|           _gradient.cpython-310.pyc
|           _line.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---selected
|   |   _marker.py
|   |   _textfont.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _marker.cpython-310.pyc
|           _textfont.cpython-310.pyc

```

```

__init__.cpython-310.pyc
+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
|   \---__pycache__
|       _marker.cpython-310.pyc
|       _textfont.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _hoverlabel.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _line.cpython-310.pyc
    _marker.cpython-310.pyc
    _selected.cpython-310.pyc
    _stream.cpython-310.pyc
    _textfont.cpython-310.pyc
    _unselected.cpython-310.pyc
    __init__.cpython-310.pyc

+---scatterpolargl
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _line.py
|   _marker.py
|   _selected.py
|   _stream.py
|   _textfont.py
|   _unselected.py
|   __init__.py
|
+---hoverlabel
|   _font.py
|   __init__.py
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   __init__.py
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---marker
|   _colorbar.py
|   _line.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       __init__.cpython-310.pyc

```

```

|
| \--- __pycache__
|     _tickfont.cpython-310.pyc
|     _tickformatstop.cpython-310.pyc
|     _title.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \--- __pycache__
|     _colorbar.cpython-310.pyc
|     _line.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|
|   \--- __pycache__
|       _marker.cpython-310.pyc
|       _textfont.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
|   \--- __pycache__
|       _marker.cpython-310.pyc
|       _textfont.cpython-310.pyc
|       __init__.cpython-310.pyc
|
| \--- __pycache__
|     _hoverlabel.cpython-310.pyc
|     _legendgrouptitle.cpython-310.pyc
|     _line.cpython-310.pyc
|     _marker.cpython-310.pyc
|     _selected.cpython-310.pyc
|     _stream.cpython-310.pyc
|     _textfont.cpython-310.pyc
|     _unselected.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---scattersmith
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _line.py
|   _marker.py
|   _selected.py
|   _stream.py
|   _textfont.py
|   _unselected.py
|   __init__.py
|
+---hoverlabel
|   _font.py
|   __init__.py
|
|   \--- __pycache__
|       _font.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   __init__.py
|
|   \--- __pycache__
|       _font.cpython-310.pyc

```

```

__init__.cpython-310.pyc
+---marker
|   _colorbar.py
|   _gradient.py
|   _line.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
\---__pycache__
|   _font.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _tickfont.cpython-310.pyc
|   _tickformatstop.cpython-310.pyc
|   _title.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _colorbar.cpython-310.pyc
|   _gradient.cpython-310.pyc
|   _line.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|
\---__pycache__
|   _marker.cpython-310.pyc
|   _textfont.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
\---__pycache__
|   _marker.cpython-310.pyc
|   _textfont.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _hoverlabel.cpython-310.pyc
|   _legendgrouptitle.cpython-310.pyc
|   _line.cpython-310.pyc
|   _marker.cpython-310.pyc
|   _selected.cpython-310.pyc
|   _stream.cpython-310.pyc
|   _textfont.cpython-310.pyc
|   _unselected.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---scatterternary
|   _hoverlabel.py
|   _legendgrouptitle.py

```



```

_line.py
_marker.py
_selected.py
_stream.py
_textfont.py
_unselected.py
__init__.py

+---hoverlabel
|   _font.py
|   __init__.py
|
\---__pycache__
     _font.cpython-310.pyc
     __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   __init__.py
|
\---__pycache__
     _font.cpython-310.pyc
     __init__.cpython-310.pyc

+---marker
|   _colorbar.py
|   _gradient.py
|   _line.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
\---__pycache__
     _font.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _tickfont.cpython-310.pyc
     _tickformatstop.cpython-310.pyc
     _title.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _colorbar.cpython-310.pyc
     _gradient.cpython-310.pyc
     _line.cpython-310.pyc
     __init__.cpython-310.pyc

+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|
\---__pycache__
     _marker.cpython-310.pyc
     _textfont.cpython-310.pyc
     __init__.cpython-310.pyc

+---unselected
|   _marker.py

```

```

        _textfont.py
        __init__.py
    \---__pycache__
        _marker.cpython-310.pyc
        _textfont.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _hoverlabel.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _line.cpython-310.pyc
    _marker.cpython-310.pyc
    _selected.cpython-310.pyc
    _stream.cpython-310.pyc
    _textfont.cpython-310.pyc
    _unselected.cpython-310.pyc
    __init__.cpython-310.pyc
+---splom
    _diagonal.py
    _dimension.py
    _hoverlabel.py
    _legendgrouptitle.py
    _marker.py
    _selected.py
    _stream.py
    _unselected.py
    __init__.py
+---dimension
    _axis.py
    __init__.py
    \---__pycache__
        _axis.cpython-310.pyc
        __init__.cpython-310.pyc
+---hoverlabel
    _font.py
    __init__.py
    \---__pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc
+---legendgrouptitle
    _font.py
    __init__.py
    \---__pycache__
        _font.cpython-310.pyc
        __init__.cpython-310.pyc
+---marker
    _colorbar.py
    _line.py
    __init__.py
    +---colorbar
        _tickfont.py
        _tickformatstop.py
        _title.py
        __init__.py
    +---title
        _font.py
        __init__.py

```

```

|
| \---__pycache__
|     _font.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _tickfont.cpython-310.pyc
|     _tickformatstop.cpython-310.pyc
|     _title.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _colorbar.cpython-310.pyc
|     _line.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---selected
|   _marker.py
|   __init__.py
|
| \---__pycache__
|     _marker.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   __init__.py
|
| \---__pycache__
|     _marker.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _diagonal.cpython-310.pyc
|     _dimension.cpython-310.pyc
|     _hoverlabel.cpython-310.pyc
|     _legendgrouptitle.cpython-310.pyc
|     _marker.cpython-310.pyc
|     _selected.cpython-310.pyc
|     _stream.cpython-310.pyc
|     _unselected.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---streamtube
|   _colorbar.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _lighting.py
|   _lightposition.py
|   _starts.py
|   _stream.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
| \---__pycache__
|     _font.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__

```

```

_tickfont.cpython-310.pyc
_tickformatstop.cpython-310.pyc
_title.cpython-310.pyc
__init__.cpython-310.pyc

+---hoverlabel
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _colorbar.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _lighting.cpython-310.pyc
        _lightposition.cpython-310.pyc
        _starts.cpython-310.pyc
        _stream.cpython-310.pyc
        __init__.cpython-310.pyc

+---sunburst
|   _domain.py
|   _hoverlabel.py
|   _insidetextfont.py
|   _leaf.py
|   _legendgrouptitle.py
|   _marker.py
|   _outsidetextfont.py
|   _root.py
|   _stream.py
|   _textfont.py
|   __init__.py
|
+---hoverlabel
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---marker
|   _colorbar.py
|   _line.py
|   _pattern.py
|   __init__.py
|
+---colorbar
|   _tickfont.py

```

```

        _tickformatstop.py
        _title.py
        __init__.py
    +---title
    |   _font.py
    |   __init__.py
    |   \---__pycache__
    |       _font.cpython-310.pyc
    |       __init__.cpython-310.pyc
    |   \---__pycache__
    |       _tickfont.cpython-310.pyc
    |       _tickformatstop.cpython-310.pyc
    |       _title.cpython-310.pyc
    |       __init__.cpython-310.pyc
    |   \---__pycache__
    |       _colorbar.cpython-310.pyc
    |       _line.cpython-310.pyc
    |       _pattern.cpython-310.pyc
    |       __init__.cpython-310.pyc
    |   \---__pycache__
    |       _domain.cpython-310.pyc
    |       _hoverlabel.cpython-310.pyc
    |       _insidetextfont.cpython-310.pyc
    |       _leaf.cpython-310.pyc
    |       _legendgrouptitle.cpython-310.pyc
    |       _marker.cpython-310.pyc
    |       _outsidetextfont.cpython-310.pyc
    |       _root.cpython-310.pyc
    |       _stream.cpython-310.pyc
    |       _textfont.cpython-310.pyc
    |       __init__.cpython-310.pyc
+---surface
    |   _colorbar.py
    |   _contours.py
    |   _hoverlabel.py
    |   _legendgrouptitle.py
    |   _lighting.py
    |   _lightposition.py
    |   _stream.py
    |   __init__.py
    +---colorbar
    |   _tickfont.py
    |   _tickformatstop.py
    |   _title.py
    |   __init__.py
    |   +---title
    |   |   _font.py
    |   |   __init__.py
    |   |   \---__pycache__
    |   |       _font.cpython-310.pyc
    |   |       __init__.cpython-310.pyc
    |   |   \---__pycache__
    |   |       _tickfont.cpython-310.pyc
    |   |       _tickformatstop.cpython-310.pyc
    |   |       _title.cpython-310.pyc
    |   |       __init__.cpython-310.pyc
    +---contours

```

```

_x.py
_y.py
_z.py
__init__.py

+---x
|   _project.py
|   __init__.py
|
|   \---__pycache__
|           _project.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---y
|   _project.py
|   __init__.py
|
|   \---__pycache__
|           _project.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---z
|   _project.py
|   __init__.py
|
|   \---__pycache__
|           _project.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _x.cpython-310.pyc
        _y.cpython-310.pyc
        _z.cpython-310.pyc
        __init__.cpython-310.pyc

+---hoverlabel
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _colorbar.cpython-310.pyc
        _contours.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _lighting.cpython-310.pyc
        _lightposition.cpython-310.pyc
        _stream.cpython-310.pyc
        __init__.cpython-310.pyc

+---table
|   _cells.py
|   _domain.py
|   _header.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _stream.py

```

```

    __init__.py
+---cells
|   _fill.py
|   _font.py
|   _line.py
|   __init__.py
|
|   \---__pycache__
|       _fill.cpython-310.pyc
|       _font.cpython-310.pyc
|       _line.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---header
|   _fill.py
|   _font.py
|   _line.py
|   __init__.py
|
|   \---__pycache__
|       _fill.cpython-310.pyc
|       _font.cpython-310.pyc
|       _line.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---hoverlabel
|   _font.py
|   __init__.py
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   __init__.py
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _cells.cpython-310.pyc
    _domain.cpython-310.pyc
    _header.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _stream.cpython-310.pyc
    __init__.cpython-310.pyc
+---treemap
|   _domain.py
|   _hoverlabel.py
|   _insidetextfont.py
|   _legendgrouptitle.py
|   _marker.py
|   _outsidetextfont.py
|   _pathbar.py
|   _root.py
|   _stream.py
|   _textfont.py
|   _tiling.py
|   __init__.py
|
+---hoverlabel
|   _font.py
|   __init__.py

```

```

|
| \---__pycache__
|      _font.cpython-310.pyc
|      __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   __init__.py
|
| \---__pycache__
|      _font.cpython-310.pyc
|      __init__.cpython-310.pyc
|
+---marker
|   _colorbar.py
|   _line.py
|   _pad.py
|   _pattern.py
|   __init__.py
|
+---colorbar
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|   _font.py
|   __init__.py
|
| \---__pycache__
|      _font.cpython-310.pyc
|      __init__.cpython-310.pyc
|
| \---__pycache__
|      _tickfont.cpython-310.pyc
|      _tickformatstop.cpython-310.pyc
|      _title.cpython-310.pyc
|      __init__.cpython-310.pyc
|
| \---__pycache__
|      _colorbar.cpython-310.pyc
|      _line.cpython-310.pyc
|      _pad.cpython-310.pyc
|      _pattern.cpython-310.pyc
|      __init__.cpython-310.pyc
|
+---pathbar
|   _textfont.py
|   __init__.py
|
| \---__pycache__
|      _textfont.cpython-310.pyc
|      __init__.cpython-310.pyc
|
\---__pycache__
     _domain.cpython-310.pyc
     _hoverlabel.cpython-310.pyc
     _insidetextfont.cpython-310.pyc
     _legendgrouptitle.cpython-310.pyc
     _marker.cpython-310.pyc
     _outsidetextfont.cpython-310.pyc
     _pathbar.cpython-310.pyc
     _root.cpython-310.pyc
     _stream.cpython-310.pyc
     _textfont.cpython-310.pyc
     _tiling.cpython-310.pyc
     __init__.cpython-310.pyc

```



```

+---violin
|   _box.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _line.py
|   _marker.py
|   _meanline.py
|   _selected.py
|   _stream.py
|   _unselected.py
|   __init__.py
|
+---box
|   |   _line.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _line.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---hoverlabel
|   |   _font.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---legendgrouptitle
|   |   _font.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---marker
|   |   _line.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _line.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---selected
|   |   _marker.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _marker.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---unselected
|   |   _marker.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _marker.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _box.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _line.cpython-310.pyc
        _marker.cpython-310.pyc
        _meanline.cpython-310.pyc

```

```

        _selected.cpython-310.pyc
        _stream.cpython-310.pyc
        _unselected.cpython-310.pyc
        __init__.cpython-310.pyc
+---volume
|
|   _caps.py
|   _colorbar.py
|   _contour.py
|   _hoverlabel.py
|   _legendgrouptitle.py
|   _lighting.py
|   _lightposition.py
|   _slices.py
|   _spaceframe.py
|   _stream.py
|   _surface.py
|   __init__.py
|
+---caps
|
|   _x.py
|   _y.py
|   _z.py
|   __init__.py
|
|   \---__pycache__
|           _x.cpython-310.pyc
|           _y.cpython-310.pyc
|           _z.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---colorbar
|
|   _tickfont.py
|   _tickformatstop.py
|   _title.py
|   __init__.py
|
+---title
|
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _tickfont.cpython-310.pyc
|           _tickformatstop.cpython-310.pyc
|           _title.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---hoverlabel
|
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---legendgrouptitle
|
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---slices

```

```

    _x.py
    _y.py
    _z.py
    __init__.py
\---__pycache__
    _x.cpython-310.pyc
    _y.cpython-310.pyc
    _z.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _caps.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _contour.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _lighting.cpython-310.pyc
    _lightposition.cpython-310.pyc
    _slices.cpython-310.pyc
    _spaceframe.cpython-310.pyc
    _stream.cpython-310.pyc
    _surface.cpython-310.pyc
    __init__.cpython-310.pyc
+---waterfall
    _connector.py
    _decreasing.py
    _hoverlabel.py
    _increasing.py
    _insidetextfont.py
    _legendgrouptitle.py
    _outsidetextfont.py
    _stream.py
    _textfont.py
    _totals.py
    __init__.py
+---connector
    _line.py
    __init__.py
\---__pycache__
    _line.cpython-310.pyc
    __init__.cpython-310.pyc
+---decreasing
    _marker.py
    __init__.py
+---marker
    _line.py
    __init__.py
\---__pycache__
    _line.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _marker.cpython-310.pyc
    __init__.cpython-310.pyc
+---hoverlabel
    _font.py
    __init__.py
\---__pycache__
    _font.cpython-310.pyc

```

```

        __init__.cpython-310.pyc
+---increasing
|   _marker.py
|   __init__.py
|
+---marker
|   _line.py
|   __init__.py
|
|   \---__pycache__
|           _line.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _marker.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   __init__.py
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---totals
|   _marker.py
|   __init__.py
|
+---marker
|   _line.py
|   __init__.py
|
|   \---__pycache__
|           _line.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _marker.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _connector.cpython-310.pyc
        _decreasing.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        _increasing.cpython-310.pyc
        _insidetextfont.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _outsidetextfont.cpython-310.pyc
        _stream.cpython-310.pyc
        _textfont.cpython-310.pyc
        _totals.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
graph_objs.cpython-310.pyc
_bar.cpython-310.pyc
_barpolar.cpython-310.pyc
_box.cpython-310.pyc
_candlestick.cpython-310.pyc
_carpet.cpython-310.pyc
_choropleth.cpython-310.pyc
_choroplethmapbox.cpython-310.pyc
_cone.cpython-310.pyc
_contour.cpython-310.pyc
_contourcarpet.cpython-310.pyc
_densitymapbox.cpython-310.pyc

```

```
_deprecations.cpython-310.pyc
_figure.cpython-310.pyc
_figurewidget.cpython-310.pyc
_frame.cpython-310.pyc
_funnel.cpython-310.pyc
_funnelarea.cpython-310.pyc
_heatmap.cpython-310.pyc
_heatmapgl.cpython-310.pyc
_histogram.cpython-310.pyc
_histogram2d.cpython-310.pyc
_histogram2dcontour.cpython-310.pyc
_iceberg.cpython-310.pyc
_image.cpython-310.pyc
_indicator.cpython-310.pyc
_isosurface.cpython-310.pyc
_layout.cpython-310.pyc
_mesh3d.cpython-310.pyc
_ohlcv.cpython-310.pyc
_parcats.cpython-310.pyc
_parcoords.cpython-310.pyc
_pie.cpython-310.pyc
_pointcloud.cpython-310.pyc
_sankey.cpython-310.pyc
_scatter.cpython-310.pyc
_scatter3d.cpython-310.pyc
_scattercarpet.cpython-310.pyc
_scattergeo.cpython-310.pyc
_scattergl.cpython-310.pyc
_scattermapbox.cpython-310.pyc
_scatterpolar.cpython-310.pyc
_scatterpolargl.cpython-310.pyc
_scattersmith.cpython-310.pyc
_scatterternary.cpython-310.pyc
_splom.cpython-310.pyc
_streamtube.cpython-310.pyc
_sunburst.cpython-310.pyc
_surface.cpython-310.pyc
_table.cpython-310.pyc
_treemap.cpython-310.pyc
_violin.cpython-310.pyc
_volume.cpython-310.pyc
_waterfall.cpython-310.pyc
__init__.cpython-310.pyc
```

+---io

```
base_renderers.py
json.py
kaleido.py
orca.py
_base_renderers.py
_html.py
_json.py
_kaleido.py
_orca.py
_renderers.py
_sg_scraper.py
_templates.py
_utils.py
__init__.py
```

\---__pycache__

```
base_renderers.cpython-310.pyc
json.cpython-310.pyc
kaleido.cpython-310.pyc
orca.cpython-310.pyc
_base_renderers.cpython-310.pyc
_html.cpython-310.pyc
_json.cpython-310.pyc
```

```

        _kaleido.cpython-310.pyc
        _orca.cpython-310.pyc
        _renderers.cpython-310.pyc
        _sg_scraper.cpython-310.pyc
        _templates.cpython-310.pyc
        _utils.cpython-310.pyc
        __init__.cpython-310.pyc
+---matplotliblylib
    |   mpltools.py
    |   renderer.py
    |   __init__.py
    |
    +---mplexporter
    |   |   exporter.py
    |   |   tools.py
    |   |   utils.py
    |   |   __init__.py
    |   |
    |   +---renderers
    |   |   |   base.py
    |   |   |   fake_renderer.py
    |   |   |   vega_renderer.py
    |   |   |   vincent_renderer.py
    |   |   |   __init__.py
    |   |   |
    |   |   \---__pycache__
    |   |   |       base.cpython-310.pyc
    |   |   |       fake_renderer.cpython-310.pyc
    |   |   |       vega_renderer.cpython-310.pyc
    |   |   |       vincent_renderer.cpython-310.pyc
    |   |   |       __init__.cpython-310.pyc
    |   |   |
    |   |   \---__pycache__
    |   |   |       exporter.cpython-310.pyc
    |   |   |       tools.cpython-310.pyc
    |   |   |       utils.cpython-310.pyc
    |   |   |       __init__.cpython-310.pyc
    |   |   |
    |   |   \---__pycache__
    |   |   |       mpltools.cpython-310.pyc
    |   |   |       renderer.cpython-310.pyc
    |   |   |       __init__.cpython-310.pyc
    |   |
    +---offline
    |   |   offline.py
    |   |   _plotlyjs_version.py
    |   |   __init__.py
    |   |
    |   \---__pycache__
    |   |       offline.cpython-310.pyc
    |   |       _plotlyjs_version.cpython-310.pyc
    |   |       __init__.cpython-310.pyc
    |
    +---package_data
    |   |   plotly.min.js
    |
    +---datasets
    |   |   carshare.csv.gz
    |   |   election.csv.gz
    |   |   election.geojson.gz
    |   |   experiment.csv.gz
    |   |   gapminder.csv.gz
    |   |   iris.csv.gz
    |   |   medals.csv.gz
    |   |   stocks.csv.gz
    |   |   tips.csv.gz
    |   |   wind.csv.gz

```

```

|
| \---templates
|     ggplot2.json
|     gridon.json
|     plotly.json
|     plotly_dark.json
|     plotly_white.json
|     presentation.json
|     seaborn.json
|     simple_white.json
|     xgridoff.json
|     ygridoff.json
|
+---plotly
|     chunked_requests.py
|     __init__.py
|
| \---__pycache__
|     chunked_requests.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---validators
|     _bar.py
|     _barpolar.py
|     _box.py
|     _candlestick.py
|     _carpet.py
|     _choropleth.py
|     _choroplethmapbox.py
|     _cone.py
|     _contour.py
|     _contourcarpet.py
|     _data.py
|     _densitymapbox.py
|     _frames.py
|     _funnel.py
|     _funnelarea.py
|     _heatmap.py
|     _heatmapgl.py
|     _histogram.py
|     _histogram2d.py
|     _histogram2dcontour.py
|     _icicle.py
|     _image.py
|     _indicator.py
|     _isosurface.py
|     _layout.py
|     _mesh3d.py
|     _ohlc.py
|     _parcats.py
|     _parcoords.py
|     _pie.py
|     _pointcloud.py
|     _sankey.py
|     _scatter.py
|     _scatter3d.py
|     _scattercarpet.py
|     _scattergeo.py
|     _scattergl.py
|     _scattermapbox.py
|     _scatterpolar.py
|     _scatterpolargl.py
|     _scattersmith.py
|     _scatterternary.py
|     _splom.py
|     _streamtube.py
|     _sunburst.py
|     _surface.py

```

```
_table.py
_treemap.py
_violin.py
_volume.py
_waterfall.py
__init__.py
```

```
+---bar
```

```
_alignmentgroup.py
_base.py
_basesrc.py
_cliponaxis.py
_constrainttext.py
_customdata.py
_customdatasrc.py
_dx.py
_dy.py
_error_x.py
_error_y.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idsrc.py
_insidetextanchor.py
_insidetextfont.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_marker.py
_meta.py
 metasrc.py
_name.py
_offset.py
_offsetgroup.py
_offsetsrc.py
_opacity.py
_orientation.py
_outsidetextfont.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_text.py
_textangle.py
_textfont.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
_width.py
_widthsrc.py
_x.py
_x0.py
_xaxis.py
_xcalendar.py
_xhoverformat.py
```



```
_xperiod.py
_xperiod0.py
_xperiodalignment.py
_xsrc.py
_y.py
_y0.py
_yaxis.py
_ycalendar.py
_yhoverformat.py
_yperiod.py
_yperiod0.py
_yperiodalignment.py
_ysrc.py
__init__.py
```

```
+---error_x
```

```
| _array.py
| _arrayminus.py
| _arrayminussrc.py
| _arraysrc.py
| _color.py
| _copy_ystyle.py
| _symmetric.py
| _thickness.py
| _traceref.py
| _tracerefminus.py
| _type.py
| _value.py
| _valueminus.py
| _visible.py
| _width.py
| __init__.py
```

```
\---__pycache__
```

```
| _array.cpython-310.pyc
| _arrayminus.cpython-310.pyc
| _arrayminussrc.cpython-310.pyc
| _arraysrc.cpython-310.pyc
| _color.cpython-310.pyc
| _copy_ystyle.cpython-310.pyc
| _symmetric.cpython-310.pyc
| _thickness.cpython-310.pyc
| _traceref.cpython-310.pyc
| _tracerefminus.cpython-310.pyc
| _type.cpython-310.pyc
| _value.cpython-310.pyc
| _valueminus.cpython-310.pyc
| _visible.cpython-310.pyc
| _width.cpython-310.pyc
| __init__.cpython-310.pyc
```

```
+---error_y
```

```
| _array.py
| _arrayminus.py
| _arrayminussrc.py
| _arraysrc.py
| _color.py
| _symmetric.py
| _thickness.py
| _traceref.py
| _tracerefminus.py
| _type.py
| _value.py
| _valueminus.py
| _visible.py
| _width.py
| __init__.py
```

```
\---__pycache__
    _array.cpython-310.pyc
    _arrayminus.cpython-310.pyc
    _arrayminussrc.cpython-310.pyc
    _arraysrc.cpython-310.pyc
    _color.cpython-310.pyc
    _symmetric.cpython-310.pyc
    _thickness.cpython-310.pyc
    _traceref.cpython-310.pyc
    _tracerefminus.cpython-310.pyc
    _type.cpython-310.pyc
    _value.cpython-310.pyc
    _valueminus.cpython-310.pyc
    _visible.cpython-310.pyc
    _width.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---hoverlabel
```

```
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    __init__.py
```

```
+---font
```

```
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    __init__.py
```

```
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
```

```
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---insidetextfont
```

```
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    __init__.py
```

```

\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc

+---legendgrouptitle
    _font.py
    _text.py
    __init__.py

    +---font
        _color.py
        _family.py
        _size.py
        __init__.py

        \---__pycache__
            _color.cpython-310.pyc
            _family.cpython-310.pyc
            _size.cpython-310.pyc
            __init__.cpython-310.pyc

    \---__pycache__
        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc

+---marker
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _color.py
    _coloraxis.py
    _colorbar.py
    _colorscale.py
    _colorsrc.py
    _line.py
    _opacity.py
    _opacitysrc.py
    _pattern.py
    _reversescale.py
    _showscale.py
    __init__.py

    +---colorbar
        _bgcolor.py
        _bordercolor.py
        _borderwidth.py
        _dtick.py
        _exponentformat.py
        _labelalias.py
        _len.py
        _lenmode.py
        _minexponent.py
        _nticks.py
        _orientation.py
        _outlinecolor.py
        _linewidth.py
        _separatethousands.py
        _showexponent.py
        _showticklabels.py
        _showtickprefix.py

```

```

_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

```

```
+---tickfont
```

```

|   _color.py
|   _family.py
|   _size.py
|   __init__.py

```

```
\---__pycache__
```

```

|   _color.cpython-310.pyc
|   _family.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc

```

```
+---tickformatstop
```

```

|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py

```

```
\---__pycache__
```

```

|   _dtickrange.cpython-310.pyc
|   _enabled.cpython-310.pyc
|   _name.cpython-310.pyc
|   _templateitemname.cpython-310.pyc
|   _value.cpython-310.pyc
|   __init__.cpython-310.pyc

```

```
+---title
```

```

|   _font.py
|   _side.py
|   _text.py
|   __init__.py

```

```

+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       _size.cpython-310.pyc
|       _text.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _bgcolor.cpython-310.pyc
|       _bordercolor.cpython-310.pyc
|       _borderwidth.cpython-310.pyc
|       _dtick.cpython-310.pyc
|       _exponentformat.cpython-310.pyc
|       _labelalias.cpython-310.pyc
|       _len.cpython-310.pyc
|       _lenmode.cpython-310.pyc
|       _minexponent.cpython-310.pyc
|       _nticks.cpython-310.pyc
|       _orientation.cpython-310.pyc
|       _outlinecolor.cpython-310.pyc
|       _linewidth.cpython-310.pyc
|       _separatethousands.cpython-310.pyc
|       _showexponent.cpython-310.pyc
|       _showticklabels.cpython-310.pyc
|       _showtickprefix.cpython-310.pyc
|       _showticksuffix.cpython-310.pyc
|       _thickness.cpython-310.pyc
|       _thicknessmode.cpython-310.pyc
|       _tick0.cpython-310.pyc
|       _tickangle.cpython-310.pyc
|       _tickcolor.cpython-310.pyc
|       _tickfont.cpython-310.pyc
|       _tickformat.cpython-310.pyc
|       _tickformatstopdefaults.cpython-310.pyc
|       _tickformatstops.cpython-310.pyc
|       _ticklabeloverflow.cpython-310.pyc
|       _ticklabelposition.cpython-310.pyc
|       _ticklabelstep.cpython-310.pyc
|       _ticklen.cpython-310.pyc
|       _tickmode.cpython-310.pyc
|       _tickprefix.cpython-310.pyc
|       _ticks.cpython-310.pyc
|       _ticksuffix.cpython-310.pyc
|       _ticktext.cpython-310.pyc
|       _ticktextsrc.cpython-310.pyc
|       _tickvals.cpython-310.pyc
|       _tickvalssrc.cpython-310.pyc
|       _tickwidth.cpython-310.pyc
|       _title.cpython-310.pyc
|       _x.cpython-310.pyc
|       _xanchor.cpython-310.pyc
|       _xpad.cpython-310.pyc
|       _xref.cpython-310.pyc
|       _y.cpython-310.pyc
|       _yanchor.cpython-310.pyc
|       _ypad.cpython-310.pyc
|       _yref.cpython-310.pyc

```

```

__init__.cpython-310.pyc
+---line
|
|_autocolorscale.py
|_cauto.py
|_cmax.py
|_cmid.py
|_cmin.py
|_color.py
|_coloraxis.py
|_colorscale.py
|_colorsrc.py
|_reversescale.py
|_width.py
|_widthsrc.py
|__init__.py
|
\---__pycache__
|_autocolorscale.cpython-310.pyc
|_cauto.cpython-310.pyc
|_cmax.cpython-310.pyc
|_cmid.cpython-310.pyc
|_cmin.cpython-310.pyc
|_color.cpython-310.pyc
|_coloraxis.cpython-310.pyc
|_colorscale.cpython-310.pyc
|_colorsrc.cpython-310.pyc
|_reversescale.cpython-310.pyc
|_width.cpython-310.pyc
|_widthsrc.cpython-310.pyc
|__init__.cpython-310.pyc
+---pattern
|
|_bgcolor.py
|_bgcolorsrc.py
|_fgcolor.py
|_fgcolorsrc.py
|_fgopacity.py
|_fillmode.py
|_shape.py
|_shapsrc.py
|_size.py
|_sizersrc.py
|_solidity.py
|_soliditysrc.py
|__init__.py
|
\---__pycache__
|_bgcolor.cpython-310.pyc
|_bgcolorsrc.cpython-310.pyc
|_fgcolor.cpython-310.pyc
|_fgcolorsrc.cpython-310.pyc
|_fgopacity.cpython-310.pyc
|_fillmode.cpython-310.pyc
|_shape.cpython-310.pyc
|_shapsrc.cpython-310.pyc
|_size.cpython-310.pyc
|_sizersrc.cpython-310.pyc
|_solidity.cpython-310.pyc
|_soliditysrc.cpython-310.pyc
|__init__.cpython-310.pyc
\---__pycache__
|_autocolorscale.cpython-310.pyc
|_cauto.cpython-310.pyc
|_cmax.cpython-310.pyc
|_cmid.cpython-310.pyc
|_cmin.cpython-310.pyc

```

```

_color.cpython-310.pyc
_coloraxis.cpython-310.pyc
_colorbar.cpython-310.pyc
_colorscale.cpython-310.pyc
_colorsrc.cpython-310.pyc
_line.cpython-310.pyc
_opacity.cpython-310.pyc
_opacitysrc.cpython-310.pyc
_pattern.cpython-310.pyc
_reversescale.cpython-310.pyc
_showscale.cpython-310.pyc
__init__.cpython-310.pyc
+---outsidetextfont
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _colorsrc.cpython-310.pyc
     _family.cpython-310.pyc
     _familysrc.cpython-310.pyc
     _size.cpython-310.pyc
     _sizesrc.cpython-310.pyc
     __init__.cpython-310.pyc
+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|
+---marker
|   _color.py
|   _opacity.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _opacity.cpython-310.pyc
     __init__.cpython-310.pyc
+---textfont
|   _color.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     __init__.cpython-310.pyc
\---__pycache__
     _marker.cpython-310.pyc
     _textfont.cpython-310.pyc
     __init__.cpython-310.pyc
+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
\---__pycache__
     _maxpoints.cpython-310.pyc
     _token.cpython-310.pyc
     __init__.cpython-310.pyc

```

```

+---textfont
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
|   +---marker
|       |   _color.py
|       |   _opacity.py
|       |   __init__.py
|       |
|       |   \---__pycache__
|           |       _color.cpython-310.pyc
|           |       _opacity.cpython-310.pyc
|           |       __init__.cpython-310.pyc
|           |
|           +---textfont
|               |   _color.py
|               |   __init__.py
|               |
|               |   \---__pycache__
|                   |       _color.cpython-310.pyc
|                   |       __init__.cpython-310.pyc
|                   |
|                   \---__pycache__
|                       _marker.cpython-310.pyc
|                       _textfont.cpython-310.pyc
|                       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _alignmentgroup.cpython-310.pyc
|       _base.cpython-310.pyc
|       _basesrc.cpython-310.pyc
|       _cliponaxis.cpython-310.pyc
|       _constrainttext.cpython-310.pyc
|       _customdata.cpython-310.pyc
|       _customdatasrc.cpython-310.pyc
|       _dx.cpython-310.pyc
|       _dy.cpython-310.pyc
|       _error_x.cpython-310.pyc
|       _error_y.cpython-310.pyc
|       _hoverinfo.cpython-310.pyc
|       _hoverinfosrc.cpython-310.pyc
|       _hoverlabel.cpython-310.pyc
|       _hovertemplate.cpython-310.pyc
|       _hovertemplatesrc.cpython-310.pyc
|       _hovertext.cpython-310.pyc
|       _hovertextsrc.cpython-310.pyc
|       _ids.cpython-310.pyc
|       _idssrc.cpython-310.pyc

```



```
_insidetextanchor.cpython-310.pyc
_insidetextfont.cpython-310.pyc
_legend.cpython-310.pyc
_legendgroup.cpython-310.pyc
_legendgrouptitle.cpython-310.pyc
_legendrank.cpython-310.pyc
_legendwidth.cpython-310.pyc
_marker.cpython-310.pyc
_meta.cpython-310.pyc
_metasrc.cpython-310.pyc
_name.cpython-310.pyc
_offset.cpython-310.pyc
_offsetgroup.cpython-310.pyc
_offsetsrc.cpython-310.pyc
_opacity.cpython-310.pyc
_orientation.cpython-310.pyc
_outsidetextfont.cpython-310.pyc
_selected.cpython-310.pyc
_selectedpoints.cpython-310.pyc
_showlegend.cpython-310.pyc
_stream.cpython-310.pyc
_text.cpython-310.pyc
_textangle.cpython-310.pyc
_textfont.cpython-310.pyc
_textposition.cpython-310.pyc
_textpositionsrc.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_texttemplatesrc.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_unselected.cpython-310.pyc
_visible.cpython-310.pyc
_width.cpython-310.pyc
_widthsrc.cpython-310.pyc
_x.cpython-310.pyc
_x0.cpython-310.pyc
_xaxis.cpython-310.pyc
_xcalendar.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xperiod.cpython-310.pyc
_xperiod0.cpython-310.pyc
_xperiodalignment.cpython-310.pyc
_xsrc.cpython-310.pyc
_y.cpython-310.pyc
_y0.cpython-310.pyc
_yaxis.cpython-310.pyc
_ycalendar.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_yperiod.cpython-310.pyc
_yperiod0.cpython-310.pyc
_yperiodalignment.cpython-310.pyc
_ysrc.cpython-310.pyc
__init__.cpython-310.pyc
```

+++barpolar

```
_base.py
_basesrc.py
_customdata.py
_customdatasrc.py
_dr.py
_dtheta.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
```

```

_hovertextsrc.py
_ids.py
_idsrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_marker.py
_meta.py
_metasrc.py
_name.py
_offset.py
_offsetsrc.py
_opacity.py
_r.py
_r0.py
_rsrc.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_subplot.py
_text.py
_textsrc.py
_theta.py
_theta0.py
_thetasrc.py
_thetaunit.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
_width.py
_widthsrc.py
__init__.py

```

```
+---hoverlabel
```

```

| _align.py
| _alignsrc.py
| _bgcolor.py
| _bgcolorsrc.py
| _bordercolor.py
| _bordercolorsrc.py
| _font.py
| _namelength.py
| _namelengthsrc.py
| __init__.py

```

```
+---font
```

```

| _color.py
| _colorsrc.py
| _family.py
| _familysrc.py
| _size.py
| _sizesrc.py
| __init__.py

```

```
\---__pycache__
```

```

| _color.cpython-310.pyc
| _colorsrc.cpython-310.pyc
| _family.cpython-310.pyc
| _familysrc.cpython-310.pyc
| _size.cpython-310.pyc
| _sizesrc.cpython-310.pyc
| __init__.cpython-310.pyc

```

```
\---__pycache__
```

```

_align.cpython-310.pyc
_alignsrc.cpython-310.pyc
_bgcolor.cpython-310.pyc
_bgcolorsrc.cpython-310.pyc
_bordercolor.cpython-310.pyc
_bordercolorsrc.cpython-310.pyc
_font.cpython-310.pyc
_namelength.cpython-310.pyc
_namelengthsrc.cpython-310.pyc
__init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
|   _color.cpython-310.pyc
|   _family.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _font.cpython-310.pyc
|   _text.cpython-310.pyc
|   __init__.cpython-310.pyc

+---marker
|   _autocolorscale.py
|   _cauto.py
|   _cmax.py
|   _cmid.py
|   _cmin.py
|   _color.py
|   _coloraxis.py
|   _colorbar.py
|   _colorscale.py
|   _colorsrc.py
|   _line.py
|   _opacity.py
|   _opacitysrc.py
|   _pattern.py
|   _reversescale.py
|   _showscale.py
|   __init__.py
|
+---colorbar
|   _bgcolor.py
|   _bordercolor.py
|   _borderwidth.py
|   _dtick.py
|   _exponentformat.py
|   _labelalias.py
|   _len.py
|   _lenmode.py
|   _minexponent.py
|   _nticks.py
|   _orientation.py
|   _outlinecolor.py
|   _linewidth.py
|   _separatethousands.py
|   _showexponent.py

```

```

_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

```

```
+---tickfont
```

```

|   _color.py
|   _family.py
|   _size.py
|   __init__.py

```

```
\---__pycache__
```

```

|   _color.cpython-310.pyc
|   _family.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc

```

```
+---tickformatstop
```

```

|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py

```

```
\---__pycache__
```

```

|   _dtickrange.cpython-310.pyc
|   _enabled.cpython-310.pyc
|   _name.cpython-310.pyc
|   _templateitemname.cpython-310.pyc
|   _value.cpython-310.pyc
|   __init__.cpython-310.pyc

```

```
+---title
```

```

|   _font.py
|   _side.py
|   _text.py

```

```

    __init__.py
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       _size.cpython-310.pyc
|       _text.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _title.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xpad.cpython-310.pyc
    _xref.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc

```

```

        _ypad.cpython-310.pyc
        _yref.cpython-310.pyc
        __init__.cpython-310.pyc
+---line
|
|     _autocolorscale.py
|     _cauto.py
|     _cmax.py
|     _cmid.py
|     _cmin.py
|     _color.py
|     _coloraxis.py
|     _colorscale.py
|     _colorsrc.py
|     _reversescale.py
|     _width.py
|     _widthsrc.py
|     __init__.py
|
\---__pycache__
|
|     _autocolorscale.cpython-310.pyc
|     _cauto.cpython-310.pyc
|     _cmax.cpython-310.pyc
|     _cmid.cpython-310.pyc
|     _cmin.cpython-310.pyc
|     _color.cpython-310.pyc
|     _coloraxis.cpython-310.pyc
|     _colorscale.cpython-310.pyc
|     _colorsrc.cpython-310.pyc
|     _reversescale.cpython-310.pyc
|     _width.cpython-310.pyc
|     _widthsrc.cpython-310.pyc
|     __init__.cpython-310.pyc
+---pattern
|
|     _bgcolor.py
|     _bgcolorsrc.py
|     _fgcolor.py
|     _fgcolorsrc.py
|     _fgopacity.py
|     _fillmode.py
|     _shape.py
|     _shapsrc.py
|     _size.py
|     _sizersrc.py
|     _solidity.py
|     _soliditysrc.py
|     __init__.py
|
\---__pycache__
|
|     _bgcolor.cpython-310.pyc
|     _bgcolorsrc.cpython-310.pyc
|     _fgcolor.cpython-310.pyc
|     _fgcolorsrc.cpython-310.pyc
|     _fgopacity.cpython-310.pyc
|     _fillmode.cpython-310.pyc
|     _shape.cpython-310.pyc
|     _shapsrc.cpython-310.pyc
|     _size.cpython-310.pyc
|     _sizersrc.cpython-310.pyc
|     _solidity.cpython-310.pyc
|     _soliditysrc.cpython-310.pyc
|     __init__.cpython-310.pyc
\---__pycache__
|
|     _autocolorscale.cpython-310.pyc
|     _cauto.cpython-310.pyc
|     _cmax.cpython-310.pyc

```

```
_cmid.cpython-310.pyc
_cmin.cpython-310.pyc
_color.cpython-310.pyc
_coloraxis.cpython-310.pyc
_colorbar.cpython-310.pyc
_colorscale.cpython-310.pyc
_colorsrc.cpython-310.pyc
_line.cpython-310.pyc
_opacity.cpython-310.pyc
_opacitysrc.cpython-310.pyc
_pattern.cpython-310.pyc
_reversescale.cpython-310.pyc
_showscale.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---selected
```

```
| _marker.py
| _textfont.py
| __init__.py
```

```
+---marker
```

```
| _color.py
| _opacity.py
| __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _opacity.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---textfont
```

```
| _color.py
| __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
```

```
    _marker.cpython-310.pyc
    _textfont.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---stream
```

```
| _maxpoints.py
| _token.py
| __init__.py
```

```
\---__pycache__
```

```
    _maxpoints.cpython-310.pyc
    _token.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---unselected
```

```
| _marker.py
| _textfont.py
| __init__.py
```

```
+---marker
```

```
| _color.py
| _opacity.py
| __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _opacity.cpython-310.pyc
    __init__.cpython-310.pyc
```

```

+---textfont
|   |   _color.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _color.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _marker.cpython-310.pyc
        _textfont.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
        _base.cpython-310.pyc
        _basesrc.cpython-310.pyc
        _customdata.cpython-310.pyc
        _customdatasrc.cpython-310.pyc
        _dr.cpython-310.pyc
        _dtheta.cpython-310.pyc
        _hoverinfo.cpython-310.pyc
        _hoverinfosrc.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        _hovertemplate.cpython-310.pyc
        _hovertemplatesrc.cpython-310.pyc
        _hovertext.cpython-310.pyc
        _hovertextsrc.cpython-310.pyc
        _ids.cpython-310.pyc
        _idssrc.cpython-310.pyc
        _legend.cpython-310.pyc
        _legendgroup.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _legendrank.cpython-310.pyc
        _legendwidth.cpython-310.pyc
        _marker.cpython-310.pyc
        _meta.cpython-310.pyc
        _metasrc.cpython-310.pyc
        _name.cpython-310.pyc
        _offset.cpython-310.pyc
        _offsetsrc.cpython-310.pyc
        _opacity.cpython-310.pyc
        _r.cpython-310.pyc
        _r0.cpython-310.pyc
        _rsrc.cpython-310.pyc
        _selected.cpython-310.pyc
        _selectedpoints.cpython-310.pyc
        _showlegend.cpython-310.pyc
        _stream.cpython-310.pyc
        _subplot.cpython-310.pyc
        _text.cpython-310.pyc
        _textsrc.cpython-310.pyc
        _theta.cpython-310.pyc
        _theta0.cpython-310.pyc
        _thetasrc.cpython-310.pyc
        _thetaunit.cpython-310.pyc
        _uid.cpython-310.pyc
        _uirevision.cpython-310.pyc
        _unselected.cpython-310.pyc
        _visible.cpython-310.pyc
        _width.cpython-310.pyc
        _widthsrc.cpython-310.pyc
        __init__.cpython-310.pyc

```

```

+---box
|   |   _alignmentgroup.py
|   |   _boxmean.py
|   |   _boxpoints.py
|   |   _customdata.py

```



```

_customdatasrc.py
_dx.py
_dy.py
_fillcolor.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hoveron.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_jitter.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_lowerfence.py
_lowerfencesrc.py
_marker.py
_mean.py
_meansrc.py
_median.py
_mediansrc.py
_meta.py
 metasrc.py
_name.py
_notched.py
_notchspan.py
_notchspansrc.py
_notchwidth.py
_offsetgroup.py
_opacity.py
_orientation.py
_pointpos.py
_q1.py
_q1src.py
_q3.py
_q3src.py
_quartilemethod.py
_sd.py
_sdmultiple.py
_sdsr.py
_selected.py
_selectedpoints.py
_showlegend.py
_showwhiskers.py
_sizemode.py
_stream.py
_text.py
_textsrc.py
_uid.py
_uirevision.py
_unselected.py
_upperfence.py
_upperfencesrc.py
_visible.py
_whiskerwidth.py
_width.py
_x.py
_x0.py
_xaxis.py
_xcalendar.py
_xhoverformat.py

```

```
_xperiod.py
_xperiod0.py
_xperiodalignment.py
_xsrc.py
_y.py
_y0.py
_yaxis.py
_ycalendar.py
_yhoverformat.py
_yperiod.py
_yperiod0.py
_yperiodalignment.py
_ysrc.py
__init__.py
```

+---hoverlabel

```
| _align.py
| _alignsrc.py
| _bgcolor.py
| _bgcolorsrc.py
| _bordercolor.py
| _bordercolorsrc.py
| _font.py
| _namelength.py
| _namelengthsrc.py
| __init__.py
```

+---font

```
| _color.py
| _colorsrc.py
| _family.py
| _familysrc.py
| _size.py
| _sizesrc.py
| __init__.py
```

\---__pycache__

```
| _color.cpython-310.pyc
| _colorsrc.cpython-310.pyc
| _family.cpython-310.pyc
| _familysrc.cpython-310.pyc
| _size.cpython-310.pyc
| _sizesrc.cpython-310.pyc
| __init__.cpython-310.pyc
```

\---__pycache__

```
| _align.cpython-310.pyc
| _alignsrc.cpython-310.pyc
| _bgcolor.cpython-310.pyc
| _bgcolorsrc.cpython-310.pyc
| _bordercolor.cpython-310.pyc
| _bordercolorsrc.cpython-310.pyc
| _font.cpython-310.pyc
| _namelength.cpython-310.pyc
| _namelengthsrc.cpython-310.pyc
| __init__.cpython-310.pyc
```

+---legendgrouptitle

```
| _font.py
| _text.py
| __init__.py
```

+---font

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

```

\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc

+---line
    _color.py
    _width.py
    __init__.py

\---__pycache__
    _color.cpython-310.pyc
    _width.cpython-310.pyc
    __init__.cpython-310.pyc

+---marker
    _angle.py
    _color.py
    _line.py
    _opacity.py
    _outliercolor.py
    _size.py
    _symbol.py
    __init__.py

+---line
    _color.py
    _outliercolor.py
    _outlierwidth.py
    _width.py
    __init__.py

\---__pycache__
    _color.cpython-310.pyc
    _outliercolor.cpython-310.pyc
    _outlierwidth.cpython-310.pyc
    _width.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _angle.cpython-310.pyc
    _color.cpython-310.pyc
    _line.cpython-310.pyc
    _opacity.cpython-310.pyc
    _outliercolor.cpython-310.pyc
    _size.cpython-310.pyc
    _symbol.cpython-310.pyc
    __init__.cpython-310.pyc

+---selected
    _marker.py
    __init__.py

+---marker
    _color.py
    _opacity.py
    _size.py
    __init__.py

\---__pycache__
    _color.cpython-310.pyc
    _opacity.cpython-310.pyc

```

```

        _size.cpython-310.pyc
        __init__.cpython-310.pyc
    \--- __pycache__
        _marker.cpython-310.pyc
        __init__.cpython-310.pyc
+--- stream
    |
    |   _maxpoints.py
    |   _token.py
    |   __init__.py
    |
    \--- __pycache__
        _maxpoints.cpython-310.pyc
        _token.cpython-310.pyc
        __init__.cpython-310.pyc
+--- unselected
    |
    |   _marker.py
    |   __init__.py
    |
    +--- marker
    |   |
    |   |   _color.py
    |   |   _opacity.py
    |   |   _size.py
    |   |   __init__.py
    |   |
    |   \--- __pycache__
    |       _color.cpython-310.pyc
    |       _opacity.cpython-310.pyc
    |       _size.cpython-310.pyc
    |       __init__.cpython-310.pyc
    |
    \--- __pycache__
        _marker.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
    _alignmentgroup.cpython-310.pyc
    _boxmean.cpython-310.pyc
    _boxpoints.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _dx.cpython-310.pyc
    _dy.cpython-310.pyc
    _fillcolor.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hoveron.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _jitter.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _line.cpython-310.pyc
    _lowerfence.cpython-310.pyc
    _lowerfencesrc.cpython-310.pyc
    _marker.cpython-310.pyc
    _mean.cpython-310.pyc
    _meansrc.cpython-310.pyc

```

```
_median.cpython-310.pyc
_mediansrc.cpython-310.pyc
_meta.cpython-310.pyc
 metasrc.cpython-310.pyc
_name.cpython-310.pyc
_notched.cpython-310.pyc
_notchspan.cpython-310.pyc
_notchspansrc.cpython-310.pyc
_notchwidth.cpython-310.pyc
_offsetgroup.cpython-310.pyc
_opacity.cpython-310.pyc
_orientation.cpython-310.pyc
_pointpos.cpython-310.pyc
_q1.cpython-310.pyc
_q1src.cpython-310.pyc
_q3.cpython-310.pyc
_q3src.cpython-310.pyc
_quartilemethod.cpython-310.pyc
_sd.cpython-310.pyc
_sdmultiple.cpython-310.pyc
_sdsr.cpython-310.pyc
_selected.cpython-310.pyc
_selectedpoints.cpython-310.pyc
_showlegend.cpython-310.pyc
_showwhiskers.cpython-310.pyc
_sizemode.cpython-310.pyc
_stream.cpython-310.pyc
_text.cpython-310.pyc
_textsrc.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_unselected.cpython-310.pyc
_upperfence.cpython-310.pyc
_upperfencesrc.cpython-310.pyc
_visible.cpython-310.pyc
_whiskerwidth.cpython-310.pyc
_width.cpython-310.pyc
_x.cpython-310.pyc
_x0.cpython-310.pyc
_xaxis.cpython-310.pyc
_xcalendar.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xperiod.cpython-310.pyc
_xperiod0.cpython-310.pyc
_xperiodalignment.cpython-310.pyc
_xsrc.cpython-310.pyc
_y.cpython-310.pyc
_y0.cpython-310.pyc
_yaxis.cpython-310.pyc
_ycalendar.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_yperiod.cpython-310.pyc
_yperiod0.cpython-310.pyc
_yperiodalignment.cpython-310.pyc
_ysrc.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---candlestick
```

```
  _close.py
  _closesrc.py
  _customdata.py
  _customdatasrc.py
  _decreasing.py
  _high.py
  _highsrc.py
  _hoverinfo.py
  _hoverinfosrc.py
  _hoverlabel.py
```

```

_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_increasing.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_low.py
_lowsrc.py
_meta.py
_metasrc.py
_name.py
_opacity.py
_open.py
_opensrc.py
_selectedpoints.py
_showlegend.py
_stream.py
_text.py
_textsrc.py
_uid.py
_uirevision.py
_visible.py
_whiskerwidth.py
_x.py
_xaxis.py
_xcalendar.py
_xhoverformat.py
_xperiod.py
_xperiod0.py
_xperiodalignment.py
_xsrc.py
_yaxis.py
_yhoverformat.py
__init__.py

+---decreasing
|   _fillcolor.py
|   _line.py
|   __init__.py
|
+---line
|   _color.py
|   _width.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           _width.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _fillcolor.cpython-310.pyc
|           _line.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---hoverlabel
|   _align.py
|   _alignsrc.py
|   _bgcolor.py
|   _bgcolorsrc.py
|   _bordercolor.py
|   _bordercolorsrc.py
|   _font.py

```

```

    _namelength.py
    _namelengthsrc.py
    _split.py
    __init__.py

+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizersrc.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizersrc.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    _split.cpython-310.pyc
    __init__.cpython-310.pyc

+---increasing
|   _fillcolor.py
|   _line.py
|   __init__.py
|
+---line
|   _color.py
|   _width.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _width.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _fillcolor.cpython-310.pyc
    _line.cpython-310.pyc
    __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__

```

```

        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
    \--- __pycache__
        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
+--- line
    |   _width.py
    |   __init__.py
    \--- __pycache__
        _width.cpython-310.pyc
        __init__.cpython-310.pyc
+--- stream
    |   _maxpoints.py
    |   _token.py
    |   __init__.py
    \--- __pycache__
        _maxpoints.cpython-310.pyc
        _token.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
    _close.cpython-310.pyc
    _closesrc.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _decreasing.cpython-310.pyc
    _high.cpython-310.pyc
    _highsrc.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _increasing.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _line.cpython-310.pyc
    _low.cpython-310.pyc
    _lowsrc.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _open.cpython-310.pyc
    _opensrc.cpython-310.pyc
    _selectedpoints.cpython-310.pyc
    _showlegend.cpython-310.pyc
    _stream.cpython-310.pyc
    _text.cpython-310.pyc
    _textsrc.cpython-310.pyc
    _uid.cpython-310.pyc
    _uirevision.cpython-310.pyc
    _visible.cpython-310.pyc
    _whiskerwidth.cpython-310.pyc
    _x.cpython-310.pyc

```



```
_xaxis.cpython-310.pyc
_xcalendar.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xperiod.cpython-310.pyc
_xperiod0.cpython-310.pyc
_xperiodalignment.cpython-310.pyc
_xsrc.cpython-310.pyc
_yaxis.cpython-310.pyc
_yhoverformat.cpython-310.pyc
__init__.cpython-310.pyc
```

+---carpet

```
_a.py
_a0.py
_aaxis.py
_asrc.py
_b.py
_b0.py
_baxis.py
_bsrc.py
_carpet.py
_cheaterslope.py
_color.py
_customdata.py
_customdatasrc.py
_da.py
_db.py
_font.py
_ids.py
_idssrc.py
_legend.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_meta.py
 metasrc.py
_name.py
_opacity.py
_stream.py
_uid.py
_uirevision.py
_visible.py
_x.py
_xaxis.py
_xsrc.py
_y.py
_yaxis.py
_ysrc.py
__init__.py
```

+---aaxis

```
_arraydtick.py
_arraytick0.py
_autorange.py
_autotypenumbers.py
_categoryarray.py
_categoryarraysrc.py
_categoryorder.py
_cheatertype.py
_color.py
_dtick.py
_endline.py
_endlinecolor.py
_endlinewidth.py
_exponentformat.py
_fixedrange.py
_gridcolor.py
_griddash.py
```

```

_gridwidth.py
_labelalias.py
_labelpadding.py
_labelprefix.py
_labelsuffix.py
_linecolor.py
_linewidth.py
_minexponent.py
_minorgridcolor.py
_minorgridcount.py
_minorgriddash.py
_minorgridwidth.py
_nticks.py
_range.py
_rangemode.py
_separatethousands.py
_showexponent.py
_showgrid.py
_showline.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_smoothing.py
_startline.py
_startlinecolor.py
_startlinewidth.py
_tick0.py
_tickangle.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_tickmode.py
_tickprefix.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_title.py
_type.py
__init__.py
+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc

```

```

        _value.cpython-310.pyc
        __init__.cpython-310.pyc
+---title
|   _font.py
|   _offset.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _offset.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _arraydtick.cpython-310.pyc
    _arraytick0.cpython-310.pyc
    _autorange.cpython-310.pyc
    _autotypenumbers.cpython-310.pyc
    _categoryarray.cpython-310.pyc
    _categoryarraysrc.cpython-310.pyc
    _categoryorder.cpython-310.pyc
    _cheatertype.cpython-310.pyc
    _color.cpython-310.pyc
    _dtick.cpython-310.pyc
    _endline.cpython-310.pyc
    _endlinecolor.cpython-310.pyc
    _endlinewidth.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _fixedrange.cpython-310.pyc
    _gridcolor.cpython-310.pyc
    _griddash.cpython-310.pyc
    _gridwidth.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _labelpadding.cpython-310.pyc
    _labelprefix.cpython-310.pyc
    _labelsuffix.cpython-310.pyc
    _linecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _minorgridcolor.cpython-310.pyc
    _minorgridcount.cpython-310.pyc
    _minorgriddash.cpython-310.pyc
    _minorgridwidth.cpython-310.pyc
    _nticks.cpython-310.pyc
    _range.cpython-310.pyc
    _rangemode.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showgrid.cpython-310.pyc
    _showline.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _smoothing.cpython-310.pyc

```

```
_startline.cpython-310.pyc
_startlinecolor.cpython-310.pyc
_startlinewidth.cpython-310.pyc
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_title.cpython-310.pyc
_type.cpython-310.pyc
__init__.cpython-310.pyc
```

+++baxis

```
_arraydtick.py
_arraytick0.py
_autorange.py
_autotypenumbers.py
_categoryarray.py
_categoryarraysrc.py
_categoryorder.py
_cheatertype.py
_color.py
_dtick.py
_endline.py
_endlinecolor.py
_endlinewidth.py
_exponentformat.py
_fixedrange.py
_gridcolor.py
_griddash.py
_gridwidth.py
_labelalias.py
_labelpadding.py
_labelprefix.py
_labelsuffix.py
_linecolor.py
_linewidth.py
_minexponent.py
_minorgridcolor.py
_minorgridcount.py
_minorgriddash.py
_minorgridwidth.py
_nticks.py
_range.py
_rangemode.py
_separatethousands.py
_showexponent.py
_showgrid.py
_showline.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_smoothing.py
_startline.py
_startlinecolor.py
_startlinewidth.py
_tick0.py
_tickangle.py
_tickfont.py
_tickformat.py
```

```

_tickformatstopdefaults.py
_tickformatstops.py
_tickmode.py
_tickprefix.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_title.py
_type.py
__init__.py

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc

+---title
|   _font.py
|   _offset.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _font.cpython-310.pyc
    _offset.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _arraydtick.cpython-310.pyc
    _arraytick0.cpython-310.pyc

```

```

_autorange.cpython-310.pyc
_autotypenumbers.cpython-310.pyc
_categoryarray.cpython-310.pyc
_categoryarraysrc.cpython-310.pyc
_categoryorder.cpython-310.pyc
_cheatertype.cpython-310.pyc
_color.cpython-310.pyc
_dtick.cpython-310.pyc
_endline.cpython-310.pyc
_endlinecolor.cpython-310.pyc
_endlinewidth.cpython-310.pyc
_exponentformat.cpython-310.pyc
_fixedrange.cpython-310.pyc
_gridcolor.cpython-310.pyc
_griddash.cpython-310.pyc
_gridwidth.cpython-310.pyc
_labelalias.cpython-310.pyc
_labelpadding.cpython-310.pyc
_labelprefix.cpython-310.pyc
_labelsuffix.cpython-310.pyc
_linecolor.cpython-310.pyc
_linewidth.cpython-310.pyc
_minexponent.cpython-310.pyc
_minorgridcolor.cpython-310.pyc
_minorgridcount.cpython-310.pyc
_minorgriddash.cpython-310.pyc
_minorgridwidth.cpython-310.pyc
_nticks.cpython-310.pyc
_range.cpython-310.pyc
_rangemode.cpython-310.pyc
_separatethousands.cpython-310.pyc
_showexponent.cpython-310.pyc
_showgrid.cpython-310.pyc
_showline.cpython-310.pyc
_showticklabels.cpython-310.pyc
_showtickprefix.cpython-310.pyc
_showticksuffix.cpython-310.pyc
_smoothing.cpython-310.pyc
_startline.cpython-310.pyc
_startlinecolor.cpython-310.pyc
_startlinewidth.cpython-310.pyc
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_title.cpython-310.pyc
_type.cpython-310.pyc
__init__.cpython-310.pyc

```

```

+---font

```

```

|   _color.py
|   _family.py
|   _size.py
|   __init__.py

```

```

\---__pycache__

```

```

|   _color.cpython-310.pyc
|   _family.cpython-310.pyc
|   _size.cpython-310.pyc

```

```

__init__.cpython-310.pyc
+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
|   +---font
|   |   _color.py
|   |   _family.py
|   |   _size.py
|   |   __init__.py
|   |
|   \---__pycache__
|         _color.cpython-310.pyc
|         _family.cpython-310.pyc
|         _size.cpython-310.pyc
|         __init__.cpython-310.pyc
|
|   \---__pycache__
|         _font.cpython-310.pyc
|         _text.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
|   \---__pycache__
|         _maxpoints.cpython-310.pyc
|         _token.cpython-310.pyc
|         __init__.cpython-310.pyc
|
\---__pycache__
      _a.cpython-310.pyc
      _a0.cpython-310.pyc
      _aaxis.cpython-310.pyc
      _asrc.cpython-310.pyc
      _b.cpython-310.pyc
      _b0.cpython-310.pyc
      _baxis.cpython-310.pyc
      _bsrc.cpython-310.pyc
      _carpet.cpython-310.pyc
      _cheaterslope.cpython-310.pyc
      _color.cpython-310.pyc
      _customdata.cpython-310.pyc
      _customdatasrc.cpython-310.pyc
      _da.cpython-310.pyc
      _db.cpython-310.pyc
      _font.cpython-310.pyc
      _ids.cpython-310.pyc
      _idssrc.cpython-310.pyc
      _legend.cpython-310.pyc
      _legendgrouptitle.cpython-310.pyc
      _legendrank.cpython-310.pyc
      _legendwidth.cpython-310.pyc
      _meta.cpython-310.pyc
      _metasrc.cpython-310.pyc
      _name.cpython-310.pyc
      _opacity.cpython-310.pyc
      _stream.cpython-310.pyc
      _uid.cpython-310.pyc
      _uirevision.cpython-310.pyc
      _visible.cpython-310.pyc
      _x.cpython-310.pyc
      _xaxis.cpython-310.pyc
      _xsrc.cpython-310.pyc

```

```
_y.cpython-310.pyc
_yaxis.cpython-310.pyc
_ysrc.cpython-310.pyc
__init__.cpython-310.pyc
```

+---choropleth

```
_autocolorscale.py
_coloraxis.py
_colorbar.py
_colorscale.py
_customdata.py
_customdatasrc.py
_featureidkey.py
_geo.py
_geojson.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idsrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_locationmode.py
_locations.py
_locationssrc.py
_marker.py
_meta.py
 metasrc.py
_name.py
_reversescale.py
_selected.py
_selectedpoints.py
_showlegend.py
_showscale.py
_stream.py
_text.py
_textsrc.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
_z.py
_zauto.py
_zmax.py
_zmid.py
_zmin.py
_zsrc.py
__init__.py
```

+---colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
```



```

_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc

+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
     _dtickrange.cpython-310.pyc
     _enabled.cpython-310.pyc
     _name.cpython-310.pyc
     _templateitemname.cpython-310.pyc
     _value.cpython-310.pyc
     __init__.cpython-310.pyc

```

```

+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           _family.cpython-310.pyc
|           _size.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           _side.cpython-310.pyc
|           _text.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _outlinewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _title.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc

```

```

        _xpad.cpython-310.pyc
        _xref.cpython-310.pyc
        _y.cpython-310.pyc
        _yanchor.cpython-310.pyc
        _ypad.cpython-310.pyc
        _yref.cpython-310.pyc
        __init__.cpython-310.pyc
+---hoverlabel
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    __init__.py
+---font
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc
+---legendgrouptitle
    _font.py
    _text.py
    __init__.py
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__

```

```

        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
+---marker
|   _line.py
|   _opacity.py
|   _opacitysrc.py
|   __init__.py
|
+---line
|   _color.py
|   _colorsrc.py
|   _width.py
|   _widthsrc.py
|   __init__.py
|
\---__pycache__
        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _width.cpython-310.pyc
        _widthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
        _line.cpython-310.pyc
        _opacity.cpython-310.pyc
        _opacitysrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---selected
|   _marker.py
|   __init__.py
|
+---marker
|   _opacity.py
|   __init__.py
|
\---__pycache__
        _opacity.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
        _marker.cpython-310.pyc
        __init__.cpython-310.pyc
+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
\---__pycache__
        _maxpoints.cpython-310.pyc
        _token.cpython-310.pyc
        __init__.cpython-310.pyc
+---unselected
|   _marker.py
|   __init__.py
|
+---marker
|   _opacity.py
|   __init__.py
|
\---__pycache__
        _opacity.cpython-310.pyc
        __init__.cpython-310.pyc

```

```

\---__pycache__
    _marker.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _autocolorscale.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _colorscale.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _featureidkey.cpython-310.pyc
    _geo.cpython-310.pyc
    _geojson.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _locationmode.cpython-310.pyc
    _locations.cpython-310.pyc
    _locationssrc.cpython-310.pyc
    _marker.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _reversescale.cpython-310.pyc
    _selected.cpython-310.pyc
    _selectedpoints.cpython-310.pyc
    _showlegend.cpython-310.pyc
    _showscale.cpython-310.pyc
    _stream.cpython-310.pyc
    _text.cpython-310.pyc
    _textsrc.cpython-310.pyc
    _uid.cpython-310.pyc
    _uirevision.cpython-310.pyc
    _unselected.cpython-310.pyc
    _visible.cpython-310.pyc
    _z.cpython-310.pyc
    _zauto.cpython-310.pyc
    _zmax.cpython-310.pyc
    _zmid.cpython-310.pyc
    _zmin.cpython-310.pyc
    _zsrc.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---choroplethmapbox
    _autocolorscale.py
    _below.py
    _coloraxis.py
    _colorbar.py
    _colorscale.py
    _customdata.py
    _customdatasrc.py
    _featureidkey.py
    _geojson.py
    _hoverinfo.py
    _hoverinfosrc.py
    _hoverlabel.py

```

```
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_locations.py
_locationssrc.py
_marker.py
_meta.py
_metasrc.py
_name.py
_reversescale.py
_selected.py
_selectedpoints.py
_showlegend.py
_showscale.py
_stream.py
_subplot.py
_text.py
_textsrc.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
_z.py
_zauto.py
_zmax.py
_zmid.py
_zmin.py
_zsrc.py
__init__.py
```

+---colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
```

```
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
```

+---tickfont

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

\---__pycache__

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

+---tickformatstop

```
| _dtickrange.py
| _enabled.py
| _name.py
| _templateitemname.py
| _value.py
| __init__.py
```

\---__pycache__

```
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
```

+---title

```
| _font.py
| _side.py
| _text.py
| __init__.py
```

+---font

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

\---__pycache__

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
    _font.cpython-310.pyc
    _side.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _outlinewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _title.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xpad.cpython-310.pyc
    _xref.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc
    _ypad.cpython-310.pyc
    _yref.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---hoverlabel
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
```



```

__init__.py
+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc
+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
+---marker
|   _line.py
|   _opacity.py
|   _opacitysrc.py
|   __init__.py
|
+---line
|   _color.py
|   _colorsrc.py
|   _width.py
|   _widthsrc.py
|   __init__.py
|
\---__pycache__

```

```

        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _width.cpython-310.pyc
        _widthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
    \--- __pycache__
        _line.cpython-310.pyc
        _opacity.cpython-310.pyc
        _opacitysrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---selected
    |   _marker.py
    |   __init__.py
    |
    +---marker
    |   |   _opacity.py
    |   |   __init__.py
    |   |
    |   \--- __pycache__
    |       _opacity.cpython-310.pyc
    |       __init__.cpython-310.pyc
    |
    \--- __pycache__
        _marker.cpython-310.pyc
        __init__.cpython-310.pyc
+---stream
    |   _maxpoints.py
    |   _token.py
    |   __init__.py
    |
    \--- __pycache__
        _maxpoints.cpython-310.pyc
        _token.cpython-310.pyc
        __init__.cpython-310.pyc
+---unselected
    |   _marker.py
    |   __init__.py
    |
    +---marker
    |   |   _opacity.py
    |   |   __init__.py
    |   |
    |   \--- __pycache__
    |       _opacity.cpython-310.pyc
    |       __init__.cpython-310.pyc
    |
    \--- __pycache__
        _marker.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
    _autocolorscale.cpython-310.pyc
    _below.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _colormap.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _featureidkey.cpython-310.pyc
    _geojson.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc

```

```
_hovertemplatesrc.cpython-310.pyc
_hovertext.cpython-310.pyc
_hovertextsrc.cpython-310.pyc
_ids.cpython-310.pyc
_idssrc.cpython-310.pyc
_legend.cpython-310.pyc
_legendgroup.cpython-310.pyc
_legendgrouptitle.cpython-310.pyc
_legendrank.cpython-310.pyc
_legendwidth.cpython-310.pyc
_locations.cpython-310.pyc
_locationssrc.cpython-310.pyc
_marker.cpython-310.pyc
_meta.cpython-310.pyc
 metasrc.cpython-310.pyc
_name.cpython-310.pyc
_reversescale.cpython-310.pyc
_selected.cpython-310.pyc
_selectedpoints.cpython-310.pyc
_showlegend.cpython-310.pyc
_showscale.cpython-310.pyc
_stream.cpython-310.pyc
_subplot.cpython-310.pyc
_text.cpython-310.pyc
_textsrc.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_unselected.cpython-310.pyc
_visible.cpython-310.pyc
_z.cpython-310.pyc
_zauto.cpython-310.pyc
_zmax.cpython-310.pyc
_zmid.cpython-310.pyc
_zmin.cpython-310.pyc
_zsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

+---cone

```
_anchor.py
_autocolorscale.py
_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_coloraxis.py
_colorbar.py
_colorscale.py
_customdata.py
_customdatasrc.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_lighting.py
_lightposition.py
_meta.py
 metasrc.py
_name.py
```

```
_opacity.py
_reversescale.py
_scene.py
_showlegend.py
_showscale.py
_sizemode.py
_sizeref.py
_stream.py
_text.py
_textsrc.py
_u.py
_uhoverformat.py
_uid.py
_uirevision.py
_usrc.py
_v.py
_vhoverformat.py
_visible.py
_vsrc.py
_w.py
_whooverformat.py
_wsrc.py
_x.py
_xhoverformat.py
_xsrc.py
_y.py
_yhoverformat.py
_ysrc.py
_z.py
_zhoverformat.py
_zsrc.py
__init__.py
```

+---colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
```

```

_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc

+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _font.cpython-310.pyc
    _side.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

|
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _outlinewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _title.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xpad.cpython-310.pyc
    _xref.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc
    _ypad.cpython-310.pyc
    _yref.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---hoverlabel
    |
    | _align.py
    | _alignsrc.py
    | _bgcolor.py
    | _bgcolorsrc.py
    | _bordercolor.py
    | _bordercolorsrc.py
    | _font.py
    | _namelength.py
    | _namelengthsrc.py
    | __init__.py

```

```

+---font
    |
    | _color.py
    | _colorsrc.py

```

```

    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc
+---legendgrouptitle
    _font.py
    _text.py
    __init__.py
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
+---lighting
    _ambient.py
    _diffuse.py
    _facenormalsepsilon.py
    _fresnel.py
    _roughness.py
    _specular.py
    _vertexnormalsepsilon.py
    __init__.py
\---__pycache__
    _ambient.cpython-310.pyc
    _diffuse.cpython-310.pyc
    _facenormalsepsilon.cpython-310.pyc
    _fresnel.cpython-310.pyc
    _roughness.cpython-310.pyc
    _specular.cpython-310.pyc
    _vertexnormalsepsilon.cpython-310.pyc
    __init__.cpython-310.pyc

```

```
+---lightposition
|   _x.py
|   _y.py
|   _z.py
|   __init__.py
|   \---__pycache__
|           _x.cpython-310.pyc
|           _y.cpython-310.pyc
|           _z.cpython-310.pyc
|           __init__.cpython-310.pyc
+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|   \---__pycache__
|           _maxpoints.cpython-310.pyc
|           _token.cpython-310.pyc
|           __init__.cpython-310.pyc
\---__pycache__
    _anchor.cpython-310.pyc
    _autocolorscale.cpython-310.pyc
    _cauto.cpython-310.pyc
    _cmax.cpython-310.pyc
    _cmid.cpython-310.pyc
    _cmin.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _colorscale.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _lighting.cpython-310.pyc
    _lightposition.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _reversescale.cpython-310.pyc
    _scene.cpython-310.pyc
    _showlegend.cpython-310.pyc
    _showscale.cpython-310.pyc
    _sizemode.cpython-310.pyc
    _sizeref.cpython-310.pyc
    _stream.cpython-310.pyc
    _text.cpython-310.pyc
    _textsrc.cpython-310.pyc
    _u.cpython-310.pyc
    _uhoverformat.cpython-310.pyc
    _uid.cpython-310.pyc
    _uirevision.cpython-310.pyc
```



```
_usrc.cpython-310.pyc
_v.cpython-310.pyc
_vhoverformat.cpython-310.pyc
_visible.cpython-310.pyc
_vsrc.cpython-310.pyc
_w.cpython-310.pyc
_whoeverformat.cpython-310.pyc
_wsrc.cpython-310.pyc
_x.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xsrc.cpython-310.pyc
_y.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_ysrc.cpython-310.pyc
_z.cpython-310.pyc
_zhoverformat.cpython-310.pyc
_zsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

+---contour

```
_autocolorscale.py
_autocontour.py
_coloraxis.py
_colorbar.py
_colorscalescale.py
_connectgaps.py
_contours.py
_customdata.py
_customdatasrc.py
_dx.py
_dy.py
_fillcolor.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hoverongaps.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_meta.py
 metasrc.py
_name.py
_ncontours.py
_opacity.py
_reversescale.py
_showlegend.py
_showscale.py
_stream.py
_text.py
_textfont.py
_textsrc.py
_texttemplate.py
_transpose.py
_uid.py
_uirevision.py
_visible.py
_x.py
_x0.py
_xaxis.py
```

```
_xcalendar.py
_xhoverformat.py
_xperiod.py
_xperiod0.py
_xperiodalignment.py
_xsrc.py
_xtype.py
_y.py
_y0.py
_yaxis.py
_ycalendar.py
_yhoverformat.py
_yperiod.py
_yperiod0.py
_yperiodalignment.py
_ysrc.py
_ytype.py
_z.py
_zauto.py
_zhoverformat.py
_zmax.py
_zmid.py
_zmin.py
_zsrc.py
__init__.py
```

```
+---colorbar
```

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
```

```

_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc

+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
     _dtickrange.cpython-310.pyc
     _enabled.cpython-310.pyc
     _name.cpython-310.pyc
     _templateitemname.cpython-310.pyc
     _value.cpython-310.pyc
     __init__.cpython-310.pyc

+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _font.cpython-310.pyc
     _side.cpython-310.pyc
     _text.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _bgcolor.cpython-310.pyc
     _bordercolor.cpython-310.pyc
     _borderwidth.cpython-310.pyc
     _dtick.cpython-310.pyc
     _exponentformat.cpython-310.pyc

```

```
_labelalias.cpython-310.pyc
_len.cpython-310.pyc
_lenmode.cpython-310.pyc
_minexponent.cpython-310.pyc
_nticks.cpython-310.pyc
_orientation.cpython-310.pyc
_outlinecolor.cpython-310.pyc
_outlinewidth.cpython-310.pyc
_separatethousands.cpython-310.pyc
_showexponent.cpython-310.pyc
_showticklabels.cpython-310.pyc
_showtickprefix.cpython-310.pyc
_showticksuffix.cpython-310.pyc
_thickness.cpython-310.pyc
_thicknessmode.cpython-310.pyc
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklabeloverflow.cpython-310.pyc
_ticklabelposition.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
```

+---contours

```
_coloring.py
_end.py
_labelfont.py
_labelformat.py
_operation.py
_showlabels.py
_showlines.py
_size.py
_start.py
_type.py
_value.py
__init__.py
```

+---labelfont

```
_color.py
_family.py
_size.py
__init__.py
```

\---__pycache__

```
_color.cpython-310.pyc
```

```
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
    _coloring.cpython-310.pyc
    _end.cpython-310.pyc
    _labelfont.cpython-310.pyc
    _labelformat.cpython-310.pyc
    _operation.cpython-310.pyc
    _showlabels.cpython-310.pyc
    _showlines.cpython-310.pyc
    _size.cpython-310.pyc
    _start.cpython-310.pyc
    _type.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---hoverlabel
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    __init__.py
```

```
+---font
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    __init__.py

    \---__pycache__
        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _family.cpython-310.pyc
        _familysrc.cpython-310.pyc
        _size.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc
```

```
\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---legendgrouptitle
    _font.py
    _text.py
    __init__.py
```

```
+---font
    _color.py
    _family.py
```

```

|         _size.py
|         __init__.py
|
|         \--- __pycache__
|             _color.cpython-310.pyc
|             _family.cpython-310.pyc
|             _size.cpython-310.pyc
|             __init__.cpython-310.pyc
|
|         \--- __pycache__
|             _font.cpython-310.pyc
|             _text.cpython-310.pyc
|             __init__.cpython-310.pyc
|
+--- line
|
|         _color.py
|         _dash.py
|         _smoothing.py
|         _width.py
|         __init__.py
|
|         \--- __pycache__
|             _color.cpython-310.pyc
|             _dash.cpython-310.pyc
|             _smoothing.cpython-310.pyc
|             _width.cpython-310.pyc
|             __init__.cpython-310.pyc
|
+--- stream
|
|         _maxpoints.py
|         _token.py
|         __init__.py
|
|         \--- __pycache__
|             _maxpoints.cpython-310.pyc
|             _token.cpython-310.pyc
|             __init__.cpython-310.pyc
|
+--- textfont
|
|         _color.py
|         _family.py
|         _size.py
|         __init__.py
|
|         \--- __pycache__
|             _color.cpython-310.pyc
|             _family.cpython-310.pyc
|             _size.cpython-310.pyc
|             __init__.cpython-310.pyc
|
\--- __pycache__
    _autocolorscale.cpython-310.pyc
    _autocontour.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _colormap.cpython-310.pyc
    _connectgaps.cpython-310.pyc
    _contours.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _dx.cpython-310.pyc
    _dy.cpython-310.pyc
    _fillcolor.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hoverongaps.cpython-310.pyc
    _hovertemplate.cpython-310.pyc

```

```

_hovertemplatesrc.cpython-310.pyc
_hovertext.cpython-310.pyc
_hovertextsrc.cpython-310.pyc
_ids.cpython-310.pyc
_idssrc.cpython-310.pyc
_legend.cpython-310.pyc
_legendgroup.cpython-310.pyc
_legendgrouptitle.cpython-310.pyc
_legendrank.cpython-310.pyc
_legendwidth.cpython-310.pyc
_line.cpython-310.pyc
_meta.cpython-310.pyc
_metasrc.cpython-310.pyc
_name.cpython-310.pyc
_ncontours.cpython-310.pyc
_opacity.cpython-310.pyc
_reversescale.cpython-310.pyc
_showlegend.cpython-310.pyc
_showscale.cpython-310.pyc
_stream.cpython-310.pyc
_text.cpython-310.pyc
_textfont.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_transpose.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_visible.cpython-310.pyc
_x.cpython-310.pyc
_x0.cpython-310.pyc
_xaxis.cpython-310.pyc
_xcalendar.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xperiod.cpython-310.pyc
_xperiod0.cpython-310.pyc
_xperiodalignment.cpython-310.pyc
_xsrc.cpython-310.pyc
_xtype.cpython-310.pyc
_y.cpython-310.pyc
_y0.cpython-310.pyc
_yaxis.cpython-310.pyc
_ycalendar.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_yperiod.cpython-310.pyc
_yperiod0.cpython-310.pyc
_yperiodalignment.cpython-310.pyc
_ysrc.cpython-310.pyc
_ytype.cpython-310.pyc
_z.cpython-310.pyc
_zauto.cpython-310.pyc
_zhoverformat.cpython-310.pyc
_zmax.cpython-310.pyc
_zmid.cpython-310.pyc
_zmin.cpython-310.pyc
_zsrc.cpython-310.pyc
__init__.cpython-310.pyc

```

```

+---contourcarpet

```

```

_a.py
_a0.py
_asrc.py
_atype.py
_autocolorscale.py
_autocontour.py
_b.py
_b0.py
_bsrc.py
_btype.py

```

```

_carpet.py
_coloraxis.py
_colorbar.py
_colorscale.py
_contours.py
_customdata.py
_customdatasrc.py
_da.py
_db.py
_fillcolor.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idsrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_meta.py
 metasrc.py
_name.py
_ncontours.py
_opacity.py
_reversescale.py
_showlegend.py
_showscale.py
_stream.py
_text.py
_textsrc.py
_transpose.py
_uid.py
_uirevision.py
_visible.py
_xaxis.py
_yaxis.py
_z.py
_zauto.py
_zmax.py
_zmid.py
_zmin.py
_zsrc.py
__init__.py

```

```

+---colorbar

```

```

    _bgcolor.py
    _bordercolor.py
    _borderwidth.py
    _dtick.py
    _exponentformat.py
    _labelalias.py
    _len.py
    _lenmode.py
    _minexponent.py
    _nticks.py
    _orientation.py
    _outlinecolor.py
    _linewidth.py
    _separatethousands.py
    _showexponent.py
    _showticklabels.py
    _showtickprefix.py
    _showticksuffix.py
    _thickness.py
    _thicknessmode.py
    _tick0.py
    _tickangle.py

```



```

_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

```

+---tickfont

```

| _color.py
| _family.py
| _size.py
| __init__.py

```

\---__pycache__

```

| _color.cpython-310.pyc
| _family.cpython-310.pyc
| _size.cpython-310.pyc
| __init__.cpython-310.pyc

```

+---tickformatstop

```

| _dtickrange.py
| _enabled.py
| _name.py
| _templateitemname.py
| _value.py
| __init__.py

```

\---__pycache__

```

| _dtickrange.cpython-310.pyc
| _enabled.cpython-310.pyc
| _name.cpython-310.pyc
| _templateitemname.cpython-310.pyc
| _value.cpython-310.pyc
| __init__.cpython-310.pyc

```

+---title

```

| _font.py
| _side.py
| _text.py
| __init__.py

```

+---font

```

| _color.py
| _family.py
| _size.py
| __init__.py

```

```

|
| \---__pycache__
|     _color.cpython-310.pyc
|     _family.cpython-310.pyc
|     _size.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _font.cpython-310.pyc
|     _side.cpython-310.pyc
|     _text.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _bgcolor.cpython-310.pyc
|     _bordercolor.cpython-310.pyc
|     _borderwidth.cpython-310.pyc
|     _dtick.cpython-310.pyc
|     _exponentformat.cpython-310.pyc
|     _labelalias.cpython-310.pyc
|     _len.cpython-310.pyc
|     _lenmode.cpython-310.pyc
|     _minexponent.cpython-310.pyc
|     _nticks.cpython-310.pyc
|     _orientation.cpython-310.pyc
|     _outlinecolor.cpython-310.pyc
|     _linewidth.cpython-310.pyc
|     _separatethousands.cpython-310.pyc
|     _showexponent.cpython-310.pyc
|     _showticklabels.cpython-310.pyc
|     _showtickprefix.cpython-310.pyc
|     _showticksuffix.cpython-310.pyc
|     _thickness.cpython-310.pyc
|     _thicknessmode.cpython-310.pyc
|     _tick0.cpython-310.pyc
|     _tickangle.cpython-310.pyc
|     _tickcolor.cpython-310.pyc
|     _tickfont.cpython-310.pyc
|     _tickformat.cpython-310.pyc
|     _tickformatstopdefaults.cpython-310.pyc
|     _tickformatstops.cpython-310.pyc
|     _ticklabeloverflow.cpython-310.pyc
|     _ticklabelposition.cpython-310.pyc
|     _ticklabelstep.cpython-310.pyc
|     _ticklen.cpython-310.pyc
|     _tickmode.cpython-310.pyc
|     _tickprefix.cpython-310.pyc
|     _ticks.cpython-310.pyc
|     _ticksuffix.cpython-310.pyc
|     _ticktext.cpython-310.pyc
|     _ticktextsrc.cpython-310.pyc
|     _tickvals.cpython-310.pyc
|     _tickvalssrc.cpython-310.pyc
|     _tickwidth.cpython-310.pyc
|     _title.cpython-310.pyc
|     _x.cpython-310.pyc
|     _xanchor.cpython-310.pyc
|     _xpad.cpython-310.pyc
|     _xref.cpython-310.pyc
|     _y.cpython-310.pyc
|     _yanchor.cpython-310.pyc
|     _ypad.cpython-310.pyc
|     _yref.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---contours
|     _coloring.py
|     _end.py

```

```

_labelfont.py
_labelformat.py
_operation.py
_showlabels.py
_showlines.py
_size.py
_start.py
_type.py
_value.py
__init__.py

+---labelfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           _family.cpython-310.pyc
|           _size.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _coloring.cpython-310.pyc
|           _end.cpython-310.pyc
|           _labelfont.cpython-310.pyc
|           _labelformat.cpython-310.pyc
|           _operation.cpython-310.pyc
|           _showlabels.cpython-310.pyc
|           _showlines.cpython-310.pyc
|           _size.cpython-310.pyc
|           _start.cpython-310.pyc
|           _type.cpython-310.pyc
|           _value.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
|   +---font
|       |   _color.py
|       |   _family.py
|       |   _size.py
|       |   __init__.py
|       |
|       |   \---__pycache__
|               _color.cpython-310.pyc
|               _family.cpython-310.pyc
|               _size.cpython-310.pyc
|               __init__.cpython-310.pyc
|       |
|       |   \---__pycache__
|               _font.cpython-310.pyc
|               _text.cpython-310.pyc
|               __init__.cpython-310.pyc
|       |
+---line
|   _color.py
|   _dash.py
|   _smoothing.py
|   _width.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc

```

```

        _dash.cpython-310.pyc
        _smoothing.cpython-310.pyc
        _width.cpython-310.pyc
        __init__.cpython-310.pyc
+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
|   \---__pycache__
|       _maxpoints.cpython-310.pyc
|       _token.cpython-310.pyc
|       __init__.cpython-310.pyc
\---__pycache__
    _a.cpython-310.pyc
    _a0.cpython-310.pyc
    _asrc.cpython-310.pyc
    _atype.cpython-310.pyc
    _autocolorscale.cpython-310.pyc
    _autocontour.cpython-310.pyc
    _b.cpython-310.pyc
    _b0.cpython-310.pyc
    _bsrc.cpython-310.pyc
    _btype.cpython-310.pyc
    _carpet.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _colorscale.cpython-310.pyc
    _contours.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _da.cpython-310.pyc
    _db.cpython-310.pyc
    _fillcolor.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _line.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _ncontours.cpython-310.pyc
    _opacity.cpython-310.pyc
    _reversescale.cpython-310.pyc
    _showlegend.cpython-310.pyc
    _showscale.cpython-310.pyc
    _stream.cpython-310.pyc
    _text.cpython-310.pyc
    _textsrc.cpython-310.pyc
    _transpose.cpython-310.pyc
    _uid.cpython-310.pyc
    _uirevision.cpython-310.pyc
    _visible.cpython-310.pyc
    _xaxis.cpython-310.pyc
    _yaxis.cpython-310.pyc
    _z.cpython-310.pyc
    _zauto.cpython-310.pyc
    _zmax.cpython-310.pyc
    _zmid.cpython-310.pyc
    _zmin.cpython-310.pyc

```

```
_zsrc.cpython-310.pyc  
__init__.cpython-310.pyc
```

```
+++densitymapbox  
| _autocolorscale.py  
| _below.py  
| _coloraxis.py  
| _colorbar.py  
| _colorscale.py  
| _customdata.py  
| _customdatasrc.py  
| _hoverinfo.py  
| _hoverinfosrc.py  
| _hoverlabel.py  
| _hovertemplate.py  
| _hovertemplatesrc.py  
| _hovertext.py  
| _hovertextsrc.py  
| _ids.py  
| _idssrc.py  
| _lat.py  
| _latsrc.py  
| _legend.py  
| _legendgroup.py  
| _legendgrouptitle.py  
| _legendrank.py  
| _legendwidth.py  
| _lon.py  
| _lonsrc.py  
| _meta.py  
| _metasrc.py  
| _name.py  
| _opacity.py  
| _radius.py  
| _radiussrc.py  
| _reversescale.py  
| _showlegend.py  
| _showscale.py  
| _stream.py  
| _subplot.py  
| _text.py  
| _textsrc.py  
| _uid.py  
| _uirevision.py  
| _visible.py  
| _z.py  
| _zauto.py  
| _zmax.py  
| _zmid.py  
| _zmin.py  
| _zsrc.py  
| __init__.py
```

```
+++colorbar  
| _bgcolor.py  
| _bordercolor.py  
| _borderwidth.py  
| _dtick.py  
| _exponentformat.py  
| _labelalias.py  
| _len.py  
| _lenmode.py  
| _minexponent.py  
| _nticks.py  
| _orientation.py  
| _outlinecolor.py  
| _linewidth.py  
| _separatethousands.py
```

```

_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

```

```
+---tickfont
```

```

|   _color.py
|   _family.py
|   _size.py
|   __init__.py

```

```
\---__pycache__
```

```

|   _color.cpython-310.pyc
|   _family.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc

```

```
+---tickformatstop
```

```

|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py

```

```
\---__pycache__
```

```

|   _dtickrange.cpython-310.pyc
|   _enabled.cpython-310.pyc
|   _name.cpython-310.pyc
|   _templateitemname.cpython-310.pyc
|   _value.cpython-310.pyc
|   __init__.cpython-310.pyc

```

```
+---title
```

```

|   _font.py
|   _side.py

```

```

    _text.py
    __init__.py
+---font
    |   _color.py
    |   _family.py
    |   _size.py
    |   __init__.py
    |
    \---__pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _size.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _title.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xpad.cpython-310.pyc
    _xref.cpython-310.pyc
    _y.cpython-310.pyc

```

```

        _yanchor.cpython-310.pyc
        _ypad.cpython-310.pyc
        _yref.cpython-310.pyc
        __init__.cpython-310.pyc
+---hoverlabel
|   _align.py
|   _alignsrc.py
|   _bgcolor.py
|   _bgcolorsrc.py
|   _bordercolor.py
|   _bordercolorsrc.py
|   _font.py
|   _namelength.py
|   _namelengthsrc.py
|   __init__.py
+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|   \---__pycache__
|       _align.cpython-310.pyc
|       _alignsrc.cpython-310.pyc
|       _bgcolor.cpython-310.pyc
|       _bgcolorsrc.cpython-310.pyc
|       _bordercolor.cpython-310.pyc
|       _bordercolorsrc.cpython-310.pyc
|       _font.cpython-310.pyc
|       _namelength.cpython-310.pyc
|       _namelengthsrc.cpython-310.pyc
|       __init__.cpython-310.pyc
+---legendgroup
|   _font.py
|   _text.py
|   __init__.py
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|   \---__pycache__
|       _font.cpython-310.pyc
|       _text.cpython-310.pyc
|       __init__.cpython-310.pyc

```



```

+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
|   \---__pycache__
|       _maxpoints.cpython-310.pyc
|       _token.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _autocolorscale.cpython-310.pyc
    _below.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _colormap.cpython-310.pyc
    _colormaps.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _lat.cpython-310.pyc
    _latsrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _lon.cpython-310.pyc
    _lonsrc.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _radius.cpython-310.pyc
    _radiussrc.cpython-310.pyc
    _reversescale.cpython-310.pyc
    _showlegend.cpython-310.pyc
    _showscale.cpython-310.pyc
    _stream.cpython-310.pyc
    _subplot.cpython-310.pyc
    _text.cpython-310.pyc
    _textsrc.cpython-310.pyc
    _uid.cpython-310.pyc
    _uirevision.cpython-310.pyc
    _visible.cpython-310.pyc
    _z.cpython-310.pyc
    _zauto.cpython-310.pyc
    _zmax.cpython-310.pyc
    _zmid.cpython-310.pyc
    _zmin.cpython-310.pyc
    _zsrc.cpython-310.pyc
    __init__.cpython-310.pyc

+---frame
|   _baseframe.py
|   _data.py
|   _group.py
|   _layout.py
|   _name.py
|   _traces.py

```

```

    __init__.py
\---__pycache__
    _baseframe.cpython-310.pyc
    _data.cpython-310.pyc
    _group.cpython-310.pyc
    _layout.cpython-310.pyc
    _name.cpython-310.pyc
    _traces.cpython-310.pyc
    __init__.cpython-310.pyc
+---funnel
    _alignmentgroup.py
    _cliponaxis.py
    _connector.py
    _constrainttext.py
    _customdata.py
    _customdatasrc.py
    _dx.py
    _dy.py
    _hoverinfo.py
    _hoverinfosrc.py
    _hoverlabel.py
    _hovertemplate.py
    _hovertemplatesrc.py
    _hovertext.py
    _hovertextsrc.py
    _ids.py
    _idsrc.py
    _insidetextanchor.py
    _insidetextfont.py
    _legend.py
    _legendgroup.py
    _legendgrouptitle.py
    _legendrank.py
    _legendwidth.py
    _marker.py
    _meta.py
    _metasrc.py
    _name.py
    _offset.py
    _offsetgroup.py
    _opacity.py
    _orientation.py
    _outsidetextfont.py
    _selectedpoints.py
    _showlegend.py
    _stream.py
    _text.py
    _textangle.py
    _textfont.py
    _textinfo.py
    _textposition.py
    _textpositionsrc.py
    _textsrc.py
    _texttemplate.py
    _texttemplatesrc.py
    _uid.py
    _uirevision.py
    _visible.py
    _width.py
    _x.py
    _x0.py
    _xaxis.py
    _xhoverformat.py
    _xperiod.py
    _xperiod0.py
    _xperiodalignment.py

```

```
_xsrc.py
_y.py
_y0.py
_yaxis.py
_yhoverformat.py
_yperiod.py
_yperiod0.py
_yperiodalignment.py
_ysrc.py
__init__.py
```

+---connector

```
| _fillcolor.py
| _line.py
| _visible.py
| __init__.py
```

+---line

```
| _color.py
| _dash.py
| _width.py
| __init__.py
```

\---__pycache__

```
    _color.cpython-310.pyc
    _dash.cpython-310.pyc
    _width.cpython-310.pyc
    __init__.cpython-310.pyc
```

\---__pycache__

```
    _fillcolor.cpython-310.pyc
    _line.cpython-310.pyc
    _visible.cpython-310.pyc
    __init__.cpython-310.pyc
```

+---hoverlabel

```
| _align.py
| _alignsrc.py
| _bgcolor.py
| _bgcolorsrc.py
| _bordercolor.py
| _bordercolorsrc.py
| _font.py
| _namelength.py
| _namelengthsrc.py
| __init__.py
```

+---font

```
| _color.py
| _colorsrc.py
| _family.py
| _familysrc.py
| _size.py
| _sizesrc.py
| __init__.py
```

\---__pycache__

```
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc
```

\---__pycache__

```
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
```

```

        _bgcolor.cpython-310.pyc
        _bgcolorsrc.cpython-310.pyc
        _bordercolor.cpython-310.pyc
        _bordercolorsrc.cpython-310.pyc
        _font.cpython-310.pyc
        _namelength.cpython-310.pyc
        _namelengthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---insidetextfont
    |
    | _color.py
    | _colorsrc.py
    | _family.py
    | _familysrc.py
    | _size.py
    | _sizesrc.py
    | __init__.py
    |
    \---__pycache__
        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _family.cpython-310.pyc
        _familysrc.cpython-310.pyc
        _size.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---legendgrouptitle
    |
    | _font.py
    | _text.py
    | __init__.py
    |
    +---font
        |
        | _color.py
        | _family.py
        | _size.py
        | __init__.py
        |
        \---__pycache__
            _color.cpython-310.pyc
            _family.cpython-310.pyc
            _size.cpython-310.pyc
            __init__.cpython-310.pyc
    \---__pycache__
        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
+---marker
    |
    | _autocolorscale.py
    | _cauto.py
    | _cmax.py
    | _cmid.py
    | _cmin.py
    | _color.py
    | _coloraxis.py
    | _colorbar.py
    | _colorscale.py
    | _colorsrc.py
    | _line.py
    | _opacity.py
    | _opacitysrc.py
    | _reversescale.py
    | _showscale.py
    | __init__.py
    |
    +---colorbar

```

```

_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|---__pycache__
|   _color.cpython-310.pyc
|   _family.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc
+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py

```

```

    _value.py
    __init__.py
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
+---title
    _font.py
    _side.py
    _text.py
    __init__.py
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
    \---__pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _side.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _outlinewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc

```

```
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
```

+---line

```
_autocolorscale.py
_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_color.py
_coloraxis.py
_colorscale.py
_colorsrc.py
_reversescale.py
_width.py
_widthsrc.py
__init__.py
```

\---__pycache__

```
_autocolorscale.cpython-310.pyc
_cauto.cpython-310.pyc
_cmax.cpython-310.pyc
_cmidx.cpython-310.pyc
_cmin.cpython-310.pyc
_color.cpython-310.pyc
_coloraxis.cpython-310.pyc
_colorscale.cpython-310.pyc
_colorsrc.cpython-310.pyc
_reversescale.cpython-310.pyc
_width.cpython-310.pyc
_widthsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

\---__pycache__

```
_autocolorscale.cpython-310.pyc
_cauto.cpython-310.pyc
_cmax.cpython-310.pyc
_cmidx.cpython-310.pyc
_cmin.cpython-310.pyc
_color.cpython-310.pyc
_coloraxis.cpython-310.pyc
_colorbar.cpython-310.pyc
_colorscale.cpython-310.pyc
_colorsrc.cpython-310.pyc
_line.cpython-310.pyc
_opacity.cpython-310.pyc
_opacitysrc.cpython-310.pyc
_reversescale.cpython-310.pyc
_showscale.cpython-310.pyc
__init__.cpython-310.pyc
```

+---outsidetextfont

```

        _color.py
        _colorsrc.py
        _family.py
        _familysrc.py
        _size.py
        _sizesrc.py
        __init__.py
    \---__pycache__
        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _family.cpython-310.pyc
        _familysrc.cpython-310.pyc
        _size.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---stream
    |
    | _maxpoints.py
    | _token.py
    | __init__.py
    |
    \---__pycache__
        _maxpoints.cpython-310.pyc
        _token.cpython-310.pyc
        __init__.cpython-310.pyc
+---textfont
    |
    | _color.py
    | _colorsrc.py
    | _family.py
    | _familysrc.py
    | _size.py
    | _sizesrc.py
    | __init__.py
    |
    \---__pycache__
        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _family.cpython-310.pyc
        _familysrc.cpython-310.pyc
        _size.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _alignmentgroup.cpython-310.pyc
    _cliponaxis.cpython-310.pyc
    _connector.cpython-310.pyc
    _constrainttext.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _dx.cpython-310.pyc
    _dy.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _insidetextanchor.cpython-310.pyc
    _insidetextfont.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc

```



```
_legendrank.cpython-310.pyc
_legendwidth.cpython-310.pyc
_marker.cpython-310.pyc
_meta.cpython-310.pyc
_metasrc.cpython-310.pyc
_name.cpython-310.pyc
_offset.cpython-310.pyc
_offsetgroup.cpython-310.pyc
_opacity.cpython-310.pyc
_orientation.cpython-310.pyc
_outsidetextfont.cpython-310.pyc
_selectedpoints.cpython-310.pyc
_showlegend.cpython-310.pyc
_stream.cpython-310.pyc
_text.cpython-310.pyc
_textangle.cpython-310.pyc
_textfont.cpython-310.pyc
_textinfo.cpython-310.pyc
_textposition.cpython-310.pyc
_textpositionsrc.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_texttemplatesrc.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_visible.cpython-310.pyc
_width.cpython-310.pyc
_x.cpython-310.pyc
_x0.cpython-310.pyc
_xaxis.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xperiod.cpython-310.pyc
_xperiod0.cpython-310.pyc
_xperiodalignment.cpython-310.pyc
_xsrc.cpython-310.pyc
_y.cpython-310.pyc
_y0.cpython-310.pyc
_yaxis.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_yperiod.cpython-310.pyc
_yperiod0.cpython-310.pyc
_yperiodalignment.cpython-310.pyc
_ysrc.cpython-310.pyc
__init__.cpython-310.pyc
```

+---funnelarea

```
_aspectratio.py
_baseratio.py
_customdata.py
_customdatasrc.py
_dlabel.py
_domain.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_insidetextfont.py
_label0.py
_labels.py
_labelssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
```

```
_legendrank.py
_legendwidth.py
_marker.py
_meta.py
_metasrc.py
_name.py
_opacity.py
_scalegroup.py
_showlegend.py
_stream.py
_text.py
_textfont.py
_textinfo.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_title.py
_uid.py
_uirevision.py
_values.py
_valuessrc.py
_visible.py
__init__.py
```

+---domain

```
| _column.py
| _row.py
| _x.py
| _y.py
| __init__.py
```

\---__pycache__

```
| _column.cpython-310.pyc
| _row.cpython-310.pyc
| _x.cpython-310.pyc
| _y.cpython-310.pyc
| __init__.cpython-310.pyc
```

+---hoverlabel

```
| _align.py
| _alignsrc.py
| _bgcolor.py
| _bgcolorsrc.py
| _bordercolor.py
| _bordercolorsrc.py
| _font.py
| _namelength.py
| _namelengthsrc.py
| __init__.py
```

+---font

```
| _color.py
| _colorsrc.py
| _family.py
| _familysrc.py
| _size.py
| _sizesrc.py
| __init__.py
```

\---__pycache__

```
| _color.cpython-310.pyc
| _colorsrc.cpython-310.pyc
| _family.cpython-310.pyc
| _familysrc.cpython-310.pyc
| _size.cpython-310.pyc
| _sizesrc.cpython-310.pyc
```

```

        __init__.cpython-310.pyc
    \---__pycache__
        _align.cpython-310.pyc
        _alignsrc.cpython-310.pyc
        _bgcolor.cpython-310.pyc
        _bgcolorsrc.cpython-310.pyc
        _bordercolor.cpython-310.pyc
        _bordercolorsrc.cpython-310.pyc
        _font.cpython-310.pyc
        _namelength.cpython-310.pyc
        _namelengthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---insidetextfont
    |
    | _color.py
    | _colorsrc.py
    | _family.py
    | _familysrc.py
    | _size.py
    | _sizesrc.py
    | __init__.py
    |
    \---__pycache__
        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _family.cpython-310.pyc
        _familysrc.cpython-310.pyc
        _size.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---legendgrouptitle
    |
    | _font.py
    | _text.py
    | __init__.py
    |
    +---font
    |
    |     _color.py
    |     _family.py
    |     _size.py
    |     __init__.py
    |
    |     \---__pycache__
    |         _color.cpython-310.pyc
    |         _family.cpython-310.pyc
    |         _size.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
    \---__pycache__
        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
+---marker
    |
    | _colors.py
    | _colorsrc.py
    | _line.py
    | _pattern.py
    | __init__.py
    |
    +---line
    |
    |     _color.py
    |     _colorsrc.py
    |     _width.py
    |     _widthsrc.py
    |     __init__.py

```

```

\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _width.cpython-310.pyc
    _widthsrc.cpython-310.pyc
    __init__.cpython-310.pyc

+---pattern
    _bgcolor.py
    _bgcolorsrc.py
    _fgcolor.py
    _fgcolorsrc.py
    _fgopacity.py
    _fillmode.py
    _shape.py
    _shapsrc.py
    _size.py
    _sizersrc.py
    _solidity.py
    _soliditysrc.py
    __init__.py

\---__pycache__
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _fgcolor.cpython-310.pyc
    _fgcolorsrc.cpython-310.pyc
    _fgopacity.cpython-310.pyc
    _fillmode.cpython-310.pyc
    _shape.cpython-310.pyc
    _shapsrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizersrc.cpython-310.pyc
    _solidity.cpython-310.pyc
    _soliditysrc.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _colors.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _line.cpython-310.pyc
    _pattern.cpython-310.pyc
    __init__.cpython-310.pyc

+---stream
    _maxpoints.py
    _token.py
    __init__.py

\---__pycache__
    _maxpoints.cpython-310.pyc
    _token.cpython-310.pyc
    __init__.cpython-310.pyc

+---textfont
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizersrc.py
    __init__.py

\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc

```

```

        _size.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---title
|   _font.py
|   _position.py
|   _text.py
|   __init__.py
+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
\---__pycache__
        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _family.cpython-310.pyc
        _familysrc.cpython-310.pyc
        _size.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
        _font.cpython-310.pyc
        _position.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
        _aspectratio.cpython-310.pyc
        _baseratio.cpython-310.pyc
        _customdata.cpython-310.pyc
        _customdatasrc.cpython-310.pyc
        _dlabel.cpython-310.pyc
        _domain.cpython-310.pyc
        _hoverinfo.cpython-310.pyc
        _hoverinfosrc.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        _hovertemplate.cpython-310.pyc
        _hovertemplatesrc.cpython-310.pyc
        _hovertext.cpython-310.pyc
        _hovertextsrc.cpython-310.pyc
        _ids.cpython-310.pyc
        _idssrc.cpython-310.pyc
        _insidetextfont.cpython-310.pyc
        _label0.cpython-310.pyc
        _labels.cpython-310.pyc
        _labelssrc.cpython-310.pyc
        _legend.cpython-310.pyc
        _legendgroup.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _legendrank.cpython-310.pyc
        _legendwidth.cpython-310.pyc
        _marker.cpython-310.pyc
        _meta.cpython-310.pyc
        _metasrc.cpython-310.pyc
        _name.cpython-310.pyc
        _opacity.cpython-310.pyc
        _scalegroup.cpython-310.pyc
        _showlegend.cpython-310.pyc
        _stream.cpython-310.pyc
        _text.cpython-310.pyc

```

```
_textfont.cpython-310.pyc
_textinfo.cpython-310.pyc
_textposition.cpython-310.pyc
_textpositionsrc.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_texttemplatesrc.cpython-310.pyc
_title.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_values.cpython-310.pyc
_valuessrc.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

+++heatmap

```
_autocolorscale.py
_coloraxis.py
_colorbar.py
_colorscalescale.py
_connectgaps.py
_customdata.py
_customdatasrc.py
_dx.py
_dy.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hoverongaps.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_meta.py
 metasrc.py
_name.py
_opacity.py
_reversescale.py
_showlegend.py
_showscale.py
_stream.py
_text.py
_textfont.py
_textsrc.py
_texttemplate.py
_transpose.py
_uid.py
_uirevision.py
_visible.py
_x.py
_x0.py
_xaxis.py
_xcalendar.py
_xgap.py
_xhoverformat.py
_xperiod.py
_xperiod0.py
_xperiodalignment.py
_xsrc.py
_xtype.py
_y.py
```

```
_y0.py
_yaxis.py
_ycalendar.py
_ygap.py
_yhoverformat.py
_yperiod.py
_yperiod0.py
_yperiodalignment.py
_ysrc.py
_ytype.py
_z.py
_zauto.py
_zhoverformat.py
_zmax.py
_zmid.py
_zmin.py
_zsmooth.py
_zsrc.py
__init__.py
```

+---colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
```

```

_yypad.py
_yref.py
__init__.py

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc

+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _font.cpython-310.pyc
    _side.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc

```



```
_outlinecolor.cpython-310.pyc
_outlinewidth.cpython-310.pyc
_separatethousands.cpython-310.pyc
_showexponent.cpython-310.pyc
_showticklabels.cpython-310.pyc
_showtickprefix.cpython-310.pyc
_showticksuffix.cpython-310.pyc
_thickness.cpython-310.pyc
_thicknessmode.cpython-310.pyc
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklabeloverflow.cpython-310.pyc
_ticklabelposition.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
```

+++hoverlabel

```
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
__init__.py
```

+++font

```
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
__init__.py
```

\---__pycache__

```
_color.cpython-310.pyc
_colorsrc.cpython-310.pyc
_family.cpython-310.pyc
_familysrc.cpython-310.pyc
_size.cpython-310.pyc
_sizesrc.cpython-310.pyc
```

```

        __init__.cpython-310.pyc
    \---__pycache__
        _align.cpython-310.pyc
        _alignsrc.cpython-310.pyc
        _bgcolor.cpython-310.pyc
        _bgcolorsrc.cpython-310.pyc
        _bordercolor.cpython-310.pyc
        _bordercolorsrc.cpython-310.pyc
        _font.cpython-310.pyc
        _namelength.cpython-310.pyc
        _namelengthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---legendgrouptitle
    |
    | _font.py
    | _text.py
    | __init__.py
    |
    +---font
    |
    |     _color.py
    |     _family.py
    |     _size.py
    |     __init__.py
    |
    | \---__pycache__
    |     _color.cpython-310.pyc
    |     _family.cpython-310.pyc
    |     _size.cpython-310.pyc
    |     __init__.cpython-310.pyc
    |
    \---__pycache__
        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
+---stream
    |
    | _maxpoints.py
    | _token.py
    | __init__.py
    |
    \---__pycache__
        _maxpoints.cpython-310.pyc
        _token.cpython-310.pyc
        __init__.cpython-310.pyc
+---textfont
    |
    | _color.py
    | _family.py
    | _size.py
    | __init__.py
    |
    \---__pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _autocolorscale.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _colormap.cpython-310.pyc
    _connectgaps.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _dx.cpython-310.pyc
    _dy.cpython-310.pyc

```

```
_hoverinfo.cpython-310.pyc
_hoverinfosrc.cpython-310.pyc
_hoverlabel.cpython-310.pyc
_hoverongaps.cpython-310.pyc
_hovertemplate.cpython-310.pyc
_hovertemplatesrc.cpython-310.pyc
_hovertext.cpython-310.pyc
_hovertextsrc.cpython-310.pyc
_ids.cpython-310.pyc
_idssrc.cpython-310.pyc
_legend.cpython-310.pyc
_legendgroup.cpython-310.pyc
_legendgrouptitle.cpython-310.pyc
_legendrank.cpython-310.pyc
_legendwidth.cpython-310.pyc
_meta.cpython-310.pyc
 metasrc.cpython-310.pyc
_name.cpython-310.pyc
_opacity.cpython-310.pyc
_reversescale.cpython-310.pyc
_showlegend.cpython-310.pyc
_showscale.cpython-310.pyc
_stream.cpython-310.pyc
_text.cpython-310.pyc
_textfont.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_transpose.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_visible.cpython-310.pyc
_x.cpython-310.pyc
_x0.cpython-310.pyc
_xaxis.cpython-310.pyc
_xcalendar.cpython-310.pyc
_xgap.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xperiod.cpython-310.pyc
_xperiod0.cpython-310.pyc
_xperiodalignment.cpython-310.pyc
_xsrc.cpython-310.pyc
_xtype.cpython-310.pyc
_y.cpython-310.pyc
_y0.cpython-310.pyc
_yaxis.cpython-310.pyc
_ycalendar.cpython-310.pyc
_ygap.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_yperiod.cpython-310.pyc
_yperiod0.cpython-310.pyc
_yperiodalignment.cpython-310.pyc
_ysrc.cpython-310.pyc
_ytype.cpython-310.pyc
_z.cpython-310.pyc
_zauto.cpython-310.pyc
_zhoverformat.cpython-310.pyc
_zmax.cpython-310.pyc
_zmid.cpython-310.pyc
_zmin.cpython-310.pyc
_zsmooth.cpython-310.pyc
_zsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---heatmapgl
```

```
    _autocolorscale.py
    _coloraxis.py
    _colorbar.py
    _colorscale.py
```

```

_customdata.py
_customdatasrc.py
_dx.py
_dy.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_ids.py
_idssrc.py
_legend.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_meta.py
 metasrc.py
_name.py
_opacity.py
_reversescale.py
_showscale.py
_stream.py
_text.py
_textsrc.py
_transpose.py
_uid.py
_uirevision.py
_visible.py
_x.py
_x0.py
_xaxis.py
_xsrc.py
_xtype.py
_y.py
_y0.py
_yaxis.py
_ysrc.py
_ytype.py
_z.py
_zauto.py
_zmax.py
_zmid.py
_zmin.py
_zsmooth.py
_zsrc.py
__init__.py

```

```

+---colorbar

```

```

| _bgcolor.py
| _bordercolor.py
| _borderwidth.py
| _dtick.py
| _exponentformat.py
| _labelalias.py
| _len.py
| _lenmode.py
| _minexponent.py
| _nticks.py
| _orientation.py
| _outlinecolor.py
| _linewidth.py
| _separatethousands.py
| _showexponent.py
| _showticklabels.py
| _showtickprefix.py
| _showticksuffix.py
| _thickness.py
| _thicknessmode.py
| _tick0.py
| _tickangle.py

```

```

_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

```

+---tickfont

```

|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
|   _color.cpython-310.pyc
|   _family.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc

```

+---tickformatstop

```

|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
|   _dtickrange.cpython-310.pyc
|   _enabled.cpython-310.pyc
|   _name.cpython-310.pyc
|   _templateitemname.cpython-310.pyc
|   _value.cpython-310.pyc
|   __init__.cpython-310.pyc

```

+---title

```

|   _font.py
|   _side.py
|   _text.py
|   __init__.py

```

+---font

```

|   |   _color.py
|   |   _family.py
|   |   _size.py
|   |   __init__.py

```

```

|
| \---__pycache__
|     _color.cpython-310.pyc
|     _family.cpython-310.pyc
|     _size.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _font.cpython-310.pyc
|     _side.cpython-310.pyc
|     _text.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _bgcolor.cpython-310.pyc
|     _bordercolor.cpython-310.pyc
|     _borderwidth.cpython-310.pyc
|     _dtick.cpython-310.pyc
|     _exponentformat.cpython-310.pyc
|     _labelalias.cpython-310.pyc
|     _len.cpython-310.pyc
|     _lenmode.cpython-310.pyc
|     _minexponent.cpython-310.pyc
|     _nticks.cpython-310.pyc
|     _orientation.cpython-310.pyc
|     _outlinecolor.cpython-310.pyc
|     _linewidth.cpython-310.pyc
|     _separatethousands.cpython-310.pyc
|     _showexponent.cpython-310.pyc
|     _showticklabels.cpython-310.pyc
|     _showtickprefix.cpython-310.pyc
|     _showticksuffix.cpython-310.pyc
|     _thickness.cpython-310.pyc
|     _thicknessmode.cpython-310.pyc
|     _tick0.cpython-310.pyc
|     _tickangle.cpython-310.pyc
|     _tickcolor.cpython-310.pyc
|     _tickfont.cpython-310.pyc
|     _tickformat.cpython-310.pyc
|     _tickformatstopdefaults.cpython-310.pyc
|     _tickformatstops.cpython-310.pyc
|     _ticklabeloverflow.cpython-310.pyc
|     _ticklabelposition.cpython-310.pyc
|     _ticklabelstep.cpython-310.pyc
|     _ticklen.cpython-310.pyc
|     _tickmode.cpython-310.pyc
|     _tickprefix.cpython-310.pyc
|     _ticks.cpython-310.pyc
|     _ticksuffix.cpython-310.pyc
|     _ticktext.cpython-310.pyc
|     _ticktextsrc.cpython-310.pyc
|     _tickvals.cpython-310.pyc
|     _tickvalssrc.cpython-310.pyc
|     _tickwidth.cpython-310.pyc
|     _title.cpython-310.pyc
|     _x.cpython-310.pyc
|     _xanchor.cpython-310.pyc
|     _xpad.cpython-310.pyc
|     _xref.cpython-310.pyc
|     _y.cpython-310.pyc
|     _yanchor.cpython-310.pyc
|     _ypad.cpython-310.pyc
|     _yref.cpython-310.pyc
|     __init__.cpython-310.pyc

```

```

+---hoverlabel
|     _align.py
|     _alignsrc.py

```

```

    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    __init__.py

+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _colorsrc.cpython-310.pyc
     _family.cpython-310.pyc
     _familysrc.cpython-310.pyc
     _size.cpython-310.pyc
     _sizesrc.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _align.cpython-310.pyc
     _alignsrc.cpython-310.pyc
     _bgcolor.cpython-310.pyc
     _bgcolorsrc.cpython-310.pyc
     _bordercolor.cpython-310.pyc
     _bordercolorsrc.cpython-310.pyc
     _font.cpython-310.pyc
     _namelength.cpython-310.pyc
     _namelengthsrc.cpython-310.pyc
     __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _font.cpython-310.pyc
     _text.cpython-310.pyc
     __init__.cpython-310.pyc

+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
\---__pycache__
     _maxpoints.cpython-310.pyc

```

```

        _token.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _autocolorscale.cpython-310.pyc
        _coloraxis.cpython-310.pyc
        _colorbar.cpython-310.pyc
        _colormap.cpython-310.pyc
        _colormaps.cpython-310.pyc
        _customdata.cpython-310.pyc
        _customdatasrc.cpython-310.pyc
        _dx.cpython-310.pyc
        _dy.cpython-310.pyc
        _hoverinfo.cpython-310.pyc
        _hoverinfosrc.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        _ids.cpython-310.pyc
        _idssrc.cpython-310.pyc
        _legend.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _legendrank.cpython-310.pyc
        _legendwidth.cpython-310.pyc
        _meta.cpython-310.pyc
        _metasrc.cpython-310.pyc
        _name.cpython-310.pyc
        _opacity.cpython-310.pyc
        _reversescale.cpython-310.pyc
        _showscale.cpython-310.pyc
        _stream.cpython-310.pyc
        _text.cpython-310.pyc
        _textsrc.cpython-310.pyc
        _transpose.cpython-310.pyc
        _uid.cpython-310.pyc
        _uirevision.cpython-310.pyc
        _visible.cpython-310.pyc
        _x.cpython-310.pyc
        _x0.cpython-310.pyc
        _xaxis.cpython-310.pyc
        _xsrc.cpython-310.pyc
        _xtype.cpython-310.pyc
        _y.cpython-310.pyc
        _y0.cpython-310.pyc
        _yaxis.cpython-310.pyc
        _ysrc.cpython-310.pyc
        _ytype.cpython-310.pyc
        _z.cpython-310.pyc
        _zauto.cpython-310.pyc
        _zmax.cpython-310.pyc
        _zmid.cpython-310.pyc
        _zmin.cpython-310.pyc
        _zsmooth.cpython-310.pyc
        _zsrc.cpython-310.pyc
        __init__.cpython-310.pyc

```

```

+---histogram
    _alignmentgroup.py
    _autobinx.py
    _autobiny.py
    _bingroup.py
    _cliponaxis.py
    _constrainttext.py
    _cumulative.py
    _customdata.py
    _customdatasrc.py
    _error_x.py
    _error_y.py
    _histfunc.py
    _histnorm.py
    _hoverinfo.py

```



```

_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_insidetextanchor.py
_insidetextfont.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_marker.py
_meta.py
 metasrc.py
_name.py
_nbinsx.py
_nbinsy.py
_offsetgroup.py
_opacity.py
_orientation.py
_outsidetextfont.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_text.py
_textangle.py
_textfont.py
_textposition.py
_textsrc.py
_texttemplate.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
_x.py
_xaxis.py
_xbins.py
_xcalendar.py
_xhoverformat.py
_xsrc.py
_y.py
_yaxis.py
_ybins.py
_ycalendar.py
_yhoverformat.py
_ysrc.py
__init__.py

+---cumulative
|   _currentbin.py
|   _direction.py
|   _enabled.py
|   __init__.py
|
\---__pycache__
     _currentbin.cpython-310.pyc
     _direction.cpython-310.pyc
     _enabled.cpython-310.pyc
     __init__.cpython-310.pyc

+---error_x
|   _array.py
|   _arrayminus.py

```

```
_arrayminussrc.py
_arraysrc.py
_color.py
_copy_ystyle.py
_symmetric.py
_thickness.py
_traceref.py
_tracerefminus.py
_type.py
_value.py
_valueminus.py
_visible.py
_width.py
__init__.py
```

```
\---__pycache__
_array.cpython-310.pyc
_arrayminus.cpython-310.pyc
_arrayminussrc.cpython-310.pyc
_arraysrc.cpython-310.pyc
_color.cpython-310.pyc
_copy_ystyle.cpython-310.pyc
_symmetric.cpython-310.pyc
_thickness.cpython-310.pyc
_traceref.cpython-310.pyc
_tracerefminus.cpython-310.pyc
_type.cpython-310.pyc
_value.cpython-310.pyc
_valueminus.cpython-310.pyc
_visible.cpython-310.pyc
_width.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---error_y
_array.py
_arrayminus.py
_arrayminussrc.py
_arraysrc.py
_color.py
_symmetric.py
_thickness.py
_traceref.py
_tracerefminus.py
_type.py
_value.py
_valueminus.py
_visible.py
_width.py
__init__.py
```

```
\---__pycache__
_array.cpython-310.pyc
_arrayminus.cpython-310.pyc
_arrayminussrc.cpython-310.pyc
_arraysrc.cpython-310.pyc
_color.cpython-310.pyc
_symmetric.cpython-310.pyc
_thickness.cpython-310.pyc
_traceref.cpython-310.pyc
_tracerefminus.cpython-310.pyc
_type.cpython-310.pyc
_value.cpython-310.pyc
_valueminus.cpython-310.pyc
_visible.cpython-310.pyc
_width.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---hoverlabel
```

```

_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
__init__.py

+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc

+---insidetextfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc

```

```

        __init__.cpython-310.pyc
    \---__pycache__
        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
+---marker
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _color.py
    _coloraxis.py
    _colorbar.py
    _colormap.py
    _colormapsrc.py
    _line.py
    _opacity.py
    _opacitysrc.py
    _pattern.py
    _reversescale.py
    _showscale.py
    __init__.py
+---colorbar
    _bgcolor.py
    _bordercolor.py
    _borderwidth.py
    _dtick.py
    _exponentformat.py
    _labelalias.py
    _len.py
    _lenmode.py
    _minexponent.py
    _nticks.py
    _orientation.py
    _outlinecolor.py
    _linewidth.py
    _separatethousands.py
    _showexponent.py
    _showticklabels.py
    _showtickprefix.py
    _showticksuffix.py
    _thickness.py
    _thicknessmode.py
    _tick0.py
    _tickangle.py
    _tickcolor.py
    _tickfont.py
    _tickformat.py
    _tickformatstopdefaults.py
    _tickformatstops.py
    _ticklabeloverflow.py
    _ticklabelposition.py
    _ticklabelstep.py
    _ticklen.py
    _tickmode.py
    _tickprefix.py
    _ticks.py
    _ticksuffix.py
    _ticktext.py
    _ticktextsrc.py
    _tickvals.py
    _tickvalssrc.py
    _tickwidth.py
    _title.py

```

```

_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
|   \---__pycache__
|       _dtickrange.cpython-310.pyc
|       _enabled.cpython-310.pyc
|       _name.cpython-310.pyc
|       _templateitemname.cpython-310.pyc
|       _value.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
|   +---font
|       |   _color.py
|       |   _family.py
|       |   _size.py
|       |   __init__.py
|       |
|       |   \---__pycache__
|       |       _color.cpython-310.pyc
|       |       _family.cpython-310.pyc
|       |       _size.cpython-310.pyc
|       |       __init__.cpython-310.pyc
|       |
|       \---__pycache__
|           _font.cpython-310.pyc
|           _side.cpython-310.pyc
|           _text.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|       _bgcolor.cpython-310.pyc
|       _bordercolor.cpython-310.pyc
|       _borderwidth.cpython-310.pyc
|       _dtick.cpython-310.pyc
|       _exponentformat.cpython-310.pyc

```

```

_labelalias.cpython-310.pyc
_len.cpython-310.pyc
_lenmode.cpython-310.pyc
_minexponent.cpython-310.pyc
_nticks.cpython-310.pyc
_orientation.cpython-310.pyc
_outlinecolor.cpython-310.pyc
_outlinewidth.cpython-310.pyc
_separatethousands.cpython-310.pyc
_showexponent.cpython-310.pyc
_showticklabels.cpython-310.pyc
_showtickprefix.cpython-310.pyc
_showticksuffix.cpython-310.pyc
_thickness.cpython-310.pyc
_thicknessmode.cpython-310.pyc
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklabeloverflow.cpython-310.pyc
_ticklabelposition.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc

```

+---line

```

_autocolorscale.py
_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_color.py
_coloraxis.py
_colorscale.py
_colorsrc.py
_reversescale.py
_width.py
_widthsrc.py
__init__.py

```

\---__pycache__

```

_autocolorscale.cpython-310.pyc
_cauto.cpython-310.pyc
_cmax.cpython-310.pyc
_cmidx.cpython-310.pyc
_cmin.cpython-310.pyc
_color.cpython-310.pyc

```

```

        _coloraxis.cpython-310.pyc
        _colormap.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _reversescale.cpython-310.pyc
        _width.cpython-310.pyc
        _widthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---pattern
|
|   _bgcolor.py
|   _bgcolormapsrc.py
|   _fgcolor.py
|   _fgcolormapsrc.py
|   _fgopacity.py
|   _fillmode.py
|   _shape.py
|   _shapemsrc.py
|   _size.py
|   _sizemsrc.py
|   _solidity.py
|   _soliditysrc.py
|   __init__.py
|
\---__pycache__
|
|   _bgcolor.cpython-310.pyc
|   _bgcolormapsrc.cpython-310.pyc
|   _fgcolor.cpython-310.pyc
|   _fgcolormapsrc.cpython-310.pyc
|   _fgopacity.cpython-310.pyc
|   _fillmode.cpython-310.pyc
|   _shape.cpython-310.pyc
|   _shapemsrc.cpython-310.pyc
|   _size.cpython-310.pyc
|   _sizemsrc.cpython-310.pyc
|   _solidity.cpython-310.pyc
|   _soliditysrc.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|
|   _autocolormapscale.cpython-310.pyc
|   _cauto.cpython-310.pyc
|   _cmax.cpython-310.pyc
|   _cmid.cpython-310.pyc
|   _cmin.cpython-310.pyc
|   _color.cpython-310.pyc
|   _coloraxis.cpython-310.pyc
|   _colorbar.cpython-310.pyc
|   _colormapscale.cpython-310.pyc
|   _colorsrc.cpython-310.pyc
|   _line.cpython-310.pyc
|   _opacity.cpython-310.pyc
|   _opacitysrc.cpython-310.pyc
|   _pattern.cpython-310.pyc
|   _reversescale.cpython-310.pyc
|   _showscale.cpython-310.pyc
|   __init__.cpython-310.pyc
+---outsidetextfont
|
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
|
|   _color.cpython-310.pyc
|   _family.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc

```

```

+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|
+---marker
|   _color.py
|   _opacity.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           _opacity.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---textfont
|   _color.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _marker.cpython-310.pyc
|           _textfont.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
|   \---__pycache__
|           _maxpoints.cpython-310.pyc
|           _token.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---textfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           _family.cpython-310.pyc
|           _size.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
+---marker
|   _color.py
|   _opacity.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           _opacity.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---textfont
|   _color.py

```



```

    |   __init__.py
    |   \--- __pycache__
    |         _color.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |   \--- __pycache__
    |         _marker.cpython-310.pyc
    |         _textfont.cpython-310.pyc
    |         __init__.cpython-310.pyc
+---xbins
    |   _end.py
    |   _size.py
    |   _start.py
    |   __init__.py
    |   \--- __pycache__
    |         _end.cpython-310.pyc
    |         _size.cpython-310.pyc
    |         _start.cpython-310.pyc
    |         __init__.cpython-310.pyc
+---ybins
    |   _end.py
    |   _size.py
    |   _start.py
    |   __init__.py
    |   \--- __pycache__
    |         _end.cpython-310.pyc
    |         _size.cpython-310.pyc
    |         _start.cpython-310.pyc
    |         __init__.cpython-310.pyc
\--- __pycache__
      _alignmentgroup.cpython-310.pyc
      _autobinx.cpython-310.pyc
      _autobiny.cpython-310.pyc
      _bingroup.cpython-310.pyc
      _clixonaxis.cpython-310.pyc
      _constrainttext.cpython-310.pyc
      _cumulative.cpython-310.pyc
      _customdata.cpython-310.pyc
      _customdatasrc.cpython-310.pyc
      _error_x.cpython-310.pyc
      _error_y.cpython-310.pyc
      _histfunc.cpython-310.pyc
      _histnorm.cpython-310.pyc
      _hoverinfo.cpython-310.pyc
      _hoverinfosrc.cpython-310.pyc
      _hoverlabel.cpython-310.pyc
      _hovertemplate.cpython-310.pyc
      _hovertemplatesrc.cpython-310.pyc
      _hoverttext.cpython-310.pyc
      _hoverttextsrc.cpython-310.pyc
      _ids.cpython-310.pyc
      _idssrc.cpython-310.pyc
      _insidetextanchor.cpython-310.pyc
      _insidetextfont.cpython-310.pyc
      _legend.cpython-310.pyc
      _legendgroup.cpython-310.pyc
      _legendgrouptitle.cpython-310.pyc
      _legendrank.cpython-310.pyc
      _legendwidth.cpython-310.pyc
      _marker.cpython-310.pyc
      _meta.cpython-310.pyc
      _metasrc.cpython-310.pyc

```

```

_name.cpython-310.pyc
_nbinsx.cpython-310.pyc
_nbinsy.cpython-310.pyc
_offsetgroup.cpython-310.pyc
_opacity.cpython-310.pyc
_orientation.cpython-310.pyc
_outsidetextfont.cpython-310.pyc
_selected.cpython-310.pyc
_selectedpoints.cpython-310.pyc
_showlegend.cpython-310.pyc
_stream.cpython-310.pyc
_text.cpython-310.pyc
_textangle.cpython-310.pyc
_textfont.cpython-310.pyc
_textposition.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_unselected.cpython-310.pyc
_visible.cpython-310.pyc
_x.cpython-310.pyc
_xaxis.cpython-310.pyc
_xbins.cpython-310.pyc
_xcalendar.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xsrc.cpython-310.pyc
_y.cpython-310.pyc
_yaxis.cpython-310.pyc
_ybins.cpython-310.pyc
_ycalendar.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_ysrc.cpython-310.pyc
__init__.cpython-310.pyc

```

+---histogram2d

```

_autobinx.py
_autobiny.py
_autocolorscale.py
_bingroup.py
_coloraxis.py
_colorbar.py
_colormap.py
_customdata.py
_customdatasrc.py
_histfunc.py
_histnorm.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_marker.py
_meta.py
 metasrc.py
_name.py
_nbinsx.py
_nbinsy.py
_opacity.py
_reversescale.py
_showlegend.py

```

```
_showscale.py
_stream.py
_textfont.py
_texttemplate.py
_uid.py
_uirevision.py
_visible.py
_x.py
_xaxis.py
_xbingroup.py
_xbins.py
_xcalendar.py
_xgap.py
_xhoverformat.py
_xsrc.py
_y.py
_yaxis.py
_ybingroup.py
_ybins.py
_ycalendar.py
_ygap.py
_yhoverformat.py
_ysrc.py
_z.py
_zauto.py
_zhoverformat.py
_zmax.py
_zmid.py
_zmin.py
_zsmooth.py
_zsrc.py
__init__.py
```

+---colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
```

```

_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc

+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _font.cpython-310.pyc
    _side.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

|
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _outlinewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _title.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xpad.cpython-310.pyc
    _xref.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc
    _ypad.cpython-310.pyc
    _yref.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---hoverlabel
    |
    | _align.py
    | _alignsrc.py
    | _bgcolor.py
    | _bgcolorsrc.py
    | _bordercolor.py
    | _bordercolorsrc.py
    | _font.py
    | _namelength.py
    | _namelengthsrc.py
    | __init__.py

```

```

+---font
    |
    | _color.py
    | _colorsrc.py

```

```

    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc
+---legendgrouptitle
    _font.py
    _text.py
    __init__.py
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
+---marker
    _color.py
    _colorsrc.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    __init__.cpython-310.pyc
+---stream
    _maxpoints.py
    _token.py
    __init__.py
\---__pycache__
    _maxpoints.cpython-310.pyc
    _token.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---textfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---xbins
|   _end.py
|   _size.py
|   _start.py
|   __init__.py
|
|   \---__pycache__
|       _end.cpython-310.pyc
|       _size.cpython-310.pyc
|       _start.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---ybins
|   _end.py
|   _size.py
|   _start.py
|   __init__.py
|
|   \---__pycache__
|       _end.cpython-310.pyc
|       _size.cpython-310.pyc
|       _start.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _autobinx.cpython-310.pyc
    _autobiny.cpython-310.pyc
    _autocolorscale.cpython-310.pyc
    _bingroup.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _colormap.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _histfunc.cpython-310.pyc
    _histnorm.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _marker.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _nbinsx.cpython-310.pyc
    _nbinsy.cpython-310.pyc
    _opacity.cpython-310.pyc

```

```
_reversescale.cpython-310.pyc
_showlegend.cpython-310.pyc
_showscale.cpython-310.pyc
_stream.cpython-310.pyc
_textfont.cpython-310.pyc
_texttemplate.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_visible.cpython-310.pyc
_x.cpython-310.pyc
_xaxis.cpython-310.pyc
_xbingroup.cpython-310.pyc
_xbins.cpython-310.pyc
_xcalendar.cpython-310.pyc
_xgap.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xsrc.cpython-310.pyc
_y.cpython-310.pyc
_yaxis.cpython-310.pyc
_ybingroup.cpython-310.pyc
_ybins.cpython-310.pyc
_ycalendar.cpython-310.pyc
_ygap.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_ysrc.cpython-310.pyc
_z.cpython-310.pyc
_zauto.cpython-310.pyc
_zhoverformat.cpython-310.pyc
_zmax.cpython-310.pyc
_zmid.cpython-310.pyc
_zmin.cpython-310.pyc
_zsmooth.cpython-310.pyc
_zsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

+---histogram2dcontour

```
_autobinx.py
_autobiny.py
_autocolorscale.py
_autocontour.py
_bingroup.py
_coloraxis.py
_colorbar.py
_colormap.py
_colorscale.py
_contours.py
_customdata.py
_customdatasrc.py
_histfunc.py
_histnorm.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_marker.py
_meta.py
_metasrc.py
_name.py
_nbinsx.py
_nbinsy.py
```



```
_ncontours.py
_opacity.py
_reversescale.py
_showlegend.py
_showscale.py
_stream.py
_textfont.py
_texttemplate.py
_uid.py
_uirevision.py
_visible.py
_x.py
_xaxis.py
_xbingroup.py
_xbins.py
_xcalendar.py
_xhoverformat.py
_xsrc.py
_y.py
_yaxis.py
_ybingroup.py
_ybins.py
_ycalendar.py
_yhoverformat.py
_ysrc.py
_z.py
_zauto.py
_zhoverformat.py
_zmax.py
_zmid.py
_zmin.py
_zsrc.py
__init__.py
```

+---colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
```

```

_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc

+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
     _dtickrange.cpython-310.pyc
     _enabled.cpython-310.pyc
     _name.cpython-310.pyc
     _templateitemname.cpython-310.pyc
     _value.cpython-310.pyc
     __init__.cpython-310.pyc

+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _font.cpython-310.pyc
     _side.cpython-310.pyc
     _text.cpython-310.pyc

```

```

|         __init__.cpython-310.pyc
|
| \--- __pycache__
|         _bgcolor.cpython-310.pyc
|         _bordercolor.cpython-310.pyc
|         _borderwidth.cpython-310.pyc
|         _dtick.cpython-310.pyc
|         _exponentformat.cpython-310.pyc
|         _labelalias.cpython-310.pyc
|         _len.cpython-310.pyc
|         _lenmode.cpython-310.pyc
|         _minexponent.cpython-310.pyc
|         _nticks.cpython-310.pyc
|         _orientation.cpython-310.pyc
|         _outlinecolor.cpython-310.pyc
|         _outlinewidth.cpython-310.pyc
|         _separatethousands.cpython-310.pyc
|         _showexponent.cpython-310.pyc
|         _showticklabels.cpython-310.pyc
|         _showtickprefix.cpython-310.pyc
|         _showticksuffix.cpython-310.pyc
|         _thickness.cpython-310.pyc
|         _thicknessmode.cpython-310.pyc
|         _tick0.cpython-310.pyc
|         _tickangle.cpython-310.pyc
|         _tickcolor.cpython-310.pyc
|         _tickfont.cpython-310.pyc
|         _tickformat.cpython-310.pyc
|         _tickformatstopdefaults.cpython-310.pyc
|         _tickformatstops.cpython-310.pyc
|         _ticklabeloverflow.cpython-310.pyc
|         _ticklabelposition.cpython-310.pyc
|         _ticklabelstep.cpython-310.pyc
|         _ticklen.cpython-310.pyc
|         _tickmode.cpython-310.pyc
|         _tickprefix.cpython-310.pyc
|         _ticks.cpython-310.pyc
|         _ticksuffix.cpython-310.pyc
|         _ticktext.cpython-310.pyc
|         _ticktextsrc.cpython-310.pyc
|         _tickvals.cpython-310.pyc
|         _tickvalssrc.cpython-310.pyc
|         _tickwidth.cpython-310.pyc
|         _title.cpython-310.pyc
|         _x.cpython-310.pyc
|         _xanchor.cpython-310.pyc
|         _xpad.cpython-310.pyc
|         _xref.cpython-310.pyc
|         _y.cpython-310.pyc
|         _yanchor.cpython-310.pyc
|         _ypad.cpython-310.pyc
|         _yref.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+--- contours
|         _coloring.py
|         _end.py
|         _labelfont.py
|         _labelformat.py
|         _operation.py
|         _showlabels.py
|         _showlines.py
|         _size.py
|         _start.py
|         _type.py
|         _value.py
|         __init__.py

```

```

+---labelfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _coloring.cpython-310.pyc
    _end.cpython-310.pyc
    _labelfont.cpython-310.pyc
    _labelformat.cpython-310.pyc
    _operation.cpython-310.pyc
    _showlabels.cpython-310.pyc
    _showlines.cpython-310.pyc
    _size.cpython-310.pyc
    _start.cpython-310.pyc
    _type.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc

+---hoverlabel
|   _align.py
|   _alignsrc.py
|   _bgcolor.py
|   _bgcolorsrc.py
|   _bordercolor.py
|   _bordercolorsrc.py
|   _font.py
|   _namelength.py
|   _namelengthsrc.py
|   __init__.py
|
+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           _family.cpython-310.pyc
|           _size.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _font.cpython-310.pyc
|           _text.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---line
|   _color.py
|   _dash.py
|   _smoothing.py
|   _width.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           _dash.cpython-310.pyc
|           _smoothing.cpython-310.pyc
|           _width.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---marker
|   _color.py
|   _colorsrc.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           _colorsrc.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
|   \---__pycache__
|           _maxpoints.cpython-310.pyc
|           _token.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---textfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           _family.cpython-310.pyc
|           _size.cpython-310.pyc
|           __init__.cpython-310.pyc

```

```

+---xbins
|   _end.py
|   _size.py
|   _start.py
|   __init__.py
|
|   \---__pycache__
|       _end.cpython-310.pyc
|       _size.cpython-310.pyc
|       _start.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---ybins
|   _end.py
|   _size.py
|   _start.py
|   __init__.py
|
|   \---__pycache__
|       _end.cpython-310.pyc
|       _size.cpython-310.pyc
|       _start.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _autobinx.cpython-310.pyc
    _autobiny.cpython-310.pyc
    _autocolorscale.cpython-310.pyc
    _autocontour.cpython-310.pyc
    _bingroup.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _colormap.cpython-310.pyc
    _contours.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _histfunc.cpython-310.pyc
    _histnorm.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _line.cpython-310.pyc
    _marker.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _nbinsx.cpython-310.pyc
    _nbinsy.cpython-310.pyc
    _ncontours.cpython-310.pyc
    _opacity.cpython-310.pyc
    _reversescale.cpython-310.pyc
    _showlegend.cpython-310.pyc
    _showscale.cpython-310.pyc
    _stream.cpython-310.pyc
    _textfont.cpython-310.pyc
    _texttemplate.cpython-310.pyc
    _uid.cpython-310.pyc
    _uirevision.cpython-310.pyc
    _visible.cpython-310.pyc

```

```
_x.cpython-310.pyc
_xaxis.cpython-310.pyc
_xbingroup.cpython-310.pyc
_xbins.cpython-310.pyc
_xcalendar.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xsrc.cpython-310.pyc
_y.cpython-310.pyc
_yaxis.cpython-310.pyc
_ybingroup.cpython-310.pyc
_ybins.cpython-310.pyc
_ycalendar.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_ysrc.cpython-310.pyc
_z.cpython-310.pyc
_zauto.cpython-310.pyc
_zhoverformat.cpython-310.pyc
_zmax.cpython-310.pyc
_zmid.cpython-310.pyc
_zmin.cpython-310.pyc
_zsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

+---icicle

```
_branchvalues.py
_count.py
_customdata.py
_customdatasrc.py
_domain.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_insidetextfont.py
_labels.py
_labelssrc.py
_leaf.py
_legend.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_level.py
_marker.py
_maxdepth.py
_meta.py
 metasrc.py
_name.py
_opacity.py
_outsidetextfont.py
_parents.py
_parentssrc.py
_pathbar.py
_root.py
_sort.py
_stream.py
_text.py
_textfont.py
_textinfo.py
_textposition.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_tiling.py
```

```
_uid.py
_uirevision.py
_values.py
_valuessrc.py
_visible.py
__init__.py
```

+---domain

```
_column.py
_row.py
_x.py
_y.py
__init__.py
```

\---__pycache__

```
_column.cpython-310.pyc
_row.cpython-310.pyc
_x.cpython-310.pyc
_y.cpython-310.pyc
__init__.cpython-310.pyc
```

+---hoverlabel

```
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
__init__.py
```

+---font

```
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
__init__.py
```

\---__pycache__

```
_color.cpython-310.pyc
_colorsrc.cpython-310.pyc
_family.cpython-310.pyc
_familysrc.cpython-310.pyc
_size.cpython-310.pyc
_sizesrc.cpython-310.pyc
__init__.cpython-310.pyc
```

\---__pycache__

```
_align.cpython-310.pyc
_alignsrc.cpython-310.pyc
_bgcolor.cpython-310.pyc
_bgcolorsrc.cpython-310.pyc
_bordercolor.cpython-310.pyc
_bordercolorsrc.cpython-310.pyc
_font.cpython-310.pyc
_namelength.cpython-310.pyc
_namelengthsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

+---insidetextfont

```
_color.py
_colorsrc.py
_family.py
_familysrc.py
```



```

    _size.py
    _sizesrc.py
    __init__.py
\--- __pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc
+--- leaf
    _opacity.py
    __init__.py
\--- __pycache__
    _opacity.cpython-310.pyc
    __init__.cpython-310.pyc
+--- legendgrouptitle
    _font.py
    _text.py
    __init__.py
+--- font
    _color.py
    _family.py
    _size.py
    __init__.py
\--- __pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\--- __pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
+--- marker
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _coloraxis.py
    _colorbar.py
    _colors.py
    _colorscale.py
    _colorssrc.py
    _line.py
    _pattern.py
    _reversescale.py
    _showscale.py
    __init__.py
+--- colorbar
    _bgcolor.py
    _bordercolor.py
    _borderwidth.py
    _dtick.py
    _exponentformat.py
    _labelalias.py
    _len.py

```

```

_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
|   \---__pycache__
|       _dtickrange.cpython-310.pyc
|       _enabled.cpython-310.pyc
|       _name.cpython-310.pyc

```

```

        _templateitemname.cpython-310.pyc
        _value.cpython-310.pyc
        __init__.cpython-310.pyc
+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
|   +---font
|   |   _color.py
|   |   _family.py
|   |   _size.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       _color.cpython-310.pyc
|   |       _family.cpython-310.pyc
|   |       _size.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   |   \---__pycache__
|   |       _font.cpython-310.pyc
|   |       _side.cpython-310.pyc
|   |       _text.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   |   \---__pycache__
|   |       _bgcolor.cpython-310.pyc
|   |       _bordercolor.cpython-310.pyc
|   |       _borderwidth.cpython-310.pyc
|   |       _dtick.cpython-310.pyc
|   |       _exponentformat.cpython-310.pyc
|   |       _labelalias.cpython-310.pyc
|   |       _len.cpython-310.pyc
|   |       _lenmode.cpython-310.pyc
|   |       _minexponent.cpython-310.pyc
|   |       _nticks.cpython-310.pyc
|   |       _orientation.cpython-310.pyc
|   |       _outlinecolor.cpython-310.pyc
|   |       _linewidth.cpython-310.pyc
|   |       _separatethousands.cpython-310.pyc
|   |       _showexponent.cpython-310.pyc
|   |       _showticklabels.cpython-310.pyc
|   |       _showtickprefix.cpython-310.pyc
|   |       _showticksuffix.cpython-310.pyc
|   |       _thickness.cpython-310.pyc
|   |       _thicknessmode.cpython-310.pyc
|   |       _tick0.cpython-310.pyc
|   |       _tickangle.cpython-310.pyc
|   |       _tickcolor.cpython-310.pyc
|   |       _tickfont.cpython-310.pyc
|   |       _tickformat.cpython-310.pyc
|   |       _tickformatstopdefaults.cpython-310.pyc
|   |       _tickformatstops.cpython-310.pyc
|   |       _ticklabeloverflow.cpython-310.pyc
|   |       _ticklabelposition.cpython-310.pyc
|   |       _ticklabelstep.cpython-310.pyc
|   |       _ticklen.cpython-310.pyc
|   |       _tickmode.cpython-310.pyc
|   |       _tickprefix.cpython-310.pyc
|   |       _ticks.cpython-310.pyc
|   |       _ticksuffix.cpython-310.pyc
|   |       _ticktext.cpython-310.pyc
|   |       _ticktextsrc.cpython-310.pyc
|   |       _tickvals.cpython-310.pyc
|   |       _tickvalssrc.cpython-310.pyc

```

```

_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
+---line
|   _color.py
|   _colorsrc.py
|   _width.py
|   _widthsrc.py
|   __init__.py
|
\---__pycache__
|   _color.cpython-310.pyc
|   _colorsrc.cpython-310.pyc
|   _width.cpython-310.pyc
|   _widthsrc.cpython-310.pyc
|   __init__.cpython-310.pyc
+---pattern
|   _bgcolor.py
|   _bgcolorsrc.py
|   _fgcolor.py
|   _fgcolorsrc.py
|   _fgopacity.py
|   _fillmode.py
|   _shape.py
|   _shapsrc.py
|   _size.py
|   _sizersrc.py
|   _solidity.py
|   _soliditysrc.py
|   __init__.py
|
\---__pycache__
|   _bgcolor.cpython-310.pyc
|   _bgcolorsrc.cpython-310.pyc
|   _fgcolor.cpython-310.pyc
|   _fgcolorsrc.cpython-310.pyc
|   _fgopacity.cpython-310.pyc
|   _fillmode.cpython-310.pyc
|   _shape.cpython-310.pyc
|   _shapsrc.cpython-310.pyc
|   _size.cpython-310.pyc
|   _sizersrc.cpython-310.pyc
|   _solidity.cpython-310.pyc
|   _soliditysrc.cpython-310.pyc
|   __init__.cpython-310.pyc
\---__pycache__
|   _autocolorscale.cpython-310.pyc
|   _cauto.cpython-310.pyc
|   _cmax.cpython-310.pyc
|   _cmid.cpython-310.pyc
|   _cmin.cpython-310.pyc
|   _coloraxis.cpython-310.pyc
|   _colorbar.cpython-310.pyc
|   _colors.cpython-310.pyc
|   _colorscale.cpython-310.pyc
|   _colorssrc.cpython-310.pyc
|   _line.cpython-310.pyc

```

```

        _pattern.cpython-310.pyc
        _reversescale.cpython-310.pyc
        _showscale.cpython-310.pyc
        __init__.cpython-310.pyc
+---outsidetextfont
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizersrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizersrc.cpython-310.pyc
|       __init__.cpython-310.pyc
+---pathbar
|   _edgeshape.py
|   _side.py
|   _textfont.py
|   _thickness.py
|   _visible.py
|   __init__.py
|
|   +---textfont
|       |   _color.py
|       |   _colorsrc.py
|       |   _family.py
|       |   _familysrc.py
|       |   _size.py
|       |   _sizersrc.py
|       |   __init__.py
|       |
|       |   \---__pycache__
|       |       _color.cpython-310.pyc
|       |       _colorsrc.cpython-310.pyc
|       |       _family.cpython-310.pyc
|       |       _familysrc.cpython-310.pyc
|       |       _size.cpython-310.pyc
|       |       _sizersrc.cpython-310.pyc
|       |       __init__.cpython-310.pyc
|       |
|       |   \---__pycache__
|       |       _edgeshape.cpython-310.pyc
|       |       _side.cpython-310.pyc
|       |       _textfont.cpython-310.pyc
|       |       _thickness.cpython-310.pyc
|       |       _visible.cpython-310.pyc
|       |       __init__.cpython-310.pyc
|       |
|       |   +---root
|       |       |   _color.py
|       |       |   __init__.py
|       |       |
|       |       |   \---__pycache__
|       |       |       _color.cpython-310.pyc
|       |       |       __init__.cpython-310.pyc
|       |       |
|       |       +---stream
|       |           |   _maxpoints.py
|       |           |   _token.py

```

```

    |     __init__.py
    |
    | \--- __pycache__
    |         _maxpoints.cpython-310.pyc
    |         _token.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
+---+textfont
    |     _color.py
    |     _colorsrc.py
    |     _family.py
    |     _familysrc.py
    |     _size.py
    |     _sizesrc.py
    |     __init__.py
    |
    | \--- __pycache__
    |         _color.cpython-310.pyc
    |         _colorsrc.cpython-310.pyc
    |         _family.cpython-310.pyc
    |         _familysrc.cpython-310.pyc
    |         _size.cpython-310.pyc
    |         _sizesrc.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
+---+tiling
    |     _flip.py
    |     _orientation.py
    |     _pad.py
    |     __init__.py
    |
    | \--- __pycache__
    |         _flip.cpython-310.pyc
    |         _orientation.cpython-310.pyc
    |         _pad.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
\--- __pycache__
    _branchvalues.cpython-310.pyc
    _count.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _domain.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _insidetextfont.cpython-310.pyc
    _labels.cpython-310.pyc
    _labelssrc.cpython-310.pyc
    _leaf.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _level.cpython-310.pyc
    _marker.cpython-310.pyc
    _maxdepth.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _outsidetextfont.cpython-310.pyc

```

```
_parents.cpython-310.pyc
_parentssrc.cpython-310.pyc
_pathbar.cpython-310.pyc
_root.cpython-310.pyc
_sort.cpython-310.pyc
_stream.cpython-310.pyc
_text.cpython-310.pyc
_textfont.cpython-310.pyc
_textinfo.cpython-310.pyc
_textposition.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_texttemplatesrc.cpython-310.pyc
_tiling.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_values.cpython-310.pyc
_valuessrc.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

+---image

```
_colormodel.py
_customdata.py
_customdatasrc.py
_dx.py
_dy.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_meta.py
 metasrc.py
_name.py
_opacity.py
_source.py
_stream.py
_text.py
_textsrc.py
_uid.py
_uirevision.py
_visible.py
_x0.py
_xaxis.py
_y0.py
_yaxis.py
_z.py
_zmax.py
_zmin.py
_zsmooth.py
_zsrc.py
__init__.py
```

+---hoverlabel

```
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
```

```

    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    __init__.py
+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc
+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
\---__pycache__
    _maxpoints.cpython-310.pyc
    _token.cpython-310.pyc
    __init__.cpython-310.pyc

```



```
\---__pycache__
    _colormodel.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _dx.cpython-310.pyc
    _dy.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _source.cpython-310.pyc
    _stream.cpython-310.pyc
    _text.cpython-310.pyc
    _textsrc.cpython-310.pyc
    _uid.cpython-310.pyc
    _uirevision.cpython-310.pyc
    _visible.cpython-310.pyc
    _x0.cpython-310.pyc
    _xaxis.cpython-310.pyc
    _y0.cpython-310.pyc
    _yaxis.cpython-310.pyc
    _z.cpython-310.pyc
    _zmax.cpython-310.pyc
    _zmin.cpython-310.pyc
    _zsmooth.cpython-310.pyc
    _zsrc.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---indicator
    _align.py
    _customdata.py
    _customdatasrc.py
    _delta.py
    _domain.py
    _gauge.py
    _ids.py
    _idssrc.py
    _legend.py
    _legendgrouptitle.py
    _legendrank.py
    _legendwidth.py
    _meta.py
    _metasrc.py
    _mode.py
    _name.py
    _number.py
    _stream.py
    _title.py
    _uid.py
    _uirevision.py
    _value.py
    _visible.py
    __init__.py
```

```
+---delta
```

```
_decreasing.py
_font.py
_increasing.py
_position.py
_prefix.py
_reference.py
_relative.py
_suffix.py
_valueformat.py
__init__.py
```

```
+---decreasing
```

```
|   _color.py
|   _symbol.py
|   __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _symbol.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---font
```

```
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---increasing
```

```
|   _color.py
|   _symbol.py
|   __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _symbol.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
```

```
    _decreasing.cpython-310.pyc
    _font.cpython-310.pyc
    _increasing.cpython-310.pyc
    _position.cpython-310.pyc
    _prefix.cpython-310.pyc
    _reference.cpython-310.pyc
    _relative.cpython-310.pyc
    _suffix.cpython-310.pyc
    _valueformat.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---domain
```

```
|   _column.py
|   _row.py
|   _x.py
|   _y.py
|   __init__.py
```

```
\---__pycache__
```

```
    _column.cpython-310.pyc
    _row.cpython-310.pyc
    _x.cpython-310.pyc
    _y.cpython-310.pyc
    __init__.cpython-310.pyc
```

```

+---gauge
|   _axis.py
|   _bar.py
|   _bgcolor.py
|   _bordercolor.py
|   _borderwidth.py
|   _shape.py
|   _stepdefaults.py
|   _steps.py
|   _threshold.py
|   __init__.py
|
+---axis
|   _dtick.py
|   _exponentformat.py
|   _labelalias.py
|   _minexponent.py
|   _nticks.py
|   _range.py
|   _separatethousands.py
|   _showexponent.py
|   _showticklabels.py
|   _showtickprefix.py
|   _showticksuffix.py
|   _tick0.py
|   _tickangle.py
|   _tickcolor.py
|   _tickfont.py
|   _tickformat.py
|   _tickformatstopdefaults.py
|   _tickformatstops.py
|   _ticklabelstep.py
|   _ticklen.py
|   _tickmode.py
|   _tickprefix.py
|   _ticks.py
|   _ticksuffix.py
|   _ticktext.py
|   _ticktextsrc.py
|   _tickvals.py
|   _tickvalssrc.py
|   _tickwidth.py
|   _visible.py
|   __init__.py
|
+---tickfont
|   |   _color.py
|   |   _family.py
|   |   _size.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _color.cpython-310.pyc
|           _family.cpython-310.pyc
|           _size.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---tickformatstop
|   |   _dtickrange.py
|   |   _enabled.py
|   |   _name.py
|   |   _templateitemname.py
|   |   _value.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _dtickrange.cpython-310.pyc

```

```

        _enabled.cpython-310.pyc
        _name.cpython-310.pyc
        _templateitemname.cpython-310.pyc
        _value.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _range.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _visible.cpython-310.pyc
    __init__.cpython-310.pyc
+---bar
    _color.py
    _line.py
    _thickness.py
    __init__.py
+---line
    _color.py
    _width.py
    __init__.py
    \---__pycache__
        _color.cpython-310.pyc
        _width.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _color.cpython-310.pyc
    _line.cpython-310.pyc
    _thickness.cpython-310.pyc
    __init__.cpython-310.pyc
+---step
    _color.py
    _line.py
    _name.py
    _range.py
    _templateitemname.py
    _thickness.py

```

```

    __init__.py
+---line
|   _color.py
|   _width.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           _width.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           _line.cpython-310.pyc
|           _name.cpython-310.pyc
|           _range.cpython-310.pyc
|           _templateitemname.cpython-310.pyc
|           _thickness.cpython-310.pyc
|           __init__.cpython-310.pyc
+---threshold
|   _line.py
|   _thickness.py
|   _value.py
|   __init__.py
|
|   +---line
|   |   _color.py
|   |   _width.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |           _color.cpython-310.pyc
|   |           _width.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
|   |   \---__pycache__
|   |           _line.cpython-310.pyc
|   |           _thickness.cpython-310.pyc
|   |           _value.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
|   |   \---__pycache__
|   |           _axis.cpython-310.pyc
|   |           _bar.cpython-310.pyc
|   |           _bgcolor.cpython-310.pyc
|   |           _bordercolor.cpython-310.pyc
|   |           _borderwidth.cpython-310.pyc
|   |           _shape.cpython-310.pyc
|   |           _stepdefaults.cpython-310.pyc
|   |           _steps.cpython-310.pyc
|   |           _threshold.cpython-310.pyc
|   |           __init__.cpython-310.pyc
|   |
|   |   +---legendgrouptitle
|   |   |   _font.py
|   |   |   _text.py
|   |   |   __init__.py
|   |   |
|   |   |   +---font
|   |   |   |   _color.py
|   |   |   |   _family.py
|   |   |   |   _size.py
|   |   |   |   __init__.py
|   |   |   |
|   |   |   |   \---__pycache__
|   |   |   |           _color.cpython-310.pyc

```

```

        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
    \--- __pycache__
        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
+---number
    |
    | _font.py
    | _prefix.py
    | _suffix.py
    | _valueformat.py
    | __init__.py
    |
+---font
    |
    | _color.py
    | _family.py
    | _size.py
    | __init__.py
    |
    \--- __pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
    \--- __pycache__
        _font.cpython-310.pyc
        _prefix.cpython-310.pyc
        _suffix.cpython-310.pyc
        _valueformat.cpython-310.pyc
        __init__.cpython-310.pyc
+---stream
    |
    | _maxpoints.py
    | _token.py
    | __init__.py
    |
    \--- __pycache__
        _maxpoints.cpython-310.pyc
        _token.cpython-310.pyc
        __init__.cpython-310.pyc
+---title
    |
    | _align.py
    | _font.py
    | _text.py
    | __init__.py
    |
+---font
    |
    | _color.py
    | _family.py
    | _size.py
    | __init__.py
    |
    \--- __pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
    \--- __pycache__
        _align.cpython-310.pyc
        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc

```

```
|  
| \---_pycache_  
|     _align.cpython-310.pyc  
|     _customdata.cpython-310.pyc  
|     _customdatasrc.cpython-310.pyc  
|     _delta.cpython-310.pyc  
|     _domain.cpython-310.pyc  
|     _gauge.cpython-310.pyc  
|     _ids.cpython-310.pyc  
|     _idssrc.cpython-310.pyc  
|     _legend.cpython-310.pyc  
|     _legendgrouptitle.cpython-310.pyc  
|     _legendrank.cpython-310.pyc  
|     _legendwidth.cpython-310.pyc  
|     _meta.cpython-310.pyc  
|     _metasrc.cpython-310.pyc  
|     _mode.cpython-310.pyc  
|     _name.cpython-310.pyc  
|     _number.cpython-310.pyc  
|     _stream.cpython-310.pyc  
|     _title.cpython-310.pyc  
|     _uid.cpython-310.pyc  
|     _uirevision.cpython-310.pyc  
|     _value.cpython-310.pyc  
|     _visible.cpython-310.pyc  
|     __init__.cpython-310.pyc
```

```
+---isosurface  
|     _autocolorscale.py  
|     _caps.py  
|     _cauto.py  
|     _cmax.py  
|     _cmid.py  
|     _cmin.py  
|     _coloraxis.py  
|     _colorbar.py  
|     _colorscale.py  
|     _contour.py  
|     _customdata.py  
|     _customdatasrc.py  
|     _flatshading.py  
|     _hoverinfo.py  
|     _hoverinfosrc.py  
|     _hoverlabel.py  
|     _hovertemplate.py  
|     _hovertemplatesrc.py  
|     _hovertext.py  
|     _hovertextsrc.py  
|     _ids.py  
|     _idssrc.py  
|     _isomax.py  
|     _isomin.py  
|     _legend.py  
|     _legendgroup.py  
|     _legendgrouptitle.py  
|     _legendrank.py  
|     _legendwidth.py  
|     _lighting.py  
|     _lightposition.py  
|     _meta.py  
|     _metasrc.py  
|     _name.py  
|     _opacity.py  
|     _reversescale.py  
|     _scene.py  
|     _showlegend.py  
|     _showscale.py  
|     _slices.py
```

```
_spaceframe.py
_stream.py
_surface.py
_text.py
_textsrc.py
_uid.py
_uirevision.py
_value.py
_valuehoverformat.py
_valuesrc.py
_visible.py
_x.py
_xhoverformat.py
_xsrc.py
_y.py
_yhoverformat.py
_ysrc.py
_z.py
_zhoverformat.py
_zsrc.py
__init__.py
```

```
+---caps
```

```
| _x.py
| _y.py
| _z.py
| __init__.py
```

```
+---x
```

```
| _fill.py
| _show.py
| __init__.py
```

```
\---__pycache__
```

```
    _fill.cpython-310.pyc
    _show.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---y
```

```
| _fill.py
| _show.py
| __init__.py
```

```
\---__pycache__
```

```
    _fill.cpython-310.pyc
    _show.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---z
```

```
| _fill.py
| _show.py
| __init__.py
```

```
\---__pycache__
```

```
    _fill.cpython-310.pyc
    _show.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
```

```
    _x.cpython-310.pyc
    _y.cpython-310.pyc
    _z.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---colorbar
```

```
| _bgcolor.py
| _bordercolor.py
| _borderwidth.py
```



```

_tick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc
+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py

```

```

\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
+---title
    _font.py
    _side.py
    _text.py
    __init__.py
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _side.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc

```

```

_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc

+---contour
|   _color.py
|   _show.py
|   _width.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _show.cpython-310.pyc
|       _width.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---hoverlabel
|   _align.py
|   _alignsrc.py
|   _bgcolor.py
|   _bgcolorsrc.py
|   _bordercolor.py
|   _bordercolorsrc.py
|   _font.py
|   _namelength.py
|   _namelengthsrc.py
|   __init__.py
|
+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _align.cpython-310.pyc
|       _alignsrc.cpython-310.pyc
|       _bgcolor.cpython-310.pyc
|       _bgcolorsrc.cpython-310.pyc
|       _bordercolor.cpython-310.pyc
|       _bordercolorsrc.cpython-310.pyc
|       _font.cpython-310.pyc
|       _namelength.cpython-310.pyc
|       _namelengthsrc.cpython-310.pyc

```

```

        __init__.cpython-310.pyc
+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
|   _color.cpython-310.pyc
|   _family.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _font.cpython-310.pyc
|   _text.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---lighting
|   _ambient.py
|   _diffuse.py
|   _facenormalsepsilon.py
|   _fresnel.py
|   _roughness.py
|   _specular.py
|   _vertexnormalsepsilon.py
|   __init__.py
|
\---__pycache__
|   _ambient.cpython-310.pyc
|   _diffuse.cpython-310.pyc
|   _facenormalsepsilon.cpython-310.pyc
|   _fresnel.cpython-310.pyc
|   _roughness.cpython-310.pyc
|   _specular.cpython-310.pyc
|   _vertexnormalsepsilon.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---lightposition
|   _x.py
|   _y.py
|   _z.py
|   __init__.py
|
\---__pycache__
|   _x.cpython-310.pyc
|   _y.cpython-310.pyc
|   _z.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---slices
|   _x.py
|   _y.py
|   _z.py
|   __init__.py
|
+---x
|   _fill.py
|   _locations.py
|   _locationssrc.py
|   _show.py
|   __init__.py

```

```

|
| \---__pycache__
|      _fill.cpython-310.pyc
|      _locations.cpython-310.pyc
|      _locationssrc.cpython-310.pyc
|      _show.cpython-310.pyc
|      __init__.cpython-310.pyc
|
+---y
|
| _fill.py
| _locations.py
| _locationssrc.py
| _show.py
| __init__.py
|
| \---__pycache__
|      _fill.cpython-310.pyc
|      _locations.cpython-310.pyc
|      _locationssrc.cpython-310.pyc
|      _show.cpython-310.pyc
|      __init__.cpython-310.pyc
|
+---z
|
| _fill.py
| _locations.py
| _locationssrc.py
| _show.py
| __init__.py
|
| \---__pycache__
|      _fill.cpython-310.pyc
|      _locations.cpython-310.pyc
|      _locationssrc.cpython-310.pyc
|      _show.cpython-310.pyc
|      __init__.cpython-310.pyc
|
| \---__pycache__
|      _x.cpython-310.pyc
|      _y.cpython-310.pyc
|      _z.cpython-310.pyc
|      __init__.cpython-310.pyc
|
+---spaceframe
|
| _fill.py
| _show.py
| __init__.py
|
| \---__pycache__
|      _fill.cpython-310.pyc
|      _show.cpython-310.pyc
|      __init__.cpython-310.pyc
|
+---stream
|
| _maxpoints.py
| _token.py
| __init__.py
|
| \---__pycache__
|      _maxpoints.cpython-310.pyc
|      _token.cpython-310.pyc
|      __init__.cpython-310.pyc
|
+---surface
|
| _count.py
| _fill.py
| _pattern.py
| _show.py
| __init__.py

```

```
|
| \--- __pycache__
|         _count.cpython-310.pyc
|         _fill.cpython-310.pyc
|         _pattern.cpython-310.pyc
|         _show.cpython-310.pyc
|         __init__.cpython-310.pyc
|
| \--- __pycache__
|         _autocolorscale.cpython-310.pyc
|         _caps.cpython-310.pyc
|         _cauto.cpython-310.pyc
|         _cmax.cpython-310.pyc
|         _cmid.cpython-310.pyc
|         _cmin.cpython-310.pyc
|         _coloraxis.cpython-310.pyc
|         _colorbar.cpython-310.pyc
|         _colorscale.cpython-310.pyc
|         _contour.cpython-310.pyc
|         _customdata.cpython-310.pyc
|         _customdatasrc.cpython-310.pyc
|         _flatshading.cpython-310.pyc
|         _hoverinfo.cpython-310.pyc
|         _hoverinfosrc.cpython-310.pyc
|         _hoverlabel.cpython-310.pyc
|         _hovertemplate.cpython-310.pyc
|         _hovertemplatesrc.cpython-310.pyc
|         _hovertext.cpython-310.pyc
|         _hovertextsrc.cpython-310.pyc
|         _ids.cpython-310.pyc
|         _idssrc.cpython-310.pyc
|         _isomax.cpython-310.pyc
|         _isomin.cpython-310.pyc
|         _legend.cpython-310.pyc
|         _legendgroup.cpython-310.pyc
|         _legendgrouptitle.cpython-310.pyc
|         _legendrank.cpython-310.pyc
|         _legendwidth.cpython-310.pyc
|         _lighting.cpython-310.pyc
|         _lightposition.cpython-310.pyc
|         _meta.cpython-310.pyc
|         _metasrc.cpython-310.pyc
|         _name.cpython-310.pyc
|         _opacity.cpython-310.pyc
|         _reversescale.cpython-310.pyc
|         _scene.cpython-310.pyc
|         _showlegend.cpython-310.pyc
|         _showscale.cpython-310.pyc
|         _slices.cpython-310.pyc
|         _spaceframe.cpython-310.pyc
|         _stream.cpython-310.pyc
|         _surface.cpython-310.pyc
|         _text.cpython-310.pyc
|         _textsrc.cpython-310.pyc
|         _uid.cpython-310.pyc
|         _uirevision.cpython-310.pyc
|         _value.cpython-310.pyc
|         _valuehoverformat.cpython-310.pyc
|         _valuesrc.cpython-310.pyc
|         _visible.cpython-310.pyc
|         _x.cpython-310.pyc
|         _xhoverformat.cpython-310.pyc
|         _xsrc.cpython-310.pyc
|         _y.cpython-310.pyc
|         _yhoverformat.cpython-310.pyc
|         _ysrc.cpython-310.pyc
|         _z.cpython-310.pyc
|         _zhoverformat.cpython-310.pyc
```

```
_zsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---layout
```

```
_activeselection.py
_activexshape.py
_annotationdefaults.py
_annotations.py
_autosize.py
_autotypenumbers.py
_bargap.py
_bargroupgap.py
_barmode.py
_barnorm.py
_boxgap.py
_boxgroupgap.py
_boxmode.py
_calendar.py
_clickmode.py
_coloraxis.py
_colorscale.py
_colorway.py
_computed.py
_datarevision.py
_dragmode.py
_editrevision.py
_extendfunnelareacolors.py
_extendingiciclecolors.py
_extendpiecolors.py
_extendsunburstcolors.py
_extendtreemapcolors.py
_font.py
_funnelareacolorway.py
_funnelgap.py
_funnelgroupgap.py
_funnelmode.py
_geo.py
_grid.py
_height.py
_hiddenlabels.py
_hiddenlabelssrc.py
_hidesources.py
_hoverdistance.py
_hoverlabel.py
_hovermode.py
_iciclecolorway.py
_imagedefaults.py
_images.py
_legend.py
_mapbox.py
_margin.py
_meta.py
_metasrc.py
_minreducedheight.py
_minreducedwidth.py
_modebar.py
_newselection.py
_newshape.py
_paper_bgcolor.py
_piecolorway.py
_plot_bgcolor.py
_polar.py
_scattergap.py
_scattermode.py
_scene.py
_selectdirection.py
_selectiondefaults.py
_selectionrevision.py
```

```
_selections.py
_separators.py
_shapedefaults.py
_shapes.py
_showlegend.py
_sliderdefaults.py
_sliders.py
_smith.py
_spikedistance.py
_sunburstcolorway.py
_template.py
_ternary.py
_title.py
_transition.py
_treemapcolorway.py
_uirevision.py
_uniformtext.py
_updatemenudefaults.py
_updatemenus.py
_violingap.py
_violingroupgap.py
_violinmode.py
_waterfallgap.py
_waterfallgroupgap.py
_waterfallmode.py
_width.py
_xaxis.py
_yaxis.py
__init__.py
```

```
+---activeselection
|   _fillcolor.py
|   _opacity.py
|   __init__.py
|
\---__pycache__
|   _fillcolor.cpython-310.pyc
|   _opacity.cpython-310.pyc
|   __init__.cpython-310.pyc
```

```
+---activeshape
|   _fillcolor.py
|   _opacity.py
|   __init__.py
|
\---__pycache__
|   _fillcolor.cpython-310.pyc
|   _opacity.cpython-310.pyc
|   __init__.cpython-310.pyc
```

```
+---annotation
|   _align.py
|   _arrowcolor.py
|   _arrowhead.py
|   _arrowside.py
|   _arrowsize.py
|   _arrowwidth.py
|   _ax.py
|   _axref.py
|   _ay.py
|   _ayref.py
|   _bgcolor.py
|   _bordercolor.py
|   _borderpad.py
|   _borderwidth.py
|   _captureevents.py
|   _clicktoshow.py
|   _font.py
```



```

_height.py
_hoverlabel.py
_hovertext.py
_name.py
_opacity.py
_showarrow.py
_standoff.py
_startarrowhead.py
_startarrowsize.py
_startstandoff.py
_templateitemname.py
_text.py
_textangle.py
_valign.py
_visible.py
_width.py
_x.py
_xanchor.py
_xclick.py
_xref.py
_xshift.py
_y.py
_yanchor.py
_yclick.py
_yref.py
_yshift.py
__init__.py

+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc

+---hoverlabel
|   _bgcolor.py
|   _bordercolor.py
|   _font.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _bgcolor.cpython-310.pyc
     _bordercolor.cpython-310.pyc
     _font.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _align.cpython-310.pyc
     _arrowcolor.cpython-310.pyc
     _arrowhead.cpython-310.pyc

```

```
_arrowside.cpython-310.pyc
_arrowsize.cpython-310.pyc
_arrowwidth.cpython-310.pyc
_ax.cpython-310.pyc
_axref.cpython-310.pyc
_ay.cpython-310.pyc
_ayref.cpython-310.pyc
_bgcolor.cpython-310.pyc
_bordercolor.cpython-310.pyc
_borderpad.cpython-310.pyc
_borderwidth.cpython-310.pyc
_captureevents.cpython-310.pyc
_clicktoshow.cpython-310.pyc
_font.cpython-310.pyc
_height.cpython-310.pyc
_hoverlabel.cpython-310.pyc
_hovertext.cpython-310.pyc
_name.cpython-310.pyc
_opacity.cpython-310.pyc
_showarrow.cpython-310.pyc
_standoff.cpython-310.pyc
_startarrowhead.cpython-310.pyc
_startarrowsize.cpython-310.pyc
_startstandoff.cpython-310.pyc
_templateitemname.cpython-310.pyc
_text.cpython-310.pyc
_textangle.cpython-310.pyc
_valign.cpython-310.pyc
_visible.cpython-310.pyc
_width.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xclick.cpython-310.pyc
_xref.cpython-310.pyc
_xshift.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_yclick.cpython-310.pyc
_yref.cpython-310.pyc
_yshift.cpython-310.pyc
__init__.cpython-310.pyc
```

+---coloraxis

```
_autocolorscale.py
_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_colorbar.py
_colorscale.py
_reversescale.py
_showscale.py
__init__.py
```

+---colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
```

```

_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc

+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
     _dtickrange.cpython-310.pyc
     _enabled.cpython-310.pyc
     _name.cpython-310.pyc
     _templateitemname.cpython-310.pyc
     _value.cpython-310.pyc
     __init__.cpython-310.pyc

+---title
|   _font.py

```

```

_side.py
_text.py
__init__.py

+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
      _color.cpython-310.pyc
      _family.cpython-310.pyc
      _size.cpython-310.pyc
      __init__.cpython-310.pyc

\---__pycache__
      _font.cpython-310.pyc
      _side.cpython-310.pyc
      _text.cpython-310.pyc
      __init__.cpython-310.pyc

\---__pycache__
      _bgcolor.cpython-310.pyc
      _bordercolor.cpython-310.pyc
      _borderwidth.cpython-310.pyc
      _dtick.cpython-310.pyc
      _exponentformat.cpython-310.pyc
      _labelalias.cpython-310.pyc
      _len.cpython-310.pyc
      _lenmode.cpython-310.pyc
      _minexponent.cpython-310.pyc
      _nticks.cpython-310.pyc
      _orientation.cpython-310.pyc
      _outlinecolor.cpython-310.pyc
      _outlinewidth.cpython-310.pyc
      _separatethousands.cpython-310.pyc
      _showexponent.cpython-310.pyc
      _showticklabels.cpython-310.pyc
      _showtickprefix.cpython-310.pyc
      _showticksuffix.cpython-310.pyc
      _thickness.cpython-310.pyc
      _thicknessmode.cpython-310.pyc
      _tick0.cpython-310.pyc
      _tickangle.cpython-310.pyc
      _tickcolor.cpython-310.pyc
      _tickfont.cpython-310.pyc
      _tickformat.cpython-310.pyc
      _tickformatstopdefaults.cpython-310.pyc
      _tickformatstops.cpython-310.pyc
      _ticklabeloverflow.cpython-310.pyc
      _ticklabelposition.cpython-310.pyc
      _ticklabelstep.cpython-310.pyc
      _ticklen.cpython-310.pyc
      _tickmode.cpython-310.pyc
      _tickprefix.cpython-310.pyc
      _ticks.cpython-310.pyc
      _ticksuffix.cpython-310.pyc
      _ticktext.cpython-310.pyc
      _ticktextsrc.cpython-310.pyc
      _tickvals.cpython-310.pyc
      _tickvalssrc.cpython-310.pyc
      _tickwidth.cpython-310.pyc
      _title.cpython-310.pyc
      _x.cpython-310.pyc
      _xanchor.cpython-310.pyc
      _xpad.cpython-310.pyc
      _xref.cpython-310.pyc

```

```

        _y.cpython-310.pyc
        _yanchor.cpython-310.pyc
        _ypad.cpython-310.pyc
        _yref.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _autocolorscale.cpython-310.pyc
        _cauto.cpython-310.pyc
        _cmax.cpython-310.pyc
        _cmid.cpython-310.pyc
        _cmin.cpython-310.pyc
        _colorbar.cpython-310.pyc
        _colormap.cpython-310.pyc
        _colormaps.cpython-310.pyc
        _reversescale.cpython-310.pyc
        _showscale.cpython-310.pyc
        __init__.cpython-310.pyc
+---colormap
    _diverging.py
    _sequential.py
    _sequentialminus.py
    __init__.py
    \---__pycache__
        _diverging.cpython-310.pyc
        _sequential.cpython-310.pyc
        _sequentialminus.cpython-310.pyc
        __init__.cpython-310.pyc
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
    \---__pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
+---geo
    _bgcolor.py
    _center.py
    _coastlinecolor.py
    _coastlinewidth.py
    _countrycolor.py
    _countrywidth.py
    _domain.py
    _fitbounds.py
    _framecolor.py
    _framewidth.py
    _lakecolor.py
    _landcolor.py
    _lataxis.py
    _lonaxis.py
    _oceancolor.py
    _projection.py
    _resolution.py
    _rivercolor.py
    _riverwidth.py
    _scope.py
    _showcoastlines.py
    _showcountries.py
    _showframe.py
    _showlakes.py
    _showland.py

```

```

_showocean.py
_showrivers.py
_showsubunits.py
_subunitcolor.py
_subunitwidth.py
_uirevision.py
_visible.py
__init__.py

+---center
|   _lat.py
|   _lon.py
|   __init__.py
|
\---__pycache__
     _lat.cpython-310.pyc
     _lon.cpython-310.pyc
     __init__.cpython-310.pyc

+---domain
|   _column.py
|   _row.py
|   _x.py
|   _y.py
|   __init__.py
|
\---__pycache__
     _column.cpython-310.pyc
     _row.cpython-310.pyc
     _x.cpython-310.pyc
     _y.cpython-310.pyc
     __init__.cpython-310.pyc

+---lataxis
|   _dtick.py
|   _gridcolor.py
|   _griddash.py
|   _gridwidth.py
|   _range.py
|   _showgrid.py
|   _tick0.py
|   __init__.py
|
\---__pycache__
     _dtick.cpython-310.pyc
     _gridcolor.cpython-310.pyc
     _griddash.cpython-310.pyc
     _gridwidth.cpython-310.pyc
     _range.cpython-310.pyc
     _showgrid.cpython-310.pyc
     _tick0.cpython-310.pyc
     __init__.cpython-310.pyc

+---lonaxis
|   _dtick.py
|   _gridcolor.py
|   _griddash.py
|   _gridwidth.py
|   _range.py
|   _showgrid.py
|   _tick0.py
|   __init__.py
|
\---__pycache__
     _dtick.cpython-310.pyc
     _gridcolor.cpython-310.pyc
     _griddash.cpython-310.pyc
     _gridwidth.cpython-310.pyc

```

```

        _range.cpython-310.pyc
        _showgrid.cpython-310.pyc
        _tick0.cpython-310.pyc
        __init__.cpython-310.pyc
+---projection
|   _distance.py
|   _parallels.py
|   _rotation.py
|   _scale.py
|   _tilt.py
|   _type.py
|   __init__.py
+---rotation
|   _lat.py
|   _lon.py
|   _roll.py
|   __init__.py
\---__pycache__
    _lat.cpython-310.pyc
    _lon.cpython-310.pyc
    _roll.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _distance.cpython-310.pyc
    _parallels.cpython-310.pyc
    _rotation.cpython-310.pyc
    _scale.cpython-310.pyc
    _tilt.cpython-310.pyc
    _type.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _bgcolor.cpython-310.pyc
    _center.cpython-310.pyc
    _coastlinecolor.cpython-310.pyc
    _coastlinewidth.cpython-310.pyc
    _countrycolor.cpython-310.pyc
    _countrywidth.cpython-310.pyc
    _domain.cpython-310.pyc
    _fitbounds.cpython-310.pyc
    _framecolor.cpython-310.pyc
    _framewidth.cpython-310.pyc
    _lakecolor.cpython-310.pyc
    _landcolor.cpython-310.pyc
    _lataxis.cpython-310.pyc
    _lonaxis.cpython-310.pyc
    _oceancolor.cpython-310.pyc
    _projection.cpython-310.pyc
    _resolution.cpython-310.pyc
    _rivercolor.cpython-310.pyc
    _riverwidth.cpython-310.pyc
    _scope.cpython-310.pyc
    _showcoastlines.cpython-310.pyc
    _showcountries.cpython-310.pyc
    _showframe.cpython-310.pyc
    _showlakes.cpython-310.pyc
    _showland.cpython-310.pyc
    _showocean.cpython-310.pyc
    _showrivers.cpython-310.pyc
    _showsubunits.cpython-310.pyc
    _subunitcolor.cpython-310.pyc
    _subunitwidth.cpython-310.pyc
    _uirevision.cpython-310.pyc
    _visible.cpython-310.pyc

```

```

__init__.cpython-310.pyc
+---grid
|   _columns.py
|   _domain.py
|   _pattern.py
|   _roworder.py
|   _rows.py
|   _subplots.py
|   _xaxes.py
|   _xgap.py
|   _xside.py
|   _yaxes.py
|   _ygap.py
|   _yside.py
|   __init__.py
+---domain
|   _x.py
|   _y.py
|   __init__.py
|   \---__pycache__
|       _x.cpython-310.pyc
|       _y.cpython-310.pyc
|       __init__.cpython-310.pyc
|   \---__pycache__
|       _columns.cpython-310.pyc
|       _domain.cpython-310.pyc
|       _pattern.cpython-310.pyc
|       _roworder.cpython-310.pyc
|       _rows.cpython-310.pyc
|       _subplots.cpython-310.pyc
|       _xaxes.cpython-310.pyc
|       _xgap.cpython-310.pyc
|       _xside.cpython-310.pyc
|       _yaxes.cpython-310.pyc
|       _ygap.cpython-310.pyc
|       _yside.cpython-310.pyc
|       __init__.cpython-310.pyc
+---hoverlabel
|   _align.py
|   _bgcolor.py
|   _bordercolor.py
|   _font.py
|   _grouptitlefont.py
|   _namelength.py
|   __init__.py
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
+---grouptitlefont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py

```



```

|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _align.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _font.cpython-310.pyc
    _grouptitlefont.cpython-310.pyc
    _namelength.cpython-310.pyc
    __init__.cpython-310.pyc

```

+---image

```

|
|_layer.py
|_name.py
|_opacity.py
|_sizex.py
|_sizey.py
|_sizing.py
|_source.py
|_templateitemname.py
|_visible.py
|_x.py
|_xanchor.py
|_xref.py
|_y.py
|_yanchor.py
|_yref.py
|__init__.py

```

```

\---__pycache__
    _layer.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _sizex.cpython-310.pyc
    _sizey.cpython-310.pyc
    _sizing.cpython-310.pyc
    _source.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _visible.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xref.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc
    _yref.cpython-310.pyc
    __init__.cpython-310.pyc

```

+---legend

```

|
|_bgcolor.py
|_bordercolor.py
|_borderwidth.py
|_entrywidth.py
|_entrywidthmode.py
|_font.py
|_groupclick.py
|_grouptitlefont.py
|_itemclick.py
|_itemdoubleclick.py
|_itemsizing.py
|_itemwidth.py
|_orientation.py
|_title.py
|_tracegroupgap.py

```

```

_traceorder.py
_uirevision.py
_valign.py
_visible.py
_x.py
_xanchor.py
_xref.py
_y.py
_yanchor.py
_yref.py
__init__.py

+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
      _color.cpython-310.pyc
      _family.cpython-310.pyc
      _size.cpython-310.pyc
      __init__.cpython-310.pyc

+---grouptitlefont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
      _color.cpython-310.pyc
      _family.cpython-310.pyc
      _size.cpython-310.pyc
      __init__.cpython-310.pyc

+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
      _color.cpython-310.pyc
      _family.cpython-310.pyc
      _size.cpython-310.pyc
      __init__.cpython-310.pyc

\---__pycache__
      _font.cpython-310.pyc
      _side.cpython-310.pyc
      _text.cpython-310.pyc
      __init__.cpython-310.pyc

\---__pycache__
      _bgcolor.cpython-310.pyc
      _bordercolor.cpython-310.pyc
      _borderwidth.cpython-310.pyc
      _entrywidth.cpython-310.pyc
      _entrywidthmode.cpython-310.pyc
      _font.cpython-310.pyc
      _groupclick.cpython-310.pyc

```

```
_grouptitlefont.cpython-310.pyc
_itemclick.cpython-310.pyc
_itemdoubleclick.cpython-310.pyc
_itemsizing.cpython-310.pyc
_itemwidth.cpython-310.pyc
_orientation.cpython-310.pyc
_title.cpython-310.pyc
_tracegroupgap.cpython-310.pyc
_traceorder.cpython-310.pyc
_uirevision.cpython-310.pyc
_valign.cpython-310.pyc
_visible.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
```

+---mapbox

```
_accesstoken.py
_bearing.py
_bounds.py
_center.py
_domain.py
_layerdefaults.py
_layers.py
_pitch.py
_style.py
_uirevision.py
_zoom.py
__init__.py
```

+---bounds

```
_east.py
_north.py
_south.py
_west.py
__init__.py
```

\---__pycache__

```
_east.cpython-310.pyc
_north.cpython-310.pyc
_south.cpython-310.pyc
_west.cpython-310.pyc
__init__.cpython-310.pyc
```

+---center

```
_lat.py
_lon.py
__init__.py
```

\---__pycache__

```
_lat.cpython-310.pyc
_lon.cpython-310.pyc
__init__.cpython-310.pyc
```

+---domain

```
_column.py
_row.py
_x.py
_y.py
__init__.py
```

\---__pycache__

```
_column.cpython-310.pyc
_row.cpython-310.pyc
```

```

        _x.cpython-310.pyc
        _y.cpython-310.pyc
        __init__.cpython-310.pyc

+---layer
|   _below.py
|   _circle.py
|   _color.py
|   _coordinates.py
|   _fill.py
|   _line.py
|   _maxzoom.py
|   _minzoom.py
|   _name.py
|   _opacity.py
|   _source.py
|   _sourceattribution.py
|   _sourcelayer.py
|   _sourcetype.py
|   _symbol.py
|   _templateitemname.py
|   _type.py
|   _visible.py
|   __init__.py
|
+---circle
|   |   _radius.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _radius.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---fill
|   |   _outlinecolor.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _outlinecolor.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---line
|   |   _dash.py
|   |   _dashsrc.py
|   |   _width.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _dash.cpython-310.pyc
|           _dashsrc.cpython-310.pyc
|           _width.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---symbol
|   |   _icon.py
|   |   _iconsize.py
|   |   _placement.py
|   |   _text.py
|   |   _textfont.py
|   |   _textposition.py
|   |   __init__.py
|   |
|   +---textfont
|   |   |   _color.py
|   |   |   _family.py
|   |   |   _size.py
|   |   |   __init__.py

```

```

\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _icon.cpython-310.pyc
    _iconsize.cpython-310.pyc
    _placement.cpython-310.pyc
    _text.cpython-310.pyc
    _textfont.cpython-310.pyc
    _textposition.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _below.cpython-310.pyc
    _circle.cpython-310.pyc
    _color.cpython-310.pyc
    _coordinates.cpython-310.pyc
    _fill.cpython-310.pyc
    _line.cpython-310.pyc
    _maxzoom.cpython-310.pyc
    _minzoom.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _source.cpython-310.pyc
    _sourceattribution.cpython-310.pyc
    _sourcelayer.cpython-310.pyc
    _sourcetype.cpython-310.pyc
    _symbol.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _type.cpython-310.pyc
    _visible.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _accesstoken.cpython-310.pyc
    _bearing.cpython-310.pyc
    _bounds.cpython-310.pyc
    _center.cpython-310.pyc
    _domain.cpython-310.pyc
    _layerdefaults.cpython-310.pyc
    _layers.cpython-310.pyc
    _pitch.cpython-310.pyc
    _style.cpython-310.pyc
    _uirevision.cpython-310.pyc
    _zoom.cpython-310.pyc
    __init__.cpython-310.pyc
+---margin
    _autoexpand.py
    _b.py
    _l.py
    _pad.py
    _r.py
    _t.py
    __init__.py
\---__pycache__
    _autoexpand.cpython-310.pyc
    _b.cpython-310.pyc
    _l.cpython-310.pyc
    _pad.cpython-310.pyc
    _r.cpython-310.pyc
    _t.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---modebar
|   _activecolor.py
|   _add.py
|   _addsrc.py
|   _bgcolor.py
|   _color.py
|   _orientation.py
|   _remove.py
|   _removesrc.py
|   _uirevision.py
|   __init__.py
|
|   \---__pycache__
|       _activecolor.cpython-310.pyc
|       _add.cpython-310.pyc
|       _addsrc.cpython-310.pyc
|       _bgcolor.cpython-310.pyc
|       _color.cpython-310.pyc
|       _orientation.cpython-310.pyc
|       _remove.cpython-310.pyc
|       _removesrc.cpython-310.pyc
|       _uirevision.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---newselection
|   _line.py
|   _mode.py
|   __init__.py
|
|   +---line
|       |   _color.py
|       |   _dash.py
|       |   _width.py
|       |   __init__.py
|       |
|       |   \---__pycache__
|       |       _color.cpython-310.pyc
|       |       _dash.cpython-310.pyc
|       |       _width.cpython-310.pyc
|       |       __init__.cpython-310.pyc
|       |
|       \---__pycache__
|           _line.cpython-310.pyc
|           _mode.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---newshape
|   _drawdirection.py
|   _fillcolor.py
|   _fillrule.py
|   _label.py
|   _layer.py
|   _legend.py
|   _legendgroup.py
|   _legendgrouptitle.py
|   _legendrank.py
|   _legendwidth.py
|   _line.py
|   _name.py
|   _opacity.py
|   _showlegend.py
|   _visible.py
|   __init__.py
|
+---label
|   _font.py
|   _padding.py
|   _text.py

```

```

    _textangle.py
    _textposition.py
    _texttemplate.py
    _xanchor.py
    _yanchor.py
    __init__.py

+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _font.cpython-310.pyc
     _padding.cpython-310.pyc
     _text.cpython-310.pyc
     _textangle.cpython-310.pyc
     _textposition.cpython-310.pyc
     _texttemplate.cpython-310.pyc
     _xanchor.cpython-310.pyc
     _yanchor.cpython-310.pyc
     __init__.cpython-310.pyc

+---legendgroup
|   _font.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _font.cpython-310.pyc
     _text.cpython-310.pyc
     __init__.cpython-310.pyc

+---line
|   _color.py
|   _dash.py
|   _width.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _dash.cpython-310.pyc
     _width.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _drawdirection.cpython-310.pyc
     _fillcolor.cpython-310.pyc
     _fillrule.cpython-310.pyc

```

```
_label.cpython-310.pyc
_layer.cpython-310.pyc
_legend.cpython-310.pyc
_legendgroup.cpython-310.pyc
_legendgrouptitle.cpython-310.pyc
_legendrank.cpython-310.pyc
_legendwidth.cpython-310.pyc
_line.cpython-310.pyc
_name.cpython-310.pyc
_opacity.cpython-310.pyc
_showlegend.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---polar
```

```
_angularaxis.py
_bargap.py
_barmode.py
_bgcolor.py
_domain.py
_gridshape.py
_hole.py
_radialaxis.py
_sector.py
_uirevision.py
__init__.py
```

```
+---angularaxis
```

```
_autotypenumbers.py
_categoryarray.py
_categoryarraysrc.py
_categoryorder.py
_color.py
_direction.py
_dtick.py
_exponentformat.py
_gridcolor.py
_griddash.py
_gridwidth.py
_hoverformat.py
_labelalias.py
_layer.py
_linecolor.py
_linewidth.py
_minexponent.py
_nticks.py
_period.py
_rotation.py
_separatethousands.py
_showexponent.py
_showgrid.py
_showline.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thetaunit.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
```



```

_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_type.py
_uirevision.py
_visible.py
__init__.py

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _autotypenumbers.cpython-310.pyc
    _categoryarray.cpython-310.pyc
    _categoryarraysrc.cpython-310.pyc
    _categoryorder.cpython-310.pyc
    _color.cpython-310.pyc
    _direction.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _gridcolor.cpython-310.pyc
    _griddash.cpython-310.pyc
    _gridwidth.cpython-310.pyc
    _hoverformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _layer.cpython-310.pyc
    _linecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _period.cpython-310.pyc
    _rotation.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showgrid.cpython-310.pyc
    _showline.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thetaunit.cpython-310.pyc

```

```
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_type.cpython-310.pyc
_uirevision.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

+---domain

```
_column.py
_row.py
_x.py
_y.py
__init__.py
```

\---__pycache__

```
_column.cpython-310.pyc
_row.cpython-310.pyc
_x.cpython-310.pyc
_y.cpython-310.pyc
__init__.cpython-310.pyc
```

+---radialaxis

```
_angle.py
_autorange.py
_autorangeoptions.py
_autotypenumbers.py
_calendar.py
_categoryarray.py
_categoryarraysrc.py
_categoryorder.py
_color.py
_dtick.py
_exponentformat.py
_gridcolor.py
_griddash.py
_gridwidth.py
_hoverformat.py
_labelalias.py
_layer.py
_linecolor.py
_linewidth.py
_maxallowed.py
_minallowed.py
_minexponent.py
_nticks.py
_range.py
_rangemode.py
_separatethousands.py
_showexponent.py
_showgrid.py
_showline.py
_showticklabels.py
```

```

_showtickprefix.py
_showticksuffix.py
_side.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_type.py
_uirevision.py
_visible.py
__init__.py

+---autorangeoptions
|   _clipmax.py
|   _clipmin.py
|   _include.py
|   _includesrc.py
|   _maxallowed.py
|   _minallowed.py
|   __init__.py
|
\---__pycache__
    _clipmax.cpython-310.pyc
    _clipmin.cpython-310.pyc
    _include.cpython-310.pyc
    _includesrc.cpython-310.pyc
    _maxallowed.cpython-310.pyc
    _minallowed.cpython-310.pyc
    __init__.cpython-310.pyc

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc

```

```

        _name.cpython-310.pyc
        _templateitemname.cpython-310.pyc
        _value.cpython-310.pyc
        __init__.cpython-310.pyc
+---title
|   _font.py
|   _text.py
|   __init__.py
|
|   +---font
|   |   _color.py
|   |   _family.py
|   |   _size.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       _color.cpython-310.pyc
|   |       _family.cpython-310.pyc
|   |       _size.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   |   \---__pycache__
|   |       _font.cpython-310.pyc
|   |       _text.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   |   \---__pycache__
|   |       _angle.cpython-310.pyc
|   |       _autorange.cpython-310.pyc
|   |       _autorangeoptions.cpython-310.pyc
|   |       _autotypenumbers.cpython-310.pyc
|   |       _calendar.cpython-310.pyc
|   |       _categoryarray.cpython-310.pyc
|   |       _categoryarraysrc.cpython-310.pyc
|   |       _categoryorder.cpython-310.pyc
|   |       _color.cpython-310.pyc
|   |       _dtick.cpython-310.pyc
|   |       _exponentformat.cpython-310.pyc
|   |       _gridcolor.cpython-310.pyc
|   |       _griddash.cpython-310.pyc
|   |       _gridwidth.cpython-310.pyc
|   |       _hoverformat.cpython-310.pyc
|   |       _labelalias.cpython-310.pyc
|   |       _layer.cpython-310.pyc
|   |       _linecolor.cpython-310.pyc
|   |       _linewidth.cpython-310.pyc
|   |       _maxallowed.cpython-310.pyc
|   |       _minallowed.cpython-310.pyc
|   |       _minexponent.cpython-310.pyc
|   |       _nticks.cpython-310.pyc
|   |       _range.cpython-310.pyc
|   |       _rangemode.cpython-310.pyc
|   |       _separatethousands.cpython-310.pyc
|   |       _showexponent.cpython-310.pyc
|   |       _showgrid.cpython-310.pyc
|   |       _showline.cpython-310.pyc
|   |       _showticklabels.cpython-310.pyc
|   |       _showtickprefix.cpython-310.pyc
|   |       _showticksuffix.cpython-310.pyc
|   |       _side.cpython-310.pyc
|   |       _tick0.cpython-310.pyc
|   |       _tickangle.cpython-310.pyc
|   |       _tickcolor.cpython-310.pyc
|   |       _tickfont.cpython-310.pyc
|   |       _tickformat.cpython-310.pyc
|   |       _tickformatstopdefaults.cpython-310.pyc
|   |       _tickformatstops.cpython-310.pyc

```

```
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _title.cpython-310.pyc
    _type.cpython-310.pyc
    _uirevision.cpython-310.pyc
    _visible.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
```

```
    _angularaxis.cpython-310.pyc
    _bargap.cpython-310.pyc
    _barmode.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _domain.cpython-310.pyc
    _gridshape.cpython-310.pyc
    _hole.cpython-310.pyc
    _radialaxis.cpython-310.pyc
    _sector.cpython-310.pyc
    _uirevision.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---scene
```

```
    _annotationdefaults.py
    _annotations.py
    _aspectmode.py
    _aspectratio.py
    _bgcolor.py
    _camera.py
    _domain.py
    _dragmode.py
    _hovermode.py
    _uirevision.py
    _xaxis.py
    _yaxis.py
    _zaxis.py
    __init__.py
```

```
+---annotation
```

```
    _align.py
    _arrowcolor.py
    _arrowhead.py
    _arrowside.py
    _arrowsize.py
    _arrowwidth.py
    _ax.py
    _ay.py
    _bgcolor.py
    _bordercolor.py
    _borderpad.py
    _borderwidth.py
    _captureevents.py
    _font.py
    _height.py
    _hoverlabel.py
    _hovertext.py
    _name.py
    _opacity.py
    _showarrow.py
    _standoff.py
```

```

_startarrowhead.py
_startarrowsize.py
_startstandoff.py
_templateitemname.py
_text.py
_textangle.py
_valign.py
_visible.py
_width.py
_x.py
_xanchor.py
_xshift.py
_y.py
_yanchor.py
_yshift.py
_z.py
__init__.py

+---font
|
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
      _color.cpython-310.pyc
      _family.cpython-310.pyc
      _size.cpython-310.pyc
      __init__.cpython-310.pyc

+---hoverlabel
|
|   _bgcolor.py
|   _bordercolor.py
|   _font.py
|   __init__.py
|
+---font
|
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
      _color.cpython-310.pyc
      _family.cpython-310.pyc
      _size.cpython-310.pyc
      __init__.cpython-310.pyc

\---__pycache__
      _bgcolor.cpython-310.pyc
      _bordercolor.cpython-310.pyc
      _font.cpython-310.pyc
      __init__.cpython-310.pyc

\---__pycache__
      _align.cpython-310.pyc
      _arrowcolor.cpython-310.pyc
      _arrowhead.cpython-310.pyc
      _arrowside.cpython-310.pyc
      _arrowsize.cpython-310.pyc
      _arrowwidth.cpython-310.pyc
      _ax.cpython-310.pyc
      _ay.cpython-310.pyc
      _bgcolor.cpython-310.pyc
      _bordercolor.cpython-310.pyc
      _borderpad.cpython-310.pyc
      _borderwidth.cpython-310.pyc
      _captureevents.cpython-310.pyc

```

```
_font.cpython-310.pyc
_height.cpython-310.pyc
_hoverlabel.cpython-310.pyc
_hovertext.cpython-310.pyc
_name.cpython-310.pyc
_opacity.cpython-310.pyc
_showarrow.cpython-310.pyc
_standoff.cpython-310.pyc
_startarrowhead.cpython-310.pyc
_startarrowsize.cpython-310.pyc
_startstandoff.cpython-310.pyc
_templateitemname.cpython-310.pyc
_text.cpython-310.pyc
_textangle.cpython-310.pyc
_valign.cpython-310.pyc
_visible.cpython-310.pyc
_width.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xshift.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_yshift.cpython-310.pyc
_z.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---aspectratio
```

```
|_x.py
|_y.py
|_z.py
|__init__.py
```

```
\---__pycache__
```

```
  _x.cpython-310.pyc
  _y.cpython-310.pyc
  _z.cpython-310.pyc
  __init__.cpython-310.pyc
```

```
+---camera
```

```
|_center.py
|_eye.py
|_projection.py
|_up.py
|__init__.py
```

```
+---center
```

```
|_x.py
|_y.py
|_z.py
|__init__.py
```

```
\---__pycache__
```

```
  _x.cpython-310.pyc
  _y.cpython-310.pyc
  _z.cpython-310.pyc
  __init__.cpython-310.pyc
```

```
+---eye
```

```
|_x.py
|_y.py
|_z.py
|__init__.py
```

```
\---__pycache__
```

```
  _x.cpython-310.pyc
  _y.cpython-310.pyc
  _z.cpython-310.pyc
  __init__.cpython-310.pyc
```

```

+---projection
|   _type.py
|   __init__.py
|
|   \---__pycache__
|           _type.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---up
|   _x.py
|   _y.py
|   _z.py
|   __init__.py
|
|   \---__pycache__
|           _x.cpython-310.pyc
|           _y.cpython-310.pyc
|           _z.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
    _center.cpython-310.pyc
    _eye.cpython-310.pyc
    _projection.cpython-310.pyc
    _up.cpython-310.pyc
    __init__.cpython-310.pyc

+---domain
|   _column.py
|   _row.py
|   _x.py
|   _y.py
|   __init__.py
|
|   \---__pycache__
|           _column.cpython-310.pyc
|           _row.cpython-310.pyc
|           _x.cpython-310.pyc
|           _y.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---xaxis
|   _autorange.py
|   _autorangeoptions.py
|   _autotypenumbers.py
|   _backgroundcolor.py
|   _calendar.py
|   _categoryarray.py
|   _categoryarraysrc.py
|   _categoryorder.py
|   _color.py
|   _dtick.py
|   _exponentformat.py
|   _gridcolor.py
|   _gridwidth.py
|   _hoverformat.py
|   _labelalias.py
|   _linecolor.py
|   _linewidth.py
|   _maxallowed.py
|   _minallowed.py
|   _minexponent.py
|   _mirror.py
|   _nticks.py
|   _range.py
|   _rangemode.py
|   _separatethousands.py

```



```
_showaxeslabels.py
_showbackground.py
_showexponent.py
_showgrid.py
_showline.py
_showspikes.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_spikecolor.py
_spikesides.py
_spikethickness.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_type.py
_visible.py
_zeroline.py
_zerolinecolor.py
_zerolinewidth.py
__init__.py
```

```
+---autorangeoptions
```

```
| _clipmax.py
| _clipmin.py
| _include.py
| _includesrc.py
| _maxallowed.py
| _minallowed.py
| __init__.py
```

```
\---__pycache__
```

```
    _clipmax.cpython-310.pyc
    _clipmin.cpython-310.pyc
    _include.cpython-310.pyc
    _includesrc.cpython-310.pyc
    _maxallowed.cpython-310.pyc
    _minallowed.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---tickfont
```

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---tickformatstop
```

```

    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
    __init__.py
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
+---title
    _font.py
    _text.py
    __init__.py
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
    \---__pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _autorange.cpython-310.pyc
    _autorangeoptions.cpython-310.pyc
    _autotypenumbers.cpython-310.pyc
    _backgroundcolor.cpython-310.pyc
    _calendar.cpython-310.pyc
    _categoryarray.cpython-310.pyc
    _categoryarraysrc.cpython-310.pyc
    _categoryorder.cpython-310.pyc
    _color.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _gridcolor.cpython-310.pyc
    _gridwidth.cpython-310.pyc
    _hoverformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _linecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _maxallowed.cpython-310.pyc
    _minallowed.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _mirror.cpython-310.pyc
    _nticks.cpython-310.pyc
    _range.cpython-310.pyc
    _rangemode.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showaxeslabels.cpython-310.pyc
    _showbackground.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showgrid.cpython-310.pyc
    _showline.cpython-310.pyc

```

```
_showspikes.cpython-310.pyc
_showticklabels.cpython-310.pyc
_showtickprefix.cpython-310.pyc
_showticksuffix.cpython-310.pyc
_spikecolor.cpython-310.pyc
_spikesides.cpython-310.pyc
_spikethickness.cpython-310.pyc
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_type.cpython-310.pyc
_visible.cpython-310.pyc
_zeroline.cpython-310.pyc
_zerolinecolor.cpython-310.pyc
_zerolinewidth.cpython-310.pyc
__init__.cpython-310.pyc
```

+---yaxis

```
_autorange.py
_autorangeoptions.py
_autotypenumbers.py
_backgroundcolor.py
_calendar.py
_categoryarray.py
_categoryarraysrc.py
_categoryorder.py
_color.py
_dtick.py
_exponentformat.py
_gridcolor.py
_gridwidth.py
_hoverformat.py
_labelalias.py
_linecolor.py
_linewidth.py
_maxallowed.py
_minallowed.py
_minexponent.py
_mirror.py
_nticks.py
_range.py
_rangemode.py
_separatethousands.py
_showaxeslabels.py
_showbackground.py
_showexponent.py
_showgrid.py
_showline.py
_showspikes.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_spikecolor.py
```

```
_spikesides.py
_spikethickness.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_type.py
_visible.py
_zeroline.py
_zerolinecolor.py
_zerolinewidth.py
__init__.py
```

```
+---autorangeoptions
```

```
| _clipmax.py
| _clipmin.py
| _include.py
| _includesrc.py
| _maxallowed.py
| _minallowed.py
| __init__.py
```

```
\---__pycache__
```

```
  _clipmax.cpython-310.pyc
  _clipmin.cpython-310.pyc
  _include.cpython-310.pyc
  _includesrc.cpython-310.pyc
  _maxallowed.cpython-310.pyc
  _minallowed.cpython-310.pyc
  __init__.cpython-310.pyc
```

```
+---tickfont
```

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

```
\---__pycache__
```

```
  _color.cpython-310.pyc
  _family.cpython-310.pyc
  _size.cpython-310.pyc
  __init__.cpython-310.pyc
```

```
+---tickformatstop
```

```
| _dtickrange.py
| _enabled.py
| _name.py
| _templateitemname.py
| _value.py
| __init__.py
```

```
\---__pycache__
```

```
  _dtickrange.cpython-310.pyc
  _enabled.cpython-310.pyc
```

```

        _name.cpython-310.pyc
        _templateitemname.cpython-310.pyc
        _value.cpython-310.pyc
        __init__.cpython-310.pyc
+---title
|   _font.py
|   _text.py
|   __init__.py
|
|   +---font
|   |   _color.py
|   |   _family.py
|   |   _size.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       _color.cpython-310.pyc
|   |       _family.cpython-310.pyc
|   |       _size.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   |   \---__pycache__
|   |       _font.cpython-310.pyc
|   |       _text.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   |   \---__pycache__
|   |       _autorange.cpython-310.pyc
|   |       _autorangeoptions.cpython-310.pyc
|   |       _autotypenumbers.cpython-310.pyc
|   |       _backgroundcolor.cpython-310.pyc
|   |       _calendar.cpython-310.pyc
|   |       _categoryarray.cpython-310.pyc
|   |       _categoryarraysrc.cpython-310.pyc
|   |       _categoryorder.cpython-310.pyc
|   |       _color.cpython-310.pyc
|   |       _dtick.cpython-310.pyc
|   |       _exponentformat.cpython-310.pyc
|   |       _gridcolor.cpython-310.pyc
|   |       _gridwidth.cpython-310.pyc
|   |       _hoverformat.cpython-310.pyc
|   |       _labelalias.cpython-310.pyc
|   |       _linecolor.cpython-310.pyc
|   |       _linewidth.cpython-310.pyc
|   |       _maxallowed.cpython-310.pyc
|   |       _minallowed.cpython-310.pyc
|   |       _minexponent.cpython-310.pyc
|   |       _mirror.cpython-310.pyc
|   |       _nticks.cpython-310.pyc
|   |       _range.cpython-310.pyc
|   |       _rangemode.cpython-310.pyc
|   |       _separatethousands.cpython-310.pyc
|   |       _showaxeslabels.cpython-310.pyc
|   |       _showbackground.cpython-310.pyc
|   |       _showexponent.cpython-310.pyc
|   |       _showgrid.cpython-310.pyc
|   |       _showline.cpython-310.pyc
|   |       _showspikes.cpython-310.pyc
|   |       _showticklabels.cpython-310.pyc
|   |       _showtickprefix.cpython-310.pyc
|   |       _showticksuffix.cpython-310.pyc
|   |       _spikecolor.cpython-310.pyc
|   |       _spikesides.cpython-310.pyc
|   |       _spikethickness.cpython-310.pyc
|   |       _tick0.cpython-310.pyc
|   |       _tickangle.cpython-310.pyc
|   |       _tickcolor.cpython-310.pyc

```

```
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_type.cpython-310.pyc
_visible.cpython-310.pyc
_zeroline.cpython-310.pyc
_zerolinecolor.cpython-310.pyc
_zerolinewidth.cpython-310.pyc
__init__.cpython-310.pyc
```

+---zaxis

```
_autorange.py
_autorangeoptions.py
_autotypenumbers.py
_backgroundcolor.py
_calendar.py
_categoryarray.py
_categoryarraysrc.py
_categoryorder.py
_color.py
_dtick.py
_exponentformat.py
_gridcolor.py
_gridwidth.py
_hoverformat.py
_labelalias.py
_linecolor.py
_linewidth.py
_maxallowed.py
_minallowed.py
_minexponent.py
_mirror.py
_nticks.py
_range.py
_rangemode.py
_separatethousands.py
_showaxeslabels.py
_showbackground.py
_showexponent.py
_showgrid.py
_showline.py
_showspikes.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_spikecolor.py
_spikesides.py
_spikethickness.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklen.py
```

```

_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_type.py
_visible.py
_zeroline.py
_zerolinecolor.py
_zerolinewidth.py
__init__.py

+---autorangeoptions
|
|_clipmax.py
|_clipmin.py
|_include.py
|_includesrc.py
|_maxallowed.py
|_minallowed.py
|__init__.py
|
\---__pycache__
|_clipmax.cpython-310.pyc
|_clipmin.cpython-310.pyc
|_include.cpython-310.pyc
|_includesrc.cpython-310.pyc
|_maxallowed.cpython-310.pyc
|_minallowed.cpython-310.pyc
|__init__.cpython-310.pyc

+---tickfont
|
|_color.py
|_family.py
|_size.py
|__init__.py
|
\---__pycache__
|_color.cpython-310.pyc
|_family.cpython-310.pyc
|_size.cpython-310.pyc
|__init__.cpython-310.pyc

+---tickformatstop
|
|_dtickrange.py
|_enabled.py
|_name.py
|_templateitemname.py
|_value.py
|__init__.py
|
\---__pycache__
|_dtickrange.cpython-310.pyc
|_enabled.cpython-310.pyc
|_name.cpython-310.pyc
|_templateitemname.cpython-310.pyc
|_value.cpython-310.pyc
|__init__.cpython-310.pyc

+---title
|
|_font.py
|_text.py
|__init__.py

```

```

+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       _text.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _autorange.cpython-310.pyc
    _autorangeoptions.cpython-310.pyc
    _autotypenumbers.cpython-310.pyc
    _backgroundcolor.cpython-310.pyc
    _calendar.cpython-310.pyc
    _categoryarray.cpython-310.pyc
    _categoryarraysrc.cpython-310.pyc
    _categoryorder.cpython-310.pyc
    _color.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _gridcolor.cpython-310.pyc
    _gridwidth.cpython-310.pyc
    _hoverformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _linecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _maxallowed.cpython-310.pyc
    _minallowed.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _mirror.cpython-310.pyc
    _nticks.cpython-310.pyc
    _range.cpython-310.pyc
    _rangemode.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showaxeslabels.cpython-310.pyc
    _showbackground.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showgrid.cpython-310.pyc
    _showline.cpython-310.pyc
    _showspikes.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _spikecolor.cpython-310.pyc
    _spikesides.cpython-310.pyc
    _spikethickness.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc

```



```

_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_type.cpython-310.pyc
_visible.cpython-310.pyc
_zeroline.cpython-310.pyc
_zerolinecolor.cpython-310.pyc
_zerolinewidth.cpython-310.pyc
__init__.cpython-310.pyc
\---__pycache__
_annotationdefaults.cpython-310.pyc
_annotations.cpython-310.pyc
_aspectmode.cpython-310.pyc
_aspectratio.cpython-310.pyc
_bgcolor.cpython-310.pyc
_camera.cpython-310.pyc
_domain.cpython-310.pyc
_dragmode.cpython-310.pyc
_hovermode.cpython-310.pyc
_uirevision.cpython-310.pyc
_xaxis.cpython-310.pyc
_yaxis.cpython-310.pyc
_zaxis.cpython-310.pyc
__init__.cpython-310.pyc
+---selection
|   _line.py
|   _name.py
|   _opacity.py
|   _path.py
|   _templateitemname.py
|   _type.py
|   _x0.py
|   _x1.py
|   _xref.py
|   _y0.py
|   _y1.py
|   _yref.py
|   __init__.py
+---line
|   _color.py
|   _dash.py
|   _width.py
|   __init__.py
|   \---__pycache__
|       _color.cpython-310.pyc
|       _dash.cpython-310.pyc
|       _width.cpython-310.pyc
|       __init__.cpython-310.pyc
\---__pycache__
    _line.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _path.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _type.cpython-310.pyc
    _x0.cpython-310.pyc
    _x1.cpython-310.pyc
    _xref.cpython-310.pyc
    _y0.cpython-310.pyc
    _y1.cpython-310.pyc
    _yref.cpython-310.pyc

```

```

__init__.cpython-310.pyc
+---shape
|   _editable.py
|   _fillcolor.py
|   _fillrule.py
|   _label.py
|   _layer.py
|   _legend.py
|   _legendgroup.py
|   _legendgrouptitle.py
|   _legendrank.py
|   _legendwidth.py
|   _line.py
|   _name.py
|   _opacity.py
|   _path.py
|   _showlegend.py
|   _templateitemname.py
|   _type.py
|   _visible.py
|   _x0.py
|   _x1.py
|   _xanchor.py
|   _xref.py
|   _xsize.py
|   _y0.py
|   _y1.py
|   _yanchor.py
|   _yref.py
|   _ysize.py
|   __init__.py
+---label
|   _font.py
|   _padding.py
|   _text.py
|   _textangle.py
|   _textposition.py
|   _texttemplate.py
|   _xanchor.py
|   _yanchor.py
|   __init__.py
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|   \---__pycache__
|       _font.cpython-310.pyc
|       _padding.cpython-310.pyc
|       _text.cpython-310.pyc
|       _textangle.cpython-310.pyc
|       _textposition.cpython-310.pyc
|       _texttemplate.cpython-310.pyc
|       _xanchor.cpython-310.pyc
|       _yanchor.cpython-310.pyc
|       __init__.cpython-310.pyc
+---legendgrouptitle

```

```

    _font.py
    _text.py
    __init__.py

+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       _text.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---line
|   _color.py
|   _dash.py
|   _width.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _dash.cpython-310.pyc
|       _width.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _editable.cpython-310.pyc
    _fillcolor.cpython-310.pyc
    _fillrule.cpython-310.pyc
    _label.cpython-310.pyc
    _layer.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _line.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _path.cpython-310.pyc
    _showlegend.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _type.cpython-310.pyc
    _visible.cpython-310.pyc
    _x0.cpython-310.pyc
    _x1.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xref.cpython-310.pyc
    _xsize.mode.cpython-310.pyc
    _y0.cpython-310.pyc
    _y1.cpython-310.pyc
    _yanchor.cpython-310.pyc
    _yref.cpython-310.pyc
    _ysize.mode.cpython-310.pyc
    __init__.cpython-310.pyc

+---slider
|   _active.py
|   _activebgcolor.py
|   _bgcolor.py

```

```
_bordercolor.py
_borderwidth.py
_currentvalue.py
_font.py
_len.py
_lenmode.py
_minorticklen.py
_name.py
_pad.py
_stepdefaults.py
_steps.py
_templateitemname.py
_tickcolor.py
_ticklen.py
_tickwidth.py
_transition.py
_visible.py
_x.py
_xanchor.py
_y.py
_yanchor.py
__init__.py
```

```
+---currentvalue
```

```
| _font.py
| _offset.py
| _prefix.py
| _suffix.py
| _visible.py
| _xanchor.py
| __init__.py
```

```
+---font
```

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
```

```
    _font.cpython-310.pyc
    _offset.cpython-310.pyc
    _prefix.cpython-310.pyc
    _suffix.cpython-310.pyc
    _visible.cpython-310.pyc
    _xanchor.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---font
```

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---pad
```

```
| _b.py
| _l.py
```

```

    _r.py
    _t.py
    __init__.py
\---__pycache__
    _b.cpython-310.pyc
    _l.cpython-310.pyc
    _r.cpython-310.pyc
    _t.cpython-310.pyc
    __init__.cpython-310.pyc
+---step
    _args.py
    _execute.py
    _label.py
    _method.py
    _name.py
    _templateitemname.py
    _value.py
    _visible.py
    __init__.py
\---__pycache__
    _args.cpython-310.pyc
    _execute.cpython-310.pyc
    _label.cpython-310.pyc
    _method.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    _visible.cpython-310.pyc
    __init__.cpython-310.pyc
+---transition
    _duration.py
    _easing.py
    __init__.py
\---__pycache__
    _duration.cpython-310.pyc
    _easing.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _active.cpython-310.pyc
    _activebgcolor.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _currentvalue.cpython-310.pyc
    _font.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minorticklen.cpython-310.pyc
    _name.cpython-310.pyc
    _pad.cpython-310.pyc
    _stepdefaults.cpython-310.pyc
    _steps.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _transition.cpython-310.pyc
    _visible.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc

```

```

__init__.cpython-310.pyc
+---smith
|   _bgcolor.py
|   _domain.py
|   _imaginaryaxis.py
|   _realaxis.py
|   __init__.py
|
+---domain
|   _column.py
|   _row.py
|   _x.py
|   _y.py
|   __init__.py
|
\---__pycache__
|   _column.cpython-310.pyc
|   _row.cpython-310.pyc
|   _x.cpython-310.pyc
|   _y.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---imaginaryaxis
|   _color.py
|   _gridcolor.py
|   _griddash.py
|   _gridwidth.py
|   _hoverformat.py
|   _labelalias.py
|   _layer.py
|   _linecolor.py
|   _linewidth.py
|   _showgrid.py
|   _showline.py
|   _showticklabels.py
|   _showtickprefix.py
|   _showticksuffix.py
|   _tickcolor.py
|   _tickfont.py
|   _tickformat.py
|   _ticklen.py
|   _tickprefix.py
|   _ticks.py
|   _ticksuffix.py
|   _tickvals.py
|   _tickvalssrc.py
|   _tickwidth.py
|   _visible.py
|   __init__.py
|
+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
|   _color.cpython-310.pyc
|   _family.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _color.cpython-310.pyc
|   _gridcolor.cpython-310.pyc
|   _griddash.cpython-310.pyc
|   _gridwidth.cpython-310.pyc

```

```
_hoverformat.cpython-310.pyc
_labelalias.cpython-310.pyc
_layer.cpython-310.pyc
_linecolor.cpython-310.pyc
_linewidth.cpython-310.pyc
_showgrid.cpython-310.pyc
_showline.cpython-310.pyc
_showticklabels.cpython-310.pyc
_showtickprefix.cpython-310.pyc
_showticksuffix.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

+---realaxis

```
_color.py
_gridcolor.py
_griddash.py
_gridwidth.py
_hoverformat.py
_labelalias.py
_layer.py
_linecolor.py
_linewidth.py
_showgrid.py
_showline.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_side.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_ticklen.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_visible.py
__init__.py
```

+---tickfont

```
_color.py
_family.py
_size.py
__init__.py
```

\---__pycache__

```
_color.cpython-310.pyc
_family.cpython-310.pyc
_size.cpython-310.pyc
__init__.cpython-310.pyc
```

\---__pycache__

```
_color.cpython-310.pyc
_gridcolor.cpython-310.pyc
```

```
_griddash.cpython-310.pyc
_gridwidth.cpython-310.pyc
_hoverformat.cpython-310.pyc
_labelalias.cpython-310.pyc
_layer.cpython-310.pyc
_linecolor.cpython-310.pyc
_linewidth.cpython-310.pyc
_showgrid.cpython-310.pyc
_showline.cpython-310.pyc
_showticklabels.cpython-310.pyc
_showtickprefix.cpython-310.pyc
_showticksuffix.cpython-310.pyc
_side.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

```
\---__pycache__
```

```
_bgcolor.cpython-310.pyc
_domain.cpython-310.pyc
_imaginaryaxis.cpython-310.pyc
_realaxis.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---template
```

```
_data.py
_layout.py
__init__.py
```

```
+---data
```

```
_bar.py
_barpolar.py
_box.py
_candlestick.py
_carpet.py
_choropleth.py
_choroplethmapbox.py
_cone.py
_contour.py
_contourcarpet.py
_densitymapbox.py
_funnel.py
_funnelarea.py
_heatmap.py
_heatmapgl.py
_histogram.py
_histogram2d.py
_histogram2dcontour.py
_iceberg.py
_image.py
_indicator.py
_isosurface.py
_mesh3d.py
_ohlcv.py
_parcats.py
_parcoords.py
_pie.py
_pointcloud.py
```



```
_sankey.py
_scatter.py
_scatter3d.py
_scattercarpet.py
_scattergeo.py
_scattergl.py
_scattermapbox.py
_scatterpolar.py
_scatterpolargl.py
_scattersmith.py
_scatterternary.py
_splom.py
_streamtube.py
_sunburst.py
_surface.py
_table.py
_treemap.py
_violin.py
_volume.py
_waterfall.py
__init__.py
```

```
\---__pycache__
_bar.cpython-310.pyc
_barpolar.cpython-310.pyc
_box.cpython-310.pyc
_candlestick.cpython-310.pyc
_carpet.cpython-310.pyc
_choropleth.cpython-310.pyc
_choroplethmapbox.cpython-310.pyc
_cone.cpython-310.pyc
_contour.cpython-310.pyc
_contourcarpet.cpython-310.pyc
_densitymapbox.cpython-310.pyc
_funnel.cpython-310.pyc
_funnelarea.cpython-310.pyc
_heatmap.cpython-310.pyc
_heatmapgl.cpython-310.pyc
_histogram.cpython-310.pyc
_histogram2d.cpython-310.pyc
_histogram2dcontour.cpython-310.pyc
_iceberg.cpython-310.pyc
_image.cpython-310.pyc
_indicator.cpython-310.pyc
_isosurface.cpython-310.pyc
_mesh3d.cpython-310.pyc
_ohlc.cpython-310.pyc
_parcats.cpython-310.pyc
_parcoords.cpython-310.pyc
_pie.cpython-310.pyc
_pointcloud.cpython-310.pyc
_sankey.cpython-310.pyc
_scatter.cpython-310.pyc
_scatter3d.cpython-310.pyc
_scattercarpet.cpython-310.pyc
_scattergeo.cpython-310.pyc
_scattergl.cpython-310.pyc
_scattermapbox.cpython-310.pyc
_scatterpolar.cpython-310.pyc
_scatterpolargl.cpython-310.pyc
_scattersmith.cpython-310.pyc
_scatterternary.cpython-310.pyc
_splom.cpython-310.pyc
_streamtube.cpython-310.pyc
_sunburst.cpython-310.pyc
_surface.cpython-310.pyc
_table.cpython-310.pyc
_treemap.cpython-310.pyc
```

```

        _violin.cpython-310.pyc
        _volume.cpython-310.pyc
        _waterfall.cpython-310.pyc
        __init__.cpython-310.pyc
    \--- __pycache__
        _data.cpython-310.pyc
        _layout.cpython-310.pyc
        __init__.cpython-310.pyc
+--- ternary
    _aaxis.py
    _baxis.py
    _bgcolor.py
    _caxis.py
    _domain.py
    _sum.py
    _uirevision.py
    __init__.py
+--- aaxis
    _color.py
    _dtick.py
    _exponentformat.py
    _gridcolor.py
    _griddash.py
    _gridwidth.py
    _hoverformat.py
    _labelalias.py
    _layer.py
    _linecolor.py
    _linewidth.py
    _min.py
    _minexponent.py
    _nticks.py
    _separatethousands.py
    _showexponent.py
    _showgrid.py
    _showline.py
    _showticklabels.py
    _showtickprefix.py
    _showticksuffix.py
    _tick0.py
    _tickangle.py
    _tickcolor.py
    _tickfont.py
    _tickformat.py
    _tickformatstopdefaults.py
    _tickformatstops.py
    _ticklabelstep.py
    _ticklen.py
    _tickmode.py
    _tickprefix.py
    _ticks.py
    _ticksuffix.py
    _ticktext.py
    _ticktextsrc.py
    _tickvals.py
    _tickvalssrc.py
    _tickwidth.py
    _title.py
    _uirevision.py
    __init__.py
+--- tickfont
    _color.py
    _family.py
    _size.py

```

```

    |   __init__.py
    |   \--- __pycache__
    |           _color.cpython-310.pyc
    |           _family.cpython-310.pyc
    |           _size.cpython-310.pyc
    |           __init__.cpython-310.pyc
+---+ tickformatstop
    |   _dtickrange.py
    |   _enabled.py
    |   _name.py
    |   _templateitemname.py
    |   _value.py
    |   __init__.py
    |   \--- __pycache__
    |           _dtickrange.cpython-310.pyc
    |           _enabled.cpython-310.pyc
    |           _name.cpython-310.pyc
    |           _templateitemname.cpython-310.pyc
    |           _value.cpython-310.pyc
    |           __init__.cpython-310.pyc
+---+ title
    |   _font.py
    |   _text.py
    |   __init__.py
    |   +---+ font
    |           |   _color.py
    |           |   _family.py
    |           |   _size.py
    |           |   __init__.py
    |           |   \--- __pycache__
    |           |           _color.cpython-310.pyc
    |           |           _family.cpython-310.pyc
    |           |           _size.cpython-310.pyc
    |           |           __init__.cpython-310.pyc
    |           \--- __pycache__
    |                   _font.cpython-310.pyc
    |                   _text.cpython-310.pyc
    |                   __init__.cpython-310.pyc
    \--- __pycache__
            _color.cpython-310.pyc
            _dtick.cpython-310.pyc
            _exponentformat.cpython-310.pyc
            _gridcolor.cpython-310.pyc
            _griddash.cpython-310.pyc
            _gridwidth.cpython-310.pyc
            _hoverformat.cpython-310.pyc
            _labelalias.cpython-310.pyc
            _layer.cpython-310.pyc
            _linecolor.cpython-310.pyc
            _linewidth.cpython-310.pyc
            _min.cpython-310.pyc
            _minexponent.cpython-310.pyc
            _nticks.cpython-310.pyc
            _separatethousands.cpython-310.pyc
            _showexponent.cpython-310.pyc
            _showgrid.cpython-310.pyc
            _showline.cpython-310.pyc
            _showticklabels.cpython-310.pyc
            _showtickprefix.cpython-310.pyc
            _showticksuffix.cpython-310.pyc

```

```
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_uirevision.cpython-310.pyc
__init__.cpython-310.pyc
```

+---baxis

```
_color.py
_dtick.py
_exponentformat.py
_gridcolor.py
_griddash.py
_gridwidth.py
_hoverformat.py
_labelalias.py
_layer.py
_linecolor.py
_linewidth.py
_min.py
_minexponent.py
_nticks.py
_separatethousands.py
_showexponent.py
_showgrid.py
_showline.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_uirevision.py
__init__.py
```

+---tickfont

```
| _color.py
```

```

    _family.py
    _size.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
+---tickformatstop
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
    __init__.py
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
+---title
    _font.py
    _text.py
    __init__.py
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _color.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _gridcolor.cpython-310.pyc
    _griddash.cpython-310.pyc
    _gridwidth.cpython-310.pyc
    _hoverformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _layer.cpython-310.pyc
    _linecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _min.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showgrid.cpython-310.pyc
    _showline.cpython-310.pyc
    _showticklabels.cpython-310.pyc

```

```
_showtickprefix.cpython-310.pyc
_showticksuffix.cpython-310.pyc
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_uirevision.cpython-310.pyc
__init__.cpython-310.pyc
```

+---caxis

```
_color.py
_dtick.py
_exponentformat.py
_gridcolor.py
_griddash.py
_gridwidth.py
_hoverformat.py
_labelalias.py
_layer.py
_linecolor.py
_linewidth.py
_min.py
_minexponent.py
_nticks.py
_separatethousands.py
_showexponent.py
_showgrid.py
_showline.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_uirevision.py
__init__.py
```

```

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
|   \---__pycache__
|       _dtickrange.cpython-310.pyc
|       _enabled.cpython-310.pyc
|       _name.cpython-310.pyc
|       _templateitemname.cpython-310.pyc
|       _value.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---title
|   _font.py
|   _text.py
|   __init__.py
|
|   +---font
|       |   _color.py
|       |   _family.py
|       |   _size.py
|       |   __init__.py
|       |
|       |   \---__pycache__
|       |       _color.cpython-310.pyc
|       |       _family.cpython-310.pyc
|       |       _size.cpython-310.pyc
|       |       __init__.cpython-310.pyc
|       |
|       \---__pycache__
|           _font.cpython-310.pyc
|           _text.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _dtick.cpython-310.pyc
|       _exponentformat.cpython-310.pyc
|       _gridcolor.cpython-310.pyc
|       _griddash.cpython-310.pyc
|       _gridwidth.cpython-310.pyc
|       _hoverformat.cpython-310.pyc
|       _labelalias.cpython-310.pyc
|       _layer.cpython-310.pyc
|       _linecolor.cpython-310.pyc
|       _linewidth.cpython-310.pyc
|       _min.cpython-310.pyc
|       _minexponent.cpython-310.pyc
|       _nticks.cpython-310.pyc
|       _separatethousands.cpython-310.pyc
|       _showexponent.cpython-310.pyc
|       _showgrid.cpython-310.pyc

```

```

        _showline.cpython-310.pyc
        _showticklabels.cpython-310.pyc
        _showtickprefix.cpython-310.pyc
        _showticksuffix.cpython-310.pyc
        _tick0.cpython-310.pyc
        _tickangle.cpython-310.pyc
        _tickcolor.cpython-310.pyc
        _tickfont.cpython-310.pyc
        _tickformat.cpython-310.pyc
        _tickformatstopdefaults.cpython-310.pyc
        _tickformatstops.cpython-310.pyc
        _ticklabelstep.cpython-310.pyc
        _ticklen.cpython-310.pyc
        _tickmode.cpython-310.pyc
        _tickprefix.cpython-310.pyc
        _ticks.cpython-310.pyc
        _ticksuffix.cpython-310.pyc
        _ticktext.cpython-310.pyc
        _ticktextsrc.cpython-310.pyc
        _tickvals.cpython-310.pyc
        _tickvalssrc.cpython-310.pyc
        _tickwidth.cpython-310.pyc
        _title.cpython-310.pyc
        _uirevision.cpython-310.pyc
        __init__.cpython-310.pyc
+---domain
|   _column.py
|   _row.py
|   _x.py
|   _y.py
|   __init__.py
|
|   \---__pycache__
|       _column.cpython-310.pyc
|       _row.cpython-310.pyc
|       _x.cpython-310.pyc
|       _y.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _aaxis.cpython-310.pyc
|       _baxis.cpython-310.pyc
|       _bgcolor.cpython-310.pyc
|       _caxis.cpython-310.pyc
|       _domain.cpython-310.pyc
|       _sum.cpython-310.pyc
|       _uirevision.cpython-310.pyc
|       __init__.cpython-310.pyc
+---title
|   _automargin.py
|   _font.py
|   _pad.py
|   _text.py
|   _x.py
|   _xanchor.py
|   _xref.py
|   _y.py
|   _yanchor.py
|   _yref.py
|   __init__.py
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py

```



```

|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

+---pad
|
|   _b.py
|   _l.py
|   _r.py
|   _t.py
|   __init__.py
|
\---__pycache__
    _b.cpython-310.pyc
    _l.cpython-310.pyc
    _r.cpython-310.pyc
    _t.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _automargin.cpython-310.pyc
    _font.cpython-310.pyc
    _pad.cpython-310.pyc
    _text.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xref.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc
    _yref.cpython-310.pyc
    __init__.cpython-310.pyc

+---transition
|
|   _duration.py
|   _easing.py
|   _ordering.py
|   __init__.py
|
\---__pycache__
    _duration.cpython-310.pyc
    _easing.cpython-310.pyc
    _ordering.cpython-310.pyc
    __init__.cpython-310.pyc

+---uniformtext
|
|   _minsize.py
|   _mode.py
|   __init__.py
|
\---__pycache__
    _minsize.cpython-310.pyc
    _mode.cpython-310.pyc
    __init__.cpython-310.pyc

+---updatemenu
|
|   _active.py
|   _bgcolor.py
|   _bordercolor.py
|   _borderwidth.py
|   _buttondefaults.py
|   _buttons.py
|   _direction.py
|   _font.py
|   _name.py
|   _pad.py
|   _showactive.py

```

```

_templateitemname.py
_type.py
_visible.py
_x.py
_xanchor.py
_y.py
_yanchor.py
__init__.py

+---button
|   _args.py
|   _args2.py
|   _execute.py
|   _label.py
|   _method.py
|   _name.py
|   _templateitemname.py
|   _visible.py
|   __init__.py
|
\---__pycache__
    _args.cpython-310.pyc
    _args2.cpython-310.pyc
    _execute.cpython-310.pyc
    _label.cpython-310.pyc
    _method.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _visible.cpython-310.pyc
    __init__.cpython-310.pyc

+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

+---pad
|   _b.py
|   _l.py
|   _r.py
|   _t.py
|   __init__.py
|
\---__pycache__
    _b.cpython-310.pyc
    _l.cpython-310.pyc
    _r.cpython-310.pyc
    _t.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _active.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _buttondefaults.cpython-310.pyc
    _buttons.cpython-310.pyc
    _direction.cpython-310.pyc
    _font.cpython-310.pyc
    _name.cpython-310.pyc
    _pad.cpython-310.pyc

```

```
_showactive.cpython-310.pyc
_templateitemname.cpython-310.pyc
_type.cpython-310.pyc
_visible.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
__init__.cpython-310.pyc
```

----xaxis

```
_anchor.py
_automargin.py
_autorange.py
_autorangeoptions.py
_autotypenumbers.py
_calendar.py
_categoryarray.py
_categoryarraysrc.py
_categoryorder.py
_color.py
_constrain.py
_constrainttoward.py
_dividercolor.py
_dividerwidth.py
_domain.py
_dtick.py
_exponentformat.py
_fixedrange.py
_gridcolor.py
_griddash.py
_gridwidth.py
_hoverformat.py
_insiderange.py
_labelalias.py
_layer.py
_linecolor.py
_linewidth.py
_matches.py
_maxallowed.py
_minallowed.py
_minexponent.py
_minor.py
_mirror.py
_nticks.py
_overlaying.py
_position.py
_range.py
_rangebreakdefaults.py
_rangebreaks.py
_rangemode.py
_rangeselector.py
_rangeslider.py
_scaleanchor.py
_scaleratio.py
_separatethousands.py
_showdividers.py
_showexponent.py
_showgrid.py
_showline.py
_showspikes.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_side.py
_spikecolor.py
_spikedash.py
_spikemode.py
```

```
_spikesnap.py
_spikethickness.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabelmode.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_tickson.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_type.py
_uirevision.py
_visible.py
_zeroline.py
_zerolinecolor.py
_zerolinewidth.py
__init__.py
```

+---autorangeoptions

```
| _clipmax.py
| _clipmin.py
| _include.py
| _includesrc.py
| _maxallowed.py
| _minallowed.py
| __init__.py
```

\---__pycache__

```
| _clipmax.cpython-310.pyc
| _clipmin.cpython-310.pyc
| _include.cpython-310.pyc
| _includesrc.cpython-310.pyc
| _maxallowed.cpython-310.pyc
| _minallowed.cpython-310.pyc
| __init__.cpython-310.pyc
```

+---minor

```
| _dtick.py
| _gridcolor.py
| _griddash.py
| _gridwidth.py
| _nticks.py
| _showgrid.py
| _tick0.py
| _tickcolor.py
| _ticklen.py
| _tickmode.py
| _ticks.py
| _tickvals.py
| _tickvalssrc.py
| _tickwidth.py
| __init__.py
```

```
\---__pycache__
    _dtick.cpython-310.pyc
    _gridcolor.cpython-310.pyc
    _griddash.cpython-310.pyc
    _gridwidth.cpython-310.pyc
    _nticks.cpython-310.pyc
    _showgrid.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _ticks.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---rangebreak
```

```
    _bounds.py
    _dvalue.py
    _enabled.py
    _name.py
    _pattern.py
    _templateitemname.py
    _values.py
    __init__.py
```

```
\---__pycache__
    _bounds.cpython-310.pyc
    _dvalue.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _pattern.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _values.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---rangeselector
```

```
    _activecolor.py
    _bgcolor.py
    _bordercolor.py
    _borderwidth.py
    _buttondefaults.py
    _buttons.py
    _font.py
    _visible.py
    _x.py
    _xanchor.py
    _y.py
    _yanchor.py
    __init__.py
```

```
+---button
```

```
    _count.py
    _label.py
    _name.py
    _step.py
    _stepmode.py
    _templateitemname.py
    _visible.py
    __init__.py
```

```
\---__pycache__
    _count.cpython-310.pyc
    _label.cpython-310.pyc
    _name.cpython-310.pyc
    _step.cpython-310.pyc
    _stepmode.cpython-310.pyc
```

```

        _templateitemname.cpython-310.pyc
        _visible.cpython-310.pyc
        __init__.cpython-310.pyc

+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _activecolor.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _buttondefaults.cpython-310.pyc
    _buttons.cpython-310.pyc
    _font.cpython-310.pyc
    _visible.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc
    __init__.cpython-310.pyc

+---rangeslider
|   _autorange.py
|   _bgcolor.py
|   _bordercolor.py
|   _borderwidth.py
|   _range.py
|   _thickness.py
|   _visible.py
|   _yaxis.py
|   __init__.py
|
+---yaxis
|   _range.py
|   _rangemode.py
|   __init__.py
|
\---__pycache__
    _range.cpython-310.pyc
    _rangemode.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _autorange.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _range.cpython-310.pyc
    _thickness.cpython-310.pyc
    _visible.cpython-310.pyc
    _yaxis.cpython-310.pyc
    __init__.cpython-310.pyc

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py

```

```

|
| \---__pycache__
|     _color.cpython-310.pyc
|     _family.cpython-310.pyc
|     _size.cpython-310.pyc
|     __init__.cpython-310.pyc
+---tickformatstop
|     _dtickrange.py
|     _enabled.py
|     _name.py
|     _templateitemname.py
|     _value.py
|     __init__.py
|
| \---__pycache__
|     _dtickrange.cpython-310.pyc
|     _enabled.cpython-310.pyc
|     _name.cpython-310.pyc
|     _templateitemname.cpython-310.pyc
|     _value.cpython-310.pyc
|     __init__.cpython-310.pyc
+---title
|     _font.py
|     _standoff.py
|     _text.py
|     __init__.py
|
| +---font
|     |     _color.py
|     |     _family.py
|     |     _size.py
|     |     __init__.py
|     |
|     | \---__pycache__
|     |     _color.cpython-310.pyc
|     |     _family.cpython-310.pyc
|     |     _size.cpython-310.pyc
|     |     __init__.cpython-310.pyc
|     |
|     | \---__pycache__
|     |     _font.cpython-310.pyc
|     |     _standoff.cpython-310.pyc
|     |     _text.cpython-310.pyc
|     |     __init__.cpython-310.pyc
|     |
| \---__pycache__
|     _anchor.cpython-310.pyc
|     _automargin.cpython-310.pyc
|     _autorange.cpython-310.pyc
|     _autorangeoptions.cpython-310.pyc
|     _autotypenumbers.cpython-310.pyc
|     _calendar.cpython-310.pyc
|     _categoryarray.cpython-310.pyc
|     _categoryarraysrc.cpython-310.pyc
|     _categoryorder.cpython-310.pyc
|     _color.cpython-310.pyc
|     _constrain.cpython-310.pyc
|     _constraintoward.cpython-310.pyc
|     _dividercolor.cpython-310.pyc
|     _dividerwidth.cpython-310.pyc
|     _domain.cpython-310.pyc
|     _dtick.cpython-310.pyc
|     _exponentformat.cpython-310.pyc
|     _fixedrange.cpython-310.pyc
|     _gridcolor.cpython-310.pyc
|     _griddash.cpython-310.pyc

```

`_gridwidth.cpython-310.pyc`
`_hoverformat.cpython-310.pyc`
`_insiderange.cpython-310.pyc`
`_labelalias.cpython-310.pyc`
`_layer.cpython-310.pyc`
`_linecolor.cpython-310.pyc`
`_linewidth.cpython-310.pyc`
`_matches.cpython-310.pyc`
`_maxallowed.cpython-310.pyc`
`_minallowed.cpython-310.pyc`
`_minexponent.cpython-310.pyc`
`_minor.cpython-310.pyc`
`_mirror.cpython-310.pyc`
`_nticks.cpython-310.pyc`
`_overlying.cpython-310.pyc`
`_position.cpython-310.pyc`
`_range.cpython-310.pyc`
`_rangebreakdefaults.cpython-310.pyc`
`_rangebreaks.cpython-310.pyc`
`_rangemode.cpython-310.pyc`
`_rangeselector.cpython-310.pyc`
`_rangeslider.cpython-310.pyc`
`_scaleanchor.cpython-310.pyc`
`_scaleratio.cpython-310.pyc`
`_separatethousands.cpython-310.pyc`
`_showdividers.cpython-310.pyc`
`_showexponent.cpython-310.pyc`
`_showgrid.cpython-310.pyc`
`_showline.cpython-310.pyc`
`_showspikes.cpython-310.pyc`
`_showticklabels.cpython-310.pyc`
`_showtickprefix.cpython-310.pyc`
`_showticksuffix.cpython-310.pyc`
`_side.cpython-310.pyc`
`_spikecolor.cpython-310.pyc`
`_spikedash.cpython-310.pyc`
`_spikemode.cpython-310.pyc`
`_spikesnap.cpython-310.pyc`
`_spikethickness.cpython-310.pyc`
`_tick0.cpython-310.pyc`
`_tickangle.cpython-310.pyc`
`_tickcolor.cpython-310.pyc`
`_tickfont.cpython-310.pyc`
`_tickformat.cpython-310.pyc`
`_tickformatstopdefaults.cpython-310.pyc`
`_tickformatstops.cpython-310.pyc`
`_ticklabelmode.cpython-310.pyc`
`_ticklabeloverflow.cpython-310.pyc`
`_ticklabelposition.cpython-310.pyc`
`_ticklabelstep.cpython-310.pyc`
`_ticklen.cpython-310.pyc`
`_tickmode.cpython-310.pyc`
`_tickprefix.cpython-310.pyc`
`_ticks.cpython-310.pyc`
`_tickson.cpython-310.pyc`
`_ticksuffix.cpython-310.pyc`
`_ticktext.cpython-310.pyc`
`_ticktextsrc.cpython-310.pyc`
`_tickvals.cpython-310.pyc`
`_tickvalssrc.cpython-310.pyc`
`_tickwidth.cpython-310.pyc`
`_title.cpython-310.pyc`
`_type.cpython-310.pyc`
`_uirevision.cpython-310.pyc`
`_visible.cpython-310.pyc`
`_zeroline.cpython-310.pyc`
`_zerolinecolor.cpython-310.pyc`
`_zerolinewidth.cpython-310.pyc`

__init__.cpython-310.pyc

+++yaxis

_anchor.py
_automargin.py
_autorange.py
_autorangeoptions.py
_autoshift.py
_autotypenumbers.py
_calendar.py
_categoryarray.py
_categoryarraysrc.py
_categoryorder.py
_color.py
_constrain.py
_constrainttoward.py
_dividercolor.py
_dividerwidth.py
_domain.py
_dtick.py
_exponentformat.py
_fixedrange.py
_gridcolor.py
_griddash.py
_gridwidth.py
_hoverformat.py
_insiderange.py
_labelalias.py
_layer.py
_linecolor.py
_linewidth.py
_matches.py
_maxallowed.py
_minallowed.py
_minexponent.py
_minor.py
_mirror.py
_nticks.py
_overlying.py
_position.py
_range.py
_rangebreakdefaults.py
_rangebreaks.py
_rangemode.py
_scaleanchor.py
_scaleratio.py
_separatethousands.py
_shift.py
_showdividers.py
_showexponent.py
_showgrid.py
_showline.py
_showspikes.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_side.py
_spikecolor.py
_spikedash.py
_spikemode.py
_spikesnap.py
_spikethickness.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py

```
_tickformatstops.py
_ticklabelmode.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_tickson.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_type.py
_uirevision.py
_visible.py
_zeroline.py
_zerolinecolor.py
_zerolinewidth.py
__init__.py
```

```
+---autorangeoptions
```

```
| _clipmax.py
| _clipmin.py
| _include.py
| _includesrc.py
| _maxallowed.py
| _minallowed.py
| __init__.py
```

```
\---__pycache__
```

```
  _clipmax.cpython-310.pyc
  _clipmin.cpython-310.pyc
  _include.cpython-310.pyc
  _includesrc.cpython-310.pyc
  _maxallowed.cpython-310.pyc
  _minallowed.cpython-310.pyc
  __init__.cpython-310.pyc
```

```
+---minor
```

```
| _dtick.py
| _gridcolor.py
| _griddash.py
| _gridwidth.py
| _nticks.py
| _showgrid.py
| _tick0.py
| _tickcolor.py
| _ticklen.py
| _tickmode.py
| _ticks.py
| _tickvals.py
| _tickvalssrc.py
| _tickwidth.py
| __init__.py
```

```
\---__pycache__
```

```
  _dtick.cpython-310.pyc
  _gridcolor.cpython-310.pyc
  _griddash.cpython-310.pyc
  _gridwidth.cpython-310.pyc
  _nticks.cpython-310.pyc
  _showgrid.cpython-310.pyc
  _tick0.cpython-310.pyc
```

```

_tickcolor.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_ticks.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
__init__.cpython-310.pyc

+---rangebreak
|   _bounds.py
|   _dvalue.py
|   _enabled.py
|   _name.py
|   _pattern.py
|   _templateitemname.py
|   _values.py
|   __init__.py
|
\---__pycache__
|   _bounds.cpython-310.pyc
|   _dvalue.cpython-310.pyc
|   _enabled.cpython-310.pyc
|   _name.cpython-310.pyc
|   _pattern.cpython-310.pyc
|   _templateitemname.cpython-310.pyc
|   _values.cpython-310.pyc
|   __init__.cpython-310.pyc

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
|   _color.cpython-310.pyc
|   _family.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc

+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
|   _dtickrange.cpython-310.pyc
|   _enabled.cpython-310.pyc
|   _name.cpython-310.pyc
|   _templateitemname.cpython-310.pyc
|   _value.cpython-310.pyc
|   __init__.cpython-310.pyc

+---title
|   _font.py
|   _standoff.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py

```

```

|
| \--- __pycache__
|         _color.cpython-310.pyc
|         _family.cpython-310.pyc
|         _size.cpython-310.pyc
|         __init__.cpython-310.pyc
|
| \--- __pycache__
|         _font.cpython-310.pyc
|         _standoff.cpython-310.pyc
|         _text.cpython-310.pyc
|         __init__.cpython-310.pyc
|
| \--- __pycache__
|         _anchor.cpython-310.pyc
|         _automargin.cpython-310.pyc
|         _autorange.cpython-310.pyc
|         _autorangeoptions.cpython-310.pyc
|         _autoshift.cpython-310.pyc
|         _autotypenumbers.cpython-310.pyc
|         _calendar.cpython-310.pyc
|         _categoryarray.cpython-310.pyc
|         _categoryarraysrc.cpython-310.pyc
|         _categoryorder.cpython-310.pyc
|         _color.cpython-310.pyc
|         _constrain.cpython-310.pyc
|         _constraintoward.cpython-310.pyc
|         _dividercolor.cpython-310.pyc
|         _dividerwidth.cpython-310.pyc
|         _domain.cpython-310.pyc
|         _dtick.cpython-310.pyc
|         _exponentformat.cpython-310.pyc
|         _fixedrange.cpython-310.pyc
|         _gridcolor.cpython-310.pyc
|         _griddash.cpython-310.pyc
|         _gridwidth.cpython-310.pyc
|         _hoverformat.cpython-310.pyc
|         _insiderange.cpython-310.pyc
|         _labelalias.cpython-310.pyc
|         _layer.cpython-310.pyc
|         _linecolor.cpython-310.pyc
|         _linewidth.cpython-310.pyc
|         _matches.cpython-310.pyc
|         _maxallowed.cpython-310.pyc
|         _minallowed.cpython-310.pyc
|         _minexponent.cpython-310.pyc
|         _minor.cpython-310.pyc
|         _mirror.cpython-310.pyc
|         _nticks.cpython-310.pyc
|         _overlying.cpython-310.pyc
|         _position.cpython-310.pyc
|         _range.cpython-310.pyc
|         _rangebreakdefaults.cpython-310.pyc
|         _rangebreaks.cpython-310.pyc
|         _rangemode.cpython-310.pyc
|         _scaleanchor.cpython-310.pyc
|         _scaleratio.cpython-310.pyc
|         _separatethousands.cpython-310.pyc
|         _shift.cpython-310.pyc
|         _showdividers.cpython-310.pyc
|         _showexponent.cpython-310.pyc
|         _showgrid.cpython-310.pyc
|         _showline.cpython-310.pyc
|         _showspikes.cpython-310.pyc
|         _showticklabels.cpython-310.pyc
|         _showtickprefix.cpython-310.pyc
|         _showticksuffix.cpython-310.pyc
|         _side.cpython-310.pyc

```

```
_spikecolor.cpython-310.pyc
_spikedash.cpython-310.pyc
_spikemode.cpython-310.pyc
_spikesnap.cpython-310.pyc
_spikethickness.cpython-310.pyc
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklabelmode.cpython-310.pyc
_ticklabeloverflow.cpython-310.pyc
_ticklabelposition.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_tickson.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_type.cpython-310.pyc
_uirevision.cpython-310.pyc
_visible.cpython-310.pyc
_zeroline.cpython-310.pyc
_zerolinecolor.cpython-310.pyc
_zerolinewidth.cpython-310.pyc
__init__.cpython-310.pyc
```

\---__pycache__

```
_activeselection.cpython-310.pyc
_activeshape.cpython-310.pyc
_annotationdefaults.cpython-310.pyc
_annotations.cpython-310.pyc
_autosize.cpython-310.pyc
_autotypenumbers.cpython-310.pyc
_bargap.cpython-310.pyc
_bargroupgap.cpython-310.pyc
_barmode.cpython-310.pyc
_barnorm.cpython-310.pyc
_boxgap.cpython-310.pyc
_boxgroupgap.cpython-310.pyc
_boxmode.cpython-310.pyc
_calendar.cpython-310.pyc
_clickmode.cpython-310.pyc
_coloraxis.cpython-310.pyc
_colorscale.cpython-310.pyc
_colorway.cpython-310.pyc
_computed.cpython-310.pyc
_datarevision.cpython-310.pyc
_dragmode.cpython-310.pyc
_editrevision.cpython-310.pyc
_extendfunnelareacolors.cpython-310.pyc
_extendiciclecolors.cpython-310.pyc
_extendpiecolors.cpython-310.pyc
_extendsunburstcolors.cpython-310.pyc
_extendtreemapcolors.cpython-310.pyc
_font.cpython-310.pyc
_funnelareacolorway.cpython-310.pyc
_funnelgap.cpython-310.pyc
_funnelgroupgap.cpython-310.pyc
```

```

_funnelmode.cpython-310.pyc
_geo.cpython-310.pyc
_grid.cpython-310.pyc
_height.cpython-310.pyc
_hiddenlabels.cpython-310.pyc
_hiddenlabelssrc.cpython-310.pyc
_hidesources.cpython-310.pyc
_hoverdistance.cpython-310.pyc
_hoverlabel.cpython-310.pyc
_hovermode.cpython-310.pyc
_iclecolorway.cpython-310.pyc
_imagedefaults.cpython-310.pyc
_images.cpython-310.pyc
_legend.cpython-310.pyc
_mapbox.cpython-310.pyc
_margin.cpython-310.pyc
_meta.cpython-310.pyc
_metasrc.cpython-310.pyc
_minreducedheight.cpython-310.pyc
_minreducedwidth.cpython-310.pyc
_modebar.cpython-310.pyc
_newselection.cpython-310.pyc
_newshape.cpython-310.pyc
_paper_bgcolor.cpython-310.pyc
_piecolorway.cpython-310.pyc
_plot_bgcolor.cpython-310.pyc
_polar.cpython-310.pyc
_scattergap.cpython-310.pyc
_scattermode.cpython-310.pyc
_scene.cpython-310.pyc
_selectdirection.cpython-310.pyc
_selectiondefaults.cpython-310.pyc
_selectionrevision.cpython-310.pyc
_selections.cpython-310.pyc
_separators.cpython-310.pyc
_shapedefaults.cpython-310.pyc
_shapes.cpython-310.pyc
_showlegend.cpython-310.pyc
_sliderdefaults.cpython-310.pyc
_sliders.cpython-310.pyc
_smith.cpython-310.pyc
_spikedistance.cpython-310.pyc
_sunburstcolorway.cpython-310.pyc
_template.cpython-310.pyc
_ternary.cpython-310.pyc
_title.cpython-310.pyc
_transition.cpython-310.pyc
_treemapcolorway.cpython-310.pyc
_uirevision.cpython-310.pyc
_uniformtext.cpython-310.pyc
_updatemenudefaults.cpython-310.pyc
_updatemenus.cpython-310.pyc
_violingap.cpython-310.pyc
_violingroupgap.cpython-310.pyc
_violinmode.cpython-310.pyc
_waterfallgap.cpython-310.pyc
_waterfallgroupgap.cpython-310.pyc
_waterfallmode.cpython-310.pyc
_width.cpython-310.pyc
_xaxis.cpython-310.pyc
_yaxis.cpython-310.pyc
__init__.cpython-310.pyc

```

```

+---mesh3d

```

```

    _alphahull.py
    _autocolorscale.py
    _cauto.py
    _cmax.py

```

```

_mid.py
_cmin.py
_color.py
_coloraxis.py
_colorbar.py
_colorscale.py
_contour.py
_customdata.py
_customdatasrc.py
_deltaunayaxis.py
_facecolor.py
_facecolorsrc.py
_flatshading.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_i.py
_ids.py
_idssrc.py
_intensity.py
_intensitymode.py
_intensitiesrc.py
_iscr.py
_j.py
_jsrc.py
_k.py
_ksrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_lighting.py
_lightposition.py
_meta.py
_metasrc.py
_name.py
_opacity.py
_reversescale.py
_scene.py
_showlegend.py
_showscale.py
_stream.py
_text.py
_textsrc.py
_uid.py
_uirevision.py
_vertexcolor.py
_vertexcolorsrc.py
_visible.py
_x.py
_xcalendar.py
_xhoverformat.py
_xsrc.py
_y.py
_ycalendar.py
_yhoverformat.py
_ysrc.py
_z.py
_zcalendar.py
_zhoverformat.py
_zsrc.py
__init__.py

```

```

+---colorbar
|   _bgcolor.py
|   _bordercolor.py
|   _borderwidth.py
|   _dtick.py
|   _exponentformat.py
|   _labelalias.py
|   _len.py
|   _lenmode.py
|   _minexponent.py
|   _nticks.py
|   _orientation.py
|   _outlinecolor.py
|   _outlinewidth.py
|   _separatethousands.py
|   _showexponent.py
|   _showticklabels.py
|   _showtickprefix.py
|   _showticksuffix.py
|   _thickness.py
|   _thicknessmode.py
|   _tick0.py
|   _tickangle.py
|   _tickcolor.py
|   _tickfont.py
|   _tickformat.py
|   _tickformatstopdefaults.py
|   _tickformatstops.py
|   _ticklabeloverflow.py
|   _ticklabelposition.py
|   _ticklabelstep.py
|   _ticklen.py
|   _tickmode.py
|   _tickprefix.py
|   _ticks.py
|   _ticksuffix.py
|   _ticktext.py
|   _ticktextsrc.py
|   _tickvals.py
|   _tickvalssrc.py
|   _tickwidth.py
|   _title.py
|   _x.py
|   _xanchor.py
|   _xpad.py
|   _xref.py
|   _y.py
|   _yanchor.py
|   _ypad.py
|   _yref.py
|   __init__.py
+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py

```



```

    _templateitemname.py
    _value.py
    __init__.py
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
+---title
    _font.py
    _side.py
    _text.py
    __init__.py
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
    \---__pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _side.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _outlinewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc

```

```
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
```

+---contour

```
_color.py
_show.py
_width.py
__init__.py
```

\---__pycache__

```
_color.cpython-310.pyc
_show.cpython-310.pyc
_width.cpython-310.pyc
__init__.cpython-310.pyc
```

+---hoverlabel

```
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
__init__.py
```

+---font

```
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
__init__.py
```

\---__pycache__

```
_color.cpython-310.pyc
_colorsrc.cpython-310.pyc
_family.cpython-310.pyc
_familysrc.cpython-310.pyc
_size.cpython-310.pyc
_sizesrc.cpython-310.pyc
__init__.cpython-310.pyc
```

\---__pycache__

```
_align.cpython-310.pyc
_alignsrc.cpython-310.pyc
_bgcolor.cpython-310.pyc
_bgcolorsrc.cpython-310.pyc
_bordercolor.cpython-310.pyc
```

```

        _bordercolorsrc.cpython-310.pyc
        _font.cpython-310.pyc
        _namelength.cpython-310.pyc
        _namelengthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
+---lighting
|   _ambient.py
|   _diffuse.py
|   _facenormalsepsilon.py
|   _fresnel.py
|   _roughness.py
|   _specular.py
|   _vertexnormalsepsilon.py
|   __init__.py
|
\---__pycache__
    _ambient.cpython-310.pyc
    _diffuse.cpython-310.pyc
    _facenormalsepsilon.cpython-310.pyc
    _fresnel.cpython-310.pyc
    _roughness.cpython-310.pyc
    _specular.cpython-310.pyc
    _vertexnormalsepsilon.cpython-310.pyc
    __init__.cpython-310.pyc
+---lightposition
|   _x.py
|   _y.py
|   _z.py
|   __init__.py
|
\---__pycache__
    _x.cpython-310.pyc
    _y.cpython-310.pyc
    _z.cpython-310.pyc
    __init__.cpython-310.pyc
+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
\---__pycache__
    _maxpoints.cpython-310.pyc
    _token.cpython-310.pyc

```

```
|         __init__.cpython-310.pyc
|
| \--- __pycache__
|         _alphahull.cpython-310.pyc
|         _autocolorscale.cpython-310.pyc
|         _cauto.cpython-310.pyc
|         _cmax.cpython-310.pyc
|         _cmid.cpython-310.pyc
|         _cmin.cpython-310.pyc
|         _color.cpython-310.pyc
|         _coloraxis.cpython-310.pyc
|         _colorbar.cpython-310.pyc
|         _colormap.cpython-310.pyc
|         _contour.cpython-310.pyc
|         _customdata.cpython-310.pyc
|         _customdatasrc.cpython-310.pyc
|         _delaunayaxis.cpython-310.pyc
|         _facecolor.cpython-310.pyc
|         _facecolorsrc.cpython-310.pyc
|         _flatshading.cpython-310.pyc
|         _hoverinfo.cpython-310.pyc
|         _hoverinfosrc.cpython-310.pyc
|         _hoverlabel.cpython-310.pyc
|         _hovertemplate.cpython-310.pyc
|         _hovertemplatesrc.cpython-310.pyc
|         _hoverttext.cpython-310.pyc
|         _hoverttextsrc.cpython-310.pyc
|         _i.cpython-310.pyc
|         _ids.cpython-310.pyc
|         _idssrc.cpython-310.pyc
|         _intensity.cpython-310.pyc
|         _intensitymode.cpython-310.pyc
|         _intensitysrc.cpython-310.pyc
|         _isrc.cpython-310.pyc
|         _j.cpython-310.pyc
|         _jsrc.cpython-310.pyc
|         _k.cpython-310.pyc
|         _ksrc.cpython-310.pyc
|         _legend.cpython-310.pyc
|         _legendgroup.cpython-310.pyc
|         _legendgrouptitle.cpython-310.pyc
|         _legendrank.cpython-310.pyc
|         _legendwidth.cpython-310.pyc
|         _lighting.cpython-310.pyc
|         _lightposition.cpython-310.pyc
|         _meta.cpython-310.pyc
|         _metasrc.cpython-310.pyc
|         _name.cpython-310.pyc
|         _opacity.cpython-310.pyc
|         _reversescale.cpython-310.pyc
|         _scene.cpython-310.pyc
|         _showlegend.cpython-310.pyc
|         _showscale.cpython-310.pyc
|         _stream.cpython-310.pyc
|         _text.cpython-310.pyc
|         _textsrc.cpython-310.pyc
|         _uid.cpython-310.pyc
|         _uirevision.cpython-310.pyc
|         _vertexcolor.cpython-310.pyc
|         _vertexcolorsrc.cpython-310.pyc
|         _visible.cpython-310.pyc
|         _x.cpython-310.pyc
|         _xcalendar.cpython-310.pyc
|         _xhoverformat.cpython-310.pyc
|         _xsrc.cpython-310.pyc
|         _y.cpython-310.pyc
|         _ycalendar.cpython-310.pyc
|         _yhoverformat.cpython-310.pyc
```

```
_ysrc.cpython-310.pyc
_z.cpython-310.pyc
_zcalendar.cpython-310.pyc
_zhoverformat.cpython-310.pyc
_zsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---ohlc
```

```
_close.py
_closesrc.py
_customdata.py
_customdatasrc.py
_decreasing.py
_high.py
_highsrc.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_increasing.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_low.py
_lowsrc.py
_meta.py
 metasrc.py
_name.py
_opacity.py
_open.py
_opensrc.py
_selectedpoints.py
_showlegend.py
_stream.py
_text.py
_textsrc.py
_tickwidth.py
_uid.py
_uirevision.py
_visible.py
_x.py
_xaxis.py
_xcalendar.py
_xhoverformat.py
_xperiod.py
_xperiod0.py
_xperiodalignment.py
_xsrc.py
_yaxis.py
_yhoverformat.py
__init__.py
```

```
+---decreasing
```

```
| _line.py
| __init__.py
```

```
+---line
```

```
| _color.py
| _dash.py
| _width.py
| __init__.py
```

```
\---__pycache__
    _color.cpython-310.pyc
    _dash.cpython-310.pyc
    _width.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
    _line.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---hoverlabel
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    _split.py
    __init__.py
```

```
+---font
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    __init__.py
```

```
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    _split.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---increasing
    _line.py
    __init__.py
```

```
+---line
    _color.py
    _dash.py
    _width.py
    __init__.py
```

```
\---__pycache__
    _color.cpython-310.pyc
    _dash.cpython-310.pyc
    _width.cpython-310.pyc
```

```

        __init__.cpython-310.pyc
    \--- __pycache__
        _line.cpython-310.pyc
        __init__.cpython-310.pyc
+--- legendgrouptitle
    |   _font.py
    |   _text.py
    |   __init__.py
    |
    +--- font
    |   |   _color.py
    |   |   _family.py
    |   |   _size.py
    |   |   __init__.py
    |   |
    |   \--- __pycache__
    |       _color.cpython-310.pyc
    |       _family.cpython-310.pyc
    |       _size.cpython-310.pyc
    |       __init__.cpython-310.pyc
    |
    \--- __pycache__
        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
+--- line
    |   _dash.py
    |   _width.py
    |   __init__.py
    |
    \--- __pycache__
        _dash.cpython-310.pyc
        _width.cpython-310.pyc
        __init__.cpython-310.pyc
+--- stream
    |   _maxpoints.py
    |   _token.py
    |   __init__.py
    |
    \--- __pycache__
        _maxpoints.cpython-310.pyc
        _token.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
    _close.cpython-310.pyc
    _closesrc.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _decreasing.cpython-310.pyc
    _high.cpython-310.pyc
    _highsrc.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _increasing.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc

```

```
_legendwidth.cpython-310.pyc
_line.cpython-310.pyc
_low.cpython-310.pyc
_lowsrc.cpython-310.pyc
_meta.cpython-310.pyc
_metasrc.cpython-310.pyc
_name.cpython-310.pyc
_opacity.cpython-310.pyc
_open.cpython-310.pyc
_opensrc.cpython-310.pyc
_selectedpoints.cpython-310.pyc
_showlegend.cpython-310.pyc
_stream.cpython-310.pyc
_text.cpython-310.pyc
_textsrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_visible.cpython-310.pyc
_x.cpython-310.pyc
_xaxis.cpython-310.pyc
_xcalendar.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xperiod.cpython-310.pyc
_xperiod0.cpython-310.pyc
_xperiodalignment.cpython-310.pyc
_xsrc.cpython-310.pyc
_yaxis.cpython-310.pyc
_yhoverformat.cpython-310.pyc
__init__.cpython-310.pyc
```

+---parcats

```
_arrangement.py
_bundlecolors.py
_counts.py
_countssrc.py
_dimensiondefaults.py
_dimensions.py
_domain.py
_hoverinfo.py
_hoveron.py
_hovertemplate.py
_labelfont.py
_legendgrouptitle.py
_legendwidth.py
_line.py
_meta.py
_metasrc.py
_name.py
_sortpaths.py
_stream.py
_tickfont.py
_uid.py
_uirevision.py
_visible.py
__init__.py
```

+---dimension

```
_categoryarray.py
_categoryarraysrc.py
_categoryorder.py
_displayindex.py
_label.py
_ticktext.py
_ticktextsrc.py
_values.py
_valuessrc.py
_visible.py
```



```

    |     __init__.py
    |
    | \--- __pycache__
    |         _categoryarray.cpython-310.pyc
    |         _categoryarraysrc.cpython-310.pyc
    |         _categoryorder.cpython-310.pyc
    |         _displayindex.cpython-310.pyc
    |         _label.cpython-310.pyc
    |         _ticktext.cpython-310.pyc
    |         _ticktextsrc.cpython-310.pyc
    |         _values.cpython-310.pyc
    |         _valuessrc.cpython-310.pyc
    |         _visible.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
+--- domain
    |     _column.py
    |     _row.py
    |     _x.py
    |     _y.py
    |     __init__.py
    |
    | \--- __pycache__
    |         _column.cpython-310.pyc
    |         _row.cpython-310.pyc
    |         _x.cpython-310.pyc
    |         _y.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
+--- labelfont
    |     _color.py
    |     _family.py
    |     _size.py
    |     __init__.py
    |
    | \--- __pycache__
    |         _color.cpython-310.pyc
    |         _family.cpython-310.pyc
    |         _size.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
+--- legendgroup title
    |     _font.py
    |     _text.py
    |     __init__.py
    |
    | +--- font
    |     |     _color.py
    |     |     _family.py
    |     |     _size.py
    |     |     __init__.py
    |     |
    |     | \--- __pycache__
    |     |         _color.cpython-310.pyc
    |     |         _family.cpython-310.pyc
    |     |         _size.cpython-310.pyc
    |     |         __init__.cpython-310.pyc
    |     |
    |     | \--- __pycache__
    |     |         _font.cpython-310.pyc
    |     |         _text.cpython-310.pyc
    |     |         __init__.cpython-310.pyc
    |     |
    |
+--- line
    |     _autocolorscale.py
    |     _cauto.py
    |     _cmax.py
    |     _cmid.py

```

```
_cmin.py
_color.py
_coloraxis.py
_colorbar.py
_colorscale.py
_colorsrc.py
_hovertemplate.py
_reversescale.py
_shape.py
_showscale.py
__init__.py
```

+---colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
```

+---tickfont

```
_color.py
_family.py
_size.py
```

```

    |   __init__.py
    |   \--- __pycache__
    |           _color.cpython-310.pyc
    |           _family.cpython-310.pyc
    |           _size.cpython-310.pyc
    |           __init__.cpython-310.pyc
+---+ tickformatstop
    |   _dtickrange.py
    |   _enabled.py
    |   _name.py
    |   _templateitemname.py
    |   _value.py
    |   __init__.py
    |   \--- __pycache__
    |           _dtickrange.cpython-310.pyc
    |           _enabled.cpython-310.pyc
    |           _name.cpython-310.pyc
    |           _templateitemname.cpython-310.pyc
    |           _value.cpython-310.pyc
    |           __init__.cpython-310.pyc
+---+ title
    |   _font.py
    |   _side.py
    |   _text.py
    |   __init__.py
    |   +---+ font
    |           _color.py
    |           _family.py
    |           _size.py
    |           __init__.py
    |           \--- __pycache__
    |                   _color.cpython-310.pyc
    |                   _family.cpython-310.pyc
    |                   _size.cpython-310.pyc
    |                   __init__.cpython-310.pyc
    |           \--- __pycache__
    |                   _font.cpython-310.pyc
    |                   _side.cpython-310.pyc
    |                   _text.cpython-310.pyc
    |                   __init__.cpython-310.pyc
    |   \--- __pycache__
    |           _bgcolor.cpython-310.pyc
    |           _bordercolor.cpython-310.pyc
    |           _borderwidth.cpython-310.pyc
    |           _dtick.cpython-310.pyc
    |           _exponentformat.cpython-310.pyc
    |           _labelalias.cpython-310.pyc
    |           _len.cpython-310.pyc
    |           _lenmode.cpython-310.pyc
    |           _minexponent.cpython-310.pyc
    |           _nticks.cpython-310.pyc
    |           _orientation.cpython-310.pyc
    |           _outlinecolor.cpython-310.pyc
    |           _linewidth.cpython-310.pyc
    |           _separatethousands.cpython-310.pyc
    |           _showexponent.cpython-310.pyc
    |           _showticklabels.cpython-310.pyc
    |           _showtickprefix.cpython-310.pyc
    |           _showticksuffix.cpython-310.pyc
    |           _thickness.cpython-310.pyc

```

```

_thicknessmode.cpython-310.pyc
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklabeloverflow.cpython-310.pyc
_ticklabelposition.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
\---__pycache__
    _autocolorscale.cpython-310.pyc
    _cauto.cpython-310.pyc
    _cmax.cpython-310.pyc
    _cmid.cpython-310.pyc
    _cmin.cpython-310.pyc
    _color.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _colorscale.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _reversescale.cpython-310.pyc
    _shape.cpython-310.pyc
    _showscale.cpython-310.pyc
    __init__.cpython-310.pyc
+---stream
    | _maxpoints.py
    | _token.py
    | __init__.py
    |
    \---__pycache__
        _maxpoints.cpython-310.pyc
        _token.cpython-310.pyc
        __init__.cpython-310.pyc
+---tickfont
    | _color.py
    | _family.py
    | _size.py
    | __init__.py
    |
    \---__pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc

```

```

        _size.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _arrangement.cpython-310.pyc
        _bundlecolors.cpython-310.pyc
        _counts.cpython-310.pyc
        _countssrc.cpython-310.pyc
        _dimensiondefaults.cpython-310.pyc
        _dimensions.cpython-310.pyc
        _domain.cpython-310.pyc
        _hoverinfo.cpython-310.pyc
        _hoveron.cpython-310.pyc
        _hovertemplate.cpython-310.pyc
        _labelfont.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _legendwidth.cpython-310.pyc
        _line.cpython-310.pyc
        _meta.cpython-310.pyc
        _metasrc.cpython-310.pyc
        _name.cpython-310.pyc
        _sortpaths.cpython-310.pyc
        _stream.cpython-310.pyc
        _tickfont.cpython-310.pyc
        _uid.cpython-310.pyc
        _uirevision.cpython-310.pyc
        _visible.cpython-310.pyc
        __init__.cpython-310.pyc
+---parcoords
    _customdata.py
    _customdatasrc.py
    _dimensiondefaults.py
    _dimensions.py
    _domain.py
    _ids.py
    _idssrc.py
    _labelangle.py
    _labelfont.py
    _labelside.py
    _legend.py
    _legendgrouptitle.py
    _legendrank.py
    _legendwidth.py
    _line.py
    _meta.py
    _metasrc.py
    _name.py
    _rangefont.py
    _stream.py
    _tickfont.py
    _uid.py
    _uirevision.py
    _unselected.py
    _visible.py
    __init__.py
+---dimension
    _constrainrange.py
    _label.py
    _multiselect.py
    _name.py
    _range.py
    _templateitemname.py
    _tickformat.py
    _ticktext.py
    _ticktextsrc.py
    _tickvals.py

```

```

_tickvalssrc.py
_values.py
_valuessrc.py
_visible.py
__init__.py
\---__pycache__
    _constrainrange.cpython-310.pyc
    _label.cpython-310.pyc
    _multiselect.cpython-310.pyc
    _name.cpython-310.pyc
    _range.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _values.cpython-310.pyc
    _valuessrc.cpython-310.pyc
    _visible.cpython-310.pyc
    __init__.cpython-310.pyc

```

+---domain

```

    _column.py
    _row.py
    _x.py
    _y.py
    __init__.py
\---__pycache__
    _column.cpython-310.pyc
    _row.cpython-310.pyc
    _x.cpython-310.pyc
    _y.cpython-310.pyc
    __init__.cpython-310.pyc

```

+---labelfont

```

    _color.py
    _family.py
    _size.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

```

+---legendgrouptitle

```

    _font.py
    _text.py
    __init__.py
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

\---__pycache__
    _font.cpython-310.pyc

```



```

__init__.py
+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
|   \---__pycache__
|       _dtickrange.cpython-310.pyc
|       _enabled.cpython-310.pyc
|       _name.cpython-310.pyc
|       _templateitemname.cpython-310.pyc
|       _value.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
|   +---font
|       |   _color.py
|       |   _family.py
|       |   _size.py
|       |   __init__.py
|       |
|       |   \---__pycache__
|       |       _color.cpython-310.pyc
|       |       _family.cpython-310.pyc
|       |       _size.cpython-310.pyc
|       |       __init__.cpython-310.pyc
|       |
|       \---__pycache__
|           _font.cpython-310.pyc
|           _side.cpython-310.pyc
|           _text.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc

```



```

        _separatethousands.cpython-310.pyc
        _showexponent.cpython-310.pyc
        _showticklabels.cpython-310.pyc
        _showtickprefix.cpython-310.pyc
        _showticksuffix.cpython-310.pyc
        _thickness.cpython-310.pyc
        _thicknessmode.cpython-310.pyc
        _tick0.cpython-310.pyc
        _tickangle.cpython-310.pyc
        _tickcolor.cpython-310.pyc
        _tickfont.cpython-310.pyc
        _tickformat.cpython-310.pyc
        _tickformatstopdefaults.cpython-310.pyc
        _tickformatstops.cpython-310.pyc
        _ticklabeloverflow.cpython-310.pyc
        _ticklabelposition.cpython-310.pyc
        _ticklabelstep.cpython-310.pyc
        _ticklen.cpython-310.pyc
        _tickmode.cpython-310.pyc
        _tickprefix.cpython-310.pyc
        _ticks.cpython-310.pyc
        _ticksuffix.cpython-310.pyc
        _ticktext.cpython-310.pyc
        _ticktextsrc.cpython-310.pyc
        _tickvals.cpython-310.pyc
        _tickvalssrc.cpython-310.pyc
        _tickwidth.cpython-310.pyc
        _title.cpython-310.pyc
        _x.cpython-310.pyc
        _xanchor.cpython-310.pyc
        _xpad.cpython-310.pyc
        _xref.cpython-310.pyc
        _y.cpython-310.pyc
        _yanchor.cpython-310.pyc
        _ypad.cpython-310.pyc
        _yref.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _autocolorscale.cpython-310.pyc
        _cauto.cpython-310.pyc
        _cmax.cpython-310.pyc
        _cmid.cpython-310.pyc
        _cmin.cpython-310.pyc
        _color.cpython-310.pyc
        _coloraxis.cpython-310.pyc
        _colorbar.cpython-310.pyc
        _colormap.cpython-310.pyc
        _colorscale.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _reversescale.cpython-310.pyc
        _showscale.cpython-310.pyc
        __init__.cpython-310.pyc
+---rangefont
    |   _color.py
    |   _family.py
    |   _size.py
    |   __init__.py
    \---__pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
+---stream
    |   _maxpoints.py
    |   _token.py

```

```

    |   __init__.py
    |   \--- __pycache__
    |         _maxpoints.cpython-310.pyc
    |         _token.cpython-310.pyc
    |         __init__.cpython-310.pyc
+--- tickfont
    |   _color.py
    |   _family.py
    |   _size.py
    |   __init__.py
    |   \--- __pycache__
    |         _color.cpython-310.pyc
    |         _family.cpython-310.pyc
    |         _size.cpython-310.pyc
    |         __init__.cpython-310.pyc
+--- unselected
    |   _line.py
    |   __init__.py
    |   +--- line
    |         |   _color.py
    |         |   _opacity.py
    |         |   __init__.py
    |         |   \--- __pycache__
    |         |         _color.cpython-310.pyc
    |         |         _opacity.cpython-310.pyc
    |         |         __init__.cpython-310.pyc
    |         \--- __pycache__
    |               _line.cpython-310.pyc
    |               __init__.cpython-310.pyc
    \--- __pycache__
          _customdata.cpython-310.pyc
          _customdatasrc.cpython-310.pyc
          _dimensiondefaults.cpython-310.pyc
          _dimensions.cpython-310.pyc
          _domain.cpython-310.pyc
          _ids.cpython-310.pyc
          _idssrc.cpython-310.pyc
          _labelangle.cpython-310.pyc
          _labelfont.cpython-310.pyc
          _labelside.cpython-310.pyc
          _legend.cpython-310.pyc
          _legendgrouptitle.cpython-310.pyc
          _legendrank.cpython-310.pyc
          _legendwidth.cpython-310.pyc
          _line.cpython-310.pyc
          _meta.cpython-310.pyc
          _metasrc.cpython-310.pyc
          _name.cpython-310.pyc
          _rangefont.cpython-310.pyc
          _stream.cpython-310.pyc
          _tickfont.cpython-310.pyc
          _uid.cpython-310.pyc
          _uirevision.cpython-310.pyc
          _unselected.cpython-310.pyc
          _visible.cpython-310.pyc
          __init__.cpython-310.pyc
+--- pie
    |   _automargin.py
    |   _customdata.py

```

```

_customdatasrc.py
_direction.py
_dlabel.py
_domain.py
_hole.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_insidetextfont.py
_insidetextorientation.py
_label0.py
_labels.py
_labelssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_marker.py
_meta.py
 metasrc.py
_name.py
_opacity.py
_outsidetextfont.py
_pull.py
_pullsrc.py
_rotation.py
_scalegroup.py
_showlegend.py
_sort.py
_stream.py
_text.py
_textfont.py
_textinfo.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_title.py
_uid.py
_uirevision.py
_values.py
_valuessrc.py
_visible.py
__init__.py
+---domain
|   _column.py
|   _row.py
|   _x.py
|   _y.py
|   __init__.py
|
\---__pycache__
      _column.cpython-310.pyc
      _row.cpython-310.pyc
      _x.cpython-310.pyc
      _y.cpython-310.pyc
      __init__.cpython-310.pyc

```

```

+---hoverlabel

```

```

_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
__init__.py

+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc

+---insidetextfont
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py

```

```

    |   __init__.py
    |   \--- __pycache__
    |         _color.cpython-310.pyc
    |         _family.cpython-310.pyc
    |         _size.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |   \--- __pycache__
    |         _font.cpython-310.pyc
    |         _text.cpython-310.pyc
    |         __init__.cpython-310.pyc
+---marker
    |   _colors.py
    |   _colorsrc.py
    |   _line.py
    |   _pattern.py
    |   __init__.py
    |   +---line
    |         |   _color.py
    |         |   _colorsrc.py
    |         |   _width.py
    |         |   _widthsrc.py
    |         |   __init__.py
    |         |   \--- __pycache__
    |         |         _color.cpython-310.pyc
    |         |         _colorsrc.cpython-310.pyc
    |         |         _width.cpython-310.pyc
    |         |         _widthsrc.cpython-310.pyc
    |         |         __init__.cpython-310.pyc
    |         |   +---pattern
    |         |         |   _bgcolor.py
    |         |         |   _bgcolorsrc.py
    |         |         |   _fgcolor.py
    |         |         |   _fgcolorsrc.py
    |         |         |   _fgopacity.py
    |         |         |   _fillmode.py
    |         |         |   _shape.py
    |         |         |   _shapsrc.py
    |         |         |   _size.py
    |         |         |   _sizersrc.py
    |         |         |   _solidity.py
    |         |         |   _soliditysrc.py
    |         |         |   __init__.py
    |         |         |   \--- __pycache__
    |         |         |         _bgcolor.cpython-310.pyc
    |         |         |         _bgcolorsrc.cpython-310.pyc
    |         |         |         _fgcolor.cpython-310.pyc
    |         |         |         _fgcolorsrc.cpython-310.pyc
    |         |         |         _fgopacity.cpython-310.pyc
    |         |         |         _fillmode.cpython-310.pyc
    |         |         |         _shape.cpython-310.pyc
    |         |         |         _shapsrc.cpython-310.pyc
    |         |         |         _size.cpython-310.pyc
    |         |         |         _sizersrc.cpython-310.pyc
    |         |         |         _solidity.cpython-310.pyc
    |         |         |         _soliditysrc.cpython-310.pyc
    |         |         |         __init__.cpython-310.pyc
    |         |         |   \--- __pycache__
    |         |         |         _colors.cpython-310.pyc
    |         |         |         _colorsrc.cpython-310.pyc
    |         |         |         _line.cpython-310.pyc
    |         |         |
    |         |         \--- __pycache__
    |         |               _colors.cpython-310.pyc
    |         |               _colorsrc.cpython-310.pyc
    |         |               _line.cpython-310.pyc
    |         |
    |         \--- __pycache__
    |               _colors.cpython-310.pyc
    |               _colorsrc.cpython-310.pyc
    |               _line.cpython-310.pyc
    |
    \--- __pycache__
          _colors.cpython-310.pyc
          _colorsrc.cpython-310.pyc
          _line.cpython-310.pyc

```

```

        _pattern.cpython-310.pyc
        __init__.cpython-310.pyc
+---outsidetextfont
|
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---stream
|
|   _maxpoints.py
|   _token.py
|   __init__.py
|
|   \---__pycache__
|       _maxpoints.cpython-310.pyc
|       _token.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---textfont
|
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---title
|
|   _font.py
|   _position.py
|   _text.py
|   __init__.py
|
+---font
|
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc

```

```

        _familysrc.cpython-310.pyc
        _size.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _font.cpython-310.pyc
        _position.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _automargin.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _direction.cpython-310.pyc
    _dlabel.cpython-310.pyc
    _domain.cpython-310.pyc
    _hole.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _insidetextfont.cpython-310.pyc
    _insidetextorientation.cpython-310.pyc
    _label0.cpython-310.pyc
    _labels.cpython-310.pyc
    _labelssrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _marker.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _outsidetextfont.cpython-310.pyc
    _pull.cpython-310.pyc
    _pullsrc.cpython-310.pyc
    _rotation.cpython-310.pyc
    _scalegroup.cpython-310.pyc
    _showlegend.cpython-310.pyc
    _sort.cpython-310.pyc
    _stream.cpython-310.pyc
    _text.cpython-310.pyc
    _textfont.cpython-310.pyc
    _textinfo.cpython-310.pyc
    _textposition.cpython-310.pyc
    _textpositionsrc.cpython-310.pyc
    _textsrc.cpython-310.pyc
    _texttemplate.cpython-310.pyc
    _texttemplatesrc.cpython-310.pyc
    _title.cpython-310.pyc
    _uid.cpython-310.pyc
    _uirevision.cpython-310.pyc
    _values.cpython-310.pyc
    _valuessrc.cpython-310.pyc
    _visible.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---pointcloud

```

```

_customdata.py
_customdatasrc.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_ids.py
_idssrc.py
_indices.py
_indicessrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_marker.py
_meta.py
 metasrc.py
_name.py
_opacity.py
_showlegend.py
_stream.py
_text.py
_textsrc.py
_uid.py
_uirevision.py
_visible.py
_x.py
_xaxis.py
_xbounds.py
_xboundssrc.py
_xsrc.py
_xy.py
_xysrc.py
_y.py
_yaxis.py
_ybounds.py
_yboundssrc.py
_ysrc.py
__init__.py

```

```

+---hoverlabel

```

```

|   _align.py
|   _alignsrc.py
|   _bgcolor.py
|   _bgcolorsrc.py
|   _bordercolor.py
|   _bordercolorsrc.py
|   _font.py
|   _namelength.py
|   _namelengthsrc.py
|   __init__.py

```

```

+---font

```

```

|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py

```

```

\---__pycache__

```

```

|   _color.cpython-310.pyc
|   _colorsrc.cpython-310.pyc
|   _family.cpython-310.pyc
|   _familysrc.cpython-310.pyc
|   _size.cpython-310.pyc
|   _sizesrc.cpython-310.pyc

```



```

|         __init__.cpython-310.pyc
|
| \--- __pycache__
|         _align.cpython-310.pyc
|         _alignsrc.cpython-310.pyc
|         _bgcolor.cpython-310.pyc
|         _bgcolorsrc.cpython-310.pyc
|         _bordercolor.cpython-310.pyc
|         _bordercolorsrc.cpython-310.pyc
|         _font.cpython-310.pyc
|         _namelength.cpython-310.pyc
|         _namelengthsrc.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+--- legendgrouptitle
|     _font.py
|     _text.py
|     __init__.py
|
+--- font
|     _color.py
|     _family.py
|     _size.py
|     __init__.py
|
| \--- __pycache__
|         _color.cpython-310.pyc
|         _family.cpython-310.pyc
|         _size.cpython-310.pyc
|         __init__.cpython-310.pyc
|
| \--- __pycache__
|         _font.cpython-310.pyc
|         _text.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+--- marker
|     _blend.py
|     _border.py
|     _color.py
|     _opacity.py
|     _sizemax.py
|     _sizemin.py
|     __init__.py
|
+--- border
|     _arearatio.py
|     _color.py
|     __init__.py
|
| \--- __pycache__
|         _arearatio.cpython-310.pyc
|         _color.cpython-310.pyc
|         __init__.cpython-310.pyc
|
| \--- __pycache__
|         _blend.cpython-310.pyc
|         _border.cpython-310.pyc
|         _color.cpython-310.pyc
|         _opacity.cpython-310.pyc
|         _sizemax.cpython-310.pyc
|         _sizemin.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+--- stream
|     _maxpoints.py
|     _token.py
|     __init__.py

```

```

|
\---__pycache__
    _maxpoints.cpython-310.pyc
    _token.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _indices.cpython-310.pyc
    _indicessrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _marker.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _showlegend.cpython-310.pyc
    _stream.cpython-310.pyc
    _text.cpython-310.pyc
    _textsrc.cpython-310.pyc
    _uid.cpython-310.pyc
    _uirevision.cpython-310.pyc
    _visible.cpython-310.pyc
    _x.cpython-310.pyc
    _xaxis.cpython-310.pyc
    _xbounds.cpython-310.pyc
    _xboundssrc.cpython-310.pyc
    _xsrc.cpython-310.pyc
    _xy.cpython-310.pyc
    _xysrc.cpython-310.pyc
    _y.cpython-310.pyc
    _yaxis.cpython-310.pyc
    _ybounds.cpython-310.pyc
    _yboundssrc.cpython-310.pyc
    _ysrc.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---sankey
    _arrangement.py
    _customdata.py
    _customdatasrc.py
    _domain.py
    _hoverinfo.py
    _hoverlabel.py
    _ids.py
    _idssrc.py
    _legend.py
    _legendgrouptitle.py
    _legendrank.py
    _legendwidth.py
    _link.py
    _meta.py
    _metasrc.py
    _name.py
    _node.py
    _orientation.py
    _selectedpoints.py
    _stream.py

```

```

    _textfont.py
    _uid.py
    _uirevision.py
    _valueformat.py
    _valuesuffix.py
    _visible.py
    __init__.py
+---domain
|   _column.py
|   _row.py
|   _x.py
|   _y.py
|   __init__.py
|
|   \---__pycache__
|       _column.cpython-310.pyc
|       _row.cpython-310.pyc
|       _x.cpython-310.pyc
|       _y.cpython-310.pyc
|       __init__.cpython-310.pyc
+---hoverlabel
|   _align.py
|   _alignsrc.py
|   _bgcolor.py
|   _bgcolorsrc.py
|   _bordercolor.py
|   _bordercolorsrc.py
|   _font.py
|   _namelength.py
|   _namelengthsrc.py
|   __init__.py
|
|   +---font
|       |   _color.py
|       |   _colorsrc.py
|       |   _family.py
|       |   _familysrc.py
|       |   _size.py
|       |   _sizesrc.py
|       |   __init__.py
|       |
|       |   \---__pycache__
|       |       _color.cpython-310.pyc
|       |       _colorsrc.cpython-310.pyc
|       |       _family.cpython-310.pyc
|       |       _familysrc.cpython-310.pyc
|       |       _size.cpython-310.pyc
|       |       _sizesrc.cpython-310.pyc
|       |       __init__.cpython-310.pyc
|       |
|       |   \---__pycache__
|       |       _align.cpython-310.pyc
|       |       _alignsrc.cpython-310.pyc
|       |       _bgcolor.cpython-310.pyc
|       |       _bgcolorsrc.cpython-310.pyc
|       |       _bordercolor.cpython-310.pyc
|       |       _bordercolorsrc.cpython-310.pyc
|       |       _font.cpython-310.pyc
|       |       _namelength.cpython-310.pyc
|       |       _namelengthsrc.cpython-310.pyc
|       |       __init__.cpython-310.pyc
|       |
|       |   +---legendgrouptitle
|       |       |   _font.py
|       |       |   _text.py
|       |       |   __init__.py

```

```

+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc

+---link
|   _arrowlen.py
|   _color.py
|   _colormappeddefaults.py
|   _colormaps.py
|   _colormapsrc.py
|   _customdata.py
|   _customdatasrc.py
|   _hoverinfo.py
|   _hoverlabel.py
|   _hovertemplate.py
|   _hovertemplatesrc.py
|   _label.py
|   _labelsrc.py
|   _line.py
|   _source.py
|   _sourcesrc.py
|   _target.py
|   _targetsrc.py
|   _value.py
|   _valuesrc.py
|   __init__.py
|
+---colorscale
|   _cmax.py
|   _cmin.py
|   _colorscale.py
|   _label.py
|   _name.py
|   _templateitemname.py
|   __init__.py
|
|   \---__pycache__
|       _cmax.cpython-310.pyc
|       _cmin.cpython-310.pyc
|       _colorscale.cpython-310.pyc
|       _label.cpython-310.pyc
|       _name.cpython-310.pyc
|       _templateitemname.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---hoverlabel
|   _align.py
|   _alignsrc.py
|   _bgcolor.py
|   _bgcolormapsrc.py
|   _bordercolor.py
|   _bordercolormapsrc.py
|   _font.py
|   _namelength.py

```

```

    _namelengthsrc.py
    __init__.py
+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc
+---line
|   _color.py
|   _colorsrc.py
|   _width.py
|   _widthsrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _width.cpython-310.pyc
|       _widthsrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _arrowlen.cpython-310.pyc
    _color.cpython-310.pyc
    _colourscaledefaults.cpython-310.pyc
    _colourscales.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _label.cpython-310.pyc
    _labelsrc.cpython-310.pyc
    _line.cpython-310.pyc
    _source.cpython-310.pyc
    _sourcesrc.cpython-310.pyc
    _target.cpython-310.pyc
    _targetsrc.cpython-310.pyc
    _value.cpython-310.pyc
    _valuesrc.cpython-310.pyc

```

```

__init__.cpython-310.pyc
+---node
|   _color.py
|   _colorsrc.py
|   _customdata.py
|   _customdatasrc.py
|   _groups.py
|   _hoverinfo.py
|   _hoverlabel.py
|   _hovertemplate.py
|   _hovertemplatesrc.py
|   _label.py
|   _labelsrc.py
|   _line.py
|   _pad.py
|   _thickness.py
|   _x.py
|   _xsrc.py
|   _y.py
|   _ysrc.py
|   __init__.py
+---hoverlabel
|   _align.py
|   _alignsrc.py
|   _bgcolor.py
|   _bgcolorsrc.py
|   _bordercolor.py
|   _bordercolorsrc.py
|   _font.py
|   _namelength.py
|   _namelengthsrc.py
|   __init__.py
+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|   \---__pycache__
|       _align.cpython-310.pyc
|       _alignsrc.cpython-310.pyc
|       _bgcolor.cpython-310.pyc
|       _bgcolorsrc.cpython-310.pyc
|       _bordercolor.cpython-310.pyc
|       _bordercolorsrc.cpython-310.pyc
|       _font.cpython-310.pyc
|       _namelength.cpython-310.pyc
|       _namelengthsrc.cpython-310.pyc
|       __init__.cpython-310.pyc
+---line
|   _color.py
|   _colorsrc.py

```

```

        _width.py
        _widthsrc.py
        __init__.py
    \--- __pycache__
        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _width.cpython-310.pyc
        _widthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _groups.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _label.cpython-310.pyc
    _labelsrc.cpython-310.pyc
    _line.cpython-310.pyc
    _pad.cpython-310.pyc
    _thickness.cpython-310.pyc
    _x.cpython-310.pyc
    _xsrc.cpython-310.pyc
    _y.cpython-310.pyc
    _ysrc.cpython-310.pyc
    __init__.cpython-310.pyc
+--- stream
    _maxpoints.py
    _token.py
    __init__.py
    \--- __pycache__
        _maxpoints.cpython-310.pyc
        _token.cpython-310.pyc
        __init__.cpython-310.pyc
+--- textfont
    _color.py
    _family.py
    _size.py
    __init__.py
    \--- __pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
    _arrangement.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _domain.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _link.cpython-310.pyc

```

```
_meta.cpython-310.pyc
_metasrc.cpython-310.pyc
_name.cpython-310.pyc
_node.cpython-310.pyc
_orientation.cpython-310.pyc
_selectedpoints.cpython-310.pyc
_stream.cpython-310.pyc
_textfont.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_valueformat.cpython-310.pyc
_valuesuffix.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---scatter
```

```
_alignmentgroup.py
_cliponaxis.py
_connectgaps.py
_customdata.py
_customdatasrc.py
_dx.py
_dy.py
_error_x.py
_error_y.py
_fill.py
_fillcolor.py
_fillpattern.py
_groupnorm.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hoveron.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_marker.py
_meta.py
_metasrc.py
_mode.py
_name.py
_offsetgroup.py
_opacity.py
_orientation.py
_selected.py
_selectedpoints.py
_showlegend.py
_stackgaps.py
_stackgroup.py
_stream.py
_text.py
_textfont.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_uid.py
_uirevision.py
```



```
_unselected.py
_visible.py
_x.py
_x0.py
_xaxis.py
_xcalendar.py
_xhoverformat.py
_xperiod.py
_xperiod0.py
_xperiodalignment.py
_xsrc.py
_y.py
_y0.py
_yaxis.py
_ycalendar.py
_yhoverformat.py
_yperiod.py
_yperiod0.py
_yperiodalignment.py
_ysrc.py
__init__.py
```

```
+---error_x
```

```
| _array.py
| _arrayminus.py
| _arrayminussrc.py
| _arraysrc.py
| _color.py
| _copy_ystyle.py
| _symmetric.py
| _thickness.py
| _traceref.py
| _tracerefminus.py
| _type.py
| _value.py
| _valueminus.py
| _visible.py
| _width.py
| __init__.py
```

```
\---__pycache__
```

```
  _array.cpython-310.pyc
  _arrayminus.cpython-310.pyc
  _arrayminussrc.cpython-310.pyc
  _arraysrc.cpython-310.pyc
  _color.cpython-310.pyc
  _copy_ystyle.cpython-310.pyc
  _symmetric.cpython-310.pyc
  _thickness.cpython-310.pyc
  _traceref.cpython-310.pyc
  _tracerefminus.cpython-310.pyc
  _type.cpython-310.pyc
  _value.cpython-310.pyc
  _valueminus.cpython-310.pyc
  _visible.cpython-310.pyc
  _width.cpython-310.pyc
  __init__.cpython-310.pyc
```

```
+---error_y
```

```
| _array.py
| _arrayminus.py
| _arrayminussrc.py
| _arraysrc.py
| _color.py
| _symmetric.py
| _thickness.py
| _traceref.py
| _tracerefminus.py
```

```

_type.py
_value.py
_valueminus.py
_visible.py
_width.py
__init__.py
\---__pycache__
_array.cpython-310.pyc
_arrayminus.cpython-310.pyc
_arrayminussrc.cpython-310.pyc
_arraysrc.cpython-310.pyc
_color.cpython-310.pyc
_symmetric.cpython-310.pyc
_thickness.cpython-310.pyc
_traceref.cpython-310.pyc
_tracerefminus.cpython-310.pyc
_type.cpython-310.pyc
_value.cpython-310.pyc
_valueminus.cpython-310.pyc
_visible.cpython-310.pyc
_width.cpython-310.pyc
__init__.cpython-310.pyc

```

```

+---fillpattern
_bgcolor.py
_bgcolorsrc.py
_fgcolor.py
_fgcolorsrc.py
_fgopacity.py
_fillmode.py
_shape.py
_shapsrc.py
_size.py
_sizesrc.py
_solidity.py
_soliditysrc.py
__init__.py

```

```

\---__pycache__
_bgcolor.cpython-310.pyc
_bgcolorsrc.cpython-310.pyc
_fgcolor.cpython-310.pyc
_fgcolorsrc.cpython-310.pyc
_fgopacity.cpython-310.pyc
_fillmode.cpython-310.pyc
_shape.cpython-310.pyc
_shapsrc.cpython-310.pyc
_size.cpython-310.pyc
_sizesrc.cpython-310.pyc
_solidity.cpython-310.pyc
_soliditysrc.cpython-310.pyc
__init__.cpython-310.pyc

```

```

+---hoverlabel
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
__init__.py

```

```

+---font
| _color.py

```

```

        _colorsrc.py
        _family.py
        _familysrc.py
        _size.py
        _sizesrc.py
        __init__.py
    \--- __pycache__
        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _family.cpython-310.pyc
        _familysrc.cpython-310.pyc
        _size.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc
+--- legendgrouptitle
    _font.py
    _text.py
    __init__.py
+--- font
    _color.py
    _family.py
    _size.py
    __init__.py
    \--- __pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
+--- line
    _backoff.py
    _backoffsrc.py
    _color.py
    _dash.py
    _shape.py
    _simplify.py
    _smoothing.py
    _width.py
    __init__.py
    \--- __pycache__
        _backoff.cpython-310.pyc
        _backoffsrc.cpython-310.pyc
        _color.cpython-310.pyc
        _dash.cpython-310.pyc
        _shape.cpython-310.pyc
        _simplify.cpython-310.pyc

```

```
_smoothing.cpython-310.pyc
_width.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---marker
```

```
_angle.py
_angleref.py
_anglesrc.py
_autocolorscale.py
_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_color.py
_coloraxis.py
_colorbar.py
_colorscale.py
_colorsrc.py
_gradient.py
_line.py
_maxdisplayed.py
_opacity.py
_opacitysrc.py
_reversescale.py
_showscale.py
_size.py
_sizemin.py
_sizemode.py
_sizeref.py
_sizesrc.py
_standoff.py
_standoffsrc.py
_symbol.py
_symbolsrc.py
__init__.py
```

```
+---colorbar
```

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
```

```

_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           _family.cpython-310.pyc
|           _size.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
|   \---__pycache__
|           _dtickrange.cpython-310.pyc
|           _enabled.cpython-310.pyc
|           _name.cpython-310.pyc
|           _templateitemname.cpython-310.pyc
|           _value.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
|   +---font
|       |   _color.py
|       |   _family.py
|       |   _size.py
|       |   __init__.py
|       |
|       |   \---__pycache__
|               _color.cpython-310.pyc
|               _family.cpython-310.pyc
|               _size.cpython-310.pyc
|               __init__.cpython-310.pyc
|       |
|       |   \---__pycache__
|               _font.cpython-310.pyc

```

```

        _side.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _outlinewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _title.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xpad.cpython-310.pyc
    _xref.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc
    _ypad.cpython-310.pyc
    _yref.cpython-310.pyc
    __init__.cpython-310.pyc
+---gradient
    _color.py
    _colorsrc.py
    _type.py
    _typesrc.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _type.cpython-310.pyc
    _typesrc.cpython-310.pyc

```

```

__init__.cpython-310.pyc
+---line
|   _autocolorscale.py
|   _cauto.py
|   _cmax.py
|   _cmid.py
|   _cmin.py
|   _color.py
|   _coloraxis.py
|   _colorscale.py
|   _colorsrc.py
|   _reversescale.py
|   _width.py
|   _widthsrc.py
|   __init__.py
|
| \---__pycache__
|     _autocolorscale.cpython-310.pyc
|     _cauto.cpython-310.pyc
|     _cmax.cpython-310.pyc
|     _cmid.cpython-310.pyc
|     _cmin.cpython-310.pyc
|     _color.cpython-310.pyc
|     _coloraxis.cpython-310.pyc
|     _colorscale.cpython-310.pyc
|     _colorsrc.cpython-310.pyc
|     _reversescale.cpython-310.pyc
|     _width.cpython-310.pyc
|     _widthsrc.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _angle.cpython-310.pyc
|     _angleref.cpython-310.pyc
|     _anglesrc.cpython-310.pyc
|     _autocolorscale.cpython-310.pyc
|     _cauto.cpython-310.pyc
|     _cmax.cpython-310.pyc
|     _cmid.cpython-310.pyc
|     _cmin.cpython-310.pyc
|     _color.cpython-310.pyc
|     _coloraxis.cpython-310.pyc
|     _colorbar.cpython-310.pyc
|     _colorscale.cpython-310.pyc
|     _colorsrc.cpython-310.pyc
|     _gradient.cpython-310.pyc
|     _line.cpython-310.pyc
|     _maxdisplayed.cpython-310.pyc
|     _opacity.cpython-310.pyc
|     _opacitysrc.cpython-310.pyc
|     _reversescale.cpython-310.pyc
|     _showscale.cpython-310.pyc
|     _size.cpython-310.pyc
|     _sizemin.cpython-310.pyc
|     _sizemode.cpython-310.pyc
|     _sizeref.cpython-310.pyc
|     _sizesrc.cpython-310.pyc
|     _standoff.cpython-310.pyc
|     _standoffsrc.cpython-310.pyc
|     _symbol.cpython-310.pyc
|     _symbolsrc.cpython-310.pyc
|     __init__.cpython-310.pyc
+---selected
|   _marker.py
|   _textfont.py
|   __init__.py

```

```

+---marker
|   _color.py
|   _opacity.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|         _color.cpython-310.pyc
|         _opacity.cpython-310.pyc
|         _size.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+---textfont
|   _color.py
|   __init__.py
|
|   \---__pycache__
|         _color.cpython-310.pyc
|         __init__.cpython-310.pyc
|
\---__pycache__
      _marker.cpython-310.pyc
      _textfont.cpython-310.pyc
      __init__.cpython-310.pyc

+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
|   \---__pycache__
|         _maxpoints.cpython-310.pyc
|         _token.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+---textfont
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \---__pycache__
|         _color.cpython-310.pyc
|         _colorsrc.cpython-310.pyc
|         _family.cpython-310.pyc
|         _familysrc.cpython-310.pyc
|         _size.cpython-310.pyc
|         _sizesrc.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
+---marker
|   _color.py
|   _opacity.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|         _color.cpython-310.pyc
|         _opacity.cpython-310.pyc

```



```

        _size.cpython-310.pyc
        __init__.cpython-310.pyc
+---textfont
|   _color.py
|   __init__.py
|
|   \---__pycache__
|           _color.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
        _marker.cpython-310.pyc
        _textfont.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
        _alignmentgroup.cpython-310.pyc
        _cliponaxis.cpython-310.pyc
        _connectgaps.cpython-310.pyc
        _customdata.cpython-310.pyc
        _customdatasrc.cpython-310.pyc
        _dx.cpython-310.pyc
        _dy.cpython-310.pyc
        _error_x.cpython-310.pyc
        _error_y.cpython-310.pyc
        _fill.cpython-310.pyc
        _fillcolor.cpython-310.pyc
        _fillpattern.cpython-310.pyc
        _groupnorm.cpython-310.pyc
        _hoverinfo.cpython-310.pyc
        _hoverinfosrc.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        _hoveron.cpython-310.pyc
        _hovertemplate.cpython-310.pyc
        _hovertemplatesrc.cpython-310.pyc
        _hovertext.cpython-310.pyc
        _hovertextsrc.cpython-310.pyc
        _ids.cpython-310.pyc
        _idssrc.cpython-310.pyc
        _legend.cpython-310.pyc
        _legendgroup.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _legendrank.cpython-310.pyc
        _legendwidth.cpython-310.pyc
        _line.cpython-310.pyc
        _marker.cpython-310.pyc
        _meta.cpython-310.pyc
        _metasrc.cpython-310.pyc
        _mode.cpython-310.pyc
        _name.cpython-310.pyc
        _offsetgroup.cpython-310.pyc
        _opacity.cpython-310.pyc
        _orientation.cpython-310.pyc
        _selected.cpython-310.pyc
        _selectedpoints.cpython-310.pyc
        _showlegend.cpython-310.pyc
        _stackgaps.cpython-310.pyc
        _stackgroup.cpython-310.pyc
        _stream.cpython-310.pyc
        _text.cpython-310.pyc
        _textfont.cpython-310.pyc
        _textposition.cpython-310.pyc
        _textpositionsrc.cpython-310.pyc
        _textsrc.cpython-310.pyc
        _texttemplate.cpython-310.pyc
        _texttemplatesrc.cpython-310.pyc
        _uid.cpython-310.pyc

```

```
_uirevision.cpython-310.pyc
_unselected.cpython-310.pyc
_visible.cpython-310.pyc
_x.cpython-310.pyc
_x0.cpython-310.pyc
_xaxis.cpython-310.pyc
_xcalendar.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xperiod.cpython-310.pyc
_xperiod0.cpython-310.pyc
_xperiodalignment.cpython-310.pyc
_xsrc.cpython-310.pyc
_y.cpython-310.pyc
_y0.cpython-310.pyc
_yaxis.cpython-310.pyc
_ycalendar.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_yperiod.cpython-310.pyc
_yperiod0.cpython-310.pyc
_yperiodalignment.cpython-310.pyc
_ysrc.cpython-310.pyc
__init__.cpython-310.pyc
```

+---scatter3d

```
_connectgaps.py
_customdata.py
_customdatasrc.py
_error_x.py
_error_y.py
_error_z.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_marker.py
_meta.py
 metasrc.py
_mode.py
_name.py
_opacity.py
_projection.py
_scene.py
_showlegend.py
_stream.py
_surfaceaxis.py
_surfacecolor.py
_text.py
_textfont.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_uid.py
_uirevision.py
_visible.py
_x.py
```

```
_xcalendar.py
_xhoverformat.py
_xsrc.py
_y.py
_ycalendar.py
_yhoverformat.py
_ysrc.py
_z.py
_zcalendar.py
_zhoverformat.py
_zsrc.py
__init__.py
```

```
+++error_x
```

```
    _array.py
    _arrayminus.py
    _arrayminussrc.py
    _arraysrc.py
    _color.py
    _copy_zstyle.py
    _symmetric.py
    _thickness.py
    _traceref.py
    _tracerefminus.py
    _type.py
    _value.py
    _valueminus.py
    _visible.py
    _width.py
    __init__.py
```

```
\---__pycache__
```

```
    _array.cpython-310.pyc
    _arrayminus.cpython-310.pyc
    _arrayminussrc.cpython-310.pyc
    _arraysrc.cpython-310.pyc
    _color.cpython-310.pyc
    _copy_zstyle.cpython-310.pyc
    _symmetric.cpython-310.pyc
    _thickness.cpython-310.pyc
    _traceref.cpython-310.pyc
    _tracerefminus.cpython-310.pyc
    _type.cpython-310.pyc
    _value.cpython-310.pyc
    _valueminus.cpython-310.pyc
    _visible.cpython-310.pyc
    _width.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+++error_y
```

```
    _array.py
    _arrayminus.py
    _arrayminussrc.py
    _arraysrc.py
    _color.py
    _copy_zstyle.py
    _symmetric.py
    _thickness.py
    _traceref.py
    _tracerefminus.py
    _type.py
    _value.py
    _valueminus.py
    _visible.py
    _width.py
    __init__.py
```

```
\---__pycache__
```

```
_array.cpython-310.pyc
_arrayminus.cpython-310.pyc
_arrayminussrc.cpython-310.pyc
_arraysrc.cpython-310.pyc
_color.cpython-310.pyc
_copy_zstyle.cpython-310.pyc
_symmetric.cpython-310.pyc
_thickness.cpython-310.pyc
_traceref.cpython-310.pyc
_tracerefminus.cpython-310.pyc
_type.cpython-310.pyc
_value.cpython-310.pyc
_valueminus.cpython-310.pyc
_visible.cpython-310.pyc
_width.cpython-310.pyc
__init__.cpython-310.pyc
```

+---error_z

```
_array.py
_arrayminus.py
_arrayminussrc.py
_arraysrc.py
_color.py
_symmetric.py
_thickness.py
_traceref.py
_tracerefminus.py
_type.py
_value.py
_valueminus.py
_visible.py
_width.py
__init__.py
```

\---__pycache__

```
_array.cpython-310.pyc
_arrayminus.cpython-310.pyc
_arrayminussrc.cpython-310.pyc
_arraysrc.cpython-310.pyc
_color.cpython-310.pyc
_symmetric.cpython-310.pyc
_thickness.cpython-310.pyc
_traceref.cpython-310.pyc
_tracerefminus.cpython-310.pyc
_type.cpython-310.pyc
_value.cpython-310.pyc
_valueminus.cpython-310.pyc
_visible.cpython-310.pyc
_width.cpython-310.pyc
__init__.cpython-310.pyc
```

+---hoverlabel

```
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
__init__.py
```

+---font

```
_color.py
_colorsrc.py
_family.py
_familysrc.py
```

```

    _size.py
    _sizesrc.py
    __init__.py
\--- __pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc
\--- __pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc
+--- legendgrouptitle
    _font.py
    _text.py
    __init__.py
+--- font
    _color.py
    _family.py
    _size.py
    __init__.py
\--- __pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\--- __pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
+--- line
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _color.py
    _coloraxis.py
    _colorbar.py
    _colormap.py
    _colormapsrc.py
    _dash.py
    _reversescale.py
    _showscale.py
    _width.py
    __init__.py
+--- colorbar
    _bgcolor.py
    _bordercolor.py
    _borderwidth.py

```

```

_tick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc
+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py

```

```

\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
+---title
    _font.py
    _side.py
    _text.py
    __init__.py
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
    \---__pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _side.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc

```

```

_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc

```

```

\---__pycache__
_autocolorscale.cpython-310.pyc
_cauto.cpython-310.pyc
_cmax.cpython-310.pyc
_cmidx.cpython-310.pyc
_cmin.cpython-310.pyc
_color.cpython-310.pyc
_coloraxis.cpython-310.pyc
_colorbar.cpython-310.pyc
_colorscale.cpython-310.pyc
_colorsrc.cpython-310.pyc
_dash.cpython-310.pyc
_reversescale.cpython-310.pyc
_showscale.cpython-310.pyc
_width.cpython-310.pyc
__init__.cpython-310.pyc

```

```

+---marker
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmidx.py
    _cmin.py
    _color.py
    _coloraxis.py
    _colorbar.py
    _colorscale.py
    _colorsrc.py
    _line.py
    _opacity.py
    _reversescale.py
    _showscale.py
    _size.py
    _sizemin.py
    _sizemode.py
    _sizeref.py
    _sizesrc.py
    _symbol.py
    _symbolsrc.py
    __init__.py

```

```

+---colorbar
    _bgcolor.py
    _bordercolor.py
    _borderwidth.py
    _dtick.py
    _exponentformat.py
    _labelalias.py
    _len.py
    _lenmode.py
    _minexponent.py
    _nticks.py

```



```

_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
| \---__pycache__
|     _color.cpython-310.pyc
|     _family.cpython-310.pyc
|     _size.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
| \---__pycache__
|     _dtickrange.cpython-310.pyc
|     _enabled.cpython-310.pyc
|     _name.cpython-310.pyc
|     _templateitemname.cpython-310.pyc
|     _value.cpython-310.pyc
|     __init__.cpython-310.pyc

```

```

+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
|   _color.cpython-310.pyc
|   _family.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _font.cpython-310.pyc
|   _side.cpython-310.pyc
|   _text.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _bgcolor.cpython-310.pyc
|   _bordercolor.cpython-310.pyc
|   _borderwidth.cpython-310.pyc
|   _dtick.cpython-310.pyc
|   _exponentformat.cpython-310.pyc
|   _labelalias.cpython-310.pyc
|   _len.cpython-310.pyc
|   _lenmode.cpython-310.pyc
|   _minexponent.cpython-310.pyc
|   _nticks.cpython-310.pyc
|   _orientation.cpython-310.pyc
|   _outlinecolor.cpython-310.pyc
|   _outlinewidth.cpython-310.pyc
|   _separatethousands.cpython-310.pyc
|   _showexponent.cpython-310.pyc
|   _showticklabels.cpython-310.pyc
|   _showtickprefix.cpython-310.pyc
|   _showticksuffix.cpython-310.pyc
|   _thickness.cpython-310.pyc
|   _thicknessmode.cpython-310.pyc
|   _tick0.cpython-310.pyc
|   _tickangle.cpython-310.pyc
|   _tickcolor.cpython-310.pyc
|   _tickfont.cpython-310.pyc
|   _tickformat.cpython-310.pyc
|   _tickformatstopdefaults.cpython-310.pyc
|   _tickformatstops.cpython-310.pyc
|   _ticklabeloverflow.cpython-310.pyc
|   _ticklabelposition.cpython-310.pyc
|   _ticklabelstep.cpython-310.pyc
|   _ticklen.cpython-310.pyc
|   _tickmode.cpython-310.pyc
|   _tickprefix.cpython-310.pyc
|   _ticks.cpython-310.pyc
|   _ticksuffix.cpython-310.pyc
|   _ticktext.cpython-310.pyc
|   _ticktextsrc.cpython-310.pyc
|   _tickvals.cpython-310.pyc
|   _tickvalssrc.cpython-310.pyc
|   _tickwidth.cpython-310.pyc
|   _title.cpython-310.pyc
|   _x.cpython-310.pyc

```

```

        _xanchor.cpython-310.pyc
        _xpad.cpython-310.pyc
        _xref.cpython-310.pyc
        _y.cpython-310.pyc
        _yanchor.cpython-310.pyc
        _ypad.cpython-310.pyc
        _yref.cpython-310.pyc
        __init__.cpython-310.pyc
+---line
|
|   _autocolorscale.py
|   _cauto.py
|   _cmax.py
|   _cmid.py
|   _cmin.py
|   _color.py
|   _coloraxis.py
|   _colormap.py
|   _colormapsrc.py
|   _reversescale.py
|   _width.py
|   __init__.py
|
\---__pycache__
|
|   _autocolorscale.cpython-310.pyc
|   _cauto.cpython-310.pyc
|   _cmax.cpython-310.pyc
|   _cmid.cpython-310.pyc
|   _cmin.cpython-310.pyc
|   _color.cpython-310.pyc
|   _coloraxis.cpython-310.pyc
|   _colormap.cpython-310.pyc
|   _colormapsrc.cpython-310.pyc
|   _reversescale.cpython-310.pyc
|   _width.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|
|   _autocolorscale.cpython-310.pyc
|   _cauto.cpython-310.pyc
|   _cmax.cpython-310.pyc
|   _cmid.cpython-310.pyc
|   _cmin.cpython-310.pyc
|   _color.cpython-310.pyc
|   _coloraxis.cpython-310.pyc
|   _colorbar.cpython-310.pyc
|   _colormap.cpython-310.pyc
|   _colormapsrc.cpython-310.pyc
|   _line.cpython-310.pyc
|   _opacity.cpython-310.pyc
|   _reversescale.cpython-310.pyc
|   _showscale.cpython-310.pyc
|   _size.cpython-310.pyc
|   _sizemin.cpython-310.pyc
|   _sizemode.cpython-310.pyc
|   _sizeref.cpython-310.pyc
|   _sizesrc.cpython-310.pyc
|   _symbol.cpython-310.pyc
|   _symbolsrc.cpython-310.pyc
|   __init__.cpython-310.pyc
+---projection
|
|   _x.py
|   _y.py
|   _z.py
|   __init__.py
+---x

```

```

    _opacity.py
    _scale.py
    _show.py
    __init__.py
\---__pycache__
    _opacity.cpython-310.pyc
    _scale.cpython-310.pyc
    _show.cpython-310.pyc
    __init__.cpython-310.pyc

+---y
|
|   _opacity.py
|   _scale.py
|   _show.py
|   __init__.py
|
\---__pycache__
    _opacity.cpython-310.pyc
    _scale.cpython-310.pyc
    _show.cpython-310.pyc
    __init__.cpython-310.pyc

+---z
|
|   _opacity.py
|   _scale.py
|   _show.py
|   __init__.py
|
\---__pycache__
    _opacity.cpython-310.pyc
    _scale.cpython-310.pyc
    _show.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _x.cpython-310.pyc
    _y.cpython-310.pyc
    _z.cpython-310.pyc
    __init__.cpython-310.pyc

+---stream
|
|   _maxpoints.py
|   _token.py
|   __init__.py
|
\---__pycache__
    _maxpoints.cpython-310.pyc
    _token.cpython-310.pyc
    __init__.cpython-310.pyc

+---textfont
|
|   _color.py
|   _colorsrc.py
|   _family.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__

```

```
_connectgaps.cpython-310.pyc
_customdata.cpython-310.pyc
_customdatasrc.cpython-310.pyc
_error_x.cpython-310.pyc
_error_y.cpython-310.pyc
_error_z.cpython-310.pyc
_hoverinfo.cpython-310.pyc
_hoverinfosrc.cpython-310.pyc
_hoverlabel.cpython-310.pyc
_hovertemplate.cpython-310.pyc
_hovertemplatesrc.cpython-310.pyc
_hovertext.cpython-310.pyc
_hovertextsrc.cpython-310.pyc
_ids.cpython-310.pyc
_idssrc.cpython-310.pyc
_legend.cpython-310.pyc
_legendgroup.cpython-310.pyc
_legendgrouptitle.cpython-310.pyc
_legendrank.cpython-310.pyc
_legendwidth.cpython-310.pyc
_line.cpython-310.pyc
_marker.cpython-310.pyc
_meta.cpython-310.pyc
 metasrc.cpython-310.pyc
_mode.cpython-310.pyc
_name.cpython-310.pyc
_opacity.cpython-310.pyc
_projection.cpython-310.pyc
_scene.cpython-310.pyc
_showlegend.cpython-310.pyc
_stream.cpython-310.pyc
_surfaceaxis.cpython-310.pyc
_surfacecolor.cpython-310.pyc
_text.cpython-310.pyc
_textfont.cpython-310.pyc
_textposition.cpython-310.pyc
_textpositionsrc.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_texttemplatesrc.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_visible.cpython-310.pyc
_x.cpython-310.pyc
_xcalendar.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xsrc.cpython-310.pyc
_y.cpython-310.pyc
_ycalendar.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_ysrc.cpython-310.pyc
_z.cpython-310.pyc
_zcalendar.cpython-310.pyc
_zhoverformat.cpython-310.pyc
_zsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---scattercarpet
```

```
  _a.py
  _asrc.py
  _b.py
  _bsrc.py
  _carpet.py
  _connectgaps.py
  _customdata.py
  _customdatasrc.py
  _fill.py
  _fillcolor.py
```

```

_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hoveron.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_marker.py
_meta.py
 metasrc.py
_mode.py
_name.py
_opacity.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_text.py
_textfont.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
_xaxis.py
_yaxis.py
__init__.py

+---hoverlabel
|   _align.py
|   _alignsrc.py
|   _bgcolor.py
|   _bgcolorsrc.py
|   _bordercolor.py
|   _bordercolorsrc.py
|   _font.py
|   _namelength.py
|   _namelengthsrc.py
|   __init__.py
|
+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc

```

```

        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _align.cpython-310.pyc
        _alignsrc.cpython-310.pyc
        _bgcolor.cpython-310.pyc
        _bgcolorsrc.cpython-310.pyc
        _bordercolor.cpython-310.pyc
        _bordercolorsrc.cpython-310.pyc
        _font.cpython-310.pyc
        _namelength.cpython-310.pyc
        _namelengthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---legendgrouptitle
    _font.py
    _text.py
    __init__.py
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
    \---__pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
+---line
    _backoff.py
    _backoffsrc.py
    _color.py
    _dash.py
    _shape.py
    _smoothing.py
    _width.py
    __init__.py
    \---__pycache__
        _backoff.cpython-310.pyc
        _backoffsrc.cpython-310.pyc
        _color.cpython-310.pyc
        _dash.cpython-310.pyc
        _shape.cpython-310.pyc
        _smoothing.cpython-310.pyc
        _width.cpython-310.pyc
        __init__.cpython-310.pyc
+---marker
    _angle.py
    _angleref.py
    _anglesrc.py
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _color.py
    _coloraxis.py

```

```
_colorbar.py
_colorscale.py
_colorsrc.py
_gradient.py
_line.py
_maxdisplayed.py
_opacity.py
_opacitysrc.py
_reversescale.py
_showscale.py
_size.py
_sizemin.py
_sizemode.py
_sizeref.py
_sizesrc.py
_standoff.py
_standoffsrc.py
_symbol.py
_symbolsrc.py
__init__.py
```

+---colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
```



```

_yanchor.py
_ypad.py
_yref.py
__init__.py

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc

+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _font.cpython-310.pyc
    _side.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc

```

```
_orientation.cpython-310.pyc
_outlinecolor.cpython-310.pyc
_outlinewidth.cpython-310.pyc
_separatethousands.cpython-310.pyc
_showexponent.cpython-310.pyc
_showticklabels.cpython-310.pyc
_showtickprefix.cpython-310.pyc
_showticksuffix.cpython-310.pyc
_thickness.cpython-310.pyc
_thicknessmode.cpython-310.pyc
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklabeloverflow.cpython-310.pyc
_ticklabelposition.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---gradient
```

```
| _color.py
| _colorsrc.py
| _type.py
| _typesrc.py
| __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _type.cpython-310.pyc
    _typesrc.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---line
```

```
| _autocolorscale.py
| _cauto.py
| _cmax.py
| _cmid.py
| _cmin.py
| _color.py
| _coloraxis.py
| _colorscale.py
| _colorsrc.py
| _reversescale.py
| _width.py
| _widthsrc.py
```

```

|   __init__.py
|
|---__pycache__
|   _autocolorscale.cpython-310.pyc
|   _cauto.cpython-310.pyc
|   _cmax.cpython-310.pyc
|   _cmid.cpython-310.pyc
|   _cmin.cpython-310.pyc
|   _color.cpython-310.pyc
|   _coloraxis.cpython-310.pyc
|   _colormap.cpython-310.pyc
|   _colorsrc.cpython-310.pyc
|   _reversescale.cpython-310.pyc
|   _width.cpython-310.pyc
|   _widthsrc.cpython-310.pyc
|   __init__.cpython-310.pyc
|
|---__pycache__
|   _angle.cpython-310.pyc
|   _angleref.cpython-310.pyc
|   _anglesrc.cpython-310.pyc
|   _autocolorscale.cpython-310.pyc
|   _cauto.cpython-310.pyc
|   _cmax.cpython-310.pyc
|   _cmid.cpython-310.pyc
|   _cmin.cpython-310.pyc
|   _color.cpython-310.pyc
|   _coloraxis.cpython-310.pyc
|   _colorbar.cpython-310.pyc
|   _colormap.cpython-310.pyc
|   _colorsrc.cpython-310.pyc
|   _gradient.cpython-310.pyc
|   _line.cpython-310.pyc
|   _maxdisplayed.cpython-310.pyc
|   _opacity.cpython-310.pyc
|   _opacitysrc.cpython-310.pyc
|   _reversescale.cpython-310.pyc
|   _showscale.cpython-310.pyc
|   _size.cpython-310.pyc
|   _sizemin.cpython-310.pyc
|   _sizemode.cpython-310.pyc
|   _sizeref.cpython-310.pyc
|   _sizesrc.cpython-310.pyc
|   _standoff.cpython-310.pyc
|   _standoffsrc.cpython-310.pyc
|   _symbol.cpython-310.pyc
|   _symbolsrc.cpython-310.pyc
|   __init__.cpython-310.pyc
+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|
|---marker
|   _color.py
|   _opacity.py
|   _size.py
|   __init__.py
|
|---__pycache__
|   _color.cpython-310.pyc
|   _opacity.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc
+---textfont
|   _color.py

```

```

|   __init__.py
|
|   \--- __pycache__
|         _color.cpython-310.pyc
|         __init__.cpython-310.pyc
|
|   \--- __pycache__
|         _marker.cpython-310.pyc
|         _textfont.cpython-310.pyc
|         __init__.cpython-310.pyc
+--- stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
|   \--- __pycache__
|         _maxpoints.cpython-310.pyc
|         _token.cpython-310.pyc
|         __init__.cpython-310.pyc
+--- textfont
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \--- __pycache__
|         _color.cpython-310.pyc
|         _colorsrc.cpython-310.pyc
|         _family.cpython-310.pyc
|         _familysrc.cpython-310.pyc
|         _size.cpython-310.pyc
|         _sizesrc.cpython-310.pyc
|         __init__.cpython-310.pyc
+--- unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
|   +--- marker
|         _color.py
|         _opacity.py
|         _size.py
|         __init__.py
|
|         \--- __pycache__
|               _color.cpython-310.pyc
|               _opacity.cpython-310.pyc
|               _size.cpython-310.pyc
|               __init__.cpython-310.pyc
|
|   +--- textfont
|         _color.py
|         __init__.py
|
|         \--- __pycache__
|               _color.cpython-310.pyc
|               __init__.cpython-310.pyc
|
|   \--- __pycache__
|         _marker.cpython-310.pyc
|         _textfont.cpython-310.pyc
|         __init__.cpython-310.pyc

```

```
|  
| \---_pycache_  
|   _a.cpython-310.pyc  
|   _asrc.cpython-310.pyc  
|   _b.cpython-310.pyc  
|   _bsrc.cpython-310.pyc  
|   _carpet.cpython-310.pyc  
|   _connectgaps.cpython-310.pyc  
|   _customdata.cpython-310.pyc  
|   _customdatasrc.cpython-310.pyc  
|   _fill.cpython-310.pyc  
|   _fillcolor.cpython-310.pyc  
|   _hoverinfo.cpython-310.pyc  
|   _hoverinfosrc.cpython-310.pyc  
|   _hoverlabel.cpython-310.pyc  
|   _hoveron.cpython-310.pyc  
|   _hovertemplate.cpython-310.pyc  
|   _hovertemplatesrc.cpython-310.pyc  
|   _hovertext.cpython-310.pyc  
|   _hovertextsrc.cpython-310.pyc  
|   _ids.cpython-310.pyc  
|   _idssrc.cpython-310.pyc  
|   _legend.cpython-310.pyc  
|   _legendgroup.cpython-310.pyc  
|   _legendgrouptitle.cpython-310.pyc  
|   _legendrank.cpython-310.pyc  
|   _legendwidth.cpython-310.pyc  
|   _line.cpython-310.pyc  
|   _marker.cpython-310.pyc  
|   _meta.cpython-310.pyc  
|   _metasrc.cpython-310.pyc  
|   _mode.cpython-310.pyc  
|   _name.cpython-310.pyc  
|   _opacity.cpython-310.pyc  
|   _selected.cpython-310.pyc  
|   _selectedpoints.cpython-310.pyc  
|   _showlegend.cpython-310.pyc  
|   _stream.cpython-310.pyc  
|   _text.cpython-310.pyc  
|   _textfont.cpython-310.pyc  
|   _textposition.cpython-310.pyc  
|   _textpositionsrc.cpython-310.pyc  
|   _textsrc.cpython-310.pyc  
|   _texttemplate.cpython-310.pyc  
|   _texttemplatesrc.cpython-310.pyc  
|   _uid.cpython-310.pyc  
|   _uirevision.cpython-310.pyc  
|   _unselected.cpython-310.pyc  
|   _visible.cpython-310.pyc  
|   _xaxis.cpython-310.pyc  
|   _yaxis.cpython-310.pyc  
|   __init__.cpython-310.pyc
```

```
+---scattergeo  
|   _connectgaps.py  
|   _customdata.py  
|   _customdatasrc.py  
|   _featureidkey.py  
|   _fill.py  
|   _fillcolor.py  
|   _geo.py  
|   _geojson.py  
|   _hoverinfo.py  
|   _hoverinfosrc.py  
|   _hoverlabel.py  
|   _hovertemplate.py  
|   _hovertemplatesrc.py  
|   _hovertext.py
```

```

_hovertextsrc.py
_ids.py
_idssrc.py
_lat.py
_latsrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_locationmode.py
_locations.py
_locationssrc.py
_lon.py
_lonsrc.py
_marker.py
_meta.py
 metasrc.py
_mode.py
_name.py
_opacity.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_text.py
_textfont.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
__init__.py

```

```

+---hoverlabel

```

```

    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    __init__.py

```

```

+---font

```

```

    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    __init__.py

```

```

\---__pycache__

```

```

    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc

```

```
|
| \---__pycache__
|     _align.cpython-310.pyc
|     _alignsrc.cpython-310.pyc
|     _bgcolor.cpython-310.pyc
|     _bgcolorsrc.cpython-310.pyc
|     _bordercolor.cpython-310.pyc
|     _bordercolorsrc.cpython-310.pyc
|     _font.cpython-310.pyc
|     _namelength.cpython-310.pyc
|     _namelengthsrc.cpython-310.pyc
|     __init__.cpython-310.pyc
```

```
+---legendgrouptitle
|     _font.py
|     _text.py
|     __init__.py
```

```
+---font
|     _color.py
|     _family.py
|     _size.py
|     __init__.py
|
|     \---__pycache__
|         _color.cpython-310.pyc
|         _family.cpython-310.pyc
|         _size.cpython-310.pyc
|         __init__.cpython-310.pyc
```

```
\---__pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---line
|     _color.py
|     _dash.py
|     _width.py
|     __init__.py
```

```
\---__pycache__
    _color.cpython-310.pyc
    _dash.cpython-310.pyc
    _width.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---marker
|     _angle.py
|     _angleref.py
|     _anglesrc.py
|     _autocolorscale.py
|     _cauto.py
|     _cmax.py
|     _cmid.py
|     _cmin.py
|     _color.py
|     _coloraxis.py
|     _colorbar.py
|     _colormap.py
|     _colormapsrc.py
|     _gradient.py
|     _line.py
|     _opacity.py
|     _opacitysrc.py
|     _reversescale.py
|     _showscale.py
|     _size.py
```

```
_sizemin.py
_sizemode.py
_sizeref.py
_sizesrc.py
_standoff.py
_standoffsrc.py
_symbol.py
_symbolsrc.py
__init__.py
```

+---colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
```

+---tickfont

```
_color.py
_family.py
_size.py
__init__.py
```



```

\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

+---tickformatstop
    |
    | _dtickrange.py
    | _enabled.py
    | _name.py
    | _templateitemname.py
    | _value.py
    | __init__.py
    |
    \---__pycache__
        _dtickrange.cpython-310.pyc
        _enabled.cpython-310.pyc
        _name.cpython-310.pyc
        _templateitemname.cpython-310.pyc
        _value.cpython-310.pyc
        __init__.cpython-310.pyc

+---title
    |
    | _font.py
    | _side.py
    | _text.py
    | __init__.py
    |
    +---font
        |
        | _color.py
        | _family.py
        | _size.py
        | __init__.py
        |
        \---__pycache__
            _color.cpython-310.pyc
            _family.cpython-310.pyc
            _size.cpython-310.pyc
            __init__.cpython-310.pyc

    \---__pycache__
        _font.cpython-310.pyc
        _side.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc

\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc

```

```
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklabeloverflow.cpython-310.pyc
_ticklabelposition.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---gradient
```

```
| _color.py
| _colorsrc.py
| _type.py
| _typesrc.py
| __init__.py
```

```
\---__pycache__
```

```
  _color.cpython-310.pyc
  _colorsrc.cpython-310.pyc
  _type.cpython-310.pyc
  _typesrc.cpython-310.pyc
  __init__.cpython-310.pyc
```

```
+---line
```

```
| _autocolorscale.py
| _cauto.py
| _cmax.py
| _cmid.py
| _cmin.py
| _color.py
| _coloraxis.py
| _colorscale.py
| _colorsrc.py
| _reversescale.py
| _width.py
| _widthsrc.py
| __init__.py
```

```
\---__pycache__
```

```
  _autocolorscale.cpython-310.pyc
  _cauto.cpython-310.pyc
  _cmax.cpython-310.pyc
  _cmid.cpython-310.pyc
  _cmin.cpython-310.pyc
  _color.cpython-310.pyc
  _coloraxis.cpython-310.pyc
  _colorscale.cpython-310.pyc
```

```

        _colorsrc.cpython-310.pyc
        _reversescale.cpython-310.pyc
        _width.cpython-310.pyc
        _widthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _angle.cpython-310.pyc
        _angleref.cpython-310.pyc
        _anglesrc.cpython-310.pyc
        _autocolorscale.cpython-310.pyc
        _cauto.cpython-310.pyc
        _cmax.cpython-310.pyc
        _cmid.cpython-310.pyc
        _cmin.cpython-310.pyc
        _color.cpython-310.pyc
        _coloraxis.cpython-310.pyc
        _colorbar.cpython-310.pyc
        _colorscale.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _gradient.cpython-310.pyc
        _line.cpython-310.pyc
        _opacity.cpython-310.pyc
        _opacitysrc.cpython-310.pyc
        _reversescale.cpython-310.pyc
        _showscale.cpython-310.pyc
        _size.cpython-310.pyc
        _sizemin.cpython-310.pyc
        _sizemode.cpython-310.pyc
        _sizeref.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        _standoff.cpython-310.pyc
        _standoffsrc.cpython-310.pyc
        _symbol.cpython-310.pyc
        _symbolsrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---selected
    |
    | _marker.py
    | _textfont.py
    | __init__.py
    |
    +---marker
    |
    |     _color.py
    |     _opacity.py
    |     _size.py
    |     __init__.py
    |
    | \---__pycache__
    |     _color.cpython-310.pyc
    |     _opacity.cpython-310.pyc
    |     _size.cpython-310.pyc
    |     __init__.cpython-310.pyc
    |
    +---textfont
    |
    |     _color.py
    |     __init__.py
    |
    | \---__pycache__
    |     _color.cpython-310.pyc
    |     __init__.cpython-310.pyc
    |
    \---__pycache__
        _marker.cpython-310.pyc
        _textfont.cpython-310.pyc
        __init__.cpython-310.pyc
+---stream

```

```

    _maxpoints.py
    _token.py
    __init__.py
\---__pycache__
    _maxpoints.cpython-310.pyc
    _token.cpython-310.pyc
    __init__.cpython-310.pyc
+---textfont
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc
+---unselected
    _marker.py
    _textfont.py
    __init__.py
+---marker
    _color.py
    _opacity.py
    _size.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _opacity.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
+---textfont
    _color.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _marker.cpython-310.pyc
    _textfont.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _connectgaps.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _featureidkey.cpython-310.pyc
    _fill.cpython-310.pyc
    _fillcolor.cpython-310.pyc
    _geo.cpython-310.pyc
    _geojson.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc

```

```

_hoverlabel.cpython-310.pyc
_hovertemplate.cpython-310.pyc
_hovertemplatesrc.cpython-310.pyc
_hovertext.cpython-310.pyc
_hovertextsrc.cpython-310.pyc
_ids.cpython-310.pyc
_idssrc.cpython-310.pyc
_lat.cpython-310.pyc
_latsrc.cpython-310.pyc
_legend.cpython-310.pyc
_legendgroup.cpython-310.pyc
_legendgrouptitle.cpython-310.pyc
_legendrank.cpython-310.pyc
_legendwidth.cpython-310.pyc
_line.cpython-310.pyc
_locationmode.cpython-310.pyc
_locations.cpython-310.pyc
_locationssrc.cpython-310.pyc
_lon.cpython-310.pyc
_lonsrc.cpython-310.pyc
_marker.cpython-310.pyc
_meta.cpython-310.pyc
 metasrc.cpython-310.pyc
_mode.cpython-310.pyc
_name.cpython-310.pyc
_opacity.cpython-310.pyc
_selected.cpython-310.pyc
_selectedpoints.cpython-310.pyc
_showlegend.cpython-310.pyc
_stream.cpython-310.pyc
_text.cpython-310.pyc
_textfont.cpython-310.pyc
_textposition.cpython-310.pyc
_textpositionsrc.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_texttemplatesrc.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_unselected.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc

```

+++scattergl

```

_connectgaps.py
_customdata.py
_customdatasrc.py
_dx.py
_dy.py
_error_x.py
_error_y.py
_fill.py
_fillcolor.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py

```

```

_marker.py
_meta.py
_metasrc.py
_mode.py
_name.py
_opacity.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_text.py
_textfont.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
_x.py
_x0.py
_xaxis.py
_xcalendar.py
_xhoverformat.py
_xperiod.py
_xperiod0.py
_xperiodalignment.py
_xsrc.py
_y.py
_y0.py
_yaxis.py
_ycalendar.py
_yhoverformat.py
_yperiod.py
_yperiod0.py
_yperiodalignment.py
_ysrc.py
__init__.py

```

```

+---error_x

```

```

| _array.py
| _arrayminus.py
| _arrayminussrc.py
| _arraysrc.py
| _color.py
| _copy_ystyle.py
| _symmetric.py
| _thickness.py
| _traceref.py
| _tracerefminus.py
| _type.py
| _value.py
| _valueminus.py
| _visible.py
| _width.py
| __init__.py

```

```

\---__pycache__

```

```

| _array.cpython-310.pyc
| _arrayminus.cpython-310.pyc
| _arrayminussrc.cpython-310.pyc
| _arraysrc.cpython-310.pyc
| _color.cpython-310.pyc
| _copy_ystyle.cpython-310.pyc
| _symmetric.cpython-310.pyc
| _thickness.cpython-310.pyc

```

```

        _traceref.cpython-310.pyc
        _tracerefminus.cpython-310.pyc
        _type.cpython-310.pyc
        _value.cpython-310.pyc
        _valueminus.cpython-310.pyc
        _visible.cpython-310.pyc
        _width.cpython-310.pyc
        __init__.cpython-310.pyc
+---error_y
|
|   _array.py
|   _arrayminus.py
|   _arrayminussrc.py
|   _arraysrc.py
|   _color.py
|   _symmetric.py
|   _thickness.py
|   _traceref.py
|   _tracerefminus.py
|   _type.py
|   _value.py
|   _valueminus.py
|   _visible.py
|   _width.py
|   __init__.py
|
\---__pycache__
    _array.cpython-310.pyc
    _arrayminus.cpython-310.pyc
    _arrayminussrc.cpython-310.pyc
    _arraysrc.cpython-310.pyc
    _color.cpython-310.pyc
    _symmetric.cpython-310.pyc
    _thickness.cpython-310.pyc
    _traceref.cpython-310.pyc
    _tracerefminus.cpython-310.pyc
    _type.cpython-310.pyc
    _value.cpython-310.pyc
    _valueminus.cpython-310.pyc
    _visible.cpython-310.pyc
    _width.cpython-310.pyc
    __init__.cpython-310.pyc
+---hoverlabel
|
|   _align.py
|   _alignsrc.py
|   _bgcolor.py
|   _bgcolorsrc.py
|   _bordercolor.py
|   _bordercolorsrc.py
|   _font.py
|   _namelength.py
|   _namelengthsrc.py
|   __init__.py
|
+---font
|
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc

```

```

        _familysrc.cpython-310.pyc
        _size.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc
    \--- __pycache__
        _align.cpython-310.pyc
        _alignsrc.cpython-310.pyc
        _bgcolor.cpython-310.pyc
        _bgcolorsrc.cpython-310.pyc
        _bordercolor.cpython-310.pyc
        _bordercolorsrc.cpython-310.pyc
        _font.cpython-310.pyc
        _namelength.cpython-310.pyc
        _namelengthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
+--- legendgrouptitle
    _font.py
    _text.py
    __init__.py
+--- font
    _color.py
    _family.py
    _size.py
    __init__.py
    \--- __pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
    \--- __pycache__
        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
+--- line
    _color.py
    _dash.py
    _shape.py
    _width.py
    __init__.py
    \--- __pycache__
        _color.cpython-310.pyc
        _dash.cpython-310.pyc
        _shape.cpython-310.pyc
        _width.cpython-310.pyc
        __init__.cpython-310.pyc
+--- marker
    _angle.py
    _anglesrc.py
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _color.py
    _coloraxis.py
    _colorbar.py
    _colorscale.py
    _colorsrc.py
    _line.py
    _opacity.py

```



```
_opacitysrc.py
_reversescale.py
_showscale.py
_size.py
_sizemin.py
_sizemode.py
_sizeref.py
_sizesrc.py
_symbol.py
_symbolsrc.py
__init__.py
```

+---colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
```

+---tickfont

```
_color.py
_family.py
_size.py
```

```

|   __init__.py
|
|   \--- __pycache__
|           _color.cpython-310.pyc
|           _family.cpython-310.pyc
|           _size.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+--- tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
|   \--- __pycache__
|           _dtickrange.cpython-310.pyc
|           _enabled.cpython-310.pyc
|           _name.cpython-310.pyc
|           _templateitemname.cpython-310.pyc
|           _value.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+--- title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
|   +--- font
|       _color.py
|       _family.py
|       _size.py
|       __init__.py
|
|       \--- __pycache__
|               _color.cpython-310.pyc
|               _family.cpython-310.pyc
|               _size.cpython-310.pyc
|               __init__.cpython-310.pyc
|
|       \--- __pycache__
|               _font.cpython-310.pyc
|               _side.cpython-310.pyc
|               _text.cpython-310.pyc
|               __init__.cpython-310.pyc
|
|   \--- __pycache__
|       _bgcolor.cpython-310.pyc
|       _bordercolor.cpython-310.pyc
|       _borderwidth.cpython-310.pyc
|       _dtick.cpython-310.pyc
|       _exponentformat.cpython-310.pyc
|       _labelalias.cpython-310.pyc
|       _len.cpython-310.pyc
|       _lenmode.cpython-310.pyc
|       _minexponent.cpython-310.pyc
|       _nticks.cpython-310.pyc
|       _orientation.cpython-310.pyc
|       _outlinecolor.cpython-310.pyc
|       _linewidth.cpython-310.pyc
|       _separatethousands.cpython-310.pyc
|       _showexponent.cpython-310.pyc
|       _showticklabels.cpython-310.pyc
|       _showtickprefix.cpython-310.pyc
|       _showticksuffix.cpython-310.pyc
|       _thickness.cpython-310.pyc

```

```
_thicknessmode.cpython-310.pyc
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklabeloverflow.cpython-310.pyc
_ticklabelposition.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
```

+---line

```
_autocolorscale.py
_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_color.py
_coloraxis.py
_colorscale.py
_colorsrc.py
_reversescale.py
_width.py
_widthsrc.py
__init__.py
```

\---__pycache__

```
_autocolorscale.cpython-310.pyc
_cauto.cpython-310.pyc
_cmax.cpython-310.pyc
_cmidx.cpython-310.pyc
_cmin.cpython-310.pyc
_color.cpython-310.pyc
_coloraxis.cpython-310.pyc
_colorscale.cpython-310.pyc
_colorsrc.cpython-310.pyc
_reversescale.cpython-310.pyc
_width.cpython-310.pyc
_widthsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

\---__pycache__

```
_angle.cpython-310.pyc
_anglesrc.cpython-310.pyc
_autocolorscale.cpython-310.pyc
_cauto.cpython-310.pyc
_cmax.cpython-310.pyc
```

```
_cmid.cpython-310.pyc
_cmin.cpython-310.pyc
_color.cpython-310.pyc
_coloraxis.cpython-310.pyc
_colorbar.cpython-310.pyc
_colorscale.cpython-310.pyc
_colorsrc.cpython-310.pyc
_line.cpython-310.pyc
_opacity.cpython-310.pyc
_opacitysrc.cpython-310.pyc
_reversescale.cpython-310.pyc
_showscale.cpython-310.pyc
_size.cpython-310.pyc
_sizemin.cpython-310.pyc
_sizemode.cpython-310.pyc
_sizeref.cpython-310.pyc
_sizesrc.cpython-310.pyc
_symbol.cpython-310.pyc
_symbolsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---selected
```

```
|   _marker.py
|   _textfont.py
|   __init__.py
```

```
+---marker
```

```
|   _color.py
|   _opacity.py
|   _size.py
|   __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _opacity.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---textfont
```

```
|   _color.py
|   __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
```

```
    _marker.cpython-310.pyc
    _textfont.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---stream
```

```
|   _maxpoints.py
|   _token.py
|   __init__.py
```

```
\---__pycache__
```

```
    _maxpoints.cpython-310.pyc
    _token.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---textfont
```

```
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
```

```

    |   __init__.py
    |
    \--- __pycache__
        |   _color.cpython-310.pyc
        |   _colorsrc.cpython-310.pyc
        |   _family.cpython-310.pyc
        |   _familysrc.cpython-310.pyc
        |   _size.cpython-310.pyc
        |   _sizesrc.cpython-310.pyc
        |   __init__.cpython-310.pyc
    |
+--- unselected
    |   _marker.py
    |   _textfont.py
    |   __init__.py
    |
+--- marker
    |   _color.py
    |   _opacity.py
    |   _size.py
    |   __init__.py
    |
    \--- __pycache__
        |   _color.cpython-310.pyc
        |   _opacity.cpython-310.pyc
        |   _size.cpython-310.pyc
        |   __init__.cpython-310.pyc
    |
+--- textfont
    |   _color.py
    |   __init__.py
    |
    \--- __pycache__
        |   _color.cpython-310.pyc
        |   __init__.cpython-310.pyc
    |
    \--- __pycache__
        |   _marker.cpython-310.pyc
        |   _textfont.cpython-310.pyc
        |   __init__.cpython-310.pyc
    |
    \--- __pycache__
        |   _connectgaps.cpython-310.pyc
        |   _customdata.cpython-310.pyc
        |   _customdatasrc.cpython-310.pyc
        |   _dx.cpython-310.pyc
        |   _dy.cpython-310.pyc
        |   _error_x.cpython-310.pyc
        |   _error_y.cpython-310.pyc
        |   _fill.cpython-310.pyc
        |   _fillcolor.cpython-310.pyc
        |   _hoverinfo.cpython-310.pyc
        |   _hoverinfosrc.cpython-310.pyc
        |   _hoverlabel.cpython-310.pyc
        |   _hovertemplate.cpython-310.pyc
        |   _hovertemplatesrc.cpython-310.pyc
        |   _hovertext.cpython-310.pyc
        |   _hovertextsrc.cpython-310.pyc
        |   _ids.cpython-310.pyc
        |   _idssrc.cpython-310.pyc
        |   _legend.cpython-310.pyc
        |   _legendgroup.cpython-310.pyc
        |   _legendgrouptitle.cpython-310.pyc
        |   _legendrank.cpython-310.pyc
        |   _legendwidth.cpython-310.pyc
        |   _line.cpython-310.pyc
        |   _marker.cpython-310.pyc
        |   _meta.cpython-310.pyc

```

```

_metasrc.cpython-310.pyc
_mode.cpython-310.pyc
_name.cpython-310.pyc
_opacity.cpython-310.pyc
_selected.cpython-310.pyc
_selectedpoints.cpython-310.pyc
_showlegend.cpython-310.pyc
_stream.cpython-310.pyc
_text.cpython-310.pyc
_textfont.cpython-310.pyc
_textposition.cpython-310.pyc
_textpositionsrc.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_texttemplatesrc.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_unselected.cpython-310.pyc
_visible.cpython-310.pyc
_x.cpython-310.pyc
_x0.cpython-310.pyc
_xaxis.cpython-310.pyc
_xcalendar.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xperiod.cpython-310.pyc
_xperiod0.cpython-310.pyc
_xperiodalignment.cpython-310.pyc
_xsrc.cpython-310.pyc
_y.cpython-310.pyc
_y0.cpython-310.pyc
_yaxis.cpython-310.pyc
_ycalendar.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_yperiod.cpython-310.pyc
_yperiod0.cpython-310.pyc
_yperiodalignment.cpython-310.pyc
_ysrc.cpython-310.pyc
__init__.cpython-310.pyc

```

```

+---scattermapbox

```

```

    _below.py
    _cluster.py
    _connectgaps.py
    _customdata.py
    _customdatasrc.py
    _fill.py
    _fillcolor.py
    _hoverinfo.py
    _hoverinfosrc.py
    _hoverlabel.py
    _hovertemplate.py
    _hovertemplatesrc.py
    _hovertext.py
    _hovertextsrc.py
    _ids.py
    _idssrc.py
    _lat.py
    _latsrc.py
    _legend.py
    _legendgroup.py
    _legendgrouptitle.py
    _legendrank.py
    _legendwidth.py
    _line.py
    _lon.py
    _lonsrc.py
    _marker.py
    _meta.py

```

```
_metasrc.py
_mode.py
_name.py
_opacity.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_subplot.py
_text.py
_textfont.py
_textposition.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
__init__.py
```

+---cluster

```
_color.py
_colorsrc.py
_enabled.py
_maxzoom.py
_opacity.py
_opacitysrc.py
_size.py
_sizesrc.py
_step.py
_stepsrc.py
__init__.py
```

\---__pycache__

```
_color.cpython-310.pyc
_colorsrc.cpython-310.pyc
_enabled.cpython-310.pyc
_maxzoom.cpython-310.pyc
_opacity.cpython-310.pyc
_opacitysrc.cpython-310.pyc
_size.cpython-310.pyc
_sizesrc.cpython-310.pyc
_step.cpython-310.pyc
_stepsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

+---hoverlabel

```
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
__init__.py
```

+---font

```
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
__init__.py
```

```

\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc

+---legendgrouptitle
    _font.py
    _text.py
    __init__.py

+---font
    | _color.py
    | _family.py
    | _size.py
    | __init__.py
    |
    \---__pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc

\---__pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc

+---line
    | _color.py
    | _width.py
    | __init__.py
    |
    \---__pycache__
        _color.cpython-310.pyc
        _width.cpython-310.pyc
        __init__.cpython-310.pyc

+---marker
    _allowoverlap.py
    _angle.py
    _anglesrc.py
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _color.py
    _coloraxis.py
    _colorbar.py
    _colorscale.py
    _colorsrc.py
    _opacity.py

```



```
_opacitysrc.py
_reversescale.py
_showscale.py
_size.py
_sizemin.py
_sizemode.py
_sizeref.py
_sizesrc.py
_symbol.py
_symbolsrc.py
__init__.py
```

+---colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
```

+---tickfont

```
_color.py
_family.py
_size.py
```

```

|   __init__.py
|
|   \--- __pycache__
|           _color.cpython-310.pyc
|           _family.cpython-310.pyc
|           _size.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+--- tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
|   \--- __pycache__
|           _dtickrange.cpython-310.pyc
|           _enabled.cpython-310.pyc
|           _name.cpython-310.pyc
|           _templateitemname.cpython-310.pyc
|           _value.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+--- title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
|   +--- font
|       _color.py
|       _family.py
|       _size.py
|       __init__.py
|
|       \--- __pycache__
|               _color.cpython-310.pyc
|               _family.cpython-310.pyc
|               _size.cpython-310.pyc
|               __init__.cpython-310.pyc
|
|       \--- __pycache__
|               _font.cpython-310.pyc
|               _side.cpython-310.pyc
|               _text.cpython-310.pyc
|               __init__.cpython-310.pyc
|
|   \--- __pycache__
|           _bgcolor.cpython-310.pyc
|           _bordercolor.cpython-310.pyc
|           _borderwidth.cpython-310.pyc
|           _dtick.cpython-310.pyc
|           _exponentformat.cpython-310.pyc
|           _labelalias.cpython-310.pyc
|           _len.cpython-310.pyc
|           _lenmode.cpython-310.pyc
|           _minexponent.cpython-310.pyc
|           _nticks.cpython-310.pyc
|           _orientation.cpython-310.pyc
|           _outlinecolor.cpython-310.pyc
|           _linewidth.cpython-310.pyc
|           _separatethousands.cpython-310.pyc
|           _showexponent.cpython-310.pyc
|           _showticklabels.cpython-310.pyc
|           _showtickprefix.cpython-310.pyc
|           _showticksuffix.cpython-310.pyc
|           _thickness.cpython-310.pyc

```

```
_thicknessmode.cpython-310.pyc
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklabeloverflow.cpython-310.pyc
_ticklabelposition.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
```

```
\---__pycache__
```

```
_allowoverlap.cpython-310.pyc
_angle.cpython-310.pyc
_anglesrc.cpython-310.pyc
_autocolorscale.cpython-310.pyc
_cauto.cpython-310.pyc
_cmax.cpython-310.pyc
_cmid.cpython-310.pyc
_cmin.cpython-310.pyc
_color.cpython-310.pyc
_coloraxis.cpython-310.pyc
_colorbar.cpython-310.pyc
_colorscale.cpython-310.pyc
_colorsrc.cpython-310.pyc
_opacity.cpython-310.pyc
_opacitysrc.cpython-310.pyc
_reversescale.cpython-310.pyc
_showscale.cpython-310.pyc
_size.cpython-310.pyc
_sizemin.cpython-310.pyc
_sizemode.cpython-310.pyc
_sizeref.cpython-310.pyc
_sizesrc.cpython-310.pyc
_symbol.cpython-310.pyc
_symbolsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---selected
```

```
|   _marker.py
|   __init__.py
```

```
+---marker
```

```
|   _color.py
|   _opacity.py
|   _size.py
|   __init__.py
```

```

|
| \---__pycache__
|         _color.cpython-310.pyc
|         _opacity.cpython-310.pyc
|         _size.cpython-310.pyc
|         __init__.cpython-310.pyc
|
| \---__pycache__
|         _marker.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+---stream
|
|     _maxpoints.py
|     _token.py
|     __init__.py
|
| \---__pycache__
|         _maxpoints.cpython-310.pyc
|         _token.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+---textfont
|
|     _color.py
|     _family.py
|     _size.py
|     __init__.py
|
| \---__pycache__
|         _color.cpython-310.pyc
|         _family.cpython-310.pyc
|         _size.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+---unselected
|
|     _marker.py
|     __init__.py
|
| +---marker
| |
| |     _color.py
| |     _opacity.py
| |     _size.py
| |     __init__.py
| |
| | \---__pycache__
| |         _color.cpython-310.pyc
| |         _opacity.cpython-310.pyc
| |         _size.cpython-310.pyc
| |         __init__.cpython-310.pyc
| |
| | \---__pycache__
| |         _marker.cpython-310.pyc
| |         __init__.cpython-310.pyc
| |
| \---__pycache__
|         _below.cpython-310.pyc
|         _cluster.cpython-310.pyc
|         _connectgaps.cpython-310.pyc
|         _customdata.cpython-310.pyc
|         _customdatasrc.cpython-310.pyc
|         _fill.cpython-310.pyc
|         _fillcolor.cpython-310.pyc
|         _hoverinfo.cpython-310.pyc
|         _hoverinfosrc.cpython-310.pyc
|         _hoverlabel.cpython-310.pyc
|         _hovertemplate.cpython-310.pyc
|         _hovertemplatesrc.cpython-310.pyc
|         _hovertext.cpython-310.pyc
|         _hovertextsrc.cpython-310.pyc

```

```
_ids.cpython-310.pyc
_idssrc.cpython-310.pyc
_lat.cpython-310.pyc
_latsrc.cpython-310.pyc
_legend.cpython-310.pyc
_legendgroup.cpython-310.pyc
_legendgrouptitle.cpython-310.pyc
_legendrank.cpython-310.pyc
_legendwidth.cpython-310.pyc
_line.cpython-310.pyc
_lon.cpython-310.pyc
_lonsrc.cpython-310.pyc
_marker.cpython-310.pyc
_meta.cpython-310.pyc
_metasrc.cpython-310.pyc
_mode.cpython-310.pyc
_name.cpython-310.pyc
_opacity.cpython-310.pyc
_selected.cpython-310.pyc
_selectedpoints.cpython-310.pyc
_showlegend.cpython-310.pyc
_stream.cpython-310.pyc
_subplot.cpython-310.pyc
_text.cpython-310.pyc
_textfont.cpython-310.pyc
_textposition.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_texttemplatesrc.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_unselected.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

+---scatterpolar

```
_cliponaxis.py
_connectgaps.py
_customdata.py
_customdatasrc.py
_dr.py
_dtheta.py
_fill.py
_fillcolor.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hoveron.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_marker.py
_meta.py
_metasrc.py
_mode.py
_name.py
_opacity.py
_r.py
_r0.py
```

```

_rsrc.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_subplot.py
_text.py
_textfont.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_theta.py
_theta0.py
_thetasrc.py
_thetaunit.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
__init__.py

```

+++hoverlabel

```

| _align.py
| _alignsrc.py
| _bgcolor.py
| _bgcolorsrc.py
| _bordercolor.py
| _bordercolorsrc.py
| _font.py
| _namelength.py
| _namelengthsrc.py
| __init__.py

```

+++font

```

| _color.py
| _colorsrc.py
| _family.py
| _familysrc.py
| _size.py
| _sizesrc.py
| __init__.py

```

\---__pycache__

```

| _color.cpython-310.pyc
| _colorsrc.cpython-310.pyc
| _family.cpython-310.pyc
| _familysrc.cpython-310.pyc
| _size.cpython-310.pyc
| _sizesrc.cpython-310.pyc
| __init__.cpython-310.pyc

```

\---__pycache__

```

| _align.cpython-310.pyc
| _alignsrc.cpython-310.pyc
| _bgcolor.cpython-310.pyc
| _bgcolorsrc.cpython-310.pyc
| _bordercolor.cpython-310.pyc
| _bordercolorsrc.cpython-310.pyc
| _font.cpython-310.pyc
| _namelength.cpython-310.pyc
| _namelengthsrc.cpython-310.pyc
| __init__.cpython-310.pyc

```

+++legendgrouptitle

```

| _font.py
| _text.py

```

```

    __init__.py
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       _text.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---line
|   _backoff.py
|   _backoffsrc.py
|   _color.py
|   _dash.py
|   _shape.py
|   _smoothing.py
|   _width.py
|   __init__.py
|
|   \---__pycache__
|       _backoff.cpython-310.pyc
|       _backoffsrc.cpython-310.pyc
|       _color.cpython-310.pyc
|       _dash.cpython-310.pyc
|       _shape.cpython-310.pyc
|       _smoothing.cpython-310.pyc
|       _width.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---marker
|   _angle.py
|   _angleref.py
|   _anglesrc.py
|   _autocolorscale.py
|   _cauto.py
|   _cmax.py
|   _cmid.py
|   _cmin.py
|   _color.py
|   _coloraxis.py
|   _colorbar.py
|   _colormap.py
|   _colormapsrc.py
|   _gradient.py
|   _line.py
|   _maxdisplayed.py
|   _opacity.py
|   _opacitysrc.py
|   _reversescale.py
|   _showscale.py
|   _size.py
|   _sizemin.py
|   _sizemode.py
|   _sizeref.py
|   _sizesrc.py
|   _standoff.py
|   _standoffsrc.py
|   _symbol.py

```

```

_symbolsrc.py
__init__.py

+---colorbar
|   _bgcolor.py
|   _bordercolor.py
|   _borderwidth.py
|   _dtick.py
|   _exponentformat.py
|   _labelalias.py
|   _len.py
|   _lenmode.py
|   _minexponent.py
|   _nticks.py
|   _orientation.py
|   _outlinecolor.py
|   _outlinewidth.py
|   _separatethousands.py
|   _showexponent.py
|   _showticklabels.py
|   _showtickprefix.py
|   _showticksuffix.py
|   _thickness.py
|   _thicknessmode.py
|   _tick0.py
|   _tickangle.py
|   _tickcolor.py
|   _tickfont.py
|   _tickformat.py
|   _tickformatstopdefaults.py
|   _tickformatstops.py
|   _ticklabeloverflow.py
|   _ticklabelposition.py
|   _ticklabelstep.py
|   _ticklen.py
|   _tickmode.py
|   _tickprefix.py
|   _ticks.py
|   _ticksuffix.py
|   _ticktext.py
|   _ticktextsrc.py
|   _tickvals.py
|   _tickvalssrc.py
|   _tickwidth.py
|   _title.py
|   _x.py
|   _xanchor.py
|   _xpad.py
|   _xref.py
|   _y.py
|   _yanchor.py
|   _ypad.py
|   _yref.py
|   __init__.py
|
+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

+---tickformatstop

```



```

    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
    __init__.py
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
+---title
    _font.py
    _side.py
    _text.py
    __init__.py
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _side.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc

```

```

_ticklabelposition.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc

+---gradient
|   _color.py
|   _colorsrc.py
|   _type.py
|   _typesrc.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _colorsrc.cpython-310.pyc
     _type.cpython-310.pyc
     _typesrc.cpython-310.pyc
     __init__.cpython-310.pyc

+---line
|   _autocolorscale.py
|   _cauto.py
|   _cmax.py
|   _cmid.py
|   _cmin.py
|   _color.py
|   _coloraxis.py
|   _colorscale.py
|   _colorsrc.py
|   _reversescale.py
|   _width.py
|   _widthsrc.py
|   __init__.py
|
\---__pycache__
     _autocolorscale.cpython-310.pyc
     _cauto.cpython-310.pyc
     _cmax.cpython-310.pyc
     _cmid.cpython-310.pyc
     _cmin.cpython-310.pyc
     _color.cpython-310.pyc
     _coloraxis.cpython-310.pyc
     _colorscale.cpython-310.pyc
     _colorsrc.cpython-310.pyc
     _reversescale.cpython-310.pyc
     _width.cpython-310.pyc
     _widthsrc.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__

```

```
_angle.cpython-310.pyc
_angleref.cpython-310.pyc
_anglesrc.cpython-310.pyc
_autocolorscale.cpython-310.pyc
_cauto.cpython-310.pyc
_cmax.cpython-310.pyc
_cmidx.cpython-310.pyc
_cmin.cpython-310.pyc
_color.cpython-310.pyc
_coloraxis.cpython-310.pyc
_colorbar.cpython-310.pyc
_colorscale.cpython-310.pyc
_colorsrc.cpython-310.pyc
_gradient.cpython-310.pyc
_line.cpython-310.pyc
_maxdisplayed.cpython-310.pyc
_opacity.cpython-310.pyc
_opacitysrc.cpython-310.pyc
_reversescale.cpython-310.pyc
_showscale.cpython-310.pyc
_size.cpython-310.pyc
_sizemin.cpython-310.pyc
_sizemode.cpython-310.pyc
_sizeref.cpython-310.pyc
_sizesrc.cpython-310.pyc
_standoff.cpython-310.pyc
_standoffsrc.cpython-310.pyc
_symbol.cpython-310.pyc
_symbolsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---selected
```

```
| _marker.py
| _textfont.py
| __init__.py
```

```
+---marker
```

```
| _color.py
| _opacity.py
| _size.py
| __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _opacity.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---textfont
```

```
| _color.py
| __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
```

```
    _marker.cpython-310.pyc
    _textfont.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---stream
```

```
| _maxpoints.py
| _token.py
| __init__.py
```

```
\---__pycache__
```

```
    _maxpoints.cpython-310.pyc
```

```

        _token.cpython-310.pyc
        __init__.cpython-310.pyc
+---textfont
|
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizersrc.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizersrc.cpython-310.pyc
    __init__.cpython-310.pyc
+---unselected
|
|   _marker.py
|   _textfont.py
|   __init__.py
|
+---marker
|
|   _color.py
|   _opacity.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _opacity.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
+---textfont
|
|   _color.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _marker.cpython-310.pyc
    _textfont.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _claponaxis.cpython-310.pyc
    _connectgaps.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _dr.cpython-310.pyc
    _dtheta.cpython-310.pyc
    _fill.cpython-310.pyc
    _fillcolor.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hoveron.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _hoverttext.cpython-310.pyc
    _hoverttextsrc.cpython-310.pyc

```

```
_ids.cpython-310.pyc
_idssrc.cpython-310.pyc
_legend.cpython-310.pyc
_legendgroup.cpython-310.pyc
_legendgrouptitle.cpython-310.pyc
_legendrank.cpython-310.pyc
_legendwidth.cpython-310.pyc
_line.cpython-310.pyc
_marker.cpython-310.pyc
_meta.cpython-310.pyc
_metasrc.cpython-310.pyc
_mode.cpython-310.pyc
_name.cpython-310.pyc
_opacity.cpython-310.pyc
_r.cpython-310.pyc
_r0.cpython-310.pyc
_rsrc.cpython-310.pyc
_selected.cpython-310.pyc
_selectedpoints.cpython-310.pyc
_showlegend.cpython-310.pyc
_stream.cpython-310.pyc
_subplot.cpython-310.pyc
_text.cpython-310.pyc
_textfont.cpython-310.pyc
_textposition.cpython-310.pyc
_textpositionsrc.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_texttemplatesrc.cpython-310.pyc
_theta.cpython-310.pyc
_theta0.cpython-310.pyc
_thetasrc.cpython-310.pyc
_thetaunit.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_unselected.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

+---scatterpolargl

```
_connectgaps.py
_customdata.py
_customdatasrc.py
_dr.py
_dtheta.py
_fill.py
_fillcolor.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_marker.py
_meta.py
_metasrc.py
_mode.py
_name.py
_opacity.py
```

```

_r.py
_r0.py
_rsrc.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_subplot.py
_text.py
_textfont.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_theta.py
_theta0.py
_thetasrc.py
_thetaunit.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
__init__.py

```

+---hoverlabel

```

| _align.py
| _alignsrc.py
| _bgcolor.py
| _bgcolorsrc.py
| _bordercolor.py
| _bordercolorsrc.py
| _font.py
| _namelength.py
| _namelengthsrc.py
| __init__.py

```

+---font

```

| _color.py
| _colorsrc.py
| _family.py
| _familysrc.py
| _size.py
| _sizesrc.py
| __init__.py

```

\---__pycache__

```

| _color.cpython-310.pyc
| _colorsrc.cpython-310.pyc
| _family.cpython-310.pyc
| _familysrc.cpython-310.pyc
| _size.cpython-310.pyc
| _sizesrc.cpython-310.pyc
| __init__.cpython-310.pyc

```

\---__pycache__

```

| _align.cpython-310.pyc
| _alignsrc.cpython-310.pyc
| _bgcolor.cpython-310.pyc
| _bgcolorsrc.cpython-310.pyc
| _bordercolor.cpython-310.pyc
| _bordercolorsrc.cpython-310.pyc
| _font.cpython-310.pyc
| _namelength.cpython-310.pyc
| _namelengthsrc.cpython-310.pyc
| __init__.cpython-310.pyc

```

+---legendgrouptitle

```
_font.py
_text.py
__init__.py
```

```
+---font
```

```
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
```

```
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---line
```

```
|   _color.py
|   _dash.py
|   _shape.py
|   _width.py
|   __init__.py
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _dash.cpython-310.pyc
    _shape.cpython-310.pyc
    _width.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---marker
```

```
|   _angle.py
|   _anglesrc.py
|   _autocolorscale.py
|   _cauto.py
|   _cmax.py
|   _cmid.py
|   _cmin.py
|   _color.py
|   _coloraxis.py
|   _colorbar.py
|   _colormap.py
|   _colormapsrc.py
|   _line.py
|   _opacity.py
|   _opacitysrc.py
|   _reversescale.py
|   _showscale.py
|   _size.py
|   _sizemin.py
|   _sizemode.py
|   _sizeref.py
|   _sizesrc.py
|   _symbol.py
|   _symbolsrc.py
|   __init__.py
```

```
+---colorbar
```

```
|   _bgcolor.py
|   _bordercolor.py
|   _borderwidth.py
|   _dtick.py
|   _exponentformat.py
```

```

_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
+----tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
+----tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
|---__pycache__
|       _dtickrange.cpython-310.pyc

```



```

        _enabled.cpython-310.pyc
        _name.cpython-310.pyc
        _templateitemname.cpython-310.pyc
        _value.cpython-310.pyc
        __init__.cpython-310.pyc
+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
        _color.cpython-310.pyc
        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
        _font.cpython-310.pyc
        _side.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
        _bgcolor.cpython-310.pyc
        _bordercolor.cpython-310.pyc
        _borderwidth.cpython-310.pyc
        _dtick.cpython-310.pyc
        _exponentformat.cpython-310.pyc
        _labelalias.cpython-310.pyc
        _len.cpython-310.pyc
        _lenmode.cpython-310.pyc
        _minexponent.cpython-310.pyc
        _nticks.cpython-310.pyc
        _orientation.cpython-310.pyc
        _outlinecolor.cpython-310.pyc
        _linewidth.cpython-310.pyc
        _separatethousands.cpython-310.pyc
        _showexponent.cpython-310.pyc
        _showticklabels.cpython-310.pyc
        _showtickprefix.cpython-310.pyc
        _showticksuffix.cpython-310.pyc
        _thickness.cpython-310.pyc
        _thicknessmode.cpython-310.pyc
        _tick0.cpython-310.pyc
        _tickangle.cpython-310.pyc
        _tickcolor.cpython-310.pyc
        _tickfont.cpython-310.pyc
        _tickformat.cpython-310.pyc
        _tickformatstopdefaults.cpython-310.pyc
        _tickformatstops.cpython-310.pyc
        _ticklabeloverflow.cpython-310.pyc
        _ticklabelposition.cpython-310.pyc
        _ticklabelstep.cpython-310.pyc
        _ticklen.cpython-310.pyc
        _tickmode.cpython-310.pyc
        _tickprefix.cpython-310.pyc
        _ticks.cpython-310.pyc
        _ticksuffix.cpython-310.pyc
        _ticktext.cpython-310.pyc
        _ticktextsrc.cpython-310.pyc

```

```

_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
+---line
|   _autocolorscale.py
|   _cauto.py
|   _cmax.py
|   _cmid.py
|   _cmin.py
|   _color.py
|   _coloraxis.py
|   _colormap.py
|   _colormapsrc.py
|   _reversescale.py
|   _width.py
|   _widthsrc.py
|   __init__.py
\---__pycache__
|   _autocolorscale.cpython-310.pyc
|   _cauto.cpython-310.pyc
|   _cmax.cpython-310.pyc
|   _cmid.cpython-310.pyc
|   _cmin.cpython-310.pyc
|   _color.cpython-310.pyc
|   _coloraxis.cpython-310.pyc
|   _colormap.cpython-310.pyc
|   _colormapsrc.cpython-310.pyc
|   _reversescale.cpython-310.pyc
|   _width.cpython-310.pyc
|   _widthsrc.cpython-310.pyc
|   __init__.cpython-310.pyc
\---__pycache__
|   _angle.cpython-310.pyc
|   _anglesrc.cpython-310.pyc
|   _autocolorscale.cpython-310.pyc
|   _cauto.cpython-310.pyc
|   _cmax.cpython-310.pyc
|   _cmid.cpython-310.pyc
|   _cmin.cpython-310.pyc
|   _color.cpython-310.pyc
|   _coloraxis.cpython-310.pyc
|   _colorbar.cpython-310.pyc
|   _colormap.cpython-310.pyc
|   _colormapsrc.cpython-310.pyc
|   _line.cpython-310.pyc
|   _opacity.cpython-310.pyc
|   _opacitysrc.cpython-310.pyc
|   _reversescale.cpython-310.pyc
|   _showscale.cpython-310.pyc
|   _size.cpython-310.pyc
|   _sizemin.cpython-310.pyc
|   _sizemode.cpython-310.pyc
|   _sizeref.cpython-310.pyc
|   _sizesrc.cpython-310.pyc
|   _symbol.cpython-310.pyc

```

```

        _symbolsrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|
|   +---marker
|   |   _color.py
|   |   _opacity.py
|   |   _size.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       _color.cpython-310.pyc
|   |       _opacity.cpython-310.pyc
|   |       _size.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   +---textfont
|   |   _color.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       _color.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   \---__pycache__
|       _marker.cpython-310.pyc
|       _textfont.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
|   \---__pycache__
|       _maxpoints.cpython-310.pyc
|       _token.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---textfont
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
+---marker
|   _color.py

```

```

    _opacity.py
    _size.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _opacity.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
+---textfont
    _color.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _marker.cpython-310.pyc
    _textfont.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _connectgaps.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _dr.cpython-310.pyc
    _dtheta.cpython-310.pyc
    _fill.cpython-310.pyc
    _fillcolor.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _line.cpython-310.pyc
    _marker.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _mode.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _r.cpython-310.pyc
    _r0.cpython-310.pyc
    _rsrc.cpython-310.pyc
    _selected.cpython-310.pyc
    _selectedpoints.cpython-310.pyc
    _showlegend.cpython-310.pyc
    _stream.cpython-310.pyc
    _subplot.cpython-310.pyc
    _text.cpython-310.pyc
    _textfont.cpython-310.pyc
    _textposition.cpython-310.pyc
    _textpositionsrc.cpython-310.pyc
    _textsrc.cpython-310.pyc
    _texttemplate.cpython-310.pyc
    _texttemplatesrc.cpython-310.pyc
    _theta.cpython-310.pyc

```

```
_theta0.cpython-310.pyc
_theta0src.cpython-310.pyc
_theta0unit.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_unselected.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---scattersmith
```

```
_cliponaxis.py
_connectgaps.py
_customdata.py
_customdatasrc.py
_fill.py
_fillcolor.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hoveron.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_imag.py
_imagsrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_marker.py
_meta.py
 metasrc.py
_mode.py
_name.py
_opacity.py
_real.py
_realsrc.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_subplot.py
_text.py
_textfont.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
__init__.py
```

```
+---hoverlabel
```

```
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
```

```

    _namelength.py
    _namelengthsrc.py
    __init__.py

+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizensrc.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizensrc.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _font.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc

+---line
|   _backoff.py
|   _backoffsrc.py
|   _color.py
|   _dash.py
|   _shape.py
|   _smoothing.py
|   _width.py
|   __init__.py
|
\---__pycache__
    _backoff.cpython-310.pyc

```

```
_backoffsrc.cpython-310.pyc
_color.cpython-310.pyc
_dash.cpython-310.pyc
_shape.cpython-310.pyc
_smoothing.cpython-310.pyc
_width.cpython-310.pyc
__init__.cpython-310.pyc
```

+++marker

```
_angle.py
_angleref.py
_anglesrc.py
_autocolorscale.py
_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_color.py
_coloraxis.py
_colorbar.py
_colorscale.py
_colorsrc.py
_gradient.py
_line.py
_maxdisplayed.py
_opacity.py
_opacitysrc.py
_reversescale.py
_showscale.py
_size.py
_sizemin.py
_sizemode.py
_sizeref.py
_sizesrc.py
_standoff.py
_standoffsrc.py
_symbol.py
_symbolsrc.py
__init__.py
```

+++colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
```

```
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
```

+---tickfont

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

\---__pycache__

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

+---tickformatstop

```
| _dtickrange.py
| _enabled.py
| _name.py
| _templateitemname.py
| _value.py
| __init__.py
```

\---__pycache__

```
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
```

+---title

```
| _font.py
| _side.py
| _text.py
| __init__.py
```

+---font

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

\---__pycache__

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
```



```

|                                     __init__.cpython-310.pyc
|
| \--- __pycache__
|     _font.cpython-310.pyc
|     _side.cpython-310.pyc
|     _text.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \--- __pycache__
|     _bgcolor.cpython-310.pyc
|     _bordercolor.cpython-310.pyc
|     _borderwidth.cpython-310.pyc
|     _dtick.cpython-310.pyc
|     _exponentformat.cpython-310.pyc
|     _labelalias.cpython-310.pyc
|     _len.cpython-310.pyc
|     _lenmode.cpython-310.pyc
|     _minexponent.cpython-310.pyc
|     _nticks.cpython-310.pyc
|     _orientation.cpython-310.pyc
|     _outlinecolor.cpython-310.pyc
|     _linewidth.cpython-310.pyc
|     _separatethousands.cpython-310.pyc
|     _showexponent.cpython-310.pyc
|     _showticklabels.cpython-310.pyc
|     _showtickprefix.cpython-310.pyc
|     _showticksuffix.cpython-310.pyc
|     _thickness.cpython-310.pyc
|     _thicknessmode.cpython-310.pyc
|     _tick0.cpython-310.pyc
|     _tickangle.cpython-310.pyc
|     _tickcolor.cpython-310.pyc
|     _tickfont.cpython-310.pyc
|     _tickformat.cpython-310.pyc
|     _tickformatstopdefaults.cpython-310.pyc
|     _tickformatstops.cpython-310.pyc
|     _ticklabeloverflow.cpython-310.pyc
|     _ticklabelposition.cpython-310.pyc
|     _ticklabelstep.cpython-310.pyc
|     _ticklen.cpython-310.pyc
|     _tickmode.cpython-310.pyc
|     _tickprefix.cpython-310.pyc
|     _ticks.cpython-310.pyc
|     _ticksuffix.cpython-310.pyc
|     _ticktext.cpython-310.pyc
|     _ticktextsrc.cpython-310.pyc
|     _tickvals.cpython-310.pyc
|     _tickvalssrc.cpython-310.pyc
|     _tickwidth.cpython-310.pyc
|     _title.cpython-310.pyc
|     _x.cpython-310.pyc
|     _xanchor.cpython-310.pyc
|     _xpad.cpython-310.pyc
|     _xref.cpython-310.pyc
|     _y.cpython-310.pyc
|     _yanchor.cpython-310.pyc
|     _ypad.cpython-310.pyc
|     _yref.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+--- gradient
|     _color.py
|     _colorsrc.py
|     _type.py
|     _typesrc.py
|     __init__.py
|
| \--- __pycache__

```

```

        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _type.cpython-310.pyc
        _typesrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---line
|
|     _autocolorscale.py
|     _cauto.py
|     _cmax.py
|     _cmid.py
|     _cmin.py
|     _color.py
|     _coloraxis.py
|     _colormap.py
|     _colormapsrc.py
|     _reversescale.py
|     _width.py
|     _widthsrc.py
|     __init__.py
|
\---__pycache__
|
|     _autocolorscale.cpython-310.pyc
|     _cauto.cpython-310.pyc
|     _cmax.cpython-310.pyc
|     _cmid.cpython-310.pyc
|     _cmin.cpython-310.pyc
|     _color.cpython-310.pyc
|     _coloraxis.cpython-310.pyc
|     _colormap.cpython-310.pyc
|     _colormapsrc.cpython-310.pyc
|     _reversescale.cpython-310.pyc
|     _width.cpython-310.pyc
|     _widthsrc.cpython-310.pyc
|     __init__.cpython-310.pyc
|
\---__pycache__
|
|     _angle.cpython-310.pyc
|     _angleref.cpython-310.pyc
|     _anglesrc.cpython-310.pyc
|     _autocolorscale.cpython-310.pyc
|     _cauto.cpython-310.pyc
|     _cmax.cpython-310.pyc
|     _cmid.cpython-310.pyc
|     _cmin.cpython-310.pyc
|     _color.cpython-310.pyc
|     _coloraxis.cpython-310.pyc
|     _colorbar.cpython-310.pyc
|     _colormap.cpython-310.pyc
|     _colormapsrc.cpython-310.pyc
|     _gradient.cpython-310.pyc
|     _line.cpython-310.pyc
|     _maxdisplayed.cpython-310.pyc
|     _opacity.cpython-310.pyc
|     _opacitysrc.cpython-310.pyc
|     _reversescale.cpython-310.pyc
|     _showscale.cpython-310.pyc
|     _size.cpython-310.pyc
|     _sizemin.cpython-310.pyc
|     _sizemode.cpython-310.pyc
|     _sizeref.cpython-310.pyc
|     _sizesrc.cpython-310.pyc
|     _standoff.cpython-310.pyc
|     _standoffsrc.cpython-310.pyc
|     _symbol.cpython-310.pyc
|     _symbolsrc.cpython-310.pyc
|     __init__.cpython-310.pyc

```

```

+---selected
|   _marker.py
|   _textfont.py
|   __init__.py
|
+---marker
|   _color.py
|   _opacity.py
|   _size.py
|   __init__.py
|
\---__pycache__
|   _color.cpython-310.pyc
|   _opacity.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---textfont
|   _color.py
|   __init__.py
|
\---__pycache__
|   _color.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _marker.cpython-310.pyc
|   _textfont.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
\---__pycache__
|   _maxpoints.cpython-310.pyc
|   _token.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---textfont
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
\---__pycache__
|   _color.cpython-310.pyc
|   _colorsrc.cpython-310.pyc
|   _family.cpython-310.pyc
|   _familysrc.cpython-310.pyc
|   _size.cpython-310.pyc
|   _sizesrc.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
+---marker
|   _color.py
|   _opacity.py
|   _size.py
|   __init__.py

```

```
|
| \--- __pycache__
|         _color.cpython-310.pyc
|         _opacity.cpython-310.pyc
|         _size.cpython-310.pyc
|         __init__.cpython-310.pyc
+---+textfont
|         _color.py
|         __init__.py
|         \--- __pycache__
|                 _color.cpython-310.pyc
|                 __init__.cpython-310.pyc
\--- __pycache__
        _marker.cpython-310.pyc
        _textfont.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
        _cliponaxis.cpython-310.pyc
        _connectgaps.cpython-310.pyc
        _customdata.cpython-310.pyc
        _customdatasrc.cpython-310.pyc
        _fill.cpython-310.pyc
        _fillcolor.cpython-310.pyc
        _hoverinfo.cpython-310.pyc
        _hoverinfosrc.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        _hoveron.cpython-310.pyc
        _hovertemplate.cpython-310.pyc
        _hovertemplatesrc.cpython-310.pyc
        _hovertext.cpython-310.pyc
        _hovertextsrc.cpython-310.pyc
        _ids.cpython-310.pyc
        _idssrc.cpython-310.pyc
        _imag.cpython-310.pyc
        _imagsrc.cpython-310.pyc
        _legend.cpython-310.pyc
        _legendgroup.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _legendrank.cpython-310.pyc
        _legendwidth.cpython-310.pyc
        _line.cpython-310.pyc
        _marker.cpython-310.pyc
        _meta.cpython-310.pyc
        _metasrc.cpython-310.pyc
        _mode.cpython-310.pyc
        _name.cpython-310.pyc
        _opacity.cpython-310.pyc
        _real.cpython-310.pyc
        _realsrc.cpython-310.pyc
        _selected.cpython-310.pyc
        _selectedpoints.cpython-310.pyc
        _showlegend.cpython-310.pyc
        _stream.cpython-310.pyc
        _subplot.cpython-310.pyc
        _text.cpython-310.pyc
        _textfont.cpython-310.pyc
        _textposition.cpython-310.pyc
        _textpositionsrc.cpython-310.pyc
        _textsrc.cpython-310.pyc
        _texttemplate.cpython-310.pyc
        _texttemplatesrc.cpython-310.pyc
        _uid.cpython-310.pyc
        _uirevision.cpython-310.pyc
        _unselected.cpython-310.pyc
```

```
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

----scatterternary

```
_a.py
_asrc.py
_b.py
_bsrc.py
_c.py
_cliponaxis.py
_connectgaps.py
_csrc.py
_customdata.py
_customdatasrc.py
_fill.py
_fillcolor.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hoveron.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_marker.py
_meta.py
 metasrc.py
_mode.py
_name.py
_opacity.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_subplot.py
_sum.py
_text.py
_textfont.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
__init__.py
```

----hoverlabel

```
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
__init__.py
```

```

+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc

+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
|   +---font
|   |   _color.py
|   |   _family.py
|   |   _size.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       _color.cpython-310.pyc
|   |       _family.cpython-310.pyc
|   |       _size.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   \---__pycache__
|       _font.cpython-310.pyc
|       _text.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---line
|   _backoff.py
|   _backoffsrc.py
|   _color.py
|   _dash.py
|   _shape.py
|   _smoothing.py
|   _width.py
|   __init__.py
|
\---__pycache__
    _backoff.cpython-310.pyc
    _backoffsrc.cpython-310.pyc
    _color.cpython-310.pyc
    _dash.cpython-310.pyc

```

```
_shape.cpython-310.pyc
_smoothing.cpython-310.pyc
_width.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---marker
```

```
_angle.py
_angleref.py
_anglesrc.py
_autocolorscale.py
_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_color.py
_coloraxis.py
_colorbar.py
_colorscale.py
_colorsrc.py
_gradient.py
_line.py
_maxdisplayed.py
_opacity.py
_opacitysrc.py
_reversescale.py
_showscale.py
_size.py
_sizemin.py
_sizemode.py
_sizeref.py
_sizesrc.py
_standoff.py
_standoffsrc.py
_symbol.py
_symbolsrc.py
__init__.py
```

```
+---colorbar
```

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
```

```
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
```

+---tickfont

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

\---__pycache__

```
| _color.cpython-310.pyc
| _family.cpython-310.pyc
| _size.cpython-310.pyc
| __init__.cpython-310.pyc
```

+---tickformatstop

```
| _dtickrange.py
| _enabled.py
| _name.py
| _templateitemname.py
| _value.py
| __init__.py
```

\---__pycache__

```
| _dtickrange.cpython-310.pyc
| _enabled.cpython-310.pyc
| _name.cpython-310.pyc
| _templateitemname.cpython-310.pyc
| _value.cpython-310.pyc
| __init__.cpython-310.pyc
```

+---title

```
| _font.py
| _side.py
| _text.py
| __init__.py
```

+---font

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

\---__pycache__

```
| _color.cpython-310.pyc
| _family.cpython-310.pyc
| _size.cpython-310.pyc
| __init__.cpython-310.pyc
```

\---__pycache__


```

        _font.cpython-310.pyc
        _side.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _title.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xpad.cpython-310.pyc
    _xref.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc
    _ypad.cpython-310.pyc
    _yref.cpython-310.pyc
    __init__.cpython-310.pyc
+---gradient
    _color.py
    _colorsrc.py
    _type.py
    _typesrc.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _type.cpython-310.pyc

```

```

        _typesrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---line
|
|     _autocolorscale.py
|     _cauto.py
|     _cmax.py
|     _cmid.py
|     _cmin.py
|     _color.py
|     _coloraxis.py
|     _colorscale.py
|     _colormsg.py
|     _reversescale.py
|     _width.py
|     _widthsrc.py
|     __init__.py
|
\---__pycache__
|
|     _autocolorscale.cpython-310.pyc
|     _cauto.cpython-310.pyc
|     _cmax.cpython-310.pyc
|     _cmid.cpython-310.pyc
|     _cmin.cpython-310.pyc
|     _color.cpython-310.pyc
|     _coloraxis.cpython-310.pyc
|     _colorscale.cpython-310.pyc
|     _colormsg.cpython-310.pyc
|     _reversescale.cpython-310.pyc
|     _width.cpython-310.pyc
|     _widthsrc.cpython-310.pyc
|     __init__.cpython-310.pyc
|
\---__pycache__
|
|     _angle.cpython-310.pyc
|     _angleref.cpython-310.pyc
|     _anglesrc.cpython-310.pyc
|     _autocolorscale.cpython-310.pyc
|     _cauto.cpython-310.pyc
|     _cmax.cpython-310.pyc
|     _cmid.cpython-310.pyc
|     _cmin.cpython-310.pyc
|     _color.cpython-310.pyc
|     _coloraxis.cpython-310.pyc
|     _colorbar.cpython-310.pyc
|     _colorscale.cpython-310.pyc
|     _colormsg.cpython-310.pyc
|     _gradient.cpython-310.pyc
|     _line.cpython-310.pyc
|     _maxdisplayed.cpython-310.pyc
|     _opacity.cpython-310.pyc
|     _opacitysrc.cpython-310.pyc
|     _reversescale.cpython-310.pyc
|     _showscale.cpython-310.pyc
|     _size.cpython-310.pyc
|     _sizemin.cpython-310.pyc
|     _sizemode.cpython-310.pyc
|     _sizeref.cpython-310.pyc
|     _sizesrc.cpython-310.pyc
|     _standoff.cpython-310.pyc
|     _standoffsrc.cpython-310.pyc
|     _symbol.cpython-310.pyc
|     _symbolsrc.cpython-310.pyc
|     __init__.cpython-310.pyc
+---selected
|
|     _marker.py
|     _textfont.py

```

```

    __init__.py
+---marker
|   _color.py
|   _opacity.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _opacity.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc

+---textfont
|   _color.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     __init__.cpython-310.pyc

\---__pycache__
     _marker.cpython-310.pyc
     _textfont.cpython-310.pyc
     __init__.cpython-310.pyc

+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
\---__pycache__
     _maxpoints.cpython-310.pyc
     _token.cpython-310.pyc
     __init__.cpython-310.pyc

+---textfont
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _colorsrc.cpython-310.pyc
     _family.cpython-310.pyc
     _familysrc.cpython-310.pyc
     _size.cpython-310.pyc
     _sizesrc.cpython-310.pyc
     __init__.cpython-310.pyc

+---unselected
|   _marker.py
|   _textfont.py
|   __init__.py
|
+---marker
|   _color.py
|   _opacity.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc

```

```

        _opacity.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
+---textfont
|   _color.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _marker.cpython-310.pyc
|       _textfont.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _a.cpython-310.pyc
|       _asrc.cpython-310.pyc
|       _b.cpython-310.pyc
|       _bsrc.cpython-310.pyc
|       _c.cpython-310.pyc
|       _cliponaxis.cpython-310.pyc
|       _connectgaps.cpython-310.pyc
|       _csrc.cpython-310.pyc
|       _customdata.cpython-310.pyc
|       _customdatasrc.cpython-310.pyc
|       _fill.cpython-310.pyc
|       _fillcolor.cpython-310.pyc
|       _hoverinfo.cpython-310.pyc
|       _hoverinfosrc.cpython-310.pyc
|       _hoverlabel.cpython-310.pyc
|       _hoveron.cpython-310.pyc
|       _hovertemplate.cpython-310.pyc
|       _hovertemplatesrc.cpython-310.pyc
|       _hovertext.cpython-310.pyc
|       _hovertextsrc.cpython-310.pyc
|       _ids.cpython-310.pyc
|       _idssrc.cpython-310.pyc
|       _legend.cpython-310.pyc
|       _legendgroup.cpython-310.pyc
|       _legendgrouptitle.cpython-310.pyc
|       _legendrank.cpython-310.pyc
|       _legendwidth.cpython-310.pyc
|       _line.cpython-310.pyc
|       _marker.cpython-310.pyc
|       _meta.cpython-310.pyc
|       _metasrc.cpython-310.pyc
|       _mode.cpython-310.pyc
|       _name.cpython-310.pyc
|       _opacity.cpython-310.pyc
|       _selected.cpython-310.pyc
|       _selectedpoints.cpython-310.pyc
|       _showlegend.cpython-310.pyc
|       _stream.cpython-310.pyc
|       _subplot.cpython-310.pyc
|       _sum.cpython-310.pyc
|       _text.cpython-310.pyc
|       _textfont.cpython-310.pyc
|       _textposition.cpython-310.pyc
|       _textpositionsrc.cpython-310.pyc
|       _textsrc.cpython-310.pyc
|       _texttemplate.cpython-310.pyc
|       _texttemplatesrc.cpython-310.pyc
|       _uid.cpython-310.pyc
|       _uirevision.cpython-310.pyc
|       _unselected.cpython-310.pyc

```

```
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---splom
```

```
_customdata.py
_customdatasrc.py
_diagonal.py
_dimensiondefaults.py
_dimensions.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_marker.py
_meta.py
 metasrc.py
_name.py
_opacity.py
_selected.py
_selectedpoints.py
_showlegend.py
_showlowerhalf.py
_showupperhalf.py
_stream.py
_text.py
_textsrc.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
_xaxes.py
_xhoverformat.py
_yaxes.py
_yhoverformat.py
__init__.py
```

```
+---diagonal
```

```
| _visible.py
| __init__.py
|
\---__pycache__
    _visible.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---dimension
```

```
| _axis.py
| _label.py
| _name.py
| _templateitemname.py
| _values.py
| _valuessrc.py
| _visible.py
| __init__.py
```

```
+---axis
```

```
| | _matches.py
| | _type.py
| | __init__.py
```

```

|
| \--- __pycache__
|     _matches.cpython-310.pyc
|     _type.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \--- __pycache__
|     _axis.cpython-310.pyc
|     _label.cpython-310.pyc
|     _name.cpython-310.pyc
|     _templateitemname.cpython-310.pyc
|     _values.cpython-310.pyc
|     _valuessrc.cpython-310.pyc
|     _visible.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+--- hoverlabel
|     _align.py
|     _alignsrc.py
|     _bgcolor.py
|     _bgcolorsrc.py
|     _bordercolor.py
|     _bordercolorsrc.py
|     _font.py
|     _namelength.py
|     _namelengthsrc.py
|     __init__.py
|
+--- font
|     _color.py
|     _colorsrc.py
|     _family.py
|     _familysrc.py
|     _size.py
|     _sizesrc.py
|     __init__.py
|
| \--- __pycache__
|     _color.cpython-310.pyc
|     _colorsrc.cpython-310.pyc
|     _family.cpython-310.pyc
|     _familysrc.cpython-310.pyc
|     _size.cpython-310.pyc
|     _sizesrc.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \--- __pycache__
|     _align.cpython-310.pyc
|     _alignsrc.cpython-310.pyc
|     _bgcolor.cpython-310.pyc
|     _bgcolorsrc.cpython-310.pyc
|     _bordercolor.cpython-310.pyc
|     _bordercolorsrc.cpython-310.pyc
|     _font.cpython-310.pyc
|     _namelength.cpython-310.pyc
|     _namelengthsrc.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+--- legendgrouptitle
|     _font.py
|     _text.py
|     __init__.py
|
+--- font
|     _color.py
|     _family.py
|     _size.py
|     __init__.py

```

```

|
| \---__pycache__
|         _color.cpython-310.pyc
|         _family.cpython-310.pyc
|         _size.cpython-310.pyc
|         __init__.cpython-310.pyc
|
| \---__pycache__
|         _font.cpython-310.pyc
|         _text.cpython-310.pyc
|         __init__.cpython-310.pyc

```

```

+---marker

```

```

|         _angle.py
|         _anglesrc.py
|         _autocolorscale.py
|         _cauto.py
|         _cmax.py
|         _cmid.py
|         _cmin.py
|         _color.py
|         _coloraxis.py
|         _colorbar.py
|         _colormap.py
|         _colormapsrc.py
|         _line.py
|         _opacity.py
|         _opacitysrc.py
|         _reversescale.py
|         _showscale.py
|         _size.py
|         _sizemin.py
|         _sizemode.py
|         _sizeref.py
|         _sizesrc.py
|         _symbol.py
|         _symbolsrc.py
|         __init__.py

```

```

+---colorbar

```

```

|         _bgcolor.py
|         _bordercolor.py
|         _borderwidth.py
|         _dtick.py
|         _exponentformat.py
|         _labelalias.py
|         _len.py
|         _lenmode.py
|         _minexponent.py
|         _nticks.py
|         _orientation.py
|         _outlinecolor.py
|         _outlinewidth.py
|         _separatethousands.py
|         _showexponent.py
|         _showticklabels.py
|         _showtickprefix.py
|         _showticksuffix.py
|         _thickness.py
|         _thicknessmode.py
|         _tick0.py
|         _tickangle.py
|         _tickcolor.py
|         _tickfont.py
|         _tickformat.py
|         _tickformatstopdefaults.py
|         _tickformatstops.py
|         _ticklabeloverflow.py

```

```
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
```

+---tickfont

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

\---__pycache__

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

+---tickformatstop

```
| _dtickrange.py
| _enabled.py
| _name.py
| _templateitemname.py
| _value.py
| __init__.py
```

\---__pycache__

```
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
```

+---title

```
| _font.py
| _side.py
| _text.py
| __init__.py
```

+---font

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

\---__pycache__

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```



```

|
\---__pycache__
    _font.cpython-310.pyc
    _side.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _outlinewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _title.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xpad.cpython-310.pyc
    _xref.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc
    _ypad.cpython-310.pyc
    _yref.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---line
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _color.py
    _coloraxis.py
    _colorscale.py

```

```

    _colorsrc.py
    _reversescale.py
    _width.py
    _widthsrc.py
    __init__.py
\---__pycache__
    _autocolorscale.cpython-310.pyc
    _cauto.cpython-310.pyc
    _cmax.cpython-310.pyc
    _cmid.cpython-310.pyc
    _cmin.cpython-310.pyc
    _color.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorscale.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _reversescale.cpython-310.pyc
    _width.cpython-310.pyc
    _widthsrc.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _angle.cpython-310.pyc
    _anglesrc.cpython-310.pyc
    _autocolorscale.cpython-310.pyc
    _cauto.cpython-310.pyc
    _cmax.cpython-310.pyc
    _cmid.cpython-310.pyc
    _cmin.cpython-310.pyc
    _color.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _colorscale.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _line.cpython-310.pyc
    _opacity.cpython-310.pyc
    _opacitysrc.cpython-310.pyc
    _reversescale.cpython-310.pyc
    _showscale.cpython-310.pyc
    _size.cpython-310.pyc
    _sizemin.cpython-310.pyc
    _sizemode.cpython-310.pyc
    _sizeref.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    _symbol.cpython-310.pyc
    _symbolsrc.cpython-310.pyc
    __init__.cpython-310.pyc
+---selected
    _marker.py
    __init__.py
+---marker
    _color.py
    _opacity.py
    _size.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _opacity.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _marker.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
|   \---__pycache__
|       _maxpoints.cpython-310.pyc
|       _token.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   __init__.py
|
|   +---marker
|       _color.py
|       _opacity.py
|       _size.py
|       __init__.py
|
|       \---__pycache__
|           _color.cpython-310.pyc
|           _opacity.cpython-310.pyc
|           _size.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|       _marker.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _diagonal.cpython-310.pyc
    _dimensiondefaults.cpython-310.pyc
    _dimensions.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgroup.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _marker.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _selected.cpython-310.pyc
    _selectedpoints.cpython-310.pyc
    _showlegend.cpython-310.pyc
    _showlowerhalf.cpython-310.pyc
    _showupperhalf.cpython-310.pyc
    _stream.cpython-310.pyc
    _text.cpython-310.pyc
    _textsrc.cpython-310.pyc
    _uid.cpython-310.pyc
    _uirevision.cpython-310.pyc
    _unselected.cpython-310.pyc
    _visible.cpython-310.pyc
    _xaxes.cpython-310.pyc

```

```
_xhoverformat.cpython-310.pyc
_yaxes.cpython-310.pyc
_yhoverformat.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---streamtube
```

```
_autocolorscale.py
_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_coloraxis.py
_colorbar.py
_colorscale.py
_customdata.py
_customdatasrc.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_ids.py
_idsrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_lighting.py
_lightposition.py
_maxdisplayed.py
_meta.py
 metasrc.py
_name.py
_opacity.py
_reversescale.py
_scene.py
_showlegend.py
_showscale.py
_sizeref.py
_starts.py
_stream.py
_text.py
_u.py
_uhoverformat.py
_uid.py
_uirevision.py
_usrc.py
_v.py
_vhoverformat.py
_visible.py
_vsrc.py
_w.py
_whooverformat.py
_wsrc.py
_x.py
_xhoverformat.py
_xsrc.py
_y.py
_yhoverformat.py
_ysrc.py
_z.py
_zhoverformat.py
_zsrc.py
__init__.py
```

```
+---colorbar
```

```

_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc
+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py

```

```

    _value.py
    __init__.py
\---__pycache__
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
+---title
    _font.py
    _side.py
    _text.py
    __init__.py
+---font
    _color.py
    _family.py
    _size.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _font.cpython-310.pyc
    _side.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc

```

```
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
```

+---hoverlabel

```
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelenhth.py
_namelenhthsrc.py
__init__.py
```

+---font

```
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
__init__.py
```

\---__pycache__

```
_color.cpython-310.pyc
_colorsrc.cpython-310.pyc
_family.cpython-310.pyc
_familysrc.cpython-310.pyc
_size.cpython-310.pyc
_sizesrc.cpython-310.pyc
__init__.cpython-310.pyc
```

\---__pycache__

```
_align.cpython-310.pyc
_alignsrc.cpython-310.pyc
_bgcolor.cpython-310.pyc
_bgcolorsrc.cpython-310.pyc
_bordercolor.cpython-310.pyc
_bordercolorsrc.cpython-310.pyc
_font.cpython-310.pyc
_namelenhth.cpython-310.pyc
_namelenhthsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

+---legendgrouptitle

```
_font.py
_text.py
__init__.py
```

+---font

```
| _color.py
```

```

    |     _family.py
    |     _size.py
    |     __init__.py
    |
    | \--- __pycache__
    |         _color.cpython-310.pyc
    |         _family.cpython-310.pyc
    |         _size.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
    | \--- __pycache__
    |         _font.cpython-310.pyc
    |         _text.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
+--- lighting
    |     _ambient.py
    |     _diffuse.py
    |     _facenormalsepsilon.py
    |     _fresnel.py
    |     _roughness.py
    |     _specular.py
    |     _vertexnormalsepsilon.py
    |     __init__.py
    |
    | \--- __pycache__
    |         _ambient.cpython-310.pyc
    |         _diffuse.cpython-310.pyc
    |         _facenormalsepsilon.cpython-310.pyc
    |         _fresnel.cpython-310.pyc
    |         _roughness.cpython-310.pyc
    |         _specular.cpython-310.pyc
    |         _vertexnormalsepsilon.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
+--- lightposition
    |     _x.py
    |     _y.py
    |     _z.py
    |     __init__.py
    |
    | \--- __pycache__
    |         _x.cpython-310.pyc
    |         _y.cpython-310.pyc
    |         _z.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
+--- starts
    |     _x.py
    |     _xsrc.py
    |     _y.py
    |     _ysrc.py
    |     _z.py
    |     _zsrc.py
    |     __init__.py
    |
    | \--- __pycache__
    |         _x.cpython-310.pyc
    |         _xsrc.cpython-310.pyc
    |         _y.cpython-310.pyc
    |         _ysrc.cpython-310.pyc
    |         _z.cpython-310.pyc
    |         _zsrc.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
+--- stream
    |     _maxpoints.py
    |     _token.py

```



```

|   __init__.py
|
|   \--- __pycache__
|           _maxpoints.cpython-310.pyc
|           _token.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \--- __pycache__
|           _autocolorscale.cpython-310.pyc
|           _cauto.cpython-310.pyc
|           _cmax.cpython-310.pyc
|           _cmid.cpython-310.pyc
|           _cmin.cpython-310.pyc
|           _coloraxis.cpython-310.pyc
|           _colorbar.cpython-310.pyc
|           _colorscale.cpython-310.pyc
|           _customdata.cpython-310.pyc
|           _customdatasrc.cpython-310.pyc
|           _hoverinfo.cpython-310.pyc
|           _hoverinfosrc.cpython-310.pyc
|           _hoverlabel.cpython-310.pyc
|           _hovertemplate.cpython-310.pyc
|           _hovertemplatesrc.cpython-310.pyc
|           _hovertext.cpython-310.pyc
|           _ids.cpython-310.pyc
|           _idssrc.cpython-310.pyc
|           _legend.cpython-310.pyc
|           _legendgroup.cpython-310.pyc
|           _legendgrouptitle.cpython-310.pyc
|           _legendrank.cpython-310.pyc
|           _legendwidth.cpython-310.pyc
|           _lighting.cpython-310.pyc
|           _lightposition.cpython-310.pyc
|           _maxdisplayed.cpython-310.pyc
|           _meta.cpython-310.pyc
|           _metasrc.cpython-310.pyc
|           _name.cpython-310.pyc
|           _opacity.cpython-310.pyc
|           _reversescale.cpython-310.pyc
|           _scene.cpython-310.pyc
|           _showlegend.cpython-310.pyc
|           _showscale.cpython-310.pyc
|           _sizeref.cpython-310.pyc
|           _starts.cpython-310.pyc
|           _stream.cpython-310.pyc
|           _text.cpython-310.pyc
|           _u.cpython-310.pyc
|           _uhoverformat.cpython-310.pyc
|           _uid.cpython-310.pyc
|           _uirevision.cpython-310.pyc
|           _usrc.cpython-310.pyc
|           _v.cpython-310.pyc
|           _vhoverformat.cpython-310.pyc
|           _visible.cpython-310.pyc
|           _vsrc.cpython-310.pyc
|           _w.cpython-310.pyc
|           _whooverformat.cpython-310.pyc
|           _wsrc.cpython-310.pyc
|           _x.cpython-310.pyc
|           _xhoverformat.cpython-310.pyc
|           _xsrc.cpython-310.pyc
|           _y.cpython-310.pyc
|           _yhoverformat.cpython-310.pyc
|           _ysrc.cpython-310.pyc
|           _z.cpython-310.pyc
|           _zhoverformat.cpython-310.pyc
|           _zsrc.cpython-310.pyc
|           __init__.cpython-310.pyc

```

```

+---sunburst
|   _branchvalues.py
|   _count.py
|   _customdata.py
|   _customdatasrc.py
|   _domain.py
|   _hoverinfo.py
|   _hoverinfosrc.py
|   _hoverlabel.py
|   _hovertemplate.py
|   _hovertemplatesrc.py
|   _hovertext.py
|   _hovertextsrc.py
|   _ids.py
|   _idssrc.py
|   _insidetextfont.py
|   _insidetextorientation.py
|   _labels.py
|   _labelssrc.py
|   _leaf.py
|   _legend.py
|   _legendgrouptitle.py
|   _legendrank.py
|   _legendwidth.py
|   _level.py
|   _marker.py
|   _maxdepth.py
|   _meta.py
|   _metasrc.py
|   _name.py
|   _opacity.py
|   _outsidetextfont.py
|   _parents.py
|   _parentssrc.py
|   _root.py
|   _rotation.py
|   _sort.py
|   _stream.py
|   _text.py
|   _textfont.py
|   _textinfo.py
|   _textsrc.py
|   _texttemplate.py
|   _texttemplatesrc.py
|   _uid.py
|   _uirevision.py
|   _values.py
|   _valuessrc.py
|   _visible.py
|   __init__.py
+---domain
|   |   _column.py
|   |   _row.py
|   |   _x.py
|   |   _y.py
|   |   __init__.py
|   |
|   \---__pycache__
|           _column.cpython-310.pyc
|           _row.cpython-310.pyc
|           _x.cpython-310.pyc
|           _y.cpython-310.pyc
|           __init__.cpython-310.pyc
+---hoverlabel
|   |   _align.py

```

```
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
__init__.py
```

```
+---font
```

```
|_color.py
|_colorsrc.py
|_family.py
|_familysrc.py
|_size.py
|_sizesrc.py
|__init__.py
```

```
\---__pycache__
```

```
  _color.cpython-310.pyc
  _colorsrc.cpython-310.pyc
  _family.cpython-310.pyc
  _familysrc.cpython-310.pyc
  _size.cpython-310.pyc
  _sizesrc.cpython-310.pyc
  __init__.cpython-310.pyc
```

```
\---__pycache__
```

```
  _align.cpython-310.pyc
  _alignsrc.cpython-310.pyc
  _bgcolor.cpython-310.pyc
  _bgcolorsrc.cpython-310.pyc
  _bordercolor.cpython-310.pyc
  _bordercolorsrc.cpython-310.pyc
  _font.cpython-310.pyc
  _namelength.cpython-310.pyc
  _namelengthsrc.cpython-310.pyc
  __init__.cpython-310.pyc
```

```
+---insidetextfont
```

```
|_color.py
|_colorsrc.py
|_family.py
|_familysrc.py
|_size.py
|_sizesrc.py
|__init__.py
```

```
\---__pycache__
```

```
  _color.cpython-310.pyc
  _colorsrc.cpython-310.pyc
  _family.cpython-310.pyc
  _familysrc.cpython-310.pyc
  _size.cpython-310.pyc
  _sizesrc.cpython-310.pyc
  __init__.cpython-310.pyc
```

```
+---leaf
```

```
|_opacity.py
|__init__.py
```

```
\---__pycache__
```

```
  _opacity.cpython-310.pyc
  __init__.cpython-310.pyc
```

```
+---legendgrouptitle
```

```
|_font.py
```

```

_text.py
__init__.py

+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       _font.cpython-310.pyc
|       _text.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---marker
|   _autocolorscale.py
|   _cauto.py
|   _cmax.py
|   _cmid.py
|   _cmin.py
|   _coloraxis.py
|   _colorbar.py
|   _colors.py
|   _colorscale.py
|   _colorssrc.py
|   _line.py
|   _pattern.py
|   _reversescale.py
|   _showscale.py
|   __init__.py
|
+---colorbar
|   _bgcolor.py
|   _bordercolor.py
|   _borderwidth.py
|   _dtick.py
|   _exponentformat.py
|   _labelalias.py
|   _len.py
|   _lenmode.py
|   _minexponent.py
|   _nticks.py
|   _orientation.py
|   _outlinecolor.py
|   _outlinewidth.py
|   _separatethousands.py
|   _showexponent.py
|   _showticklabels.py
|   _showtickprefix.py
|   _showticksuffix.py
|   _thickness.py
|   _thicknessmode.py
|   _tick0.py
|   _tickangle.py
|   _tickcolor.py
|   _tickfont.py
|   _tickformat.py
|   _tickformatstopdefaults.py
|   _tickformatstops.py
|   _ticklabeloverflow.py
|   _ticklabelposition.py
|   _ticklabelstep.py

```

```
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
```

+---tickfont

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

\---__pycache__

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

+---tickformatstop

```
| _dtickrange.py
| _enabled.py
| _name.py
| _templateitemname.py
| _value.py
| __init__.py
```

\---__pycache__

```
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
```

+---title

```
| _font.py
| _side.py
| _text.py
| __init__.py
```

+---font

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

\---__pycache__

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

\---__pycache__

```

        _font.cpython-310.pyc
        _side.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _title.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xpad.cpython-310.pyc
    _xref.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc
    _ypad.cpython-310.pyc
    _yref.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---line
|
|   _color.py
|   _colorsrc.py
|   _width.py
|   _widthsrc.py
|   __init__.py
|

```

```

\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _width.cpython-310.pyc

```

```

        _widthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---pattern
|
|   _bgcolor.py
|   _bgcolorsrc.py
|   _fgcolor.py
|   _fgcolorsrc.py
|   _fgopacity.py
|   _fillmode.py
|   _shape.py
|   _shapesc.py
|   _size.py
|   _sizensrc.py
|   _solidity.py
|   _soliditysrc.py
|   __init__.py
|
\---__pycache__
|
|   _bgcolor.cpython-310.pyc
|   _bgcolorsrc.cpython-310.pyc
|   _fgcolor.cpython-310.pyc
|   _fgcolorsrc.cpython-310.pyc
|   _fgopacity.cpython-310.pyc
|   _fillmode.cpython-310.pyc
|   _shape.cpython-310.pyc
|   _shapesc.cpython-310.pyc
|   _size.cpython-310.pyc
|   _sizensrc.cpython-310.pyc
|   _solidity.cpython-310.pyc
|   _soliditysrc.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|
|   _autocolorscale.cpython-310.pyc
|   _cauto.cpython-310.pyc
|   _cmax.cpython-310.pyc
|   _cmid.cpython-310.pyc
|   _cmin.cpython-310.pyc
|   _coloraxis.cpython-310.pyc
|   _colorbar.cpython-310.pyc
|   _colors.cpython-310.pyc
|   _colorscale.cpython-310.pyc
|   _colorssrc.cpython-310.pyc
|   _line.cpython-310.pyc
|   _pattern.cpython-310.pyc
|   _reversescale.cpython-310.pyc
|   _showscale.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---outsidetextfont
|
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizensrc.py
|   __init__.py
|
\---__pycache__
|
|   _color.cpython-310.pyc
|   _colorsrc.cpython-310.pyc
|   _family.cpython-310.pyc
|   _familysrc.cpython-310.pyc
|   _size.cpython-310.pyc
|   _sizensrc.cpython-310.pyc
|   __init__.cpython-310.pyc

```

```

+---root
|   _color.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
|   \---__pycache__
|       _maxpoints.cpython-310.pyc
|       _token.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---textfont
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|
\---__pycache__
    _branchvalues.cpython-310.pyc
    _count.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _domain.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _insidetextfont.cpython-310.pyc
    _insidetextorientation.cpython-310.pyc
    _labels.cpython-310.pyc
    _labelssrc.cpython-310.pyc
    _leaf.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _level.cpython-310.pyc
    _marker.cpython-310.pyc
    _maxdepth.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _outsidetextfont.cpython-310.pyc

```



```
_parents.cpython-310.pyc
_parentssrc.cpython-310.pyc
_root.cpython-310.pyc
_rotation.cpython-310.pyc
_sort.cpython-310.pyc
_stream.cpython-310.pyc
_text.cpython-310.pyc
_textfont.cpython-310.pyc
_textinfo.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_texttemplatesrc.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_values.cpython-310.pyc
_valuessrc.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

+---surface

```
_autocolorscale.py
_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_coloraxis.py
_colorbar.py
_colorscale.py
_connectgaps.py
_contours.py
_customdata.py
_customdatasrc.py
_hidesurface.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_lighting.py
_lightposition.py
_meta.py
 metasrc.py
_name.py
_opacity.py
_opacityscale.py
_reversescale.py
_scene.py
_showlegend.py
_showscale.py
_stream.py
_surfacecolor.py
_surfacecolorsrc.py
_text.py
_textsrc.py
_uid.py
_uirevision.py
_visible.py
_x.py
_xcalendar.py
```

```
_xhoverformat.py
_xsrc.py
_y.py
_ycalendar.py
_yhoverformat.py
_ysrc.py
_z.py
_zcalendar.py
_zhoverformat.py
_zsrc.py
__init__.py
```

+---colorbar

```
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_labelalias.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_orientation.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
```

+---tickfont

```
_color.py
_family.py
_size.py
```

```

    |     __init__.py
    |
    \--- __pycache__
        |     _color.cpython-310.pyc
        |     _family.cpython-310.pyc
        |     _size.cpython-310.pyc
        |     __init__.cpython-310.pyc
+--- tickformatstop
    |     _dtickrange.py
    |     _enabled.py
    |     _name.py
    |     _templateitemname.py
    |     _value.py
    |     __init__.py
    |
    \--- __pycache__
        |     _dtickrange.cpython-310.pyc
        |     _enabled.cpython-310.pyc
        |     _name.cpython-310.pyc
        |     _templateitemname.cpython-310.pyc
        |     _value.cpython-310.pyc
        |     __init__.cpython-310.pyc
+--- title
    |     _font.py
    |     _side.py
    |     _text.py
    |     __init__.py
    |
    +--- font
        |     _color.py
        |     _family.py
        |     _size.py
        |     __init__.py
        |
        \--- __pycache__
            |     _color.cpython-310.pyc
            |     _family.cpython-310.pyc
            |     _size.cpython-310.pyc
            |     __init__.cpython-310.pyc
        \--- __pycache__
            |     _font.cpython-310.pyc
            |     _side.cpython-310.pyc
            |     _text.cpython-310.pyc
            |     __init__.cpython-310.pyc
    \--- __pycache__
        |     _bgcolor.cpython-310.pyc
        |     _bordercolor.cpython-310.pyc
        |     _borderwidth.cpython-310.pyc
        |     _dtick.cpython-310.pyc
        |     _exponentformat.cpython-310.pyc
        |     _labelalias.cpython-310.pyc
        |     _len.cpython-310.pyc
        |     _lenmode.cpython-310.pyc
        |     _minexponent.cpython-310.pyc
        |     _nticks.cpython-310.pyc
        |     _orientation.cpython-310.pyc
        |     _outlinecolor.cpython-310.pyc
        |     _linewidth.cpython-310.pyc
        |     _separatethousands.cpython-310.pyc
        |     _showexponent.cpython-310.pyc
        |     _showticklabels.cpython-310.pyc
        |     _showtickprefix.cpython-310.pyc
        |     _showticksuffix.cpython-310.pyc
        |     _thickness.cpython-310.pyc

```

```
_thicknessmode.cpython-310.pyc
_tick0.cpython-310.pyc
_tickangle.cpython-310.pyc
_tickcolor.cpython-310.pyc
_tickfont.cpython-310.pyc
_tickformat.cpython-310.pyc
_tickformatstopdefaults.cpython-310.pyc
_tickformatstops.cpython-310.pyc
_ticklabeloverflow.cpython-310.pyc
_ticklabelposition.cpython-310.pyc
_ticklabelstep.cpython-310.pyc
_ticklen.cpython-310.pyc
_tickmode.cpython-310.pyc
_tickprefix.cpython-310.pyc
_ticks.cpython-310.pyc
_ticksuffix.cpython-310.pyc
_ticktext.cpython-310.pyc
_ticktextsrc.cpython-310.pyc
_tickvals.cpython-310.pyc
_tickvalssrc.cpython-310.pyc
_tickwidth.cpython-310.pyc
_title.cpython-310.pyc
_x.cpython-310.pyc
_xanchor.cpython-310.pyc
_xpad.cpython-310.pyc
_xref.cpython-310.pyc
_y.cpython-310.pyc
_yanchor.cpython-310.pyc
_ypad.cpython-310.pyc
_yref.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---contours
```

```
| _x.py
| _y.py
| _z.py
| __init__.py
```

```
+---x
```

```
| _color.py
| _end.py
| _highlight.py
| _highlightcolor.py
| _highlightwidth.py
| _project.py
| _show.py
| _size.py
| _start.py
| _usecolormap.py
| _width.py
| __init__.py
```

```
+---project
```

```
| _x.py
| _y.py
| _z.py
| __init__.py
```

```
\---__pycache__
```

```
    _x.cpython-310.pyc
    _y.cpython-310.pyc
    _z.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
\---__pycache__
```

```
    _color.cpython-310.pyc
    _end.cpython-310.pyc
    _highlight.cpython-310.pyc
```

```
_highlightcolor.cpython-310.pyc
_highlightwidth.cpython-310.pyc
_project.cpython-310.pyc
_show.cpython-310.pyc
_size.cpython-310.pyc
_start.cpython-310.pyc
_usecolormap.cpython-310.pyc
_width.cpython-310.pyc
__init__.cpython-310.pyc
```

+---y

```
_color.py
_end.py
_highlight.py
_highlightcolor.py
_highlightwidth.py
_project.py
_show.py
_size.py
_start.py
_usecolormap.py
_width.py
__init__.py
```

+---project

```
_x.py
_y.py
_z.py
__init__.py
```

\---__pycache__

```
_x.cpython-310.pyc
_y.cpython-310.pyc
_z.cpython-310.pyc
__init__.cpython-310.pyc
```

\---__pycache__

```
_color.cpython-310.pyc
_end.cpython-310.pyc
_highlight.cpython-310.pyc
_highlightcolor.cpython-310.pyc
_highlightwidth.cpython-310.pyc
_project.cpython-310.pyc
_show.cpython-310.pyc
_size.cpython-310.pyc
_start.cpython-310.pyc
_usecolormap.cpython-310.pyc
_width.cpython-310.pyc
__init__.cpython-310.pyc
```

+---z

```
_color.py
_end.py
_highlight.py
_highlightcolor.py
_highlightwidth.py
_project.py
_show.py
_size.py
_start.py
_usecolormap.py
_width.py
__init__.py
```

+---project

```
_x.py
_y.py
_z.py
```

```

|   __init__.py
|
|   \--- __pycache__
|           _x.cpython-310.pyc
|           _y.cpython-310.pyc
|           _z.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \--- __pycache__
|           _color.cpython-310.pyc
|           _end.cpython-310.pyc
|           _highlight.cpython-310.pyc
|           _highlightcolor.cpython-310.pyc
|           _highlightwidth.cpython-310.pyc
|           _project.cpython-310.pyc
|           _show.cpython-310.pyc
|           _size.cpython-310.pyc
|           _start.cpython-310.pyc
|           _usecolormap.cpython-310.pyc
|           _width.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \--- __pycache__
|           _x.cpython-310.pyc
|           _y.cpython-310.pyc
|           _z.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+--- hoverlabel
|   _align.py
|   _alignsrc.py
|   _bgcolor.py
|   _bgcolorsrc.py
|   _bordercolor.py
|   _bordercolorsrc.py
|   _font.py
|   _namelength.py
|   _namelengthsrc.py
|   __init__.py
|
+--- font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \--- __pycache__
|           _color.cpython-310.pyc
|           _colorsrc.cpython-310.pyc
|           _family.cpython-310.pyc
|           _familysrc.cpython-310.pyc
|           _size.cpython-310.pyc
|           _sizesrc.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \--- __pycache__
|           _align.cpython-310.pyc
|           _alignsrc.cpython-310.pyc
|           _bgcolor.cpython-310.pyc
|           _bgcolorsrc.cpython-310.pyc
|           _bordercolor.cpython-310.pyc
|           _bordercolorsrc.cpython-310.pyc
|           _font.cpython-310.pyc
|           _namelength.cpython-310.pyc
|           _namelengthsrc.cpython-310.pyc

```

```

__init__.cpython-310.pyc
+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
|   +---font
|   |   _color.py
|   |   _family.py
|   |   _size.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       _color.cpython-310.pyc
|   |       _family.cpython-310.pyc
|   |       _size.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   |   \---__pycache__
|   |       _font.cpython-310.pyc
|   |       _text.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   +---lighting
|   |   _ambient.py
|   |   _diffuse.py
|   |   _fresnel.py
|   |   _roughness.py
|   |   _specular.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       _ambient.cpython-310.pyc
|   |       _diffuse.cpython-310.pyc
|   |       _fresnel.cpython-310.pyc
|   |       _roughness.cpython-310.pyc
|   |       _specular.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   +---lightposition
|   |   _x.py
|   |   _y.py
|   |   _z.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       _x.cpython-310.pyc
|   |       _y.cpython-310.pyc
|   |       _z.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   +---stream
|   |   _maxpoints.py
|   |   _token.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       _maxpoints.cpython-310.pyc
|   |       _token.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   \---__pycache__
|       _autocolorscale.cpython-310.pyc
|       _cauto.cpython-310.pyc
|       _cmax.cpython-310.pyc
|       _cmid.cpython-310.pyc
|       _cmin.cpython-310.pyc

```

```

_coloraxis.cpython-310.pyc
_colorbar.cpython-310.pyc
_colorscale.cpython-310.pyc
_connectgaps.cpython-310.pyc
_contours.cpython-310.pyc
_customdata.cpython-310.pyc
_customdatasrc.cpython-310.pyc
_hidesurface.cpython-310.pyc
_hoverinfo.cpython-310.pyc
_hoverinfosrc.cpython-310.pyc
_hoverlabel.cpython-310.pyc
_hovertemplate.cpython-310.pyc
_hovertemplatesrc.cpython-310.pyc
_hovertext.cpython-310.pyc
_hovertextsrc.cpython-310.pyc
_ids.cpython-310.pyc
_idsrc.cpython-310.pyc
_legend.cpython-310.pyc
_legendgroup.cpython-310.pyc
_legendgrouptitle.cpython-310.pyc
_legendrank.cpython-310.pyc
_legendwidth.cpython-310.pyc
_lighting.cpython-310.pyc
_lightposition.cpython-310.pyc
_meta.cpython-310.pyc
_metasrc.cpython-310.pyc
_name.cpython-310.pyc
_opacity.cpython-310.pyc
_opacityscale.cpython-310.pyc
_reversescale.cpython-310.pyc
_scene.cpython-310.pyc
_showlegend.cpython-310.pyc
_showscale.cpython-310.pyc
_stream.cpython-310.pyc
_surfacecolor.cpython-310.pyc
_surfacecolorsrc.cpython-310.pyc
_text.cpython-310.pyc
_textsrc.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_visible.cpython-310.pyc
_x.cpython-310.pyc
_xcalendar.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xsrc.cpython-310.pyc
_y.cpython-310.pyc
_ycalendar.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_ysrc.cpython-310.pyc
_z.cpython-310.pyc
_zcalendar.cpython-310.pyc
_zhoverformat.cpython-310.pyc
_zsrc.cpython-310.pyc
__init__.cpython-310.pyc

```

----table

```

_cells.py
_columnorder.py
_columnordersrc.py
_columnwidth.py
_columnwidthsrc.py
_customdata.py
_customdatasrc.py
_domain.py
_header.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py

```



```
_ids.py
_idssrc.py
_legend.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_meta.py
 metasrc.py
_name.py
_stream.py
_uid.py
_uirevision.py
_visible.py
__init__.py
```

+---cells

```
  _align.py
  _alignsrc.py
  _fill.py
  _font.py
  _format.py
  _formatsrc.py
  _height.py
  _line.py
  _prefix.py
  _prefixsrc.py
  _suffix.py
  _suffixsrc.py
  _values.py
  _valuessrc.py
  __init__.py
```

+---fill

```
  _color.py
  _colorsrc.py
  __init__.py

  \---__pycache__
        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        __init__.cpython-310.pyc
```

+---font

```
  _color.py
  _colorsrc.py
  _family.py
  _familysrc.py
  _size.py
  _sizesrc.py
  __init__.py

  \---__pycache__
        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _family.cpython-310.pyc
        _familysrc.cpython-310.pyc
        _size.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc
```

+---line

```
  _color.py
  _colorsrc.py
  _width.py
  _widthsrc.py
  __init__.py
```

```
  \---__pycache__
```

```

        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _width.cpython-310.pyc
        _widthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _align.cpython-310.pyc
        _alignsrc.cpython-310.pyc
        _fill.cpython-310.pyc
        _font.cpython-310.pyc
        _format.cpython-310.pyc
        _formatsrc.cpython-310.pyc
        _height.cpython-310.pyc
        _line.cpython-310.pyc
        _prefix.cpython-310.pyc
        _prefixsrc.cpython-310.pyc
        _suffix.cpython-310.pyc
        _suffixsrc.cpython-310.pyc
        _values.cpython-310.pyc
        _valuessrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---domain
    |
    | _column.py
    | _row.py
    | _x.py
    | _y.py
    | __init__.py
    |
    \---__pycache__
        _column.cpython-310.pyc
        _row.cpython-310.pyc
        _x.cpython-310.pyc
        _y.cpython-310.pyc
        __init__.cpython-310.pyc
+---header
    |
    | _align.py
    | _alignsrc.py
    | _fill.py
    | _font.py
    | _format.py
    | _formatsrc.py
    | _height.py
    | _line.py
    | _prefix.py
    | _prefixsrc.py
    | _suffix.py
    | _suffixsrc.py
    | _values.py
    | _valuessrc.py
    | __init__.py
    |
    +---fill
    |
    |     _color.py
    |     _colorsrc.py
    |     __init__.py
    |
    |     \---__pycache__
    |         _color.cpython-310.pyc
    |         _colorsrc.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
    +---font
    |
    |     _color.py
    |     _colorsrc.py
    |     _family.py

```

```

    _familysrc.py
    _size.py
    _sizesrc.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc

+---line
    _color.py
    _colorsrc.py
    _width.py
    _widthsrc.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _width.cpython-310.pyc
    _widthsrc.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _fill.cpython-310.pyc
    _font.cpython-310.pyc
    _format.cpython-310.pyc
    _formatsrc.cpython-310.pyc
    _height.cpython-310.pyc
    _line.cpython-310.pyc
    _prefix.cpython-310.pyc
    _prefixsrc.cpython-310.pyc
    _suffix.cpython-310.pyc
    _suffixsrc.cpython-310.pyc
    _values.cpython-310.pyc
    _valuessrc.cpython-310.pyc
    __init__.cpython-310.pyc

+---hoverlabel
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    __init__.py

+---font
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    __init__.py
\---__pycache__
    _color.cpython-310.pyc

```

```

        _colorsrc.cpython-310.pyc
        _family.cpython-310.pyc
        _familysrc.cpython-310.pyc
        _size.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _align.cpython-310.pyc
        _alignsrc.cpython-310.pyc
        _bgcolor.cpython-310.pyc
        _bgcolorsrc.cpython-310.pyc
        _bordercolor.cpython-310.pyc
        _bordercolorsrc.cpython-310.pyc
        _font.cpython-310.pyc
        _namelength.cpython-310.pyc
        _namelengthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
+---legendgrouptitle
    _font.py
    _text.py
    __init__.py
    +---font
        _color.py
        _family.py
        _size.py
        __init__.py
        \---__pycache__
            _color.cpython-310.pyc
            _family.cpython-310.pyc
            _size.cpython-310.pyc
            __init__.cpython-310.pyc
    \---__pycache__
        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
+---stream
    _maxpoints.py
    _token.py
    __init__.py
    \---__pycache__
        _maxpoints.cpython-310.pyc
        _token.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _cells.cpython-310.pyc
    _columnorder.cpython-310.pyc
    _columnordersrc.cpython-310.pyc
    _columnwidth.cpython-310.pyc
    _columnwidthsrc.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _domain.cpython-310.pyc
    _header.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc

```

```
_legendrank.cpython-310.pyc
_legendwidth.cpython-310.pyc
_meta.cpython-310.pyc
_metasrc.cpython-310.pyc
_name.cpython-310.pyc
_stream.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---treemap
```

```
_branchvalues.py
_count.py
_customdata.py
_customdatasrc.py
_domain.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_insidetextfont.py
_labels.py
_labelssrc.py
_legend.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_level.py
_marker.py
_maxdepth.py
_meta.py
_metasrc.py
_name.py
_opacity.py
_outsidetextfont.py
_parents.py
_parentssrc.py
_pathbar.py
_root.py
_sort.py
_stream.py
_text.py
_textfont.py
_textinfo.py
_textposition.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_tiling.py
_uid.py
_uirevision.py
_values.py
_valuessrc.py
_visible.py
__init__.py
```

```
+---domain
```

```
_column.py
_row.py
_x.py
_y.py
__init__.py
```

```

|
| \---__pycache__
|     _column.cpython-310.pyc
|     _row.cpython-310.pyc
|     _x.cpython-310.pyc
|     _y.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---hoverlabel
|     _align.py
|     _alignsrc.py
|     _bgcolor.py
|     _bgcolorsrc.py
|     _bordercolor.py
|     _bordercolorsrc.py
|     _font.py
|     _namelength.py
|     _namelengthsrc.py
|     __init__.py
|
+---font
|     _color.py
|     _colorsrc.py
|     _family.py
|     _familysrc.py
|     _size.py
|     _sizesrc.py
|     __init__.py
|
| \---__pycache__
|     _color.cpython-310.pyc
|     _colorsrc.cpython-310.pyc
|     _family.cpython-310.pyc
|     _familysrc.cpython-310.pyc
|     _size.cpython-310.pyc
|     _sizesrc.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _align.cpython-310.pyc
|     _alignsrc.cpython-310.pyc
|     _bgcolor.cpython-310.pyc
|     _bgcolorsrc.cpython-310.pyc
|     _bordercolor.cpython-310.pyc
|     _bordercolorsrc.cpython-310.pyc
|     _font.cpython-310.pyc
|     _namelength.cpython-310.pyc
|     _namelengthsrc.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---insidetextfont
|     _color.py
|     _colorsrc.py
|     _family.py
|     _familysrc.py
|     _size.py
|     _sizesrc.py
|     __init__.py
|
| \---__pycache__
|     _color.cpython-310.pyc
|     _colorsrc.cpython-310.pyc
|     _family.cpython-310.pyc
|     _familysrc.cpython-310.pyc
|     _size.cpython-310.pyc
|     _sizesrc.cpython-310.pyc
|     __init__.cpython-310.pyc

```

```

+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
|   _color.cpython-310.pyc
|   _family.cpython-310.pyc
|   _size.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   _font.cpython-310.pyc
|   _text.cpython-310.pyc
|   __init__.cpython-310.pyc
|
+---marker
|   _autocolorscale.py
|   _cauto.py
|   _cmax.py
|   _cmid.py
|   _cmin.py
|   _coloraxis.py
|   _colorbar.py
|   _colors.py
|   _colorscale.py
|   _colorssrc.py
|   _cornerradius.py
|   _depthfade.py
|   _line.py
|   _pad.py
|   _pattern.py
|   _reversescale.py
|   _showscale.py
|   __init__.py
|
+---colorbar
|   _bgcolor.py
|   _bordercolor.py
|   _borderwidth.py
|   _dtick.py
|   _exponentformat.py
|   _labelalias.py
|   _len.py
|   _lenmode.py
|   _minexponent.py
|   _nticks.py
|   _orientation.py
|   _outlinecolor.py
|   _linewidth.py
|   _separatethousands.py
|   _showexponent.py
|   _showticklabels.py
|   _showtickprefix.py
|   _showticksuffix.py
|   _thickness.py
|   _thicknessmode.py
|   _tick0.py
|   _tickangle.py
|   _tickcolor.py
|   _tickfont.py
|   _tickformat.py

```

```

_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py

+---tickfont
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc
     _family.cpython-310.pyc
     _size.cpython-310.pyc
     __init__.cpython-310.pyc

+---tickformatstop
|   _dtickrange.py
|   _enabled.py
|   _name.py
|   _templateitemname.py
|   _value.py
|   __init__.py
|
\---__pycache__
     _dtickrange.cpython-310.pyc
     _enabled.cpython-310.pyc
     _name.cpython-310.pyc
     _templateitemname.cpython-310.pyc
     _value.cpython-310.pyc
     __init__.cpython-310.pyc

+---title
|   _font.py
|   _side.py
|   _text.py
|   __init__.py
|
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|
\---__pycache__
     _color.cpython-310.pyc

```



```

        _family.cpython-310.pyc
        _size.cpython-310.pyc
        __init__.cpython-310.pyc
    \--- __pycache__
        _font.cpython-310.pyc
        _side.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
\--- __pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _title.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xpad.cpython-310.pyc
    _xref.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc
    _ypad.cpython-310.pyc
    _yref.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+--- line
    _color.py
    _colorsrc.py
    _width.py
    _widthsrc.py
    __init__.py

```

```

|
\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _width.cpython-310.pyc
    _widthsrc.cpython-310.pyc
    __init__.cpython-310.pyc

+---pad
    _b.py
    _l.py
    _r.py
    _t.py
    __init__.py

\---__pycache__
    _b.cpython-310.pyc
    _l.cpython-310.pyc
    _r.cpython-310.pyc
    _t.cpython-310.pyc
    __init__.cpython-310.pyc

+---pattern
    _bgcolor.py
    _bgcolorsrc.py
    _fgcolor.py
    _fgcolorsrc.py
    _fgopacity.py
    _fillmode.py
    _shape.py
    _shapsrc.py
    _size.py
    _sizersrc.py
    _solidity.py
    _soliditysrc.py
    __init__.py

\---__pycache__
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _fgcolor.cpython-310.pyc
    _fgcolorsrc.cpython-310.pyc
    _fgopacity.cpython-310.pyc
    _fillmode.cpython-310.pyc
    _shape.cpython-310.pyc
    _shapsrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizersrc.cpython-310.pyc
    _solidity.cpython-310.pyc
    _soliditysrc.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    _autocolorscale.cpython-310.pyc
    _cauto.cpython-310.pyc
    _cmax.cpython-310.pyc
    _cmid.cpython-310.pyc
    _cmin.cpython-310.pyc
    _coloraxis.cpython-310.pyc
    _colorbar.cpython-310.pyc
    _colors.cpython-310.pyc
    _colorscale.cpython-310.pyc
    _colorssrc.cpython-310.pyc
    _cornerradius.cpython-310.pyc
    _depthfade.cpython-310.pyc
    _line.cpython-310.pyc
    _pad.cpython-310.pyc
    _pattern.cpython-310.pyc

```

```

        _reversescale.cpython-310.pyc
        _showscale.cpython-310.pyc
        __init__.cpython-310.pyc
+---outsidetextfont
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
+---pathbar
|   _edgeshape.py
|   _side.py
|   _textfont.py
|   _thickness.py
|   _visible.py
|   __init__.py
|
|   +---textfont
|       |   _color.py
|       |   _colorsrc.py
|       |   _family.py
|       |   _familysrc.py
|       |   _size.py
|       |   _sizesrc.py
|       |   __init__.py
|       |
|       |   \---__pycache__
|       |       _color.cpython-310.pyc
|       |       _colorsrc.cpython-310.pyc
|       |       _family.cpython-310.pyc
|       |       _familysrc.cpython-310.pyc
|       |       _size.cpython-310.pyc
|       |       _sizesrc.cpython-310.pyc
|       |       __init__.cpython-310.pyc
|       |
|       |   \---__pycache__
|       |       _edgeshape.cpython-310.pyc
|       |       _side.cpython-310.pyc
|       |       _textfont.cpython-310.pyc
|       |       _thickness.cpython-310.pyc
|       |       _visible.cpython-310.pyc
|       |       __init__.cpython-310.pyc
|       |
|       |   +---root
|       |       |   _color.py
|       |       |   __init__.py
|       |       |
|       |       |   \---__pycache__
|       |       |       _color.cpython-310.pyc
|       |       |       __init__.cpython-310.pyc
|       |       |
|       |       +---stream
|       |           |   _maxpoints.py
|       |           |   _token.py
|       |           |   __init__.py

```

```

|
| \---__pycache__
|     _maxpoints.cpython-310.pyc
|     _token.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---textfont
|     _color.py
|     _colorsrc.py
|     _family.py
|     _familysrc.py
|     _size.py
|     _sizersrc.py
|     __init__.py
|
| \---__pycache__
|     _color.cpython-310.pyc
|     _colorsrc.cpython-310.pyc
|     _family.cpython-310.pyc
|     _familysrc.cpython-310.pyc
|     _size.cpython-310.pyc
|     _sizersrc.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---tiling
|     _flip.py
|     _packing.py
|     _pad.py
|     _squarifyratio.py
|     __init__.py
|
| \---__pycache__
|     _flip.cpython-310.pyc
|     _packing.cpython-310.pyc
|     _pad.cpython-310.pyc
|     _squarifyratio.cpython-310.pyc
|     __init__.cpython-310.pyc
|
\---__pycache__
    _branchvalues.cpython-310.pyc
    _count.cpython-310.pyc
    _customdata.cpython-310.pyc
    _customdatasrc.cpython-310.pyc
    _domain.cpython-310.pyc
    _hoverinfo.cpython-310.pyc
    _hoverinfosrc.cpython-310.pyc
    _hoverlabel.cpython-310.pyc
    _hovertemplate.cpython-310.pyc
    _hovertemplatesrc.cpython-310.pyc
    _hovertext.cpython-310.pyc
    _hovertextsrc.cpython-310.pyc
    _ids.cpython-310.pyc
    _idssrc.cpython-310.pyc
    _insidetextfont.cpython-310.pyc
    _labels.cpython-310.pyc
    _labelssrc.cpython-310.pyc
    _legend.cpython-310.pyc
    _legendgrouptitle.cpython-310.pyc
    _legendrank.cpython-310.pyc
    _legendwidth.cpython-310.pyc
    _level.cpython-310.pyc
    _marker.cpython-310.pyc
    _maxdepth.cpython-310.pyc
    _meta.cpython-310.pyc
    _metasrc.cpython-310.pyc
    _name.cpython-310.pyc
    _opacity.cpython-310.pyc
    _outsidetextfont.cpython-310.pyc

```

```
_parents.cpython-310.pyc
_parentssrc.cpython-310.pyc
_pathbar.cpython-310.pyc
_root.cpython-310.pyc
_sort.cpython-310.pyc
_stream.cpython-310.pyc
_text.cpython-310.pyc
_textfont.cpython-310.pyc
_textinfo.cpython-310.pyc
_textposition.cpython-310.pyc
_textsrc.cpython-310.pyc
_texttemplate.cpython-310.pyc
_texttemplatesrc.cpython-310.pyc
_tiling.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_values.cpython-310.pyc
_valuessrc.cpython-310.pyc
_visible.cpython-310.pyc
__init__.cpython-310.pyc
```

+---violin

```
_alignmentgroup.py
_bandwidth.py
_box.py
_customdata.py
_customdatasrc.py
_fillcolor.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hoveron.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_jitter.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_line.py
_marker.py
_meanline.py
_meta.py
 metasrc.py
_name.py
_offsetgroup.py
_opacity.py
_orientation.py
_pointpos.py
_points.py
_quartilemethod.py
_scalegroup.py
_scalemode.py
_selected.py
_selectedpoints.py
_showlegend.py
_side.py
_span.py
_spanmode.py
_stream.py
_text.py
_textsrc.py
_uid.py
```

```
_uirevision.py
_unselected.py
_visible.py
_width.py
_x.py
_x0.py
_xaxis.py
_xhoverformat.py
_xsrc.py
_y.py
_y0.py
_yaxis.py
_yhoverformat.py
_ysrc.py
__init__.py
```

+---box

```
| _fillcolor.py
| _line.py
| _visible.py
| _width.py
| __init__.py
```

+---line

```
| _color.py
| _width.py
| __init__.py
```

```
\---__pycache__
| _color.cpython-310.pyc
| _width.cpython-310.pyc
| __init__.cpython-310.pyc
```

\---__pycache__

```
| _fillcolor.cpython-310.pyc
| _line.cpython-310.pyc
| _visible.cpython-310.pyc
| _width.cpython-310.pyc
| __init__.cpython-310.pyc
```

+---hoverlabel

```
| _align.py
| _alignsrc.py
| _bgcolor.py
| _bgcolorsrc.py
| _bordercolor.py
| _bordercolorsrc.py
| _font.py
| _namelength.py
| _namelengthsrc.py
| __init__.py
```

+---font

```
| _color.py
| _colorsrc.py
| _family.py
| _familysrc.py
| _size.py
| _sizesrc.py
| __init__.py
```

```
\---__pycache__
| _color.cpython-310.pyc
| _colorsrc.cpython-310.pyc
| _family.cpython-310.pyc
| _familysrc.cpython-310.pyc
| _size.cpython-310.pyc
| _sizesrc.cpython-310.pyc
```

```

        __init__.cpython-310.pyc
    \--- __pycache__
        _align.cpython-310.pyc
        _alignsrc.cpython-310.pyc
        _bgcolor.cpython-310.pyc
        _bgcolorsrc.cpython-310.pyc
        _bordercolor.cpython-310.pyc
        _bordercolorsrc.cpython-310.pyc
        _font.cpython-310.pyc
        _namelength.cpython-310.pyc
        _namelengthsrc.cpython-310.pyc
        __init__.cpython-310.pyc
+--- legendgrouptitle
    _font.py
    _text.py
    __init__.py
    +--- font
        _color.py
        _family.py
        _size.py
        __init__.py
        \--- __pycache__
            _color.cpython-310.pyc
            _family.cpython-310.pyc
            _size.cpython-310.pyc
            __init__.cpython-310.pyc
    \--- __pycache__
        _font.cpython-310.pyc
        _text.cpython-310.pyc
        __init__.cpython-310.pyc
+--- line
    _color.py
    _width.py
    __init__.py
    \--- __pycache__
        _color.cpython-310.pyc
        _width.cpython-310.pyc
        __init__.cpython-310.pyc
+--- marker
    _angle.py
    _color.py
    _line.py
    _opacity.py
    _outliercolor.py
    _size.py
    _symbol.py
    __init__.py
    +--- line
        _color.py
        _outliercolor.py
        _outlierwidth.py
        _width.py
        __init__.py
        \--- __pycache__
            _color.cpython-310.pyc
            _outliercolor.cpython-310.pyc
            _outlierwidth.cpython-310.pyc
            _width.cpython-310.pyc

```

```

|         __init__.cpython-310.pyc
|
| \--- __pycache__
|         _angle.cpython-310.pyc
|         _color.cpython-310.pyc
|         _line.cpython-310.pyc
|         _opacity.cpython-310.pyc
|         _outliercolor.cpython-310.pyc
|         _size.cpython-310.pyc
|         _symbol.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+---meanline
|   _color.py
|   _visible.py
|   _width.py
|   __init__.py
|
| \--- __pycache__
|         _color.cpython-310.pyc
|         _visible.cpython-310.pyc
|         _width.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+---selected
|   _marker.py
|   __init__.py
|
|   +---marker
|       _color.py
|       _opacity.py
|       _size.py
|       __init__.py
|
|       \--- __pycache__
|           _color.cpython-310.pyc
|           _opacity.cpython-310.pyc
|           _size.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \--- __pycache__
|       _marker.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---stream
|   _maxpoints.py
|   _token.py
|   __init__.py
|
|   \--- __pycache__
|       _maxpoints.cpython-310.pyc
|       _token.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---unselected
|   _marker.py
|   __init__.py
|
|   +---marker
|       _color.py
|       _opacity.py
|       _size.py
|       __init__.py
|
|       \--- __pycache__
|           _color.cpython-310.pyc
|           _opacity.cpython-310.pyc
|           _size.cpython-310.pyc

```



```

        |         __init__.cpython-310.pyc
        |         \--- __pycache__
        |             _marker.cpython-310.pyc
        |             __init__.cpython-310.pyc
    \--- __pycache__
        _alignmentgroup.cpython-310.pyc
        _bandwidth.cpython-310.pyc
        _box.cpython-310.pyc
        _customdata.cpython-310.pyc
        _customdatasrc.cpython-310.pyc
        _fillcolor.cpython-310.pyc
        _hoverinfo.cpython-310.pyc
        _hoverinfosrc.cpython-310.pyc
        _hoverlabel.cpython-310.pyc
        _hoveron.cpython-310.pyc
        _hovertemplate.cpython-310.pyc
        _hovertemplatesrc.cpython-310.pyc
        _hovertext.cpython-310.pyc
        _hovertextsrc.cpython-310.pyc
        _ids.cpython-310.pyc
        _idssrc.cpython-310.pyc
        _jitter.cpython-310.pyc
        _legend.cpython-310.pyc
        _legendgroup.cpython-310.pyc
        _legendgrouptitle.cpython-310.pyc
        _legendrank.cpython-310.pyc
        _legendwidth.cpython-310.pyc
        _line.cpython-310.pyc
        _marker.cpython-310.pyc
        _meanline.cpython-310.pyc
        _meta.cpython-310.pyc
        _metasrc.cpython-310.pyc
        _name.cpython-310.pyc
        _offsetgroup.cpython-310.pyc
        _opacity.cpython-310.pyc
        _orientation.cpython-310.pyc
        _pointpos.cpython-310.pyc
        _points.cpython-310.pyc
        _quartilemethod.cpython-310.pyc
        _scalegroup.cpython-310.pyc
        _scalemode.cpython-310.pyc
        _selected.cpython-310.pyc
        _selectedpoints.cpython-310.pyc
        _showlegend.cpython-310.pyc
        _side.cpython-310.pyc
        _span.cpython-310.pyc
        _spanmode.cpython-310.pyc
        _stream.cpython-310.pyc
        _text.cpython-310.pyc
        _textsrc.cpython-310.pyc
        _uid.cpython-310.pyc
        _uirevision.cpython-310.pyc
        _unselected.cpython-310.pyc
        _visible.cpython-310.pyc
        _width.cpython-310.pyc
        _x.cpython-310.pyc
        _x0.cpython-310.pyc
        _xaxis.cpython-310.pyc
        _xhoverformat.cpython-310.pyc
        _xsrc.cpython-310.pyc
        _y.cpython-310.pyc
        _y0.cpython-310.pyc
        _yaxis.cpython-310.pyc
        _yhoverformat.cpython-310.pyc
        _ysrc.cpython-310.pyc
        __init__.cpython-310.pyc

```

```
+---volume
|
| _autocolorscale.py
| _caps.py
| _cauto.py
| _cmax.py
| _cmid.py
| _cmin.py
| _coloraxis.py
| _colorbar.py
| _colormap.py
| _contour.py
| _customdata.py
| _customdatasrc.py
| _flatshading.py
| _hoverinfo.py
| _hoverinfosrc.py
| _hoverlabel.py
| _hovertemplate.py
| _hovertemplatesrc.py
| _hovertext.py
| _hovertextsrc.py
| _ids.py
| _idsrc.py
| _isomax.py
| _isomin.py
| _legend.py
| _legendgroup.py
| _legendgrouptitle.py
| _legendrank.py
| _legendwidth.py
| _lighting.py
| _lightposition.py
| _meta.py
| _metasrc.py
| _name.py
| _opacity.py
| _opacityscale.py
| _reversescale.py
| _scene.py
| _showlegend.py
| _showscale.py
| _slices.py
| _spaceframe.py
| _stream.py
| _surface.py
| _text.py
| _textsrc.py
| _uid.py
| _uirevision.py
| _value.py
| _valuehoverformat.py
| _valuesrc.py
| _visible.py
| _x.py
| _xhoverformat.py
| _xsrc.py
| _y.py
| _yhoverformat.py
| _ysrc.py
| _z.py
| _zhoverformat.py
| _zsrc.py
| __init__.py
```

```
+---caps
|
| _x.py
| _y.py
```

```

_z.py
__init__.py

+---x
|
|   _fill.py
|   _show.py
|   __init__.py
|
|   \--- __pycache__
|           _fill.cpython-310.pyc
|           _show.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---y
|
|   _fill.py
|   _show.py
|   __init__.py
|
|   \--- __pycache__
|           _fill.cpython-310.pyc
|           _show.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---z
|
|   _fill.py
|   _show.py
|   __init__.py
|
|   \--- __pycache__
|           _fill.cpython-310.pyc
|           _show.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\--- __pycache__
        _x.cpython-310.pyc
        _y.cpython-310.pyc
        _z.cpython-310.pyc
        __init__.cpython-310.pyc

+---colorbar
|
|   _bgcolor.py
|   _bordercolor.py
|   _borderwidth.py
|   _dtick.py
|   _exponentformat.py
|   _labelalias.py
|   _len.py
|   _lenmode.py
|   _minexponent.py
|   _nticks.py
|   _orientation.py
|   _outlinecolor.py
|   _linewidth.py
|   _separatethousands.py
|   _showexponent.py
|   _showticklabels.py
|   _showtickprefix.py
|   _showticksuffix.py
|   _thickness.py
|   _thicknessmode.py
|   _tick0.py
|   _tickangle.py
|   _tickcolor.py
|   _tickfont.py
|   _tickformat.py
|   _tickformatstopdefaults.py
|   _tickformatstops.py
|   _ticklabeloverflow.py

```

```
_ticklabelposition.py
_ticklabelstep.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_xref.py
_y.py
_yanchor.py
_ypad.py
_yref.py
__init__.py
```

+++tickfont

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

\---__pycache__

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

+++tickformatstop

```
| _dtickrange.py
| _enabled.py
| _name.py
| _templateitemname.py
| _value.py
| __init__.py
```

\---__pycache__

```
    _dtickrange.cpython-310.pyc
    _enabled.cpython-310.pyc
    _name.cpython-310.pyc
    _templateitemname.cpython-310.pyc
    _value.cpython-310.pyc
    __init__.cpython-310.pyc
```

+++title

```
| _font.py
| _side.py
| _text.py
| __init__.py
```

+++font

```
| _color.py
| _family.py
| _size.py
| __init__.py
```

\---__pycache__

```
    _color.cpython-310.pyc
    _family.cpython-310.pyc
    _size.cpython-310.pyc
    __init__.cpython-310.pyc
```

```

|
\---__pycache__
    _font.cpython-310.pyc
    _side.cpython-310.pyc
    _text.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    _bgcolor.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _borderwidth.cpython-310.pyc
    _dtick.cpython-310.pyc
    _exponentformat.cpython-310.pyc
    _labelalias.cpython-310.pyc
    _len.cpython-310.pyc
    _lenmode.cpython-310.pyc
    _minexponent.cpython-310.pyc
    _nticks.cpython-310.pyc
    _orientation.cpython-310.pyc
    _outlinecolor.cpython-310.pyc
    _linewidth.cpython-310.pyc
    _separatethousands.cpython-310.pyc
    _showexponent.cpython-310.pyc
    _showticklabels.cpython-310.pyc
    _showtickprefix.cpython-310.pyc
    _showticksuffix.cpython-310.pyc
    _thickness.cpython-310.pyc
    _thicknessmode.cpython-310.pyc
    _tick0.cpython-310.pyc
    _tickangle.cpython-310.pyc
    _tickcolor.cpython-310.pyc
    _tickfont.cpython-310.pyc
    _tickformat.cpython-310.pyc
    _tickformatstopdefaults.cpython-310.pyc
    _tickformatstops.cpython-310.pyc
    _ticklabeloverflow.cpython-310.pyc
    _ticklabelposition.cpython-310.pyc
    _ticklabelstep.cpython-310.pyc
    _ticklen.cpython-310.pyc
    _tickmode.cpython-310.pyc
    _tickprefix.cpython-310.pyc
    _ticks.cpython-310.pyc
    _ticksuffix.cpython-310.pyc
    _ticktext.cpython-310.pyc
    _ticktextsrc.cpython-310.pyc
    _tickvals.cpython-310.pyc
    _tickvalssrc.cpython-310.pyc
    _tickwidth.cpython-310.pyc
    _title.cpython-310.pyc
    _x.cpython-310.pyc
    _xanchor.cpython-310.pyc
    _xpad.cpython-310.pyc
    _xref.cpython-310.pyc
    _y.cpython-310.pyc
    _yanchor.cpython-310.pyc
    _ypad.cpython-310.pyc
    _yref.cpython-310.pyc
    __init__.cpython-310.pyc
+---contour
|
|   _color.py
|   _show.py
|   _width.py
|   __init__.py
\---__pycache__
    _color.cpython-310.pyc
    _show.cpython-310.pyc

```

```

        _width.cpython-310.pyc
        __init__.cpython-310.pyc
+---hoverlabel
|   _align.py
|   _alignsrc.py
|   _bgcolor.py
|   _bgcolorsrc.py
|   _bordercolor.py
|   _bordercolorsrc.py
|   _font.py
|   _namelength.py
|   _namelengthsrc.py
|   __init__.py
+---font
|   _color.py
|   _colorsrc.py
|   _family.py
|   _familysrc.py
|   _size.py
|   _sizesrc.py
|   __init__.py
|   \---__pycache__
|       _color.cpython-310.pyc
|       _colorsrc.cpython-310.pyc
|       _family.cpython-310.pyc
|       _familysrc.cpython-310.pyc
|       _size.cpython-310.pyc
|       _sizesrc.cpython-310.pyc
|       __init__.cpython-310.pyc
|   \---__pycache__
|       _align.cpython-310.pyc
|       _alignsrc.cpython-310.pyc
|       _bgcolor.cpython-310.pyc
|       _bgcolorsrc.cpython-310.pyc
|       _bordercolor.cpython-310.pyc
|       _bordercolorsrc.cpython-310.pyc
|       _font.cpython-310.pyc
|       _namelength.cpython-310.pyc
|       _namelengthsrc.cpython-310.pyc
|       __init__.cpython-310.pyc
+---legendgrouptitle
|   _font.py
|   _text.py
|   __init__.py
+---font
|   _color.py
|   _family.py
|   _size.py
|   __init__.py
|   \---__pycache__
|       _color.cpython-310.pyc
|       _family.cpython-310.pyc
|       _size.cpython-310.pyc
|       __init__.cpython-310.pyc
|   \---__pycache__
|       _font.cpython-310.pyc
|       _text.cpython-310.pyc
|       __init__.cpython-310.pyc
+---lighting

```

```

    _ambient.py
    _diffuse.py
    _facenormalsepsilon.py
    _fresnel.py
    _roughness.py
    _specular.py
    _vertexnormalsepsilon.py
    __init__.py
\---__pycache__
    _ambient.cpython-310.pyc
    _diffuse.cpython-310.pyc
    _facenormalsepsilon.cpython-310.pyc
    _fresnel.cpython-310.pyc
    _roughness.cpython-310.pyc
    _specular.cpython-310.pyc
    _vertexnormalsepsilon.cpython-310.pyc
    __init__.cpython-310.pyc
+---lightposition
    _x.py
    _y.py
    _z.py
    __init__.py
\---__pycache__
    _x.cpython-310.pyc
    _y.cpython-310.pyc
    _z.cpython-310.pyc
    __init__.cpython-310.pyc
+---slices
    _x.py
    _y.py
    _z.py
    __init__.py
+---x
    _fill.py
    _locations.py
    _locationssrc.py
    _show.py
    __init__.py
\---__pycache__
    _fill.cpython-310.pyc
    _locations.cpython-310.pyc
    _locationssrc.cpython-310.pyc
    _show.cpython-310.pyc
    __init__.cpython-310.pyc
+---y
    _fill.py
    _locations.py
    _locationssrc.py
    _show.py
    __init__.py
\---__pycache__
    _fill.cpython-310.pyc
    _locations.cpython-310.pyc
    _locationssrc.cpython-310.pyc
    _show.cpython-310.pyc
    __init__.cpython-310.pyc
+---z
    _fill.py
    _locations.py

```

```

|         _locationssrc.py
|         _show.py
|         __init__.py
|
|     \--- __pycache__
|         _fill.cpython-310.pyc
|         _locations.cpython-310.pyc
|         _locationssrc.cpython-310.pyc
|         _show.cpython-310.pyc
|         __init__.cpython-310.pyc
|
| \--- __pycache__
|     _x.cpython-310.pyc
|     _y.cpython-310.pyc
|     _z.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---+spaceframe
|     _fill.py
|     _show.py
|     __init__.py
|
|     \--- __pycache__
|         _fill.cpython-310.pyc
|         _show.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+---+stream
|     _maxpoints.py
|     _token.py
|     __init__.py
|
|     \--- __pycache__
|         _maxpoints.cpython-310.pyc
|         _token.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+---+surface
|     _count.py
|     _fill.py
|     _pattern.py
|     _show.py
|     __init__.py
|
|     \--- __pycache__
|         _count.cpython-310.pyc
|         _fill.cpython-310.pyc
|         _pattern.cpython-310.pyc
|         _show.cpython-310.pyc
|         __init__.cpython-310.pyc
|
| \--- __pycache__
|     _autocolorscale.cpython-310.pyc
|     _caps.cpython-310.pyc
|     _cauto.cpython-310.pyc
|     _cmax.cpython-310.pyc
|     _cmid.cpython-310.pyc
|     _cmin.cpython-310.pyc
|     _coloraxis.cpython-310.pyc
|     _colorbar.cpython-310.pyc
|     _colormap.cpython-310.pyc
|     _contour.cpython-310.pyc
|     _customdata.cpython-310.pyc
|     _customdatasrc.cpython-310.pyc
|     _flatshading.cpython-310.pyc
|     _hoverinfo.cpython-310.pyc
|     _hoverinfosrc.cpython-310.pyc
|     _hoverlabel.cpython-310.pyc

```



```
_hovertemplate.cpython-310.pyc
_hovertemplatesrc.cpython-310.pyc
_hovertext.cpython-310.pyc
_hovertextsrc.cpython-310.pyc
_ids.cpython-310.pyc
_idssrc.cpython-310.pyc
_isomax.cpython-310.pyc
_isomin.cpython-310.pyc
_legend.cpython-310.pyc
_legendgroup.cpython-310.pyc
_legendgrouptitle.cpython-310.pyc
_legendrank.cpython-310.pyc
_legendwidth.cpython-310.pyc
_lighting.cpython-310.pyc
_lightposition.cpython-310.pyc
_meta.cpython-310.pyc
_metasrc.cpython-310.pyc
_name.cpython-310.pyc
_opacity.cpython-310.pyc
_opacityscale.cpython-310.pyc
_reversescale.cpython-310.pyc
_scene.cpython-310.pyc
_showlegend.cpython-310.pyc
_showscale.cpython-310.pyc
_slices.cpython-310.pyc
_spaceframe.cpython-310.pyc
_stream.cpython-310.pyc
_surface.cpython-310.pyc
_text.cpython-310.pyc
_textsrc.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_value.cpython-310.pyc
_valuehoverformat.cpython-310.pyc
_valuesrc.cpython-310.pyc
_visible.cpython-310.pyc
_x.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xsrc.cpython-310.pyc
_y.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_ysrc.cpython-310.pyc
_z.cpython-310.pyc
_zhoverformat.cpython-310.pyc
_zsrc.cpython-310.pyc
__init__.cpython-310.pyc
```

+---waterfall

```
_alignmentgroup.py
_base.py
_cliponaxis.py
_connector.py
_constrainttext.py
_customdata.py
_customdatasrc.py
_decreasing.py
_dx.py
_dy.py
_hoverinfo.py
_hoverinfosrc.py
_hoverlabel.py
_hovertemplate.py
_hovertemplatesrc.py
_hovertext.py
_hovertextsrc.py
_ids.py
_idssrc.py
_increasing.py
```

```

_insidetextanchor.py
_insidetextfont.py
_legend.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_legendwidth.py
_measure.py
_measuresrc.py
_meta.py
_metasrc.py
_name.py
_offset.py
_offsetgroup.py
_offsetsrc.py
_opacity.py
_orientation.py
_outsidetextfont.py
_selectedpoints.py
_showlegend.py
_stream.py
_text.py
_textangle.py
_textfont.py
_textinfo.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_totals.py
_uid.py
_uirevision.py
_visible.py
_width.py
_widthsrc.py
_x.py
_x0.py
_xaxis.py
_xhoverformat.py
_xperiod.py
_xperiod0.py
_xperiodalignment.py
_xsrc.py
_y.py
_y0.py
_yaxis.py
_yhoverformat.py
_yperiod.py
_yperiod0.py
_yperiodalignment.py
_ysrc.py
__init__.py
+---connector
|   _line.py
|   _mode.py
|   _visible.py
|   __init__.py
+---line
|   _color.py
|   _dash.py
|   _width.py
|   __init__.py
\---__pycache__
      _color.cpython-310.pyc

```

```

        _dash.cpython-310.pyc
        _width.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _line.cpython-310.pyc
        _mode.cpython-310.pyc
        _visible.cpython-310.pyc
        __init__.cpython-310.pyc
+---decreasing
    _marker.py
    __init__.py
+---marker
    _color.py
    _line.py
    __init__.py
+---line
    _color.py
    _width.py
    __init__.py
    \---__pycache__
        _color.cpython-310.pyc
        _width.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        _color.cpython-310.pyc
        _line.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    _marker.cpython-310.pyc
    __init__.cpython-310.pyc
+---hoverlabel
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    __init__.py
+---font
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    __init__.py
    \---__pycache__
        _color.cpython-310.pyc
        _colorsrc.cpython-310.pyc
        _family.cpython-310.pyc
        _familysrc.cpython-310.pyc
        _size.cpython-310.pyc
        _sizesrc.cpython-310.pyc
        __init__.cpython-310.pyc

```

```

\---__pycache__
    _align.cpython-310.pyc
    _alignsrc.cpython-310.pyc
    _bgcolor.cpython-310.pyc
    _bgcolorsrc.cpython-310.pyc
    _bordercolor.cpython-310.pyc
    _bordercolorsrc.cpython-310.pyc
    _font.cpython-310.pyc
    _namelength.cpython-310.pyc
    _namelengthsrc.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---increasing

```

```

    _marker.py
    __init__.py

```

```

+---marker

```

```

    _color.py
    _line.py
    __init__.py

```

```

+---line

```

```

    _color.py
    _width.py
    __init__.py

```

```

\---__pycache__
    _color.cpython-310.pyc
    _width.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

\---__pycache__
    _color.cpython-310.pyc
    _line.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

\---__pycache__
    _marker.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---insidetextfont

```

```

    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    __init__.py

```

```

\---__pycache__
    _color.cpython-310.pyc
    _colorsrc.cpython-310.pyc
    _family.cpython-310.pyc
    _familysrc.cpython-310.pyc
    _size.cpython-310.pyc
    _sizesrc.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---legendgrouptitle

```

```

    _font.py
    _text.py
    __init__.py

```

```

+---font

```

```

    _color.py
    _family.py
    _size.py
    __init__.py

```

```

|
| \---__pycache__
|     _color.cpython-310.pyc
|     _family.cpython-310.pyc
|     _size.cpython-310.pyc
|     __init__.cpython-310.pyc
|
| \---__pycache__
|     _font.cpython-310.pyc
|     _text.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---outsidetextfont
|     _color.py
|     _colorsrc.py
|     _family.py
|     _familysrc.py
|     _size.py
|     _sizesrc.py
|     __init__.py
|
| \---__pycache__
|     _color.cpython-310.pyc
|     _colorsrc.cpython-310.pyc
|     _family.cpython-310.pyc
|     _familysrc.cpython-310.pyc
|     _size.cpython-310.pyc
|     _sizesrc.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---stream
|     _maxpoints.py
|     _token.py
|     __init__.py
|
| \---__pycache__
|     _maxpoints.cpython-310.pyc
|     _token.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---textfont
|     _color.py
|     _colorsrc.py
|     _family.py
|     _familysrc.py
|     _size.py
|     _sizesrc.py
|     __init__.py
|
| \---__pycache__
|     _color.cpython-310.pyc
|     _colorsrc.cpython-310.pyc
|     _family.cpython-310.pyc
|     _familysrc.cpython-310.pyc
|     _size.cpython-310.pyc
|     _sizesrc.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---totals
|     _marker.py
|     __init__.py
|
+---marker
|     _color.py
|     _line.py
|     __init__.py
|
+---line

```

```

        _color.py
        _width.py
        __init__.py
    \--- __pycache__
            _color.cpython-310.pyc
            _width.cpython-310.pyc
            __init__.cpython-310.pyc
    \--- __pycache__
            _color.cpython-310.pyc
            _line.cpython-310.pyc
            __init__.cpython-310.pyc
    \--- __pycache__
            _marker.cpython-310.pyc
            __init__.cpython-310.pyc
    \--- __pycache__
            _alignmentgroup.cpython-310.pyc
            _base.cpython-310.pyc
            _cliponaxis.cpython-310.pyc
            _connector.cpython-310.pyc
            _constrainttext.cpython-310.pyc
            _customdata.cpython-310.pyc
            _customdatasrc.cpython-310.pyc
            _decreasing.cpython-310.pyc
            _dx.cpython-310.pyc
            _dy.cpython-310.pyc
            _hoverinfo.cpython-310.pyc
            _hoverinfosrc.cpython-310.pyc
            _hoverlabel.cpython-310.pyc
            _hovertemplate.cpython-310.pyc
            _hovertemplatesrc.cpython-310.pyc
            _hovertext.cpython-310.pyc
            _hovertextsrc.cpython-310.pyc
            _ids.cpython-310.pyc
            _idssrc.cpython-310.pyc
            _increasing.cpython-310.pyc
            _insidetextanchor.cpython-310.pyc
            _insidetextfont.cpython-310.pyc
            _legend.cpython-310.pyc
            _legendgroup.cpython-310.pyc
            _legendgrouptitle.cpython-310.pyc
            _legendrank.cpython-310.pyc
            _legendwidth.cpython-310.pyc
            _measure.cpython-310.pyc
            _measuresrc.cpython-310.pyc
            _meta.cpython-310.pyc
            _metasrc.cpython-310.pyc
            _name.cpython-310.pyc
            _offset.cpython-310.pyc
            _offsetgroup.cpython-310.pyc
            _offsetsrc.cpython-310.pyc
            _opacity.cpython-310.pyc
            _orientation.cpython-310.pyc
            _outsidetextfont.cpython-310.pyc
            _selectedpoints.cpython-310.pyc
            _showlegend.cpython-310.pyc
            _stream.cpython-310.pyc
            _text.cpython-310.pyc
            _textangle.cpython-310.pyc
            _textfont.cpython-310.pyc
            _textinfo.cpython-310.pyc
            _textposition.cpython-310.pyc
            _textpositionsrc.cpython-310.pyc
            _textsrc.cpython-310.pyc
            _texttemplate.cpython-310.pyc

```

```
_texttemplatesrc.cpython-310.pyc
_totals.cpython-310.pyc
_uid.cpython-310.pyc
_uirevision.cpython-310.pyc
_visible.cpython-310.pyc
_width.cpython-310.pyc
_widthsrc.cpython-310.pyc
_x.cpython-310.pyc
_x0.cpython-310.pyc
_xaxis.cpython-310.pyc
_xhoverformat.cpython-310.pyc
_xperiod.cpython-310.pyc
_xperiod0.cpython-310.pyc
_xperiodalignment.cpython-310.pyc
_xsrc.cpython-310.pyc
_y.cpython-310.pyc
_y0.cpython-310.pyc
_yaxis.cpython-310.pyc
_yhoverformat.cpython-310.pyc
_yperiod.cpython-310.pyc
_yperiod0.cpython-310.pyc
_yperiodalignment.cpython-310.pyc
_ysrc.cpython-310.pyc
__init__.cpython-310.pyc
```

```
\---__pycache__
```

```
_bar.cpython-310.pyc
_barpolar.cpython-310.pyc
_box.cpython-310.pyc
_candlestick.cpython-310.pyc
_carpet.cpython-310.pyc
_choropleth.cpython-310.pyc
_choroplethmapbox.cpython-310.pyc
_cone.cpython-310.pyc
_contour.cpython-310.pyc
_contourcarpet.cpython-310.pyc
_data.cpython-310.pyc
_densitymapbox.cpython-310.pyc
_frames.cpython-310.pyc
_funnel.cpython-310.pyc
_funnelarea.cpython-310.pyc
_heatmap.cpython-310.pyc
_heatmapgl.cpython-310.pyc
_histogram.cpython-310.pyc
_histogram2d.cpython-310.pyc
_histogram2dcontour.cpython-310.pyc
_icle.cpython-310.pyc
_image.cpython-310.pyc
_indicator.cpython-310.pyc
_isosurface.cpython-310.pyc
_layout.cpython-310.pyc
_mesh3d.cpython-310.pyc
_ohlc.cpython-310.pyc
_parcats.cpython-310.pyc
_parcoords.cpython-310.pyc
_pie.cpython-310.pyc
_pointcloud.cpython-310.pyc
_sankey.cpython-310.pyc
_scatter.cpython-310.pyc
_scatter3d.cpython-310.pyc
_scattercarpet.cpython-310.pyc
_scattergeo.cpython-310.pyc
_scattergl.cpython-310.pyc
_scattermapbox.cpython-310.pyc
_scatterpolar.cpython-310.pyc
_scatterpolargl.cpython-310.pyc
_scattersmith.cpython-310.pyc
_scatterternary.cpython-310.pyc
```

```

        _splom.cpython-310.pyc
        _streamtube.cpython-310.pyc
        _sunburst.cpython-310.pyc
        _surface.cpython-310.pyc
        _table.cpython-310.pyc
        _treemap.cpython-310.pyc
        _violin.cpython-310.pyc
        _volume.cpython-310.pyc
        _waterfall.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        animation.cpython-310.pyc
        basedatatypes.cpython-310.pyc
        basewidget.cpython-310.pyc
        callbacks.cpython-310.pyc
        config.cpython-310.pyc
        conftest.cpython-310.pyc
        dashboard_objs.cpython-310.pyc
        exceptions.cpython-310.pyc
        files.cpython-310.pyc
        grid_objs.cpython-310.pyc
        missing_ipywidgets.cpython-310.pyc
        optional_imports.cpython-310.pyc
        presentation_objs.cpython-310.pyc
        serializers.cpython-310.pyc
        session.cpython-310.pyc
        shapeannotation.cpython-310.pyc
        subplots.cpython-310.pyc
        tools.cpython-310.pyc
        utils.cpython-310.pyc
        validator_cache.cpython-310.pyc
        version.cpython-310.pyc
        widgets.cpython-310.pyc
        _subplots.cpython-310.pyc
        _version.cpython-310.pyc
        _widget_version.cpython-310.pyc
        __init__.cpython-310.pyc
+---plotly-5.18.0.dist-info
    INSTALLER
    LICENSE.txt
    METADATA
    RECORD
    REQUESTED
    top_level.txt
    WHEEL
+---pluggy
    py.typed
    _callers.py
    _hooks.py
    _manager.py
    _result.py
    _tracing.py
    _version.py
    _warnings.py
    __init__.py
+---pluggy-1.6.0.dist-info
    INSTALLER
    METADATA
    RECORD
    top_level.txt
    WHEEL
\---licenses
    LICENSE

```


+---pptx

- action.py
- api.py
- exc.py
- media.py
- package.py
- presentation.py
- py.typed
- shared.py
- slide.py
- spec.py
- table.py
- types.py
- util.py
- __init__.py

+---chart

- axis.py
- category.py
- chart.py
- data.py
- datalabel.py
- legend.py
- marker.py
- plot.py
- point.py
- series.py
- xlsx.py
- xmlwriter.py
- __init__.py

+---dml

- chtfmt.py
- color.py
- effect.py
- fill.py
- line.py
- __init__.py

+---enum

- action.py
- base.py
- chart.py
- dml.py
- lang.py
- shapes.py
- text.py
- __init__.py

+---opc

- constants.py
- oxml.py
- package.py
- packuri.py
- serialized.py
- shared.py
- spec.py
- __init__.py

+---oxml

- action.py
- coreprops.py
- ns.py
- presentation.py
- simpletypes.py
- slide.py
- table.py

```

text.py
theme.py
xmlchemy.py
__init__.py

+---chart
|   axis.py
|   chart.py
|   datalabel.py
|   legend.py
|   marker.py
|   plot.py
|   series.py
|   shared.py
|   __init__.py
|
+---dml
|   color.py
|   fill.py
|   line.py
|   __init__.py
|
\---shapes
|   autoshape.py
|   connector.py
|   graphfrm.py
|   groupshape.py
|   picture.py
|   shared.py
|   __init__.py
|
+---parts
|   chart.py
|   coreprops.py
|   embeddedpackage.py
|   image.py
|   media.py
|   presentation.py
|   slide.py
|   __init__.py
|
+---shapes
|   autoshape.py
|   base.py
|   connector.py
|   freeform.py
|   graphfrm.py
|   group.py
|   picture.py
|   placeholder.py
|   shapetree.py
|   __init__.py
|
+---templates
|   default.pptx
|   docx-icon.emf
|   generic-icon.emf
|   notes.xml
|   notesMaster.xml
|   pptx-icon.emf
|   theme.xml
|   xlsx-icon.emf
|
\---text
|   fonts.py
|   layout.py
|   text.py
|   __init__.py

```

```

+---premailer
    cache.py
    merge_style.py
    premailer.py
    __init__.py
    __main__.py

+---premailer-3.10.0.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    top_level.txt
    WHEEL

+---protobuf-4.25.8.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    WHEEL

+---psutil
    _common.py
    _psaix.py
    _psbsd.py
    _pslinux.py
    _psosx.py
    _psposix.py
    _pssunos.py
    _psutil_windows.pyd
    _pswindows.py
    __init__.py
    \---tests
        __init__.py
        __main__.py

+---psutil-7.1.3.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    REQUESTED
    top_level.txt
    WHEEL

+---pyarrow
    acero.py
    array.pxi
    arrow.dll
    arrow.lib
    arrow_acero.dll
    arrow_acero.lib
    arrow_compute.dll
    arrow_compute.lib
    arrow_dataset.dll
    arrow_dataset.lib
    arrow_flight.dll
    arrow_flight.lib
    arrow_python.dll
    arrow_python.lib
    arrow_python_flight.dll
    arrow_python_flight.lib
    arrow_python_parquet_encryption.dll
    arrow_python_parquet_encryption.lib
    arrow_substrait.dll

```

arrow_substrait.lib
benchmark.pxi
benchmark.py
builder.pxi
cffi.py
compat.pxi
compute.py
config.pxi
conftest.py
csv.py
cuda.py
dataset.py
device.pxi
error.pxi
feather.py
flight.py
fs.py
gandiva.pyx
io.pxi
ipc.pxi
ipc.py
json.py
jvm.py
lib.cp310-win_amd64.pyd
lib.h
lib.pxd
lib.pyx
lib_api.h
memory.pxi
orc.py
pandas-shim.pxi
pandas_compat.py
parquet.dll
parquet.lib
public-api.pxi
scalar.pxi
substrait.py
table.pxi
tensor.pxi
types.pxi
types.py
util.py
_acero.cp310-win_amd64.pyd
_acero.pxd
_acero.pyx
_azurefs.pyx
_compute.cp310-win_amd64.pyd
_compute.pxd
_compute.pyx
_compute_docstrings.py
_csv.cp310-win_amd64.pyd
_csv.pxd
_csv.pyx
_cuda.pxd
_cuda.pyx
_dataset.cp310-win_amd64.pyd
_dataset.pxd
_dataset.pyx
_dataset_orc.cp310-win_amd64.pyd
_dataset_orc.pyx
_dataset_parquet.cp310-win_amd64.pyd
_dataset_parquet.pxd
_dataset_parquet.pyx
_dataset_parquet_encryption.cp310-win_amd64.pyd
_dataset_parquet_encryption.pyx
_dlpack.pxi
_feather.cp310-win_amd64.pyd
_feather.pyx

```

_flight.cp310-win_amd64.pyd
_flight.pyx
_fs.cp310-win_amd64.pyd
_fs.pxd
_fs.pyx
_gcsfs.cp310-win_amd64.pyd
_gcsfs.pyx
_generated_version.py
_hdfs.cp310-win_amd64.pyd
_hdfs.pyx
_json.cp310-win_amd64.pyd
_json.pxd
_json.pyx
_orc.cp310-win_amd64.pyd
_orc.pxd
_orc.pyx
_parquet.cp310-win_amd64.pyd
_parquet.pxd
_parquet.pyx
_parquet_encryption.cp310-win_amd64.pyd
_parquet_encryption.pxd
_parquet_encryption.pyx
_pyarrow_cpp_tests.cp310-win_amd64.pyd
_pyarrow_cpp_tests.pxd
_pyarrow_cpp_tests.pyx
_s3fs.cp310-win_amd64.pyd
_s3fs.pyx
_substrait.cp310-win_amd64.pyd
_substrait.pyx
__init__.pxd
__init__.py

```

```
+---include
```

```
+---arrow
```

```

    api.h
    array.h
    buffer.h
    buffer_builder.h
    builder.h
    chunked_array.h
    chunk_resolver.h
    compare.h
    config.h
    datum.h
    device.h
    device_allocation_type_set.h
    extension_type.h
    memory_pool.h
    memory_pool_test.h
    pretty_print.h
    record_batch.h
    result.h
    scalar.h
    sparse_tensor.h
    status.h
    stl.h
    stl_allocator.h
    stl_iterator.h
    table.h
    table_builder.h
    tensor.h
    type.h
    type_fwd.h
    type_traits.h
    visitor.h
    visitor_generate.h
    visit_array_inline.h
    visit_data_inline.h

```

```
visit_scalar_inline.h
visit_type_inline.h
```

+---acero

```
accumulation_queue.h
aggregate_node.h
api.h
asof_join_node.h
backpressure_handler.h
benchmark_util.h
bloom_filter.h
exec_plan.h
hash_join.h
hash_join_dict.h
hash_join_node.h
map_node.h
options.h
order_by_impl.h
partition_util.h
query_context.h
schema_util.h
task_util.h
test_nodes.h
time_series_util.h
tpch_node.h
type_fwd.h
util.h
visibility.h
```

+---adapters

+---orc

```
adapter.h
options.h
```

\---tensorflow

```
convert.h
```

+---array

```
array_base.h
array_binary.h
array_decimal.h
array_dict.h
array_nested.h
array_primitive.h
array_run_end.h
builder_adaptive.h
builder_base.h
builder_binary.h
builder_decimal.h
builder_dict.h
builder_nested.h
builder_primitive.h
builder_run_end.h
builder_time.h
builder_union.h
concatenate.h
data.h
diff.h
statistics.h
util.h
validate.h
```

+---c

```
abi.h
bridge.h
dlpack.h
dlpack_abi.h
helpers.h
```

```

+---compute
|   api.h
|   api_aggregate.h
|   api_scalar.h
|   api_vector.h
|   cast.h
|   exec.h
|   expression.h
|   function.h
|   function_options.h
|   initialize.h
|   kernel.h
|   ordering.h
|   registry.h
|   type_fwd.h
|   util.h
|   visibility.h
|
\---row
    grouper.h

+---csv
|   api.h
|   chunker.h
|   column_builder.h
|   column_decoder.h
|   converter.h
|   invalid_row.h
|   options.h
|   parser.h
|   reader.h
|   test_common.h
|   type_fwd.h
|   writer.h
|
+---dataset
|   api.h
|   dataset.h
|   dataset_writer.h
|   discovery.h
|   file_base.h
|   file_csv.h
|   file_ipc.h
|   file_json.h
|   file_orc.h
|   file_parquet.h
|   parquet_encryption_config.h
|   partition.h
|   plan.h
|   projector.h
|   scanner.h
|   type_fwd.h
|   visibility.h
|
+---engine
|   api.h
|
\---substrait
    api.h
    extension_set.h
    extension_types.h
    options.h
    relation.h
    serde.h
    test_plan_builder.h
    test_util.h
    type_fwd.h

```

```

        util.h
        visibility.h

+---extension
    bool8.h
    fixed_shape_tensor.h
    json.h
    opaque.h
    uuid.h

+---filesystem
    api.h
    azurefs.h
    filesystem.h
    filesystem_library.h
    gcsfs.h
    hdfs.h
    localfs.h
    mockfs.h
    path_util.h
    s3fs.h
    s3_test_util.h
    test_util.h
    type_fwd.h

+---flight
    api.h
    client.h
    client_auth.h
    client_cookie_middleware.h
    client_middleware.h
    client_tracing_middleware.h
    middleware.h
    otel_logging.h
    platform.h
    server.h
    server_auth.h
    server_middleware.h
    server_tracing_middleware.h
    test_auth_handlers.h
    test_definitions.h
    test_flight_server.h
    test_util.h
    transport.h
    transport_server.h
    types.h
    types_async.h
    type_fwd.h
    visibility.h

+---io
    api.h
    buffered.h
    caching.h
    compressed.h
    concurrency.h
    file.h
    hdfs.h
    interfaces.h
    memory.h
    mman.h
    slow.h
    stdio.h
    test_common.h
    transform.h
    type_fwd.h

+---ipc

```



```
api.h
dictionary.h
feather.h
message.h
options.h
reader.h
test_common.h
type_fwd.h
util.h
writer.h
```

+---json

```
api.h
chunked_builder.h
chunker.h
converter.h
from_string.h
object_parser.h
object_writer.h
options.h
parser.h
rapidjson_defs.h
reader.h
test_common.h
type_fwd.h
```

+---python

```
api.h
arrow_to_pandas.h
async.h
benchmark.h
common.h
config.h
csv.h
datetime.h
decimal.h
extension_type.h
filesystem.h
flight.h
gdb.h
helpers.h
inference.h
io.h
ipc.h
iterators.h
lib.h
lib_api.h
numpy_convert.h
numpy_init.h
numpy_interop.h
numpy_to_arrow.h
parquet_encryption.h
platform.h
pyarrow.h
pyarrow_api.h
pyarrow_lib.h
python_test.h
python_to_arrow.h
type_traits.h
udf.h
util.h
visibility.h
```

\---vendored

```
pythoncapi_compat.h
```

+---tensor

```
converter.h
```

```

----testing
    async_test_util.h
    builder.h
    executor_util.h
    extension_type.h
    fixed_width_test_util.h
    future_util.h
    generator.h
    gtest_compat.h
    gtest_util.h
    matchers.h
    math.h
    process.h
    random.h
    uniform_real.h
    util.h
    visibility.h

+----util
    algorithm.h
    aligned_storage.h
    align_util.h
    async_generator.h
    async_generator_fwd.h
    async_util.h
    base64.h
    basic_decimal.h
    benchmark_util.h
    binary_view_util.h
    bitmap.h
    bitmap_builders.h
    bitmap_generate.h
    bitmap_ops.h
    bitmap_reader.h
    bitmap_visit.h
    bitmap_writer.h
    bit_block_counter.h
    bit_run_reader.h
    bit_util.h
    byte_size.h
    cancel.h
    checked_cast.h
    compare.h
    compression.h
    concurrent_map.h
    config.h
    converter.h
    cpu_info.h
    crc32.h
    debug.h
    decimal.h
    delimiting.h
    endian.h
    float16.h
    formatting.h
    functional.h
    future.h
    hashing.h
    hash_util.h
    int_util.h
    int_util_overflow.h
    io_util.h
    iterator.h
    key_value_metadata.h
    launder.h
    list_util.h
    logger.h

```

```
logging.h
macros.h
math_constants.h
mutex.h
parallel.h
pcg_random.h
prefetch.h
queue.h
range.h
ree_util.h
regex.h
rows_to_batches.h
secure_string.h
simd.h
small_vector.h
span.h
string.h
string_util.h
task_group.h
test_common.h
thread_pool.h
time.h
tracing.h
type_fwd.h
type_traits.h
ubsan.h
union_util.h
unreachable.h
uri.h
utf8.h
value_parsing.h
vector.h
visibility.h
windows_compatibility.h
windows_fixup.h
```

```
\---vendored
```

```
datetime.h
ProducerConsumerQueue.h
strptime.h
xxhash.h
```

```
+---datetime
```

```
date.h
ios.h
tz.h
tz_private.h
visibility.h
```

```
+---double-conversion
```

```
bignum-dtoa.h
bignum.h
cached-powers.h
diy-fp.h
double-conversion.h
double-to-string.h
fast-dtoa.h
fixed-dtoa.h
ieee.h
string-to-double.h
strtod.h
utils.h
```

```
+---pcg
```

```
pcg_extras.hpp
pcg_random.hpp
pcg_uint128.hpp
```

```

+---portable-snippets
|       debug-trap.h
|       safe-math.h
\---xxhash
      xxhash.h

\---parquet
    benchmark_util.h
    bloom_filter.h
    bloom_filter_reader.h
    column_page.h
    column_reader.h
    column_scanner.h
    column_writer.h
    encoding.h
    exception.h
    file_reader.h
    file_writer.h
    hasher.h
    level_comparison.h
    level_comparison_inc.h
    level_conversion.h
    level_conversion_inc.h
    metadata.h
    page_index.h
    parquet_version.h
    platform.h
    printer.h
    properties.h
    schema.h
    size_statistics.h
    statistics.h
    stream_reader.h
    stream_writer.h
    test_util.h
    types.h
    type_fwd.h
    windows_compatibility.h
    windows_fixup.h
    xxhasher.h

+---api
    io.h
    reader.h
    schema.h
    writer.h

+---arrow
    reader.h
    schema.h
    test_util.h
    writer.h

+---encryption
    crypto_factory.h
    encryption.h
    file_key_material_store.h
    file_key_unwrapper.h
    file_key_wrapper.h
    file_system_key_material_store.h
    key_encryption_key.h
    key_material.h
    key_metadata.h
    key_toolkit.h
    kms_client.h
    kms_client_factory.h
    local_wrap_kms_client.h

```

```

        test_encryption_util.h
        test_in_memory_kms.h
        two_level_cache_with_expiration.h
        type_fwd.h
    \---geospatial
        statistics.h

+---includes
    common.pxd
    libarrow.pxd
    libarrow_acero.pxd
    libarrow_cuda.pxd
    libarrow_dataset.pxd
    libarrow_dataset_parquet.pxd
    libarrow_feather.pxd
    libarrow_flight.pxd
    libarrow_fs.pxd
    libarrow_python.pxd
    libarrow_substrait.pxd
    libgandiva.pxd
    libparquet.pxd
    libparquet_encryption.pxd
    __init__.pxd

+---interchange
    buffer.py
    column.py
    dataframe.py
    from_dataframe.py
    __init__.py

    \---__pycache__
        buffer.cpython-310.pyc
        column.cpython-310.pyc
        dataframe.cpython-310.pyc
        from_dataframe.cpython-310.pyc
        __init__.cpython-310.pyc

+---parquet
    core.py
    encryption.py
    __init__.py

    \---__pycache__
        core.cpython-310.pyc
        encryption.cpython-310.pyc
        __init__.cpython-310.pyc

+---src
    \---arrow
        \---python
            api.h
            arrow_to_pandas.cc
            arrow_to_pandas.h
            arrow_to_python_internal.h
            async.h
            benchmark.cc
            benchmark.h
            CMakeLists.txt
            common.cc
            common.h
            config.cc
            config.h
            config_internal.h.cmake
            csv.cc
            csv.h
            datetime.cc

```

```
datetime.h
decimal.cc
decimal.h
extension_type.cc
extension_type.h
filesystem.cc
filesystem.h
flight.cc
flight.h
gdb.cc
gdb.h
helpers.cc
helpers.h
inference.cc
inference.h
io.cc
io.h
ipc.cc
ipc.h
iterators.h
numpy_convert.cc
numpy_convert.h
numpy_init.cc
numpy_init.h
numpy_internal.h
numpy_interop.h
numpy_to_arrow.cc
numpy_to_arrow.h
parquet_encryption.cc
parquet_encryption.h
platform.h
pyarrow.cc
pyarrow.h
pyarrow_api.h
pyarrow_lib.h
python_test.cc
python_test.h
python_to_arrow.cc
python_to_arrow.h
type_traits.h
udf.cc
udf.h
util.cc
util.h
visibility.h
```

```
\---vendored
```

```
  CMakeLists.txt
```

```
  pythoncapi_compat.h
```

```
+---tests
```

```
  arrow_16597.py
  arrow_39313.py
  arrow_7980.py
  bound_function_visit_strings.pyx
  conftest.py
  extensions.pyx
  pandas_examples.py
  pandas_threaded_import.py
  pyarrow_cython_example.pyx
  read_record_batch.py
  strategies.py
  test_acero.py
  test_adhoc_memory_leak.py
  test_array.py
  test_builder.py
  test_cffi.py
  test_compute.py
```

```
test_convert_builtin.py
test_cpp_internals.py
test_csv.py
test_cuda.py
test_cuda_numba_interop.py
test_cython.py
test_dataset.py
test_dataset_encryption.py
test_deprecations.py
test_device.py
test_dlpack.py
test_exec_plan.py
test_extension_type.py
test_feather.py
test_flight.py
test_flight_async.py
test_fs.py
test_gandiva.py
test_gdb.py
test_io.py
test_ipc.py
test_json.py
test_jvm.py
test_memory.py
test_misc.py
test_orc.py
test_pandas.py
test_scalars.py
test_schema.py
test_sparse_tensor.py
test_strategies.py
test_substrait.py
test_table.py
test_tensor.py
test_types.py
test_udf.py
test_util.py
test_without_numpy.py
util.py
wsgi_examples.py
__init__.py
```

+---data

```
+---feather
|       v0.17.0.version.2-compression.lz4.feather
|
```

+---orc

```
|       decimal.jsn.gz
|       decimal.orc
|       README.md
|       TestOrcFile.emptyFile.jsn.gz
|       TestOrcFile.emptyFile.orc
|       TestOrcFile.test1.jsn.gz
|       TestOrcFile.test1.orc
|       TestOrcFile.testDate1900.jsn.gz
|       TestOrcFile.testDate1900.orc
|
```

\---parquet

```
       v0.7.1.all-named-index.parquet
       v0.7.1.column-metadata-handling.parquet
       v0.7.1.parquet
       v0.7.1.some-named-index.parquet
```

+---interchange

```
|       test_conversion.py
|       test_interchange_spec.py
|       __init__.py
```

```

\---__pycache__
    test_conversion.cpython-310.pyc
    test_interchange_spec.cpython-310.pyc
    __init__.cpython-310.pyc

+---parquet
    common.py
    conftest.py
    encryption.py
    test_basic.py
    test_compliant_nested_type.py
    test_dataset.py
    test_data_types.py
    test_datetime.py
    test_encryption.py
    test_metadata.py
    test_pandas.py
    test_parquet_file.py
    test_parquet_writer.py
    __init__.py

\---__pycache__
    common.cpython-310.pyc
    conftest.cpython-310.pyc
    encryption.cpython-310.pyc
    test_basic.cpython-310.pyc
    test_compliant_nested_type.cpython-310.pyc
    test_dataset.cpython-310.pyc
    test_data_types.cpython-310.pyc
    test_datetime.cpython-310.pyc
    test_encryption.cpython-310.pyc
    test_metadata.cpython-310.pyc
    test_pandas.cpython-310.pyc
    test_parquet_file.cpython-310.pyc
    test_parquet_writer.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    arrow_16597.cpython-310.pyc
    arrow_39313.cpython-310.pyc
    arrow_7980.cpython-310.pyc
    conftest.cpython-310.pyc
    pandas_examples.cpython-310.pyc
    pandas_threaded_import.cpython-310.pyc
    read_record_batch.cpython-310.pyc
    strategies.cpython-310.pyc
    test_acero.cpython-310.pyc
    test_adhoc_memory_leak.cpython-310.pyc
    test_array.cpython-310.pyc
    test_builder.cpython-310.pyc
    test_cffi.cpython-310.pyc
    test_compute.cpython-310.pyc
    test_convert_builtin.cpython-310.pyc
    test_cpp_internals.cpython-310.pyc
    test_csv.cpython-310.pyc
    test_cuda.cpython-310.pyc
    test_cuda_numba_interop.cpython-310.pyc
    test_cython.cpython-310.pyc
    test_dataset.cpython-310.pyc
    test_dataset_encryption.cpython-310.pyc
    test_deprecations.cpython-310.pyc
    test_device.cpython-310.pyc
    test_dlpack.cpython-310.pyc
    test_exec_plan.cpython-310.pyc
    test_extension_type.cpython-310.pyc
    test_feather.cpython-310.pyc
    test_flight.cpython-310.pyc
    test_flight_async.cpython-310.pyc

```



```
test_fs.cpython-310.pyc
test_gandiva.cpython-310.pyc
test_gdb.cpython-310.pyc
test_io.cpython-310.pyc
test_ipc.cpython-310.pyc
test_json.cpython-310.pyc
test_jvm.cpython-310.pyc
test_memory.cpython-310.pyc
test_misc.cpython-310.pyc
test_orc.cpython-310.pyc
test_pandas.cpython-310.pyc
test_scalars.cpython-310.pyc
test_schema.cpython-310.pyc
test_sparse_tensor.cpython-310.pyc
test_strategies.cpython-310.pyc
test_substrait.cpython-310.pyc
test_table.cpython-310.pyc
test_tensor.cpython-310.pyc
test_types.cpython-310.pyc
test_udf.cpython-310.pyc
test_util.cpython-310.pyc
test_without_numpy.cpython-310.pyc
util.cpython-310.pyc
wsgi_examples.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---vendored
```

```
| docsrape.py
| version.py
| __init__.py
```

```
\---__pycache__
```

```
docsrape.cpython-310.pyc
version.cpython-310.pyc
__init__.cpython-310.pyc
```

```
\---__pycache__
```

```
acero.cpython-310.pyc
benchmark.cpython-310.pyc
cffi.cpython-310.pyc
compute.cpython-310.pyc
conftest.cpython-310.pyc
csv.cpython-310.pyc
cuda.cpython-310.pyc
dataset.cpython-310.pyc
feather.cpython-310.pyc
flight.cpython-310.pyc
fs.cpython-310.pyc
ipc.cpython-310.pyc
json.cpython-310.pyc
jvm.cpython-310.pyc
orc.cpython-310.pyc
pandas_compat.cpython-310.pyc
substrait.cpython-310.pyc
types.cpython-310.pyc
util.cpython-310.pyc
_compute_docstrings.cpython-310.pyc
_generated_version.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---pyarrow-22.0.0.dist-info
```

```
DELVEWHEEL
INSTALLER
METADATA
RECORD
top_level.txt
WHEEL
```

```

\---licenses
    LICENSE.txt
    NOTICE.txt

+---pyarrow.libs
    msvcpl140-173e0efa998dc33612e518408bfd190c.dll

+---pycatastro
    __init__.py

+---pycatastro-0.1.3.dist-info
    INSTALLER
    METADATA
    RECORD
    REQUESTED
    top_level.txt
    WHEEL

+---pycodestyle-2.14.0.dist-info
    entry_points.txt
    INSTALLER
    LICENSE
    METADATA
    RECORD
    top_level.txt
    WHEEL

+---pycparser
    ast_transforms.py
    c_ast.py
    c_generator.py
    c_lexer.py
    c_parser.py
    lextab.py
    plyparser.py
    yaccstab.py
    _ast_gen.py
    _build_tables.py
    _c_ast.cfg
    __init__.py

+---ply
    cpp.py
    ctokens.py
    lex.py
    yacc.py
    ygen.py
    __init__.py

    \---__pycache__
        cpp.cpython-310.pyc
        ctokens.cpython-310.pyc
        lex.cpython-310.pyc
        yacc.cpython-310.pyc
        ygen.cpython-310.pyc
        __init__.cpython-310.pyc

\---__pycache__
    ast_transforms.cpython-310.pyc
    c_ast.cpython-310.pyc
    c_generator.cpython-310.pyc
    c_lexer.cpython-310.pyc
    c_parser.cpython-310.pyc
    lextab.cpython-310.pyc
    plyparser.cpython-310.pyc
    yaccstab.cpython-310.pyc
    _ast_gen.cpython-310.pyc
    _build_tables.cpython-310.pyc

```

```

        __init__.cpython-310.pyc
+---pycparser-2.23.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    REQUESTED
    top_level.txt
    WHEEL
+---pydantic
    alias_generators.py
    annotated_handlers.py
    class_validators.py
    color.py
    config.py
    dataclasses.py
    datetime_parse.py
    decorator.py
    env_settings.py
    errors.py
    error_wrappers.py
    fields.py
    functional_serializers.py
    functional_validators.py
    generics.py
    json.py
    json_schema.py
    main.py
    mypy.py
    networks.py
    parse.py
    py.typed
    root_model.py
    schema.py
    tools.py
    types.py
    type_adapter.py
    typing.py
    utils.py
    validate_call_decorator.py
    validators.py
    version.py
    warnings.py
    _migration.py
    __init__.py
+---deprecated
    class_validators.py
    config.py
    copy_internals.py
    decorator.py
    json.py
    parse.py
    tools.py
    __init__.py
\---__pycache__
    class_validators.cpython-310.pyc
    config.cpython-310.pyc
    copy_internals.cpython-310.pyc
    decorator.cpython-310.pyc
    json.cpython-310.pyc
    parse.cpython-310.pyc
    tools.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---plugin
|   _loader.py
|   _schema_validator.py
|   __init__.py
|
|   \---__pycache__
|       _loader.cpython-310.pyc
|       _schema_validator.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---v1
|   annotated_types.py
|   class_validators.py
|   color.py
|   config.py
|   dataclasses.py
|   datetime_parse.py
|   decorator.py
|   env_settings.py
|   errors.py
|   error_wrappers.py
|   fields.py
|   generics.py
|   json.py
|   main.py
|   mypy.py
|   networks.py
|   parse.py
|   py.typed
|   schema.py
|   tools.py
|   types.py
|   typing.py
|   utils.py
|   validators.py
|   version.py
|   _hypothesis_plugin.py
|   __init__.py
|
|   \---__pycache__
|       annotated_types.cpython-310.pyc
|       class_validators.cpython-310.pyc
|       color.cpython-310.pyc
|       config.cpython-310.pyc
|       dataclasses.cpython-310.pyc
|       datetime_parse.cpython-310.pyc
|       decorator.cpython-310.pyc
|       env_settings.cpython-310.pyc
|       errors.cpython-310.pyc
|       error_wrappers.cpython-310.pyc
|       fields.cpython-310.pyc
|       generics.cpython-310.pyc
|       json.cpython-310.pyc
|       main.cpython-310.pyc
|       mypy.cpython-310.pyc
|       networks.cpython-310.pyc
|       parse.cpython-310.pyc
|       schema.cpython-310.pyc
|       tools.cpython-310.pyc
|       types.cpython-310.pyc
|       typing.cpython-310.pyc
|       utils.cpython-310.pyc
|       validators.cpython-310.pyc
|       version.cpython-310.pyc
|       _hypothesis_plugin.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---_internal

```

```

_config.py
_core_metadata.py
_core_utils.py
_dataclasses.py
_decorators.py
_decorators_v1.py
_discriminated_union.py
_fields.py
_forward_ref.py
_generate_schema.py
_generics.py
_internal_dataclass.py
_known_annotated_metadata.py
_mock_val_ser.py
_model_construction.py
_repr.py
_schema_generation_shared.py
_std_types_schema.py
_typing_extra.py
_utils.py
_validate_call.py
_validators.py
__init__.py

\---__pycache__
_config.cpython-310.pyc
_core_metadata.cpython-310.pyc
_core_utils.cpython-310.pyc
_dataclasses.cpython-310.pyc
_decorators.cpython-310.pyc
_decorators_v1.cpython-310.pyc
_discriminated_union.cpython-310.pyc
_fields.cpython-310.pyc
_forward_ref.cpython-310.pyc
_generate_schema.cpython-310.pyc
_generics.cpython-310.pyc
_internal_dataclass.cpython-310.pyc
_known_annotated_metadata.cpython-310.pyc
_mock_val_ser.cpython-310.pyc
_model_construction.cpython-310.pyc
_repr.cpython-310.pyc
_schema_generation_shared.cpython-310.pyc
_std_types_schema.cpython-310.pyc
_typing_extra.cpython-310.pyc
_utils.cpython-310.pyc
_validate_call.cpython-310.pyc
_validators.cpython-310.pyc
__init__.cpython-310.pyc

\---__pycache__
alias_generators.cpython-310.pyc
annotated_handlers.cpython-310.pyc
class_validators.cpython-310.pyc
color.cpython-310.pyc
config.cpython-310.pyc
dataclasses.cpython-310.pyc
datetime_parse.cpython-310.pyc
decorator.cpython-310.pyc
env_settings.cpython-310.pyc
errors.cpython-310.pyc
error_wrappers.cpython-310.pyc
fields.cpython-310.pyc
functional_serializers.cpython-310.pyc
functional_validators.cpython-310.pyc
generics.cpython-310.pyc
json.cpython-310.pyc
json_schema.cpython-310.pyc
main.cpython-310.pyc

```

```

    mypy.cpython-310.pyc
    networks.cpython-310.pyc
    parse.cpython-310.pyc
    root_model.cpython-310.pyc
    schema.cpython-310.pyc
    tools.cpython-310.pyc
    types.cpython-310.pyc
    type_adapter.cpython-310.pyc
    typing.cpython-310.pyc
    utils.cpython-310.pyc
    validate_call_decorator.cpython-310.pyc
    validators.cpython-310.pyc
    version.cpython-310.pyc
    warnings.cpython-310.pyc
    _migration.cpython-310.pyc
    __init__.cpython-310.pyc
+---pydantic-2.5.0.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   WHEEL
|
|   \---licenses
|         LICENSE
+---pydantic_core
|   core_schema.py
|   py.typed
|   _pydantic_core.cp310-win_amd64.pyd
|   _pydantic_core.pyi
|   __init__.py
|
|   \---__pycache__
|         core_schema.cpython-310.pyc
|         __init__.cpython-310.pyc
+---pydantic_core-2.14.1.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   WHEEL
|
|   \---license_files
|         LICENSE
+---pydeck
|   .DS_Store
|   frontend_semver.py
|   settings.py
|   _version.py
|   __init__.py
|
|   +---bindings
|   |   base_map_provider.py
|   |   deck.py
|   |   json_tools.py
|   |   layer.py
|   |   light_settings.py
|   |   map_styles.py
|   |   view.py
|   |   view_state.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |         base_map_provider.cpython-310.pyc
|   |         deck.cpython-310.pyc

```

```

        json_tools.cpython-310.pyc
        layer.cpython-310.pyc
        light_settings.cpython-310.pyc
        map_styles.cpython-310.pyc
        view.cpython-310.pyc
        view_state.cpython-310.pyc
        __init__.cpython-310.pyc
+---data_utils
|   binary_transfer.py
|   color_scales.py
|   type_checking.py
|   viewport_helpers.py
|   __init__.py
|
|   \---__pycache__
|       binary_transfer.cpython-310.pyc
|       color_scales.cpython-310.pyc
|       type_checking.cpython-310.pyc
|       viewport_helpers.cpython-310.pyc
|       __init__.cpython-310.pyc
+---exceptions
|   exceptions.py
|   __init__.py
|
|   \---__pycache__
|       exceptions.cpython-310.pyc
|       __init__.cpython-310.pyc
+---io
|   .DS_Store
|   html.py
|   __init__.py
|
|   +---templates
|       index.j2
|       style.j2
|
|   \---__pycache__
|       html.cpython-310.pyc
|       __init__.cpython-310.pyc
+---nbextension
|   .DS_Store
|   __init__.py
|
|   +---static
|       .DS_Store
|       .gitkeep
|       extensionRequires.js
|       index.js
|       index.js.map
|
|   \---__pycache__
|       __init__.cpython-310.pyc
+---types
|   base.py
|   function.py
|   image.py
|   string.py
|   __init__.py
|
|   \---__pycache__
|       base.cpython-310.pyc
|       function.cpython-310.pyc
|       image.cpython-310.pyc

```

```

        string.cpython-310.pyc
        __init__.cpython-310.pyc
+---widget
|   debounce.py
|   widget.py
|   _frontend.py
|   __init__.py
|
|   \---__pycache__
|       debounce.cpython-310.pyc
|       widget.cpython-310.pyc
|       _frontend.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       frontend_semver.cpython-310.pyc
|       settings.cpython-310.pyc
|       _version.cpython-310.pyc
|       __init__.cpython-310.pyc
+---pydeck-0.9.1.dist-info
|   INSTALLER
|   LICENSE.txt
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
+---pyflakes
|   api.py
|   checker.py
|   messages.py
|   reporter.py
|   __init__.py
|   __main__.py
|
|   +---scripts
|       pyflakes.py
|       __init__.py
|
|   \---test
|       harness.py
|       __init__.py
+---pyflakes-3.4.0.dist-info
|   entry_points.txt
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
+---pyglrtflib
|   utils.py
|   validator.py
|   __init__.py
+---pyglrtflib-1.16.5.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
|
|   \---licenses

```


LICENSE

+---pygments

- cmdline.py
- console.py
- filter.py
- formatter.py
- lexer.py
- modeline.py
- plugin.py
- regexopt.py
- scanner.py
- sphinxext.py
- style.py
- token.py
- unistring.py
- util.py
- __init__.py
- __main__.py

+---filters

- __init__.py
- \---__pycache__
 - __init__.cpython-310.pyc

+---formatters

- bbcode.py
- groff.py
- html.py
- img.py
- irc.py
- latex.py
- other.py
- pangomarkup.py
- rtf.py
- svg.py
- terminal.py
- terminal256.py
- _mapping.py
- __init__.py
- \---__pycache__
 - bbcode.cpython-310.pyc
 - groff.cpython-310.pyc
 - html.cpython-310.pyc
 - img.cpython-310.pyc
 - irc.cpython-310.pyc
 - latex.cpython-310.pyc
 - other.cpython-310.pyc
 - pangomarkup.cpython-310.pyc
 - rtf.cpython-310.pyc
 - svg.cpython-310.pyc
 - terminal.cpython-310.pyc
 - terminal256.cpython-310.pyc
 - _mapping.cpython-310.pyc
 - __init__.cpython-310.pyc

+---lexers

- actionsript.py
- ada.py
- agile.py
- algebra.py
- ambient.py
- amdgpu.py
- ampl.py
- apdlexer.py
- apl.py

	archetype.py
	arrow.py
	arturo.py
	asc.py
	asm.py
	asn1.py
	automation.py
	bare.py
	basic.py
	bdd.py
	berry.py
	bibtex.py
	blueprint.py
	boa.py
	bqn.py
	business.py
	capnproto.py
	carbon.py
	cddl.py
	chapel.py
	clean.py
	codeql.py
	comal.py
	compiled.py
	configs.py
	console.py
	cplint.py
	crystal.py
	csound.py
	css.py
	c_cpp.py
	c_like.py
	d.py
	dalvik.py
	data.py
	dax.py
	devicetree.py
	diff.py
	dns.py
	dotnet.py
	dsls.py
	dylan.py
	ecl.py
	eiffel.py
	elm.py
	elpi.py
	email.py
	erlang.py
	esoteric.py
	ezhil.py
	factor.py
	fantom.py
	felix.py
	fift.py
	floscript.py
	forth.py
	fortran.py
	foxpro.py
	freefem.py
	func.py
	functional.py
	futhark.py
	gcodelexer.py
	gdsript.py
	gleam.py
	go.py
	grammar_notation.py
	graph.py

				graphics.py
				graphql.py
				graphviz.py
				gsq1.py
				hare.py
				haskell.py
				haxe.py
				hdl.py
				hexdump.py
				html.py
				idl.py
				igor.py
				inferno.py
				installers.py
				int_fiction.py
				iolang.py
				j.py
				javascript.py
				jmespath.py
				jslt.py
				json5.py
				jsonnet.py
				jsx.py
				julia.py
				jvm.py
				kuin.py
				kusto.py
				ldap.py
				lean.py
				lilypond.py
				lisp.py
				macaulay2.py
				make.py
				maple.py
				markup.py
				math.py
				matlab.py
				maxima.py
				meson.py
				mime.py
				minecraft.py
				mips.py
				ml.py
				modeling.py
				modula2.py
				mojo.py
				monte.py
				mosel.py
				ncl.py
				nimrod.py
				nit.py
				nix.py
				numbair.py
				oberon.py
				objective.py
				ooc.py
				openscad.py
				other.py
				parasail.py
				parsers.py
				pascal.py
				pawn.py
				pddl.py
				perl.py
				phix.py
				php.py
				pointless.py
				pony.py

				praat.py
				procfile.py
				prolog.py
				promql.py
				prql.py
				ptx.py
				python.py
				q.py
				qlik.py
				qvt.py
				r.py
				rdf.py
				rebol.py
				rego.py
				resource.py
				ride.py
				rita.py
				rnc.py
				roboconf.py
				robotframework.py
				ruby.py
				rust.py
				sas.py
				savi.py
				scdoc.py
				scripting.py
				sgf.py
				shell.py
				sieve.py
				slash.py
				smalltalk.py
				smithy.py
				smv.py
				snobol.py
				solidity.py
				soong.py
				sophia.py
				special.py
				spice.py
				sql.py
				srcinfo.py
				stata.py
				supercollider.py
				tablegen.py
				tact.py
				tal.py
				tcl.py
				teal.py
				templates.py
				teraterm.py
				testing.py
				text.py
				textedit.py
				textfmts.py
				theorem.py
				thingsdb.py
				tlb.py
				tls.py
				tnt.py
				trafficscript.py
				typoscript.py
				typst.py
				ul4.py
				unicon.py
				urbi.py
				usd.py
				varnish.py
				verification.py

```
verifpal.py
vip.py
vyper.py
web.py
webassembly.py
webidl.py
webmisc.py
wgs1.py
whiley.py
wowtoc.py
wren.py
xl0.py
xorg.py
yang.py
yara.py
zig.py
_ada_builtins.py
_asy_builtins.py
_cl_builtins.py
_cocoa_builtins.py
_csound_builtins.py
_css_builtins.py
_google_sql_builtins.py
_julia_builtins.py
_lasso_builtins.py
_lilypond_builtins.py
_lua_builtins.py
_lua_builtins.py
_mapping.py
_mql_builtins.py
_mysql_builtins.py
_openssl_builtins.py
_php_builtins.py
_postgres_builtins.py
_qlik_builtins.py
_scheme_builtins.py
_scilab_builtins.py
_sourcmod_builtins.py
_sql_builtins.py
_stan_builtins.py
_stata_builtins.py
_tsql_builtins.py
_usd_builtins.py
_vbscript_builtins.py
_vim_builtins.py
__init__.py
\---__pycache__
actionscript.cpython-310.pyc
ada.cpython-310.pyc
agile.cpython-310.pyc
algebra.cpython-310.pyc
ambient.cpython-310.pyc
amdgpu.cpython-310.pyc
ampl.cpython-310.pyc
apdlexer.cpython-310.pyc
apl.cpython-310.pyc
archetype.cpython-310.pyc
arrow.cpython-310.pyc
arturo.cpython-310.pyc
asc.cpython-310.pyc
asm.cpython-310.pyc
asn1.cpython-310.pyc
automation.cpython-310.pyc
bare.cpython-310.pyc
basic.cpython-310.pyc
bdd.cpython-310.pyc
berry.cpython-310.pyc
```

bibtex.cpython-310.pyc
blueprint.cpython-310.pyc
boa.cpython-310.pyc
bqn.cpython-310.pyc
business.cpython-310.pyc
capnproto.cpython-310.pyc
carbon.cpython-310.pyc
cddl.cpython-310.pyc
chapel.cpython-310.pyc
clean.cpython-310.pyc
codeql.cpython-310.pyc
comal.cpython-310.pyc
compiled.cpython-310.pyc
configs.cpython-310.pyc
console.cpython-310.pyc
cplint.cpython-310.pyc
crystal.cpython-310.pyc
csound.cpython-310.pyc
css.cpython-310.pyc
c_cpp.cpython-310.pyc
c_like.cpython-310.pyc
d.cpython-310.pyc
dalvik.cpython-310.pyc
data.cpython-310.pyc
dax.cpython-310.pyc
devicetree.cpython-310.pyc
diff.cpython-310.pyc
dns.cpython-310.pyc
dotnet.cpython-310.pyc
dsls.cpython-310.pyc
dylan.cpython-310.pyc
ecl.cpython-310.pyc
eiffel.cpython-310.pyc
elm.cpython-310.pyc
elpi.cpython-310.pyc
email.cpython-310.pyc
erlang.cpython-310.pyc
esoteric.cpython-310.pyc
ezhil.cpython-310.pyc
factor.cpython-310.pyc
fantom.cpython-310.pyc
felix.cpython-310.pyc
fift.cpython-310.pyc
floscript.cpython-310.pyc
forth.cpython-310.pyc
fortran.cpython-310.pyc
foxpro.cpython-310.pyc
freefem.cpython-310.pyc
func.cpython-310.pyc
functional.cpython-310.pyc
futhark.cpython-310.pyc
gcodelexer.cpython-310.pyc
gdscrip.cpython-310.pyc
gleam.cpython-310.pyc
go.cpython-310.pyc
grammar_notation.cpython-310.pyc
graph.cpython-310.pyc
graphics.cpython-310.pyc
graphql.cpython-310.pyc
graphviz.cpython-310.pyc
gsq.cpython-310.pyc
hare.cpython-310.pyc
haskell.cpython-310.pyc
haxe.cpython-310.pyc
hdl.cpython-310.pyc
hexdump.cpython-310.pyc
html.cpython-310.pyc
idl.cpython-310.pyc

igor.cpython-310.pyc
inferno.cpython-310.pyc
installers.cpython-310.pyc
int_fiction.cpython-310.pyc
iolang.cpython-310.pyc
j.cpython-310.pyc
javascript.cpython-310.pyc
jmespath.cpython-310.pyc
jslt.cpython-310.pyc
json5.cpython-310.pyc
jsonnet.cpython-310.pyc
jsx.cpython-310.pyc
julia.cpython-310.pyc
jvm.cpython-310.pyc
kuin.cpython-310.pyc
kusto.cpython-310.pyc
ldap.cpython-310.pyc
lean.cpython-310.pyc
lilypond.cpython-310.pyc
lisp.cpython-310.pyc
macaulay2.cpython-310.pyc
make.cpython-310.pyc
maple.cpython-310.pyc
markup.cpython-310.pyc
math.cpython-310.pyc
matlab.cpython-310.pyc
maxima.cpython-310.pyc
meson.cpython-310.pyc
mime.cpython-310.pyc
minecraft.cpython-310.pyc
mips.cpython-310.pyc
ml.cpython-310.pyc
modeling.cpython-310.pyc
modula2.cpython-310.pyc
mojo.cpython-310.pyc
monte.cpython-310.pyc
mosel.cpython-310.pyc
ncl.cpython-310.pyc
nimrod.cpython-310.pyc
nit.cpython-310.pyc
nix.cpython-310.pyc
numbair.cpython-310.pyc
oberon.cpython-310.pyc
objective.cpython-310.pyc
ooc.cpython-310.pyc
openscad.cpython-310.pyc
other.cpython-310.pyc
parasail.cpython-310.pyc
parsers.cpython-310.pyc
pascal.cpython-310.pyc
pawn.cpython-310.pyc
pddl.cpython-310.pyc
perl.cpython-310.pyc
phix.cpython-310.pyc
php.cpython-310.pyc
pointless.cpython-310.pyc
pony.cpython-310.pyc
praat.cpython-310.pyc
procfile.cpython-310.pyc
prolog.cpython-310.pyc
promql.cpython-310.pyc
prql.cpython-310.pyc
ptx.cpython-310.pyc
python.cpython-310.pyc
q.cpython-310.pyc
qlik.cpython-310.pyc
qvt.cpython-310.pyc
r.cpython-310.pyc

rdf.cpython-310.pyc
 rebol.cpython-310.pyc
 rego.cpython-310.pyc
 resource.cpython-310.pyc
 ride.cpython-310.pyc
 rita.cpython-310.pyc
 rnc.cpython-310.pyc
 roboconf.cpython-310.pyc
 robotframework.cpython-310.pyc
 ruby.cpython-310.pyc
 rust.cpython-310.pyc
 sas.cpython-310.pyc
 savi.cpython-310.pyc
 scdoc.cpython-310.pyc
 scripting.cpython-310.pyc
 sgf.cpython-310.pyc
 shell.cpython-310.pyc
 sieve.cpython-310.pyc
 slash.cpython-310.pyc
 smalltalk.cpython-310.pyc
 smithy.cpython-310.pyc
 smv.cpython-310.pyc
 snobol.cpython-310.pyc
 solidity.cpython-310.pyc
 soong.cpython-310.pyc
 sophia.cpython-310.pyc
 special.cpython-310.pyc
 spice.cpython-310.pyc
 sql.cpython-310.pyc
 srcinfo.cpython-310.pyc
 stata.cpython-310.pyc
 supercollider.cpython-310.pyc
 tablegen.cpython-310.pyc
 tact.cpython-310.pyc
 tal.cpython-310.pyc
 tcl.cpython-310.pyc
 teal.cpython-310.pyc
 templates.cpython-310.pyc
 teraterm.cpython-310.pyc
 testing.cpython-310.pyc
 text.cpython-310.pyc
 textedit.cpython-310.pyc
 textfmts.cpython-310.pyc
 theorem.cpython-310.pyc
 thingsdb.cpython-310.pyc
 tlb.cpython-310.pyc
 tls.cpython-310.pyc
 tnt.cpython-310.pyc
 trafficscript.cpython-310.pyc
 typoscript.cpython-310.pyc
 typst.cpython-310.pyc
 ul4.cpython-310.pyc
 unicon.cpython-310.pyc
 urbi.cpython-310.pyc
 usd.cpython-310.pyc
 varnish.cpython-310.pyc
 verification.cpython-310.pyc
 verifpal.cpython-310.pyc
 vip.cpython-310.pyc
 vyper.cpython-310.pyc
 web.cpython-310.pyc
 webassembly.cpython-310.pyc
 webidl.cpython-310.pyc
 webmisc.cpython-310.pyc
 wgs1.cpython-310.pyc
 whiley.cpython-310.pyc
 wowtoc.cpython-310.pyc
 wren.cpython-310.pyc


```
x10.cpython-310.pyc
xorg.cpython-310.pyc
yang.cpython-310.pyc
yara.cpython-310.pyc
zig.cpython-310.pyc
_ada_builtins.cpython-310.pyc
_asy_builtins.cpython-310.pyc
_cl_builtins.cpython-310.pyc
_cocoa_builtins.cpython-310.pyc
_csound_builtins.cpython-310.pyc
_css_builtins.cpython-310.pyc
_google_sql_builtins.cpython-310.pyc
_julia_builtins.cpython-310.pyc
_lasso_builtins.cpython-310.pyc
_lilypond_builtins.cpython-310.pyc
_lua_builtins.cpython-310.pyc
_lua_builtins.cpython-310.pyc
_mapping.cpython-310.pyc
_mql_builtins.cpython-310.pyc
_mysql_builtins.cpython-310.pyc
_openssl_builtins.cpython-310.pyc
_php_builtins.cpython-310.pyc
_postgres_builtins.cpython-310.pyc
_qlik_builtins.cpython-310.pyc
_scheme_builtins.cpython-310.pyc
_scilab_builtins.cpython-310.pyc
_sourcemap_builtins.cpython-310.pyc
_sql_builtins.cpython-310.pyc
_stan_builtins.cpython-310.pyc
_stata_builtins.cpython-310.pyc
_tsql_builtins.cpython-310.pyc
_usd_builtins.cpython-310.pyc
_vbscript_builtins.cpython-310.pyc
_vim_builtins.cpython-310.pyc
__init__.cpython-310.pyc
```

+---styles

```
abap.py
algol.py
algol_nu.py
arduino.py
autumn.py
borland.py
bw.py
coffee.py
colorful.py
default.py
dracula.py
emacs.py
friendly.py
friendly_grayscale.py
fruity.py
gh_dark.py
gruvbox.py
igor.py
inkpot.py
lightbulb.py
lilypond.py
lovelace.py
manni.py
material.py
monokai.py
murphy.py
native.py
nord.py
onedark.py
paraiso_dark.py
paraiso_light.py
```

```
pastie.py
perldoc.py
rainbow_dash.py
rrt.py
sas.py
solarized.py
staroffice.py
stata_dark.py
stata_light.py
tango.py
trac.py
vim.py
vs.py
xcode.py
zenburn.py
__mapping.py
__init__.py
```

```
\---__pycache__
    abap.cpython-310.pyc
    algol.cpython-310.pyc
    algol_nu.cpython-310.pyc
    arduino.cpython-310.pyc
    autumn.cpython-310.pyc
    borland.cpython-310.pyc
    bw.cpython-310.pyc
    coffee.cpython-310.pyc
    colorful.cpython-310.pyc
    default.cpython-310.pyc
    dracula.cpython-310.pyc
    emacs.cpython-310.pyc
    friendly.cpython-310.pyc
    friendly_grayscale.cpython-310.pyc
    fruity.cpython-310.pyc
    gh_dark.cpython-310.pyc
    gruvbox.cpython-310.pyc
    igor.cpython-310.pyc
    inkpot.cpython-310.pyc
    lightbulb.cpython-310.pyc
    lilypond.cpython-310.pyc
    lovelace.cpython-310.pyc
    manni.cpython-310.pyc
    material.cpython-310.pyc
    monokai.cpython-310.pyc
    murphy.cpython-310.pyc
    native.cpython-310.pyc
    nord.cpython-310.pyc
    onedark.cpython-310.pyc
    paraiso_dark.cpython-310.pyc
    paraiso_light.cpython-310.pyc
    pastie.cpython-310.pyc
    perldoc.cpython-310.pyc
    rainbow_dash.cpython-310.pyc
    rrt.cpython-310.pyc
    sas.cpython-310.pyc
    solarized.cpython-310.pyc
    staroffice.cpython-310.pyc
    stata_dark.cpython-310.pyc
    stata_light.cpython-310.pyc
    tango.cpython-310.pyc
    trac.cpython-310.pyc
    vim.cpython-310.pyc
    vs.cpython-310.pyc
    xcode.cpython-310.pyc
    zenburn.cpython-310.pyc
    __mapping.cpython-310.pyc
    __init__.cpython-310.pyc
```

```

\---__pycache__
    cmdline.cpython-310.pyc
    console.cpython-310.pyc
    filter.cpython-310.pyc
    formatter.cpython-310.pyc
    lexer.cpython-310.pyc
    modeline.cpython-310.pyc
    plugin.cpython-310.pyc
    regexopt.cpython-310.pyc
    scanner.cpython-310.pyc
    sphinxext.cpython-310.pyc
    style.cpython-310.pyc
    token.cpython-310.pyc
    unistring.cpython-310.pyc
    util.cpython-310.pyc
    __init__.cpython-310.pyc
    __main__.cpython-310.pyc

+---pygments-2.19.2.dist-info
    entry_points.txt
    INSTALLER
    METADATA
    RECORD
    WHEEL

\---licenses
    AUTHORS
    LICENSE

+---pylint
    constants.py
    exceptions.py
    graph.py
    interfaces.py
    py.typed
    typing.py
    __init__.py
    __main__.py
    __pkginfo__.py

+---checkers
    async_checker.py
    bad_chained_comparison.py
    base_checker.py
    clear_lru_cache.py
    dataclass_checker.py
    deprecated.py
    design_analysis.py
    dunder_methods.py
    ellipsis_checker.py
    exceptions.py
    format.py
    imports.py
    lambda_expressions.py
    logging.py
    match_statements_checker.py
    method_args.py
    misc.py
    modified_iterating_checker.py
    nested_min_max.py
    newstyle.py
    non_ascii_names.py
    raw_metrics.py
    spelling.py
    stdlib.py
    strings.py
    symilar.py
    threading_checker.py

```

```

typecheck.py
unicode.py
unsupported_version.py
utils.py
variables.py
__init__.py

+---base
|   basic_checker.py
|   basic_error_checker.py
|   comparison_checker.py
|   docstring_checker.py
|   function_checker.py
|   pass_checker.py
|   __init__.py
|
\---name_checker
     checker.py
     naming_style.py
     __init__.py

+---classes
|   class_checker.py
|   special_methods_checker.py
|   __init__.py
|
\---refactoring
     implicit_booleanness_checker.py
     not_checker.py
     recommendation_checker.py
     refactoring_checker.py
     __init__.py

+---config
|   argument.py
|   arguments_manager.py
|   arguments_provider.py
|   callback_actions.py
|   config_file_parser.py
|   config_initialization.py
|   deprecation_actions.py
|   exceptions.py
|   find_default_config_files.py
|   help_formatter.py
|   utils.py
|   __init__.py
|
+---_breaking_changes
|   __init__.py
|
\---_pylint_config
     generate_command.py
     help_message.py
     main.py
     setup.py
     utils.py
     __init__.py

+---extensions
|   bad_builtin.py
|   broad_try_clause.py
|   check_elif.py
|   code_style.py
|   comparison_placement.py
|   confusing_elif.py
|   consider_refactoring_into_while_condition.py
|   consider_ternary_expression.py
|   dict_init_mutate.py

```

```
docparams.py
docstyle.py
dunder.py
empty_comment.py
eq_without_hash.py
for_any_all.py
magic_value.py
mccabe.py
no_self_use.py
overlapping_exceptions.py
private_import.py
redefined_loop_name.py
redefined_variable_type.py
set_membership.py
typing.py
while_used.py
_check_docs_utils.py
__init__.py
```

+---lint

```
base_options.py
caching.py
expand_modules.py
message_state_handler.py
parallel.py
pylinter.py
report_functions.py
run.py
utils.py
__init__.py
```

+---message

```
message.py
message_definition.py
message_definition_store.py
message_id_store.py
_deleted_message_ids.py
__init__.py
```

+---pyreverse

```
diadefslib.py
diagrams.py
dot_printer.py
inspector.py
main.py
mermaidjs_printer.py
plantuml_printer.py
printer.py
printer_factory.py
utils.py
writer.py
__init__.py
```

+---reporters

```
base_reporter.py
collecting_reporter.py
json_reporter.py
multi_reporter.py
progress_reporters.py
reports_handler_mix_in.py
text.py
__init__.py
```

\---ureports

```
base_writer.py
nodes.py
text_writer.py
__init__.py
```

```

+---testutils
|   checker_test_case.py
|   configuration_test.py
|   constants.py
|   decorator.py
|   get_test_info.py
|   global_test_linter.py
|   lint_module_test.py
|   output_line.py
|   pyreverse.py
|   reporter_for_tests.py
|   testing_pylintrc
|   tokenize_str.py
|   unittest_linter.py
|   utils.py
|   _run.py
|   __init__.py
|
+---functional
|   find_functional_tests.py
|   lint_module_output_update.py
|   __init__.py
|
\---_primer
|   package_to_lint.py
|   primer.py
|   primer_command.py
|   primer_compare_command.py
|   primer_prepare_command.py
|   primer_run_command.py
|   __init__.py
|
\---utils
|   ast_walker.py
|   docs.py
|   file_state.py
|   linterstats.py
|   pragma_parser.py
|   utils.py
|   __init__.py
|
+---pylint-4.0.4.dist-info
|   entry_points.txt
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
|
\---licenses
|   CONTRIBUTORS.txt
|   LICENSE
|
+---PyMuPDF-1.23.8.dist-info
|   COPYING
|   INSTALLER
|   METADATA
|   README.md
|   RECORD
|   REQUESTED
|   WHEEL
|
+---PyMuPDFb-1.23.7.dist-info
|   COPYING
|   INSTALLER
|   METADATA

```

```

    README.md
    RECORD
    WHEEL

+---pyparsing
|   actions.py
|   common.py
|   core.py
|   exceptions.py
|   helpers.py
|   py.typed
|   results.py
|   testing.py
|   unicode.py
|   util.py
|   __init__.py
|
+---diagram
|   |   __init__.py
|   \---__pycache__
|           __init__.cpython-310.pyc
|
+---tools
|   |   cvt_pyparsing_pep8_names.py
|   |   __init__.py
|   \---__pycache__
|           cvt_pyparsing_pep8_names.cpython-310.pyc
|           __init__.cpython-310.pyc
|
\---__pycache__
    actions.cpython-310.pyc
    common.cpython-310.pyc
    core.cpython-310.pyc
    exceptions.cpython-310.pyc
    helpers.cpython-310.pyc
    results.cpython-310.pyc
    testing.cpython-310.pyc
    unicode.cpython-310.pyc
    util.cpython-310.pyc
    __init__.cpython-310.pyc

+---pyparsing-3.2.5.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   WHEEL
|
\---licenses
    LICENSE

+---pypdfium2
|   raw.py
|   version.json
|   version.py
|   _lazy.py
|   _library_scope.py
|   __init__.py
|   __main__.py
|
+---internal
|   |   bases.py
|   |   consts.py
|   |   utils.py
|   |   __init__.py

```

```

\---__pycache__
    bases.cpython-310.pyc
    consts.cpython-310.pyc
    utils.cpython-310.pyc
    __init__.cpython-310.pyc

+---_cli
    arrange.py
    attachments.py
    extract_images.py
    extract_text.py
    imgtopdf.py
    pageobjects.py
    pdfinfo.py
    render.py
    tile.py
    toc.py
    _parsers.py
    __init__.py

\---__pycache__
    arrange.cpython-310.pyc
    attachments.cpython-310.pyc
    extract_images.cpython-310.pyc
    extract_text.cpython-310.pyc
    imgtopdf.cpython-310.pyc
    pageobjects.cpython-310.pyc
    pdfinfo.cpython-310.pyc
    render.cpython-310.pyc
    tile.cpython-310.pyc
    toc.cpython-310.pyc
    _parsers.cpython-310.pyc
    __init__.cpython-310.pyc

+---_helpers
    attachment.py
    bitmap.py
    document.py
    matrix.py
    misc.py
    page.py
    pageobjects.py
    textpage.py
    unsupported.py
    __init__.py

\---__pycache__
    attachment.cpython-310.pyc
    bitmap.cpython-310.pyc
    document.cpython-310.pyc
    matrix.cpython-310.pyc
    misc.cpython-310.pyc
    page.cpython-310.pyc
    pageobjects.cpython-310.pyc
    textpage.cpython-310.pyc
    unsupported.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    raw.cpython-310.pyc
    version.cpython-310.pyc
    _lazy.cpython-310.pyc
    _library_scope.cpython-310.pyc
    __init__.cpython-310.pyc
    __main__.cpython-310.pyc

+---pypdfium2-5.0.0.dist-info
    entry_points.txt

```



```

INSTALLER
METADATA
RECORD
REQUESTED
top_level.txt
WHEEL

\---licenses
+---data
|   \---windows_x64
|       \---BUILD_LICENSES
|           abseil.txt
|           agg23.txt
|           fast_float.txt
|           freetype.txt
|           icu.txt
|           lcms.txt
|           libjpeg_turbo.ijg
|           libjpeg_turbo.md
|           libopenjpeg.txt
|           libpng.txt
|           libtiff.txt
|           llvm-libc.txt
|           pdfium-binaries.txt
|           pdfium.txt
|           zlib.txt
|
|   \---LICENSES
|       Apache-2.0.txt
|       BSD-3-Clause.txt
|       CC-BY-4.0.txt
|
+---pypdfium2_raw
|   bindings.py
|   pdfium.dll
|   version.json
|   __init__.py
|
|   \---__pycache__
|       bindings.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---pyproj
|   aoi.py
|   base.pxi
|   database.c
|   database.cp310-win_amd64.pyd
|   database.pyi
|   database.pyx
|   datadir.py
|   enums.py
|   exceptions.py
|   geod.py
|   list.c
|   list.cp310-win_amd64.pyd
|   list.pyi
|   list.pyx
|   network.py
|   proj.pxi
|   proj.py
|   py.typed
|   sync.py
|   transformer.py
|   utils.py
|   _compat.c
|   _compat.cp310-win_amd64.pyd
|   _compat.pxd
|   _compat.pyi

```

```

_compat.pyx
_context.c
_context.cp310-win_amd64.pyd
_context.pxd
_context.pyi
_context.pyx
_crs.c
_crs.cp310-win_amd64.pyd
_crs.pxd
_crs.pyi
_crs.pyx
_geod.c
_geod.cp310-win_amd64.pyd
_geod.pxd
_geod.pyi
_geod.pyx
_network.c
_network.cp310-win_amd64.pyd
_network.pyi
_network.pyx
_show_versions.py
_sync.c
_sync.cp310-win_amd64.pyd
_sync.pyi
_sync.pyx
_transformer.c
_transformer.cp310-win_amd64.pyd
_transformer.pxd
_transformer.pyi
_transformer.pyx
_version.c
_version.cp310-win_amd64.pyd
_version.pyi
_version.pyx
__init__.py
__main__.py

```

+---crs

```

| coordinate_operation.py
| coordinate_system.py
| crs.py
| datum.py
| enums.py
| _cflx8.py
| __init__.py

```

\---__pycache__

```

| coordinate_operation.cpython-310.pyc
| coordinate_system.cpython-310.pyc
| crs.cpython-310.pyc
| datum.cpython-310.pyc
| enums.cpython-310.pyc
| _cflx8.cpython-310.pyc
| __init__.cpython-310.pyc

```

+---proj_dir

\---share

\---proj

```

| CH
| copyright
| deformation_model.schema.json
| GL27
| ITRF2000
| ITRF2008
| ITRF2014
| ITRF2020
| nad.lst
| nad27

```

```

        nad83
        other.extra
        proj-config-version.cmake
        proj-config.cmake
        proj-targets-debug.cmake
        proj-targets-release.cmake
        proj-targets.cmake
        proj.db
        proj.ini
        proj4-targets-debug.cmake
        proj4-targets-release.cmake
        proj4-targets.cmake
        projjson.schema.json
        triangulation.schema.json
        usage
        vcpkg.spdx.json
        vcpkg_abi_info.txt
        world
    \---__pycache__
        aoi.cpython-310.pyc
        datadir.cpython-310.pyc
        enums.cpython-310.pyc
        exceptions.cpython-310.pyc
        geod.cpython-310.pyc
        network.cpython-310.pyc
        proj.cpython-310.pyc
        sync.cpython-310.pyc
        transformer.cpython-310.pyc
        utils.cpython-310.pyc
        _show_versions.cpython-310.pyc
        __init__.cpython-310.pyc
        __main__.cpython-310.pyc
+---pyproj-3.7.1.dist-info
    DELVEWHEEL
    entry_points.txt
    INSTALLER
    LICENSE
    LICENSE_proj
    METADATA
    RECORD
    REQUESTED
    top_level.txt
    WHEEL
+---pyproj.libs
    jpeg62-b8ab92f4fbc92367f3262d8a1a71f90b.dll
    libcurl-a29cc9317505e6997addcef4c84fa626.dll
    liblzma-559e6637e59731119da5f77161d49851.dll
    msvcp140-d76d4b45e040cbc263297f5a5893a46c.dll
    proj_9-ece80b3ce99919cf7dd31637c074a1bb.dll
    sqlite3-4d959957f8a1ac1287d0dfb03e0e5353.dll
    tiff-5e90040fe2ccc57bb6a51e477dfe595e.dll
    zlib1-20140a261acd3e37526970333bcd3057.dll
+---pytesseract
    pytesseract.py
    __init__.py
    \---__pycache__
        pytesseract.cpython-310.pyc
        __init__.cpython-310.pyc
+---pytesseract-0.3.13.dist-info
    entry_points.txt
    INSTALLER
    LICENSE

```

```

METADATA
RECORD
REQUESTED
top_level.txt
WHEEL

+---pytest
|   py.typed
|   __init__.py
|   __main__.py
|
+---pytest-9.0.1.dist-info
|   entry_points.txt
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
|
\---licenses
|   LICENSE
|
+---pytest_cov
|   engine.py
|   plugin.py
|   __init__.py
|
+---pytest_cov-7.0.0.dist-info
|   entry_points.txt
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   WHEEL
|
\---licenses
|   AUTHORS.rst
|   LICENSE
|
+---python_dateutil-2.9.0.post0.dist-info
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
|   zip-safe
|
+---python_dotenv-1.0.0.dist-info
|   entry_points.txt
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
|
+---python_magic_bin-0.4.14.dist-info
|   DESCRIPTION.rst
|   INSTALLER
|   METADATA
|   metadata.json
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL

```

```
+---python_multipart-0.0.6.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   WHEEL
```

```
\---licenses
|   LICENSE.txt
```

```
+---python_pptx-1.0.2.dist-info
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
```

```
+---pytz
|   exceptions.py
|   lazy.py
|   reference.py
|   tzfile.py
|   tzinfo.py
|   __init__.py
```

```
+---zoneinfo
|   CET
|   CST6CDT
|   Cuba
|   EET
|   Egypt
|   Eire
|   EST
|   EST5EDT
|   Factory
|   GB
|   GB-Eire
|   GMT
|   GMT+0
|   GMT-0
|   GMT0
|   Greenwich
|   Hongkong
|   HST
|   Iceland
|   Iran
|   iso3166.tab
|   Israel
|   Jamaica
|   Japan
|   Kwajalein
|   leapseconds
|   Libya
|   MET
|   MST
|   MST7MDT
|   Navajo
|   NZ
|   NZ-CHAT
|   Poland
|   Portugal
|   PRC
|   PST8PDT
|   ROC
|   ROK
```

Singapore
Turkey
tzdata.zi
UCT
Universal
UTC
W-SU
WET
zone.tab
zone1970.tab
zonenow.tab
Zulu

+---Africa

Abidjan
Accra
Addis_Ababa
Algiers
Asmara
Asmera
Bamako
Bangui
Banjul
Bissau
Blantyre
Brazzaville
Bujumbura
Cairo
Casablanca
Ceuta
Conakry
Dakar
Dar_es_Salaam
Djibouti
Douala
El_Aaiun
Freetown
Gaborone
Harare
Johannesburg
Juba
Kampala
Khartoum
Kigali
Kinshasa
Lagos
Libreville
Lome
Luanda
Lubumbashi
Lusaka
Malabo
Maputo
Maseru
Mbabane
Mogadishu
Monrovia
Nairobi
Ndjamena
Niamey
Nouakchott
Ouagadougou
Porto-Novo
Sao_Tome
Timbuktu
Tripoli
Tunis
Windhoek

-----America	
	Adak
	Anchorage
	Anguilla
	Antigua
	Araguaina
	Aruba
	Asuncion
	Atikokan
	Atka
	Bahia
	Bahia_Banderas
	Barbados
	Belem
	Belize
	Blanc-Sablon
	Boa_Vista
	Bogota
	Boise
	Buenos_Aires
	Cambridge_Bay
	Campo_Grande
	Cancun
	Caracas
	Catamarca
	Cayenne
	Cayman
	Chicago
	Chihuahua
	Ciudad_Juarez
	Coral_Harbour
	Cordoba
	Costa_Rica
	Coyhaique
	Creston
	Cuiaba
	Curacao
	Danmarkshavn
	Dawson
	Dawson_Creek
	Denver
	Detroit
	Dominica
	Edmonton
	Eirunepe
	El_Salvador
	Ensenada
	Fortaleza
	Fort_Nelson
	Fort_Wayne
	Glace_Bay
	Godthab
	Goose_Bay
	Grand_Turk
	Grenada
	Guadeloupe
	Guatemala
	Guayaquil
	Guyana
	Halifax
	Havana
	Hermosillo
	Indianapolis
	Inuvik
	Iqaluit
	Jamaica
	Jujuy

					Juneau
					Knox_IN
					Kralendijk
					La_Paz
					Lima
					Los_Angeles
					Louisville
					Lower_Princes
					Maceio
					Managua
					Manaus
					Marigot
					Martinique
					Matamoros
					Mazatlan
					Mendoza
					Menominee
					Merida
					Metlakatla
					Mexico_City
					Miquelon
					Moncton
					Monterrey
					Montevideo
					Montreal
					Montserrat
					Nassau
					New_York
					Nipigon
					Nome
					Noronha
					Nuuk
					Ojinaga
					Panama
					Pangnirtung
					Paramaribo
					Phoenix
					Port-au-Prince
					Porto_Acre
					Porto_Velho
					Port_of_Spain
					Puerto_Rico
					Punta_Arenas
					Rainy_River
					Rankin_Inlet
					Recife
					Regina
					Resolute
					Rio_Branco
					Rosario
					Santarem
					Santa_Isabel
					Santiago
					Santo_Domingo
					Sao_Paulo
					Scoresbysund
					Shiprock
					Sitka
					St_Barthelemy
					St_Johns
					St_Kitts
					St_Lucia
					St_Thomas
					St_Vincent
					Swift_Current
					Tegucigalpa
					Thule
					Thunder_Bay

Tijuana
Toronto
Tortola
Vancouver
Virgin
Whitehorse
Winnipeg
Yakutat
Yellowknife

+---Argentina
| Buenos_Aires
| Catamarca
| ComodRivadavia
| Cordoba
| Jujuy
| La_Rioja
| Mendoza
| Rio_Gallegos
| Salta
| San_Juan
| San_Luis
| Tucuman
| Ushuaia

+---Indiana
| Indianapolis
| Knox
| Marengo
| Petersburg
| Tell_City
| Vevay
| Vincennes
| Winamac

+---Kentucky
| Louisville
| Monticello

\---North_Dakota
| Beulah
| Center
| New_Salem

+---Antarctica
| Casey
| Davis
| DumontDUrville
| Macquarie
| Mawson
| McMurdo
| Palmer
| Rothera
| South_Pole
| Syowa
| Troll
| Vostok

+---Arctic
| Longyearbyen

+---Asia
| Aden
| Almaty
| Amman
| Anadyr
| Aqtau
| Aqtobe

				Ashgabat
				Ashkhabad
				Atyrau
				Baghdad
				Bahrain
				Baku
				Bangkok
				Barnaul
				Beirut
				Bishkek
				Brunei
				Calcutta
				Chita
				Choibalsan
				Chongqing
				Chungking
				Colombo
				Dacca
				Damascus
				Dhaka
				Dili
				Dubai
				Dushanbe
				Famagusta
				Gaza
				Harbin
				Hebron
				Hong_Kong
				Hovd
				Ho_Chi_Minh
				Irkutsk
				Istanbul
				Jakarta
				Jayapura
				Jerusalem
				Kabul
				Kamchatka
				Karachi
				Kashgar
				Kathmandu
				Katmandu
				Khandyga
				Kolkata
				Krasnoyarsk
				Kuala_Lumpur
				Kuching
				Kuwait
				Macao
				Macau
				Magadan
				Makassar
				Manila
				Muscat
				Nicosia
				Novokuznetsk
				Novosibirsk
				Omsk
				Oral
				Phnom_Penh
				Pontianak
				Pyongyang
				Qatar
				Qostanay
				Qyzylorda
				Rangoon
				Riyadh
				Saigon
				Sakhalin

Samarkand
Seoul
Shanghai
Singapore
Srednekolymsk
Taipei
Tashkent
Tbilisi
Tehran
Tel_Aviv
Thimbu
Thimphu
Tokyo
Tomsk
Ujung_Pandang
Ulaanbaatar
Ulan_Bator
Urumqi
Ust-Nera
Vientiane
Vladivostok
Yakutsk
Yangon
Yekaterinburg
Yerevan

+---Atlantic

Azores
Bermuda
Canary
Cape_Verde
Faeroe
Faroe
Jan_Mayen
Madeira
Reykjavik
South_Georgia
Stanley
St_Helena

+---Australia

ACT
Adelaide
Brisbane
Broken_Hill
Canberra
Currie
Darwin
Eucla
Hobart
LHI
Lindeman
Lord_Howe
Melbourne
North
NSW
Perth
Queensland
South
Sydney
Tasmania
Victoria
West
Yancowinna

+---Brazil

Acre
DeNoronha

East
West

+---Canada

Atlantic
Central
Eastern
Mountain
Newfoundland
Pacific
Saskatchewan
Yukon

+---Chile

Continental
EasterIsland

+---Etc

GMT
GMT+0
GMT+1
GMT+10
GMT+11
GMT+12
GMT+2
GMT+3
GMT+4
GMT+5
GMT+6
GMT+7
GMT+8
GMT+9
GMT-0
GMT-1
GMT-10
GMT-11
GMT-12
GMT-13
GMT-14
GMT-2
GMT-3
GMT-4
GMT-5
GMT-6
GMT-7
GMT-8
GMT-9
GMT0
Greenwich
UCT
Universal
UTC
Zulu

+---Europe

Amsterdam
Andorra
Astrakhan
Athens
Belfast
Belgrade
Berlin
Bratislava
Brussels
Bucharest
Budapest
Busingen
Chisinau

Copenhagen
Dublin
Gibraltar
Guernsey
Helsinki
Isle_of_Man
Istanbul
Jersey
Kaliningrad
Kiev
Kirov
Kyiv
Lisbon
Ljubljana
London
Luxembourg
Madrid
Malta
Mariehamn
Minsk
Monaco
Moscow
Nicosia
Oslo
Paris
Podgorica
Prague
Riga
Rome
Samara
San_Marino
Sarajevo
Saratov
Simferopol
Skopje
Sofia
Stockholm
Tallinn
Tirane
Tiraspol
Ulyanovsk
Uzhgorod
Vaduz
Vatican
Vienna
Vilnius
Volgograd
Warsaw
Zagreb
Zaporozhye
Zurich

+---Indian

Antananarivo
Chagos
Christmas
Cocos
Comoro
Kerguelen
Mahe
Maldives
Mauritius
Mayotte
Reunion

+---Mexico

BajaNorte
BajaSur

```
General
+---Pacific
    Apia
    Auckland
    Bougainville
    Chatham
    Chuuk
    Easter
    Efate
    Enderbury
    Fakaofu
    Fiji
    Funafuti
    Galapagos
    Gambier
    Guadalcanal
    Guam
    Honolulu
    Johnston
    Kanton
    Kiritimati
    Kosrae
    Kwajalein
    Majuro
    Marquesas
    Midway
    Nauru
    Niue
    Norfolk
    Noumea
    Pago_Pago
    Palau
    Pitcairn
    Pohnpei
    Ponape
    Port_Moresby
    Rarotonga
    Saipan
    Samoa
    Tahiti
    Tarawa
    Tongatapu
    Truk
    Wake
    Wallis
    Yap
\---US
    Alaska
    Aleutian
    Arizona
    Central
    East-Indiana
    Eastern
    Hawaii
    Indiana-Starke
    Michigan
    Mountain
    Pacific
    Samoa
\---__pycache__
    exceptions.cpython-310.pyc
    lazy.cpython-310.pyc
    reference.cpython-310.pyc
    tzfile.cpython-310.pyc
    tzinfo.cpython-310.pyc
```

```

        __init__.cpython-310.pyc
+---pytz-2025.2.dist-info
    INSTALLER
    LICENSE.txt
    METADATA
    RECORD
    top_level.txt
    WHEEL
    zip-safe
+---pyyaml-6.0.3.dist-info
    |
    | INSTALLER
    | METADATA
    | RECORD
    | REQUESTED
    | top_level.txt
    | WHEEL
    |
    \---licenses
        LICENSE
+---referencing
    |
    | exceptions.py
    | jsonschema.py
    | py.typed
    | retrieval.py
    | typing.py
    | _attrs.py
    | _attrs.pyi
    | _core.py
    | __init__.py
    |
    +---tests
        |
        | test_core.py
        | test_exceptions.py
        | test_jsonschema.py
        | test_referencing_suite.py
        | test_retrieval.py
        | __init__.py
        |
        | \---__pycache__
        |     test_core.cpython-310.pyc
        |     test_exceptions.cpython-310.pyc
        |     test_jsonschema.cpython-310.pyc
        |     test_referencing_suite.cpython-310.pyc
        |     test_retrieval.cpython-310.pyc
        |     __init__.cpython-310.pyc
        |
        | \---__pycache__
        |     exceptions.cpython-310.pyc
        |     jsonschema.cpython-310.pyc
        |     retrieval.cpython-310.pyc
        |     typing.cpython-310.pyc
        |     _attrs.cpython-310.pyc
        |     _core.cpython-310.pyc
        |     __init__.cpython-310.pyc
    |
+---referencing-0.37.0.dist-info
    |
    | INSTALLER
    | METADATA
    | RECORD
    | WHEEL
    |
    | \---licenses
    |     COPYING
    |
+---reportlab

```

```
rl_config.py
rl_settings.py
__init__.py
```

+---fonts

```
00readme.txt
bitstream-vera-license.txt
callig15.afm
callig15.pfb
cobo____.pfb
cob____.pfb
com____.pfb
coo____.pfb
DarkGarden-changelog.txt
DarkGarden-copying-gpl.txt
DarkGarden-copying.txt
DarkGarden-readme.txt
DarkGarden.sfd
DarkGardenMK.afm
DarkGardenMK.pfb
sy____.pfb
Vera.ttf
VeraBd.ttf
VeraBI.ttf
VeraIt.ttf
zd____.pfb
zx____.pfb
zy____.pfb
_abi____.pfb
_ab____.pfb
_ai____.pfb
_a____.pfb
_ebi____.pfb
_eb____.pfb
_ei____.pfb
_er____.pfb
```

+---graphics

```
renderbase.py
renderPDF.py
renderPM.py
renderPS.py
renderSVG.py
shapes.py
svgpath.py
testdrawings.py
testshapes.py
transform.py
utils.py
widgetbase.py
__init__.py
```

+---barcode

```
code128.py
code39.py
code93.py
common.py
dmtx.py
eanbc.py
ecc200datamatrix.py
fourstate.py
lto.py
qr.py
qrencoder.py
test.py
usps.py
usps4s.py
widgets.py
```



```

|   __init__.py
|
|   \--- __pycache__
|           code128.cpython-310.pyc
|           code39.cpython-310.pyc
|           code93.cpython-310.pyc
|           common.cpython-310.pyc
|           dmtx.cpython-310.pyc
|           eanbc.cpython-310.pyc
|           ecc200datamatrix.cpython-310.pyc
|           fourstate.cpython-310.pyc
|           lto.cpython-310.pyc
|           qr.cpython-310.pyc
|           qrencoder.cpython-310.pyc
|           test.cpython-310.pyc
|           usps.cpython-310.pyc
|           usps4s.cpython-310.pyc
|           widgets.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+--- charts
|   areas.py
|   axes.py
|   barcharts.py
|   dotbox.py
|   doughnut.py
|   legends.py
|   linecharts.py
|   lineplots.py
|   markers.py
|   piecharts.py
|   slidebox.py
|   spider.py
|   textlabels.py
|   utils.py
|   utils3d.py
|   __init__.py
|
|   \--- __pycache__
|           areas.cpython-310.pyc
|           axes.cpython-310.pyc
|           barcharts.cpython-310.pyc
|           dotbox.cpython-310.pyc
|           doughnut.cpython-310.pyc
|           legends.cpython-310.pyc
|           linecharts.cpython-310.pyc
|           lineplots.cpython-310.pyc
|           markers.cpython-310.pyc
|           piecharts.cpython-310.pyc
|           slidebox.cpython-310.pyc
|           spider.cpython-310.pyc
|           textlabels.cpython-310.pyc
|           utils.cpython-310.pyc
|           utils3d.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+--- samples
|   bubble.py
|   clustered_bar.py
|   clustered_column.py
|   excelcolors.py
|   exploded_pie.py
|   filled_radar.py
|   linechart_with_markers.py
|   line_chart.py
|   radar.py
|   runall.py
|   scatter.py

```

```

scatter_lines.py
scatter_lines_markers.py
simple_pie.py
stacked_bar.py
stacked_column.py
__init__.py
\---__pycache__
    bubble.cpython-310.pyc
    clustered_bar.cpython-310.pyc
    clustered_column.cpython-310.pyc
    excelcolors.cpython-310.pyc
    exploded_pie.cpython-310.pyc
    filled_radar.cpython-310.pyc
    linechart_with_markers.cpython-310.pyc
    line_chart.cpython-310.pyc
    radar.cpython-310.pyc
    runall.cpython-310.pyc
    scatter.cpython-310.pyc
    scatter_lines.cpython-310.pyc
    scatter_lines_markers.cpython-310.pyc
    simple_pie.cpython-310.pyc
    stacked_bar.cpython-310.pyc
    stacked_column.cpython-310.pyc
    __init__.cpython-310.pyc
+---widgets
    adjustableArrow.py
    eventcal.py
    flags.py
    grids.py
    markers.py
    signsandsymbols.py
    table.py
    __init__.py
\---__pycache__
    adjustableArrow.cpython-310.pyc
    eventcal.cpython-310.pyc
    flags.cpython-310.pyc
    grids.cpython-310.pyc
    markers.cpython-310.pyc
    signsandsymbols.cpython-310.pyc
    table.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    renderbase.cpython-310.pyc
    renderPDF.cpython-310.pyc
    renderPM.cpython-310.pyc
    renderPS.cpython-310.pyc
    renderSVG.cpython-310.pyc
    shapes.cpython-310.pyc
    svgpath.cpython-310.pyc
    testdrawings.cpython-310.pyc
    testshapes.cpython-310.pyc
    transform.cpython-310.pyc
    utils.cpython-310.pyc
    widgetbase.cpython-310.pyc
    __init__.cpython-310.pyc
+---lib
    abag.py
    arciv.py
    attrmap.py
    boxstuff.py
    codecharts.py
    colors.py

```

```
corp.py
enums.py
extformat.py
fontfinder.py
fonts.py
formatters.py
geomutils.py
logger.py
normalDate.py
pagesizes.py
pdfencrypt.py
PyFontify.py
pygments2xpre.py
randomtext.py
rltempfile.py
rl_accel.py
rl_safe_eval.py
rparsexml.py
sequencer.py
styles.py
testutils.py
textsplit.py
units.py
utils.py
validators.py
yaml.py
__init__.py
```

```
\---__pycache__
```

```
abag.cpython-310.pyc
arciv.cpython-310.pyc
attrmap.cpython-310.pyc
boxstuff.cpython-310.pyc
codecharts.cpython-310.pyc
colors.cpython-310.pyc
corp.cpython-310.pyc
enums.cpython-310.pyc
extformat.cpython-310.pyc
fontfinder.cpython-310.pyc
fonts.cpython-310.pyc
formatters.cpython-310.pyc
geomutils.cpython-310.pyc
logger.cpython-310.pyc
normalDate.cpython-310.pyc
pagesizes.cpython-310.pyc
pdfencrypt.cpython-310.pyc
PyFontify.cpython-310.pyc
pygments2xpre.cpython-310.pyc
randomtext.cpython-310.pyc
rltempfile.cpython-310.pyc
rl_accel.cpython-310.pyc
rl_safe_eval.cpython-310.pyc
rparsexml.cpython-310.pyc
sequencer.cpython-310.pyc
styles.cpython-310.pyc
testutils.cpython-310.pyc
textsplit.cpython-310.pyc
units.cpython-310.pyc
utils.cpython-310.pyc
validators.cpython-310.pyc
yaml.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---pdfbase
```

```
acroform.py
cidfonts.py
pdfdoc.py
pdfform.py
```

```
pdfmetrics.py
pdfpattern.py
pdfutils.py
rl_codecs.py
ttfonts.py
_can_cmap_data.py
_cidfontdata.py
_fontdata.py
_fontdata_enc_macexpert.py
_fontdata_enc_macroman.py
_fontdata_enc_pdfdoc.py
_fontdata_enc_standard.py
_fontdata_enc_symbol.py
_fontdata_enc_winansi.py
_fontdata_enc_zapfdingbats.py
_fontdata_widths_courier.py
_fontdata_widths_courierbold.py
_fontdata_widths_courierboldoblique.py
_fontdata_widths_courieroblique.py
_fontdata_widths_helvetica.py
_fontdata_widths_helveticaobold.py
_fontdata_widths_helveticaoboldoblique.py
_fontdata_widths_helveticaoblique.py
_fontdata_widths_symbol.py
_fontdata_widths_timesbold.py
_fontdata_widths_timesbolditalic.py
_fontdata_widths_timesitalic.py
_fontdata_widths_timesroman.py
_fontdata_widths_zapfdingbats.py
_glyphlist.py
__init__.py
```

```
\---__pycache__
```

```
acroform.cpython-310.pyc
cidfonts.cpython-310.pyc
pdfdoc.cpython-310.pyc
pdfform.cpython-310.pyc
pdfmetrics.cpython-310.pyc
pdfpattern.cpython-310.pyc
pdfutils.cpython-310.pyc
rl_codecs.cpython-310.pyc
ttfonts.cpython-310.pyc
_can_cmap_data.cpython-310.pyc
_cidfontdata.cpython-310.pyc
_fontdata.cpython-310.pyc
_fontdata_enc_macexpert.cpython-310.pyc
_fontdata_enc_macroman.cpython-310.pyc
_fontdata_enc_pdfdoc.cpython-310.pyc
_fontdata_enc_standard.cpython-310.pyc
_fontdata_enc_symbol.cpython-310.pyc
_fontdata_enc_winansi.cpython-310.pyc
_fontdata_enc_zapfdingbats.cpython-310.pyc
_fontdata_widths_courier.cpython-310.pyc
_fontdata_widths_courierbold.cpython-310.pyc
_fontdata_widths_courierboldoblique.cpython-310.pyc
_fontdata_widths_courieroblique.cpython-310.pyc
_fontdata_widths_helvetica.cpython-310.pyc
_fontdata_widths_helveticaobold.cpython-310.pyc
_fontdata_widths_helveticaoboldoblique.cpython-310.pyc
_fontdata_widths_helveticaoblique.cpython-310.pyc
_fontdata_widths_symbol.cpython-310.pyc
_fontdata_widths_timesbold.cpython-310.pyc
_fontdata_widths_timesbolditalic.cpython-310.pyc
_fontdata_widths_timesitalic.cpython-310.pyc
_fontdata_widths_timesroman.cpython-310.pyc
_fontdata_widths_zapfdingbats.cpython-310.pyc
_glyphlist.cpython-310.pyc
__init__.cpython-310.pyc
```

```

+---pdfgen
|   canvas.py
|   pathobject.py
|   pdfgeom.py
|   pdfimages.py
|   textobject.py
|   __init__.py
|
|   \---__pycache__
|           canvas.cpython-310.pyc
|           pathobject.cpython-310.pyc
|           pdfgeom.cpython-310.pyc
|           pdfimages.cpython-310.pyc
|           textobject.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---platypus
|   doctemplate.py
|   figures.py
|   flowables.py
|   frames.py
|   multicol.py
|   para.py
|   paragraph.py
|   paraparser.py
|   tableofcontents.py
|   tables.py
|   xpreformatted.py
|   __init__.py
|
|   \---__pycache__
|           doctemplate.cpython-310.pyc
|           figures.cpython-310.pyc
|           flowables.cpython-310.pyc
|           frames.cpython-310.pyc
|           multicol.cpython-310.pyc
|           para.cpython-310.pyc
|           paragraph.cpython-310.pyc
|           paraparser.cpython-310.pyc
|           tableofcontents.cpython-310.pyc
|           tables.cpython-310.pyc
|           xpreformatted.cpython-310.pyc
|           __init__.cpython-310.pyc
|
|   \---__pycache__
|           rl_config.cpython-310.pyc
|           rl_settings.cpython-310.pyc
|           __init__.cpython-310.pyc
|
+---reportlab-4.0.7.dist-info
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
|
+---requests
|   adapters.py
|   api.py
|   auth.py
|   certs.py
|   compat.py
|   cookies.py
|   exceptions.py
|   help.py

```

```

hooks.py
models.py
packages.py
sessions.py
status_codes.py
structures.py
utils.py
_internal_utils.py
__init__.py
__version__.py
\---__pycache__
    adapters.cpython-310.pyc
    api.cpython-310.pyc
    auth.cpython-310.pyc
    certs.cpython-310.pyc
    compat.cpython-310.pyc
    cookies.cpython-310.pyc
    exceptions.cpython-310.pyc
    help.cpython-310.pyc
    hooks.cpython-310.pyc
    models.cpython-310.pyc
    packages.cpython-310.pyc
    sessions.cpython-310.pyc
    status_codes.cpython-310.pyc
    structures.cpython-310.pyc
    utils.cpython-310.pyc
    _internal_utils.cpython-310.pyc
    __init__.cpython-310.pyc
    __version__.cpython-310.pyc
+---requests-2.31.0.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    REQUESTED
    top_level.txt
    WHEEL
+---rich
    abc.py
    align.py
    ansi.py
    bar.py
    box.py
    cells.py
    color.py
    color_triplet.py
    columns.py
    console.py
    constrain.py
    containers.py
    control.py
    default_styles.py
    diagnose.py
    emoji.py
    errors.py
    filesize.py
    file_proxy.py
    highlighter.py
    json.py
    jupyter.py
    layout.py
    live.py
    live_render.py
    logging.py
    markdown.py

```

```
markup.py
measure.py
padding.py
pager.py
palette.py
panel.py
pretty.py
progress.py
progress_bar.py
prompt.py
protocol.py
py.typed
region.py
repr.py
rule.py
scope.py
screen.py
segment.py
spinner.py
status.py
style.py
styled.py
syntax.py
table.py
terminal_theme.py
text.py
theme.py
themes.py
traceback.py
tree.py
_cell_widths.py
_emoji_codes.py
_emoji_replace.py
_export_format.py
_extension.py
_fileno.py
_inspect.py
_log_render.py
_loop.py
_null_file.py
_palettes.py
_pick.py
_ratio.py
_spinners.py
_stack.py
_timer.py
_win32_console.py
_windows.py
_windows_renderer.py
_wrap.py
__init__.py
__main__.py

\---__pycache__
    abc.cpython-310.pyc
    align.cpython-310.pyc
    ansi.cpython-310.pyc
    bar.cpython-310.pyc
    box.cpython-310.pyc
    cells.cpython-310.pyc
    color.cpython-310.pyc
    color_triplet.cpython-310.pyc
    columns.cpython-310.pyc
    console.cpython-310.pyc
    constrain.cpython-310.pyc
    containers.cpython-310.pyc
    control.cpython-310.pyc
    default_styles.cpython-310.pyc
```

```
diagnose.cpython-310.pyc
emoji.cpython-310.pyc
errors.cpython-310.pyc
filesize.cpython-310.pyc
file_proxy.cpython-310.pyc
highlighter.cpython-310.pyc
json.cpython-310.pyc
jupyter.cpython-310.pyc
layout.cpython-310.pyc
live.cpython-310.pyc
live_render.cpython-310.pyc
logging.cpython-310.pyc
markdown.cpython-310.pyc
markup.cpython-310.pyc
measure.cpython-310.pyc
padding.cpython-310.pyc
pager.cpython-310.pyc
palette.cpython-310.pyc
panel.cpython-310.pyc
pretty.cpython-310.pyc
progress.cpython-310.pyc
progress_bar.cpython-310.pyc
prompt.cpython-310.pyc
protocol.cpython-310.pyc
region.cpython-310.pyc
repr.cpython-310.pyc
rule.cpython-310.pyc
scope.cpython-310.pyc
screen.cpython-310.pyc
segment.cpython-310.pyc
spinner.cpython-310.pyc
status.cpython-310.pyc
style.cpython-310.pyc
styled.cpython-310.pyc
syntax.cpython-310.pyc
table.cpython-310.pyc
terminal_theme.cpython-310.pyc
text.cpython-310.pyc
theme.cpython-310.pyc
themes.cpython-310.pyc
traceback.cpython-310.pyc
tree.cpython-310.pyc
_cell_widths.cpython-310.pyc
_emoji_codes.cpython-310.pyc
_emoji_replace.cpython-310.pyc
_export_format.cpython-310.pyc
_extension.cpython-310.pyc
_fileno.cpython-310.pyc
_inspect.cpython-310.pyc
_log_render.cpython-310.pyc
_loop.cpython-310.pyc
_null_file.cpython-310.pyc
_palettes.cpython-310.pyc
_pick.cpython-310.pyc
_ratio.cpython-310.pyc
_spinners.cpython-310.pyc
_stack.cpython-310.pyc
_timer.cpython-310.pyc
_win32_console.cpython-310.pyc
_windows.cpython-310.pyc
_windows_renderer.cpython-310.pyc
_wrap.cpython-310.pyc
__init__.cpython-310.pyc
__main__.cpython-310.pyc
```

+---rich-13.9.4.dist-info

INSTALLER

LICENSE


```

METADATA
RECORD
WHEEL

+---rpds
|   py.typed
|   rpds.cp310-win_amd64.pyd
|   __init__.py
|   __init__.pyi
|
|   \---__pycache__
|       __init__.cpython-310.pyc
|
+---rpds_py-0.30.0.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   WHEEL
|
|   \---licenses
|       LICENSE
|
+---setuptools
|   archive_util.py
|   build_meta.py
|   cli-32.exe
|   cli-64.exe
|   cli-arm64.exe
|   cli.exe
|   depends.py
|   dep_util.py
|   discovery.py
|   dist.py
|   errors.py
|   extension.py
|   glob.py
|   gui-32.exe
|   gui-64.exe
|   gui-arm64.exe
|   gui.exe
|   installer.py
|   launch.py
|   logging.py
|   monkey.py
|   msvc.py
|   namespaces.py
|   package_index.py
|   py34compat.py
|   sandbox.py
|   script (dev).tmpl
|   script.tmpl
|   unicode_utils.py
|   version.py
|   wheel.py
|   windows_support.py
|   _deprecation_warning.py
|   _entry_points.py
|   _imp.py
|   _importlib.py
|   _itertools.py
|   _path.py
|   _reqs.py
|   __init__.py
|
+---command
|   alias.py
|   bdist_egg.py
|   bdist_rpm.py

```

```

build.py
build_clib.py
build_ext.py
build_py.py
develop.py
dist_info.py
easy_install.py
editable_wheel.py
egg_info.py
install.py
install_egg_info.py
install_lib.py
install_scripts.py
launcher manifest.xml
py36compat.py
register.py
rotate.py
saveopts.py
sdist.py
setopt.py
test.py
upload.py
upload_docs.py
__init__.py

+---config
|   expand.py
|   pyprojecttoml.py
|   setupcfg.py
|   _apply_pyprojecttoml.py
|   __init__.py
|
|   \---_validate_pyproject
|       error_reporting.py
|       extra_validations.py
|       fastjsonschema_exceptions.py
|       fastjsonschema_validations.py
|       formats.py
|       __init__.py
|
+---extern
|   __init__.py
|
+---_distutils
|   archive_util.py
|   bcppcompiler.py
|   ccompiler.py
|   cmd.py
|   config.py
|   core.py
|   cygwinccompiler.py
|   debug.py
|   dep_util.py
|   dir_util.py
|   dist.py
|   errors.py
|   extension.py
|   fancy_getopt.py
|   filelist.py
|   file_util.py
|   log.py
|   msvc9compiler.py
|   msvccompiler.py
|   py38compat.py
|   py39compat.py
|   spawn.py
|   sysconfig.py
|   text_file.py

```

```

unixccompiler.py
util.py
version.py
versionpredicate.py
_collections.py
_functools.py
_macos_compat.py
_msvccompiler.py
__init__.py

\---command
    bdist.py
    bdist_dumb.py
    bdist_rpm.py
    build.py
    build_clib.py
    build_ext.py
    build_py.py
    build_scripts.py
    check.py
    clean.py
    config.py
    install.py
    install_data.py
    install_egg_info.py
    install_headers.py
    install_lib.py
    install_scripts.py
    py37compat.py
    register.py
    sdist.py
    upload.py
    _framework_compat.py
    __init__.py

\---_vendor
    ordered_set.py
    typing_extensions.py
    zipp.py
    __init__.py

+---importlib_metadata
    _adapters.py
    _collections.py
    _compat.py
    _functools.py
    _itertools.py
    _meta.py
    _text.py
    __init__.py

+---importlib_resources
    abc.py
    readers.py
    simple.py
    _adapters.py
    _common.py
    _compat.py
    _itertools.py
    _legacy.py
    __init__.py

+---jaraco
    context.py
    functools.py
    __init__.py

\---text

```

```

        __init__.py
+---more_itertools
    more.py
    recipes.py
    __init__.py
+---packaging
    markers.py
    requirements.py
    specifiers.py
    tags.py
    utils.py
    version.py
    _manylinux.py
    _musllinux.py
    _structures.py
    __about__.py
    __init__.py
+---pyparsing
    actions.py
    common.py
    core.py
    exceptions.py
    helpers.py
    results.py
    testing.py
    unicode.py
    util.py
    __init__.py
    \---diagram
        __init__.py
\---tomli
    _parser.py
    _re.py
    _types.py
    __init__.py
+---setuptools-65.5.0.dist-info
    entry_points.txt
    INSTALLER
    LICENSE
    METADATA
    RECORD
    REQUESTED
    top_level.txt
    WHEEL
+---shapely
    affinity.py
    conftest.py
    constructive.py
    coordinates.py
    coords.py
    creation.py
    decorators.py
    errors.py
    geos.py
    io.py
    lib.cp310-win_amd64.pyd
    linear.py
    measurement.py
    ops.py
    plotting.py
    predicates.py

```

```

prepared.py
set_operations.py
speedups.py
strtree.py
testing.py
validation.py
wkb.py
wkt.py
_coverage.py
_enum.py
_geometry.py
_geometry_helpers.cp310-win_amd64.pyd
_geos.cp310-win_amd64.pyd
_geos.pxd
_pygeos_api.pxd
_ragged_array.py
_version.py
__init__.py

+---algorithms
|   cga.py
|   polylabel.py
|   _oriented_envelope.py
|   __init__.py
|
\---__pycache__
|   cga.cpython-310.pyc
|   polylabel.cpython-310.pyc
|   _oriented_envelope.cpython-310.pyc
|   __init__.cpython-310.pyc

+---geometry
|   base.py
|   collection.py
|   geo.py
|   linestring.py
|   multilinestring.py
|   multipoint.py
|   multipolygon.py
|   point.py
|   polygon.py
|   __init__.py
|
\---__pycache__
|   base.cpython-310.pyc
|   collection.cpython-310.pyc
|   geo.cpython-310.pyc
|   linestring.cpython-310.pyc
|   multilinestring.cpython-310.pyc
|   multipoint.cpython-310.pyc
|   multipolygon.cpython-310.pyc
|   point.cpython-310.pyc
|   polygon.cpython-310.pyc
|   __init__.cpython-310.pyc

+---tests
|   common.py
|   test_constructive.py
|   test_coordinates.py
|   test_coverage.py
|   test_creation.py
|   test_creation_indices.py
|   test_decorators.py
|   test_geometry.py
|   test_io.py
|   test_linear.py
|   test_measurement.py
|   test_misc.py

```

```
test_plotting.py
test_predicates.py
test_ragged_array.py
test_set_operations.py
test_strtree.py
test_testing.py
__init__.py
```

+++geometry

```
test_collection.py
test_coords.py
test_decimal.py
test_emptiness.py
test_equality.py
test_format.py
test_geometry_base.py
test_hash.py
test_linestring.py
test_multi.py
test_multilinestring.py
test_multipoint.py
test_multipolygon.py
test_point.py
test_polygon.py
__init__.py
```

\---__pycache__

```
test_collection.cpython-310.pyc
test_coords.cpython-310.pyc
test_decimal.cpython-310.pyc
test_emptiness.cpython-310.pyc
test_equality.cpython-310.pyc
test_format.cpython-310.pyc
test_geometry_base.cpython-310.pyc
test_hash.cpython-310.pyc
test_linestring.cpython-310.pyc
test_multi.cpython-310.pyc
test_multilinestring.cpython-310.pyc
test_multipoint.cpython-310.pyc
test_multipolygon.cpython-310.pyc
test_point.cpython-310.pyc
test_polygon.cpython-310.pyc
__init__.cpython-310.pyc
```

+++legacy

```
conftest.py
test_affinity.py
test_box.py
test_buffer.py
test_cga.py
test_clip_by_rect.py
test_create_inconsistent_dimensionality.py
test_delaunay.py
test_empty_polygons.py
test_equality.py
test_geointerface.py
test_invalid_geometries.py
test_linear_referencing.py
test_linemerge.py
test_locale.py
test_make_valid.py
test_mapping.py
test_minimum_clearance.py
test_ndarrays.py
test_nearest.py
test_operations.py
test_operators.py
test_orient.py
```

```
test_parallel_offset.py
test_persist.py
test_pickle.py
test_polygonize.py
test_polylabel.py
test_predicates.py
test_prepared.py
test_products_z.py
test_shape.py
test_shared_paths.py
test_singularity.py
test_snap.py
test_split.py
test_substring.py
test_svg.py
test_transform.py
test_union.py
test_validation.py
test_vectorized.py
test_voronoi_diagram.py
test_wkb.py
test_wkt.py
threading_test.py
__init__.py
\---__pycache__
    conftest.cpython-310.pyc
    test_affinity.cpython-310.pyc
    test_box.cpython-310.pyc
    test_buffer.cpython-310.pyc
    test_cga.cpython-310.pyc
    test_clip_by_rect.cpython-310.pyc
    test_create_inconsistent_dimensionality.cpython-310.pyc
    test_delaunay.cpython-310.pyc
    test_empty_polygons.cpython-310.pyc
    test_equality.cpython-310.pyc
    test_geointerface.cpython-310.pyc
    test_invalid_geometries.cpython-310.pyc
    test_linear_referencing.cpython-310.pyc
    test_linemerge.cpython-310.pyc
    test_locale.cpython-310.pyc
    test_make_valid.cpython-310.pyc
    test_mapping.cpython-310.pyc
    test_minimum_clearance.cpython-310.pyc
    test_ndarrays.cpython-310.pyc
    test_nearest.cpython-310.pyc
    test_operations.cpython-310.pyc
    test_operators.cpython-310.pyc
    test_orient.cpython-310.pyc
    test_parallel_offset.cpython-310.pyc
    test_persist.cpython-310.pyc
    test_pickle.cpython-310.pyc
    test_polygonize.cpython-310.pyc
    test_polylabel.cpython-310.pyc
    test_predicates.cpython-310.pyc
    test_prepared.cpython-310.pyc
    test_products_z.cpython-310.pyc
    test_shape.cpython-310.pyc
    test_shared_paths.cpython-310.pyc
    test_singularity.cpython-310.pyc
    test_snap.cpython-310.pyc
    test_split.cpython-310.pyc
    test_substring.cpython-310.pyc
    test_svg.cpython-310.pyc
    test_transform.cpython-310.pyc
    test_union.cpython-310.pyc
    test_validation.cpython-310.pyc
    test_vectorized.cpython-310.pyc
```

```

        test_voronoi_diagram.cpython-310.pyc
        test_wkb.cpython-310.pyc
        test_wkt.cpython-310.pyc
        threading_test.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        common.cpython-310.pyc
        test_constructive.cpython-310.pyc
        test_coordinates.cpython-310.pyc
        test_coverage.cpython-310.pyc
        test_creation.cpython-310.pyc
        test_creation_indices.cpython-310.pyc
        test_decorators.cpython-310.pyc
        test_geometry.cpython-310.pyc
        test_io.cpython-310.pyc
        test_linear.cpython-310.pyc
        test_measurement.cpython-310.pyc
        test_misc.cpython-310.pyc
        test_plotting.cpython-310.pyc
        test_predicates.cpython-310.pyc
        test_ragged_array.cpython-310.pyc
        test_set_operations.cpython-310.pyc
        test_strtree.cpython-310.pyc
        test_testing.cpython-310.pyc
        __init__.cpython-310.pyc
+---vectorized
    |   __init__.py
    \---__pycache__
        __init__.cpython-310.pyc
\---__pycache__
    affinity.cpython-310.pyc
    conftest.cpython-310.pyc
    constructive.cpython-310.pyc
    coordinates.cpython-310.pyc
    coords.cpython-310.pyc
    creation.cpython-310.pyc
    decorators.cpython-310.pyc
    errors.cpython-310.pyc
    geos.cpython-310.pyc
    io.cpython-310.pyc
    linear.cpython-310.pyc
    measurement.cpython-310.pyc
    ops.cpython-310.pyc
    plotting.cpython-310.pyc
    predicates.cpython-310.pyc
    prepared.cpython-310.pyc
    set_operations.cpython-310.pyc
    speedups.cpython-310.pyc
    strtree.cpython-310.pyc
    testing.cpython-310.pyc
    validation.cpython-310.pyc
    wkb.cpython-310.pyc
    wkt.cpython-310.pyc
    _coverage.cpython-310.pyc
    _enum.cpython-310.pyc
    _geometry.cpython-310.pyc
    _ragged_array.cpython-310.pyc
    _version.cpython-310.pyc
    __init__.cpython-310.pyc
+---shapely-2.1.2.dist-info
    |   DELVEWHEEL
    |   INSTALLER
    |   METADATA

```



```

    RECORD
    REQUESTED
    top_level.txt
    WHEEL
  \---licenses
    LICENSE.txt
    LICENSE_GEOS
    LICENSE_win32

+---shapely.libs
    geos-ae6efa0782962b98e358f10ea539ae5f.dll
    geos_c-072b7a9224d16d3e4ab2395bb855b2d3.dll
    msvcpl140-90bc62d4947a5878f1dc1057312f3be2.dll

+---six-1.17.0.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    top_level.txt
    WHEEL

+---smmmap
    buf.py
    mman.py
    util.py
    __init__.py

+---test
    lib.py
    test_buf.py
    test_mman.py
    test_tutorial.py
    test_util.py
    __init__.py

    \---__pycache__
        lib.cpython-310.pyc
        test_buf.cpython-310.pyc
        test_mman.cpython-310.pyc
        test_tutorial.cpython-310.pyc
        test_util.cpython-310.pyc
        __init__.cpython-310.pyc

    \---__pycache__
        buf.cpython-310.pyc
        mman.cpython-310.pyc
        util.cpython-310.pyc
        __init__.cpython-310.pyc

+---smmmap-5.0.2.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    top_level.txt
    WHEEL
    zip-safe

+---sniffio
    py.typed
    _impl.py
    _version.py
    __init__.py

+---_tests
    test_sniffio.py

```

```

    |     __init__.py
    |
    | \--- __pycache__
    |         test_sniffio.cpython-310.pyc
    |         __init__.cpython-310.pyc
    |
    | \--- __pycache__
    |         _impl.cpython-310.pyc
    |         _version.cpython-310.pyc
    |         __init__.cpython-310.pyc
+---sniffio-1.3.1.dist-info
    |
    |     INSTALLER
    |     LICENSE
    |     LICENSE.APACHE2
    |     LICENSE.MIT
    |     METADATA
    |     RECORD
    |     top_level.txt
    |     WHEEL
+---starlette
    |
    |     applications.py
    |     authentication.py
    |     background.py
    |     concurrency.py
    |     config.py
    |     convertors.py
    |     datastructures.py
    |     endpoints.py
    |     exceptions.py
    |     formparsers.py
    |     py.typed
    |     requests.py
    |     responses.py
    |     routing.py
    |     schemas.py
    |     staticfiles.py
    |     status.py
    |     templating.py
    |     testclient.py
    |     types.py
    |     websockets.py
    |     _compat.py
    |     _utils.py
    |     __init__.py
+---middleware
    |
    |     authentication.py
    |     base.py
    |     cors.py
    |     errors.py
    |     exceptions.py
    |     gzip.py
    |     httpsredirect.py
    |     sessions.py
    |     trustedhost.py
    |     wsgi.py
    |     __init__.py
    |
    | \--- __pycache__
    |         authentication.cpython-310.pyc
    |         base.cpython-310.pyc
    |         cors.cpython-310.pyc
    |         errors.cpython-310.pyc
    |         exceptions.cpython-310.pyc
    |         gzip.cpython-310.pyc
    |         httpsredirect.cpython-310.pyc

```

```

        sessions.cpython-310.pyc
        trustedhost.cpython-310.pyc
        wsgi.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        applications.cpython-310.pyc
        authentication.cpython-310.pyc
        background.cpython-310.pyc
        concurrency.cpython-310.pyc
        config.cpython-310.pyc
        convertors.cpython-310.pyc
        datastructures.cpython-310.pyc
        endpoints.cpython-310.pyc
        exceptions.cpython-310.pyc
        formparsers.cpython-310.pyc
        requests.cpython-310.pyc
        responses.cpython-310.pyc
        routing.cpython-310.pyc
        schemas.cpython-310.pyc
        staticfiles.cpython-310.pyc
        status.cpython-310.pyc
        templating.cpython-310.pyc
        testclient.cpython-310.pyc
        types.cpython-310.pyc
        websockets.cpython-310.pyc
        _compat.cpython-310.pyc
        _utils.cpython-310.pyc
        __init__.cpython-310.pyc
+---starlette-0.27.0.dist-info
    INSTALLER
    METADATA
    RECORD
    REQUESTED
    WHEEL
    \---licenses
        LICENSE.md
+---streamlit
    case_converters.py
    code_util.py
    color_util.py
    column_config.py
    config.py
    config_option.py
    config_util.py
    cursor.py
    delta_generator.py
    deprecation_util.py
    development.py
    echo.py
    emojis.py
    env_util.py
    errors.py
    error_util.py
    file_util.py
    folder_black_list.py
    git_util.py
    js_number.py
    logger.py
    net_util.py
    platform.py
    py.typed
    source_util.py
    string_util.py
    temporary_directory.py

```

```

type_util.py
url_util.py
user_info.py
util.py
version.py
__init__.py
__main__.py

+---commands
|   execution_control.py
|   page_config.py
|   query_params.py
|   __init__.py
|
|   \---__pycache__
|       execution_control.cpython-310.pyc
|       page_config.cpython-310.pyc
|       query_params.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---components
|   __init__.py
|
|   +---v1
|   |   components.py
|   |   component_arrow.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       components.cpython-310.pyc
|   |       component_arrow.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   \---__pycache__
|       __init__.cpython-310.pyc
|
+---connections
|   base_connection.py
|   snowflake_connection.py
|   snowpark_connection.py
|   sql_connection.py
|   util.py
|   __init__.py
|
|   \---__pycache__
|       base_connection.cpython-310.pyc
|       snowflake_connection.cpython-310.pyc
|       snowpark_connection.cpython-310.pyc
|       sql_connection.cpython-310.pyc
|       util.cpython-310.pyc
|       __init__.cpython-310.pyc
|
+---elements
|   alert.py
|   altair_utils.py
|   arrow.py
|   arrow_altair.py
|   arrow_vega_lite.py
|   balloons.py
|   bokeh_chart.py
|   code.py
|   deck_gl_json_chart.py
|   doc_string.py
|   empty.py
|   exception.py
|   form.py
|   graphviz_chart.py
|   heading.py

```

```
iframe.py
image.py
json.py
layouts.py
map.py
markdown.py
media.py
metric.py
plotly_chart.py
progress.py
pyplot.py
snow.py
spinner.py
text.py
toast.py
utils.py
write.py
__init__.py
```

```
+---lib
```

```
column_config_utils.py
column_types.py
dicttools.py
mutable_status_container.py
pandas_styler_utils.py
streamlit_plotly_theme.py
__init__.py
```

```
\---__pycache__
```

```
column_config_utils.cpython-310.pyc
column_types.cpython-310.pyc
dicttools.cpython-310.pyc
mutable_status_container.cpython-310.pyc
pandas_styler_utils.cpython-310.pyc
streamlit_plotly_theme.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---widgets
```

```
button.py
camera_input.py
chat.py
checkbox.py
color_picker.py
data_editor.py
file_uploader.py
multiselect.py
number_input.py
radio.py
selectbox.py
select_slider.py
slider.py
text_widgets.py
time_widgets.py
__init__.py
```

```
\---__pycache__
```

```
button.cpython-310.pyc
camera_input.cpython-310.pyc
chat.cpython-310.pyc
checkbox.cpython-310.pyc
color_picker.cpython-310.pyc
data_editor.cpython-310.pyc
file_uploader.cpython-310.pyc
multiselect.cpython-310.pyc
number_input.cpython-310.pyc
radio.cpython-310.pyc
selectbox.cpython-310.pyc
select_slider.cpython-310.pyc
```

```

        slider.cpython-310.pyc
        text_widgets.cpython-310.pyc
        time_widgets.cpython-310.pyc
        __init__.cpython-310.pyc
\---__pycache__
    alert.cpython-310.pyc
    altair_utils.cpython-310.pyc
    arrow.cpython-310.pyc
    arrow_altair.cpython-310.pyc
    arrow_vega_lite.cpython-310.pyc
    balloons.cpython-310.pyc
    bokeh_chart.cpython-310.pyc
    code.cpython-310.pyc
    deck_gl_json_chart.cpython-310.pyc
    doc_string.cpython-310.pyc
    empty.cpython-310.pyc
    exception.cpython-310.pyc
    form.cpython-310.pyc
    graphviz_chart.cpython-310.pyc
    heading.cpython-310.pyc
    iframe.cpython-310.pyc
    image.cpython-310.pyc
    json.cpython-310.pyc
    layouts.cpython-310.pyc
    map.cpython-310.pyc
    markdown.cpython-310.pyc
    media.cpython-310.pyc
    metric.cpython-310.pyc
    plotly_chart.cpython-310.pyc
    progress.cpython-310.pyc
    pyplot.cpython-310.pyc
    snow.cpython-310.pyc
    spinner.cpython-310.pyc
    text.cpython-310.pyc
    toast.cpython-310.pyc
    utils.cpython-310.pyc
    write.cpython-310.pyc
    __init__.cpython-310.pyc
+---external
    |   __init__.py
+---langchain
    |   streamlit_callback_handler.py
    |   __init__.py
    |   \---__pycache__
    |       streamlit_callback_handler.cpython-310.pyc
    |       __init__.cpython-310.pyc
    \---__pycache__
        __init__.cpython-310.pyc
+---hello
    |   Hello.py
    |   utils.py
    |   __init__.py
+---pages
    |   0_Animation_Demo.py
    |   1_Plotting_Demo.py
    |   2_Mapping_Demo.py
    |   3_DataFrame_Demo.py
    |   \---__pycache__
    |       0_Animation_Demo.cpython-310.pyc
    |       1_Plotting_Demo.cpython-310.pyc

```

```
2_Mapping_Demo.cpython-310.pyc
3_DataFrame_Demo.cpython-310.pyc
```

```
\---__pycache__
    Hello.cpython-310.pyc
    utils.cpython-310.pyc
    __init__.cpython-310.pyc
```

```
+---proto
    Alert_pb2.py
    Alert_pb2.pyi
    AppPage_pb2.py
    AppPage_pb2.pyi
    ArrowNamedDataSet_pb2.py
    ArrowNamedDataSet_pb2.pyi
    ArrowVegaLiteChart_pb2.py
    ArrowVegaLiteChart_pb2.pyi
    Arrow_pb2.py
    Arrow_pb2.pyi
    Audio_pb2.py
    Audio_pb2.pyi
    BackMsg_pb2.py
    BackMsg_pb2.pyi
    Balloons_pb2.py
    Balloons_pb2.pyi
    Block_pb2.py
    Block_pb2.pyi
    BokehChart_pb2.py
    BokehChart_pb2.pyi
    Button_pb2.py
    Button_pb2.pyi
    CameraInput_pb2.py
    CameraInput_pb2.pyi
    ChatInput_pb2.py
    ChatInput_pb2.pyi
    Checkbox_pb2.py
    Checkbox_pb2.pyi
    ClientState_pb2.py
    ClientState_pb2.pyi
    Code_pb2.py
    Code_pb2.pyi
    ColorPicker_pb2.py
    ColorPicker_pb2.pyi
    Common_pb2.py
    Common_pb2.pyi
    Components_pb2.py
    Components_pb2.pyi
    DataFrame_pb2.py
    DataFrame_pb2.pyi
    DateInput_pb2.py
    DateInput_pb2.pyi
    DeckGlJsonChart_pb2.py
    DeckGlJsonChart_pb2.pyi
    Delta_pb2.py
    Delta_pb2.pyi
    DocString_pb2.py
    DocString_pb2.pyi
    DownloadButton_pb2.py
    DownloadButton_pb2.pyi
    Element_pb2.py
    Element_pb2.pyi
    Empty_pb2.py
    Empty_pb2.pyi
    Exception_pb2.py
    Exception_pb2.pyi
    Favicon_pb2.py
    Favicon_pb2.pyi
    FileUploader_pb2.py
```

				FileUploader_pb2.pyi
				ForwardMsg_pb2.py
				ForwardMsg_pb2.pyi
				GitInfo_pb2.py
				GitInfo_pb2.pyi
				GraphVizChart_pb2.py
				GraphVizChart_pb2.pyi
				Heading_pb2.py
				Heading_pb2.pyi
				IFrame_pb2.py
				IFrame_pb2.pyi
				Image_pb2.py
				Image_pb2.pyi
				Json_pb2.py
				Json_pb2.pyi
				LabelVisibilityMessage_pb2.py
				LabelVisibilityMessage_pb2.pyi
				LinkButton_pb2.py
				LinkButton_pb2.pyi
				Markdown_pb2.py
				Markdown_pb2.pyi
				Metric_pb2.py
				Metric_pb2.pyi
				MultiSelect_pb2.py
				MultiSelect_pb2.pyi
				NamedDataSet_pb2.py
				NamedDataSet_pb2.pyi
				NewSession_pb2.py
				NewSession_pb2.pyi
				NumberInput_pb2.py
				NumberInput_pb2.pyi
				openmetrics_data_model_pb2.py
				openmetrics_data_model_pb2.pyi
				PageConfig_pb2.py
				PageConfig_pb2.pyi
				PageInfo_pb2.py
				PageInfo_pb2.pyi
				PageNotFound_pb2.py
				PageNotFound_pb2.pyi
				PageProfile_pb2.py
				PageProfile_pb2.pyi
				PagesChanged_pb2.py
				PagesChanged_pb2.pyi
				ParentMessage_pb2.py
				ParentMessage_pb2.pyi
				PlotlyChart_pb2.py
				PlotlyChart_pb2.pyi
				Progress_pb2.py
				Progress_pb2.pyi
				Radio_pb2.py
				Radio_pb2.pyi
				RootContainer_pb2.py
				RootContainer_pb2.pyi
				Selectbox_pb2.py
				Selectbox_pb2.pyi
				SessionEvent_pb2.py
				SessionEvent_pb2.pyi
				SessionStatus_pb2.py
				SessionStatus_pb2.pyi
				Skeleton_pb2.py
				Skeleton_pb2.pyi
				Slider_pb2.py
				Slider_pb2.pyi
				Snow_pb2.py
				Snow_pb2.pyi
				Spinner_pb2.py
				Spinner_pb2.pyi
				TextArea_pb2.py


```
TextArea_pb2.pyi
TextInput_pb2.py
TextInput_pb2.pyi
Text_pb2.py
Text_pb2.pyi
TimeInput_pb2.py
TimeInput_pb2.pyi
Toast_pb2.py
Toast_pb2.pyi
VegaLiteChart_pb2.py
VegaLiteChart_pb2.pyi
Video_pb2.py
Video_pb2.pyi
WidgetStates_pb2.py
WidgetStates_pb2.pyi
__init__.py
```

```
\---__pycache__
```

```
Alert_pb2.cpython-310.pyc
AppPage_pb2.cpython-310.pyc
ArrowNamedDataSet_pb2.cpython-310.pyc
ArrowVegaLiteChart_pb2.cpython-310.pyc
Arrow_pb2.cpython-310.pyc
Audio_pb2.cpython-310.pyc
BackMsg_pb2.cpython-310.pyc
Balloons_pb2.cpython-310.pyc
Block_pb2.cpython-310.pyc
BokehChart_pb2.cpython-310.pyc
Button_pb2.cpython-310.pyc
CameraInput_pb2.cpython-310.pyc
ChatInput_pb2.cpython-310.pyc
Checkbox_pb2.cpython-310.pyc
ClientState_pb2.cpython-310.pyc
Code_pb2.cpython-310.pyc
ColorPicker_pb2.cpython-310.pyc
Common_pb2.cpython-310.pyc
Components_pb2.cpython-310.pyc
DataFrame_pb2.cpython-310.pyc
DateInput_pb2.cpython-310.pyc
DeckGJsonChart_pb2.cpython-310.pyc
Delta_pb2.cpython-310.pyc
DocString_pb2.cpython-310.pyc
DownloadButton_pb2.cpython-310.pyc
Element_pb2.cpython-310.pyc
Empty_pb2.cpython-310.pyc
Exception_pb2.cpython-310.pyc
Favicon_pb2.cpython-310.pyc
FileUploader_pb2.cpython-310.pyc
ForwardMsg_pb2.cpython-310.pyc
GitInfo_pb2.cpython-310.pyc
GraphVizChart_pb2.cpython-310.pyc
Heading_pb2.cpython-310.pyc
IFrame_pb2.cpython-310.pyc
Image_pb2.cpython-310.pyc
Json_pb2.cpython-310.pyc
LabelVisibilityMessage_pb2.cpython-310.pyc
LinkButton_pb2.cpython-310.pyc
Markdown_pb2.cpython-310.pyc
Metric_pb2.cpython-310.pyc
MultiSelect_pb2.cpython-310.pyc
NamedDataSet_pb2.cpython-310.pyc
NewSession_pb2.cpython-310.pyc
NumberInput_pb2.cpython-310.pyc
openmetrics_data_model_pb2.cpython-310.pyc
PageConfig_pb2.cpython-310.pyc
PageInfo_pb2.cpython-310.pyc
PageNotFound_pb2.cpython-310.pyc
PageProfile_pb2.cpython-310.pyc
```

```
PagesChanged_pb2.cpython-310.pyc
ParentMessage_pb2.cpython-310.pyc
PlotlyChart_pb2.cpython-310.pyc
Progress_pb2.cpython-310.pyc
Radio_pb2.cpython-310.pyc
RootContainer_pb2.cpython-310.pyc
Selectbox_pb2.cpython-310.pyc
SessionEvent_pb2.cpython-310.pyc
SessionStatus_pb2.cpython-310.pyc
Skeleton_pb2.cpython-310.pyc
Slider_pb2.cpython-310.pyc
Snow_pb2.cpython-310.pyc
Spinner_pb2.cpython-310.pyc
TextArea_pb2.cpython-310.pyc
TextInput_pb2.cpython-310.pyc
Text_pb2.cpython-310.pyc
TimeInput_pb2.cpython-310.pyc
Toast_pb2.cpython-310.pyc
VegaLiteChart_pb2.cpython-310.pyc
Video_pb2.cpython-310.pyc
WidgetStates_pb2.cpython-310.pyc
__init__.cpython-310.pyc
```

+++runtime

```
app_session.py
connection_factory.py
credentials.py
forward_msg_cache.py
forward_msg_queue.py
media_file_manager.py
media_file_storage.py
memory_media_file_storage.py
memory_session_storage.py
memory_uploaded_file_manager.py
metrics_util.py
runtime.py
runtime_util.py
script_data.py
secrets.py
session_manager.py
stats.py
uploaded_file_manager.py
websocket_session_manager.py
__init__.py
```

+++caching

```
cached_message_replay.py
cache_data_api.py
cache_errors.py
cache_resource_api.py
cache_type.py
cache_utils.py
hashing.py
__init__.py
```

+++storage

```
cache_storage_protocol.py
dummy_cache_storage.py
in_memory_cache_storage_wrapper.py
local_disk_cache_storage.py
__init__.py
```

\---__pycache__

```
cache_storage_protocol.cpython-310.pyc
dummy_cache_storage.cpython-310.pyc
in_memory_cache_storage_wrapper.cpython-310.pyc
local_disk_cache_storage.cpython-310.pyc
__init__.cpython-310.pyc
```

```

|
| \---__pycache__
|      cached_message_replay.cpython-310.pyc
|      cache_data_api.cpython-310.pyc
|      cache_errors.cpython-310.pyc
|      cache_resource_api.cpython-310.pyc
|      cache_type.cpython-310.pyc
|      cache_utils.cpython-310.pyc
|      hashing.cpython-310.pyc
|      __init__.cpython-310.pyc
|
+---legacy_caching
|      caching.py
|      hashing.py
|      __init__.py
|
| \---__pycache__
|      caching.cpython-310.pyc
|      hashing.cpython-310.pyc
|      __init__.cpython-310.pyc
|
+---scriptrunner
|      magic.py
|      magic_funcs.py
|      script_cache.py
|      script_requests.py
|      script_runner.py
|      script_run_context.py
|      __init__.py
|
| \---__pycache__
|      magic.cpython-310.pyc
|      magic_funcs.cpython-310.pyc
|      script_cache.cpython-310.pyc
|      script_requests.cpython-310.pyc
|      script_runner.cpython-310.pyc
|      script_run_context.cpython-310.pyc
|      __init__.cpython-310.pyc
|
+---state
|      common.py
|      safe_session_state.py
|      session_state.py
|      session_state_proxy.py
|      widgets.py
|      __init__.py
|
| \---__pycache__
|      common.cpython-310.pyc
|      safe_session_state.cpython-310.pyc
|      session_state.cpython-310.pyc
|      session_state_proxy.cpython-310.pyc
|      widgets.cpython-310.pyc
|      __init__.cpython-310.pyc
|
\---__pycache__
      app_session.cpython-310.pyc
      connection_factory.cpython-310.pyc
      credentials.cpython-310.pyc
      forward_msg_cache.cpython-310.pyc
      forward_msg_queue.cpython-310.pyc
      media_file_manager.cpython-310.pyc
      media_file_storage.cpython-310.pyc
      memory_media_file_storage.cpython-310.pyc
      memory_session_storage.cpython-310.pyc
      memory_uploaded_file_manager.cpython-310.pyc
      metrics_util.cpython-310.pyc
      runtime.cpython-310.pyc

```

```
runtime_util.cpython-310.pyc
script_data.cpython-310.pyc
secrets.cpython-310.pyc
session_manager.cpython-310.pyc
stats.cpython-310.pyc
uploaded_file_manager.cpython-310.pyc
websocket_session_manager.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---static
```

```
    asset-manifest.json
    favicon.png
    index.html
```

```
\---static
```

```
    +---css
```

```
        1164.bb444a79.chunk.css
        1877.81b3d18f.chunk.css
        43.c24b25fa.chunk.css
        main.77dlc464.css
```

```
    +---js
```

```
        1011.232347f3.chunk.js
        1074.ae72daef.chunk.js
        1164.a4b4fef5.chunk.js
        1168.acbe5860.chunk.js
        1307.8ea033f1.chunk.js
        1451.e3be1711.chunk.js
        178.7c7b322b.chunk.js
        1792.16c16498.chunk.js
        1877.811eec79.chunk.js
        1877.811eec79.chunk.js.LICENSE.txt
        2187.9469f035.chunk.js
        2469.3e9c3ce9.chunk.js
        2736.ec449a3a.chunk.js
        3053.7e70ec3b.chunk.js
        3301.feal5c18.chunk.js
        3513.57cff89c.chunk.js
        3631.be5c35fa.chunk.js
        3998.01237fcf.chunk.js
        4132.49bf3f2c.chunk.js
        4132.49bf3f2c.chunk.js.LICENSE.txt
        4177.ab9a7aa1.chunk.js
        4185.90e929dc.chunk.js
        43.d95709b8.chunk.js
        4319.213fc321.chunk.js
        4477.c4e655fe.chunk.js
        4500.dfb7a155.chunk.js
        4666.560f6a8f.chunk.js
        474.87506447.chunk.js
        5106.1826b03a.chunk.js
        5117.6a701db1.chunk.js
        5379.af4bbff3.chunk.js
        5733.57e8e28c.chunk.js
        5733.57e8e28c.chunk.js.LICENSE.txt
        5791.30b01ee8.chunk.js
        6013.4bbbf6b.chunk.js
        6150.ce0b3c4e.chunk.js
        6718.97945fc6.chunk.js
        6853.3cbd385e.chunk.js
        6988.2d1a14e2.chunk.js
        6988.2d1a14e2.chunk.js.LICENSE.txt
        7142.a359ed63.chunk.js
        7175.7f947c1c.chunk.js
        7323.a0a246cc.chunk.js
        7323.a0a246cc.chunk.js.LICENSE.txt
        7386.94691a5c.chunk.js
        7386.94691a5c.chunk.js.LICENSE.txt
```

7602.53a22abd.chunk.js
7673.fbe65640.chunk.js
7673.fbe65640.chunk.js.LICENSE.txt
7805.51638fbc.chunk.js
7956.d54dc8be.chunk.js
8005.43974a35.chunk.js
8427.55f2bb27.chunk.js
8477.7419a0aa.chunk.js
8492.8db0d55b.chunk.js
8570.6de19120.chunk.js
8691.ee84f70b.chunk.js
9330.c0dd1723.chunk.js
9336.2d95d840.chunk.js
9656.8c935274.chunk.js
9758.6e6d8662.chunk.js
main.ca9076db.js
main.ca9076db.js.LICENSE.txt

\---media

checkmark.29851c8e9e6ef0c3d6cle4efe3c1bb9e.svg
fireworks.0906f02ea43f1018a6d2.gif
flake-0.beded754e8024c73d9d2.png
flake-1.8077dc154e0bf900aa73.png
flake-2.e3f07d06933dd0e84c24.png
index.1e3d64b0fcde879f0060.cjs
index.294a0edb7af7d19b781b.cjs
index.85823dd8655ed4119d0c.cjs
index.9659d9c420d8750cbee8.cjs
index.b599194a631d76b49328.cjs
KaTeX_AMS-Regular.73ea273a72f4aca30ca5.woff2
KaTeX_AMS-Regular.853be92419a6c3766b9a.ttf
KaTeX_AMS-Regular.d562e886c52f12660a41.woff
KaTeX_Caligraphic-Bold.7489a2fbfb9bfe704420.ttf
KaTeX_Caligraphic-Bold.alabf90dfd72792a577a.woff2
KaTeX_Caligraphic-Bold.d757c535a2e5902f1325.woff
KaTeX_Caligraphic-Regular.7e873d3833eb108a0758.ttf
KaTeX_Caligraphic-Regular.d6484fcelef428d5bd94.woff2
KaTeX_Caligraphic-Regular.db074fa22cf224af93d7.woff
KaTeX_Fraktur-Bold.354501bac435c3264834.woff
KaTeX_Fraktur-Bold.4c761b3711973ab04edf.ttf
KaTeX_Fraktur-Bold.931d67ea207ab37ee693.woff2
KaTeX_Fraktur-Regular.172d3529b26f8cedef6b.woff2
KaTeX_Fraktur-Regular.6fdf0ac577be0ba82a4c.woff
KaTeX_Fraktur-Regular.ed305b5434865e06ffde.ttf
KaTeX_Main-Bold.0c3b8929d377c0e9b2f3.woff
KaTeX_Main-Bold.39890742bc957b368704.woff2
KaTeX_Main-Bold.8169508bf58f8bd92ad8.ttf
KaTeX_Main-BoldItalic.20f389c4120be058d80a.woff2
KaTeX_Main-BoldItalic.428978dc7837d46de091.woff
KaTeX_Main-BoldItalic.828abcb200061cfffbaae.ttf
KaTeX_Main-Italic.fa675e5e4bec9eb250b6.ttf
KaTeX_Main-Italic.fd947498bc16392e76c2.woff
KaTeX_Main-Italic.fe2176f79edaa716e621.woff2
KaTeX_Main-Regular.4f35fbcc9ee8614c2bcc.woff
KaTeX_Main-Regular.9ebald77abcf2aa6e94e.ttf
KaTeX_Main-Regular.f650f111a3b890d116f1.woff2
KaTeX_Math-BoldItalic.3f07ed67f06c720120ce.woff
KaTeX_Math-BoldItalic.bf2d440b3a42ea78a998.ttf
KaTeX_Math-BoldItalic.dcbcbdb93bac0470b462d.woff2
KaTeX_Math-Italic.6d3d25f4820d0da8f01f.woff2
KaTeX_Math-Italic.8a5f936332e8028c7278.ttf
KaTeX_Math-Italic.96759856b4e70f3a8338.woff
KaTeX_SansSerif-Bold.5b49f4993ae22d7975b4.ttf
KaTeX_SansSerif-Bold.95591a929f0d32aa282a.woff2
KaTeX_SansSerif-Bold.b9cd458ac6d5889ff9c3.woff
KaTeX_SansSerif-Italic.7d393d382f3e7fblc637.woff2
KaTeX_SansSerif-Italic.8d593cfaa96238d5e2f8.woff
KaTeX_SansSerif-Italic.b257a18c016f37ee4543.ttf

KaTeX_SansSerif-Regular.02271ec5cb9f5b4588ac.woff
 KaTeX_SansSerif-Regular.2f7bc363fc5424ebda59.ttf
 KaTeX_SansSerif-Regular.cd5e231e0cc53b2cb2c0.woff2
 KaTeX_Script-Regular.073b3402d036714b4370.woff
 KaTeX_Script-Regular.c81dlb2a4b75d3eded60.woff2
 KaTeX_Script-Regular.fc9ba5249878cd8f8d88.ttf
 KaTeX_Size1-Regular.0108e89c9003e8c14ea3.woff
 KaTeX_Size1-Regular.6de7d4b539221a49e9e2.ttf
 KaTeX_Size1-Regular.6eec866c69313624be60.woff2
 KaTeX_Size2-Regular.2960900c4f271311eb36.woff2
 KaTeX_Size2-Regular.3a99e70aee4076660d38.woff
 KaTeX_Size2-Regular.57f5c1837853986ea1db.ttf
 KaTeX_Size3-Regular.7947224e8a9914fa332b.woff
 KaTeX_Size3-Regular.8d6b6822586eea3d3b20.ttf
 KaTeX_Size3-Regular.e1951519f6f0596f7356.woff2
 KaTeX_Size4-Regular.4ad7c7e8bb8d10a34bb7.ttf
 KaTeX_Size4-Regular.aeffd8025cba3647f1a6.woff
 KaTeX_Size4-Regular.e418bf257af1052628d8.woff2
 KaTeX_Typewriter-Regular.4c6b94fd1d07f8beff7c.woff
 KaTeX_Typewriter-Regular.c295e7f71970f03c0549.woff2
 KaTeX_Typewriter-Regular.c5c02d763c89380dcb4e.ttf
 logo.83ae4f2fb87e38be7cbb8a5d2beb64d2.svg
 rocket.b75b17d2b0a063c6cea230d1a9d77f1e.svg
 SourceCodePro-Bold.17a68a0751a813474a0e.woff2
 SourceCodePro-BoldItalic.d45b7a3df103d441d78b.woff2
 SourceCodePro-Italic.ec122a420df4175e74f2.woff2
 SourceCodePro-Regular.84b900b88d09398d86b0.woff2
 SourceCodePro-SemiBold.17291dlc493cb25eb2c3.woff2
 SourceCodePro-SemiBoldItalic.f879ae27307c3926522b.woff2
 SourceSansPro-Bold.118dea98980e20a81ced.woff2
 SourceSansPro-BoldItalic.1d664be59d2eb5fef029.woff2
 SourceSansPro-Italic.8a9bfea74d43927d6eec.woff2
 SourceSansPro-Regular.0d69e5ff5e92ac64a0c9.woff2
 SourceSansPro-SemiBold.abed79cd0df1827e18cf.woff2
 SourceSansPro-SemiBoldItalic.befb0a2824eabc5ce36b.woff2
 SourceSerifPro-Bold.d7975b56594770699ae0.woff2
 SourceSerifPro-BoldItalic.913697a7178b128caa4c.woff2
 SourceSerifPro-Italic.d3529cb5797663ac5d88.woff2
 SourceSerifPro-Regular.e6c37aa3926474cc93e1.woff2
 SourceSerifPro-SemiBold.5c1d378dd5990ef334ca.woff2

SourceSerifPro-SemiBoldItalic.249e948b885d0c7d30a8.woff2

```

+---testing
|   __init__.py
|
+---v1
|   app_test.py
|   element_tree.py
|   local_script_runner.py
|   util.py
|   __init__.py
|
\---__pycache__
|   app_test.cpython-310.pyc
|   element_tree.cpython-310.pyc
|   local_script_runner.cpython-310.pyc
|   util.cpython-310.pyc
|   __init__.cpython-310.pyc
|
\---__pycache__
|   __init__.cpython-310.pyc
|
+---vendor
|   __init__.py
|
+---ipython
|   modified_sys_path.py

```

```

    |   __init__.py
    |   \--- __pycache__
    |           modified_sys_path.cpython-310.pyc
    |           __init__.cpython-310.pyc
+---pympler
    |   sizeof.py
    |   __init__.py
    |   \--- __pycache__
    |           sizeof.cpython-310.pyc
    |           __init__.cpython-310.pyc
    |   \--- __pycache__
    |           __init__.cpython-310.pyc
+---watcher
    |   event_based_path_watcher.py
    |   local_sources_watcher.py
    |   path_watcher.py
    |   polling_path_watcher.py
    |   util.py
    |   __init__.py
    |   \--- __pycache__
    |           event_based_path_watcher.cpython-310.pyc
    |           local_sources_watcher.cpython-310.pyc
    |           path_watcher.cpython-310.pyc
    |           polling_path_watcher.cpython-310.pyc
    |           util.cpython-310.pyc
    |           __init__.cpython-310.pyc
+---web
    |   bootstrap.py
    |   cache_storage_manager_config.py
    |   cli.py
    |   __init__.py
+---server
    |   app_static_file_handler.py
    |   browser_websocket_handler.py
    |   component_request_handler.py
    |   media_file_handler.py
    |   routes.py
    |   server.py
    |   server_util.py
    |   stats_request_handler.py
    |   upload_file_request_handler.py
    |   websocket_headers.py
    |   __init__.py
    |   \--- __pycache__
    |           app_static_file_handler.cpython-310.pyc
    |           browser_websocket_handler.cpython-310.pyc
    |           component_request_handler.cpython-310.pyc
    |           media_file_handler.cpython-310.pyc
    |           routes.cpython-310.pyc
    |           server.cpython-310.pyc
    |           server_util.cpython-310.pyc
    |           stats_request_handler.cpython-310.pyc
    |           upload_file_request_handler.cpython-310.pyc
    |           websocket_headers.cpython-310.pyc
    |           __init__.cpython-310.pyc
    |   \--- __pycache__
    |           bootstrap.cpython-310.pyc
    |           cache_storage_manager_config.cpython-310.pyc

```

```

        cli.cpython-310.pyc
        __init__.cpython-310.pyc
    \---__pycache__
        case_converters.cpython-310.pyc
        code_util.cpython-310.pyc
        color_util.cpython-310.pyc
        column_config.cpython-310.pyc
        config.cpython-310.pyc
        config_option.cpython-310.pyc
        config_util.cpython-310.pyc
        cursor.cpython-310.pyc
        delta_generator.cpython-310.pyc
        deprecation_util.cpython-310.pyc
        development.cpython-310.pyc
        echo.cpython-310.pyc
        emojis.cpython-310.pyc
        env_util.cpython-310.pyc
        errors.cpython-310.pyc
        error_util.cpython-310.pyc
        file_util.cpython-310.pyc
        folder_black_list.cpython-310.pyc
        git_util.cpython-310.pyc
        js_number.cpython-310.pyc
        logger.cpython-310.pyc
        net_util.cpython-310.pyc
        platform.cpython-310.pyc
        source_util.cpython-310.pyc
        string_util.cpython-310.pyc
        temporary_directory.cpython-310.pyc
        type_util.cpython-310.pyc
        url_util.cpython-310.pyc
        user_info.cpython-310.pyc
        util.cpython-310.pyc
        version.cpython-310.pyc
        __init__.cpython-310.pyc
        __main__.cpython-310.pyc

+---streamlit-1.29.0.dist-info
    entry_points.txt
    INSTALLER
    METADATA
    RECORD
    REQUESTED
    top_level.txt
    WHEEL

+---streamlit_drawable_canvas
    |   __init__.py
    |
    +---frontend
    |   |   \---build
    |   |       asset-manifest.json
    |   |       index.html
    |   |
    |   |   \---static
    |   |       +---css
    |   |       |       main.8802268d.chunk.css
    |   |       |       main.8802268d.chunk.css.map
    |   |       |
    |   |       \---js
    |   |           2.3a63bcf0.chunk.js
    |   |           2.3a63bcf0.chunk.js.LICENSE.txt
    |   |           2.3a63bcf0.chunk.js.map
    |   |           main.80185090.chunk.js
    |   |           main.80185090.chunk.js.map
    |   |           runtime-main.3def19be.js
    |   |           runtime-main.3def19be.js.map

```



```

|
| \---__pycache__
|      __init__.cpython-310.pyc
|
+---streamlit_drawable_canvas-0.9.3.dist-info
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
|
+---streamlit_folium
|   __init__.py
|
|   +---frontend
|   |   \---build
|   |       asset-manifest.json
|   |       bootstrap.min.css
|   |       index.html
|   |
|   |   \---static
|   |       \---js
|   |           2.f8ba20a6.chunk.js
|   |           2.f8ba20a6.chunk.js.LICENSE.txt
|   |           2.f8ba20a6.chunk.js.map
|   |           main.15a94878.chunk.js
|   |           main.15a94878.chunk.js.map
|   |           runtime-main.a8eaa58f.js
|   |           runtime-main.a8eaa58f.js.map
|   |
|   | \---__pycache__
|   |      __init__.cpython-310.pyc
|   |
+---streamlit_folium-0.15.0.dist-info
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
|
+---stripe
|   oauth_error.py
|   py.typed
|   _account.py
|   _account_capability_service.py
|   _account_external_account_service.py
|   _account_link.py
|   _account_link_service.py
|   _account_login_link_service.py
|   _account_person_service.py
|   _account_service.py
|   _account_session.py
|   _account_session_service.py
|   _any_iterator.py
|   _api_mode.py
|   _api_requestor.py
|   _api_resource.py
|   _api_version.py
|   _apple_pay_domain.py
|   _apple_pay_domain_service.py
|   _application.py
|   _application_fee.py
|   _application_fee_refund.py
|   _application_fee_refund_service.py

```

_application_fee_service.py
_apps_service.py
_app_info.py
_balance.py
_balance_service.py
_balance_settings.py
_balance_settings_service.py
_balance_transaction.py
_balance_transaction_service.py
_bank_account.py
_base_address.py
_billing_portal_service.py
_billing_service.py
_capability.py
_card.py
_cash_balance.py
_charge.py
_charge_service.py
_checkout_service.py
_client_options.py
_climate_service.py
_confirmation_token.py
_confirmation_token_service.py
_connect_collection_transfer.py
_country_spec.py
_country_spec_service.py
_coupon.py
_coupon_service.py
_createable_api_resource.py
_credit_note.py
_credit_note_line_item.py
_credit_note_line_item_service.py
_credit_note_preview_lines_service.py
_credit_note_service.py
_customer.py
_customer_balance_transaction.py
_customer_balance_transaction_service.py
_customer_cash_balance_service.py
_customer_cash_balance_transaction.py
_customer_cash_balance_transaction_service.py
_customer_funding_instructions_service.py
_customer_payment_method_service.py
_customer_payment_source_service.py
_customer_service.py
_customer_session.py
_customer_session_service.py
_customer_tax_id_service.py
_custom_method.py
_deletable_api_resource.py
_discount.py
_dispute.py
_dispute_service.py
_encode.py
_entitlements_service.py
_ephemeral_key.py
_ephemeral_key_service.py
_error.py
_error_object.py
_event.py
_event_service.py
_exchange_rate.py
_exchange_rate_service.py
_expandable_field.py
_file.py
_file_link.py
_file_link_service.py
_file_service.py
_financial_connections_service.py

`_forwarding_service.py`
`_funding_instructions.py`
`_http_client.py`
`_identity_service.py`
`_invoice.py`
`_invoice_item.py`
`_invoice_item_service.py`
`_invoice_line_item.py`
`_invoice_line_item_service.py`
`_invoice_payment.py`
`_invoice_payment_service.py`
`_invoice_rendering_template.py`
`_invoice_rendering_template_service.py`
`_invoice_service.py`
`_issuing_service.py`
`_line_item.py`
`_listable_api_resource.py`
`_list_object.py`
`_login_link.py`
`_mandate.py`
`_mandate_service.py`
`_multipart_data_generator.py`
`_nested_resource_class_methods.py`
`_oauth.py`
`_oauth_service.py`
`_object_classes.py`
`_payment_attempt_record.py`
`_payment_attempt_record_service.py`
`_payment_intent.py`
`_payment_intent_amount_details_line_item.py`
`_payment_intent_amount_details_line_item_service.py`
`_payment_intent_service.py`
`_payment_link.py`
`_payment_link_line_item_service.py`
`_payment_link_service.py`
`_payment_method.py`
`_payment_method_configuration.py`
`_payment_method_configuration_service.py`
`_payment_method_domain.py`
`_payment_method_domain_service.py`
`_payment_method_service.py`
`_payment_record.py`
`_payment_record_service.py`
`_payout.py`
`_payout_service.py`
`_person.py`
`_plan.py`
`_plan_service.py`
`_price.py`
`_price_service.py`
`_product.py`
`_product_feature.py`
`_product_feature_service.py`
`_product_service.py`
`_promotion_code.py`
`_promotion_code_service.py`
`_quote.py`
`_quote_computed_upfront_line_items_service.py`
`_quote_line_item_service.py`
`_quote_service.py`
`_radar_service.py`
`_refund.py`
`_refund_service.py`
`_reporting_service.py`
`_requestor_options.py`
`_request_metrics.py`
`_request_options.py`
`_reserve_transaction.py`

```

_reversal.py
_review.py
_review_service.py
_searchable_api_resource.py
_search_result_object.py
_setup_attempt.py
_setup_attempt_service.py
_setup_intent.py
_setup_intent_service.py
_shipping_rate.py
_shipping_rate_service.py
_sigma_service.py
_singleton_api_resource.py
_source.py
_source_mandate_notification.py
_source_service.py
_source_transaction.py
_source_transaction_service.py
_stripe_client.py
_stripe_context.py
_stripe_object.py
_stripe_response.py
_stripe_service.py
_subscription.py
_subscription_item.py
_subscription_item_service.py
_subscription_schedule.py
_subscription_schedule_service.py
_subscription_service.py
_tax_code.py
_tax_code_service.py
_tax_deducted_at_source.py
_tax_id.py
_tax_id_service.py
_tax_rate.py
_tax_rate_service.py
_tax_service.py
_terminal_service.py
_test_helpers.py
_test_helpers_service.py
_token.py
_token_service.py
_topup.py
_topup_service.py
_transfer.py
_transfer_reversal_service.py
_transfer_service.py
_treasury_service.py
_updateable_api_resource.py
_util.py
_v1_services.py
_v2_services.py
_verify_mixin.py
_version.py
_webhook.py
_webhook_endpoint.py
_webhook_endpoint_service.py
__init__.py

```

+---apps

```

_secret.py
_secret_service.py
__init__.py

```

+---billing

```

_alert.py
_alert_service.py
_alert_triggered.py

```

```

        _credit_balance_summary.py
        _credit_balance_summary_service.py
        _credit_balance_transaction.py
        _credit_balance_transaction_service.py
        _credit_grant.py
        _credit_grant_service.py
        _meter.py
        _meter_event.py
        _meter_event_adjustment.py
        _meter_event_adjustment_service.py
        _meter_event_service.py
        _meter_event_summary.py
        _meter_event_summary_service.py
        _meter_service.py
        __init__.py
+---billing_portal
    _configuration.py
    _configuration_service.py
    _session.py
    _session_service.py
    __init__.py
+---checkout
    _session.py
    _session_line_item_service.py
    _session_service.py
    __init__.py
+---climate
    _order.py
    _order_service.py
    _product.py
    _product_service.py
    _supplier.py
    _supplier_service.py
    __init__.py
+---data
    ca-certificates.crt
+---entitlements
    _active_entitlement.py
    _active_entitlement_service.py
    _active_entitlement_summary.py
    _feature.py
    _feature_service.py
    __init__.py
+---events
    _event_classes.py
    _v1_billing_meter_error_report_triggered_event.py
    _v1_billing_meter_no_meter_found_event.py
    _v2_core_event_destination_ping_event.py
    __init__.py
+---financial_connections
    _account.py
    _account_owner.py
    _account_ownership.py
    _account_owner_service.py
    _account_service.py
    _session.py
    _session_service.py
    _transaction.py
    _transaction_service.py
    __init__.py

```

```
+---forwarding
|   _request.py
|   _request_service.py
|   __init__.py
|
+---identity
|   _verification_report.py
|   _verification_report_service.py
|   _verification_session.py
|   _verification_session_service.py
|   __init__.py
|
+---issuing
|   _authorization.py
|   _authorization_service.py
|   _card.py
|   _cardholder.py
|   _cardholder_service.py
|   _card_service.py
|   _dispute.py
|   _dispute_service.py
|   _personalization_design.py
|   _personalization_design_service.py
|   _physical_bundle.py
|   _physical_bundle_service.py
|   _token.py
|   _token_service.py
|   _transaction.py
|   _transaction_service.py
|   __init__.py
|
+---params
|   _account_capability_list_params.py
|   _account_capability_retrieve_params.py
|   _account_capability_update_params.py
|   _account_create_external_account_params.py
|   _account_create_login_link_params.py
|   _account_create_params.py
|   _account_create_person_params.py
|   _account_delete_external_account_params.py
|   _account_delete_params.py
|   _account_delete_person_params.py
|   _account_external_account_create_params.py
|   _account_external_account_delete_params.py
|   _account_external_account_list_params.py
|   _account_external_account_retrieve_params.py
|   _account_external_account_update_params.py
|   _account_link_create_params.py
|   _account_list_capabilities_params.py
|   _account_list_external_accounts_params.py
|   _account_list_params.py
|   _account_list_persons_params.py
|   _account_login_link_create_params.py
|   _account_modify_capability_params.py
|   _account_modify_external_account_params.py
|   _account_modify_person_params.py
|   _account_persons_params.py
|   _account_person_create_params.py
|   _account_person_delete_params.py
|   _account_person_list_params.py
|   _account_person_retrieve_params.py
|   _account_person_update_params.py
|   _account_reject_params.py
|   _account_retrieve_capability_params.py
|   _account_retrieve_current_params.py
|   _account_retrieve_external_account_params.py
|   _account_retrieve_params.py
|   _account_retrieve_person_params.py
```

_account_session_create_params.py
_account_update_params.py
_apple_pay_domain_create_params.py
_apple_pay_domain_delete_params.py
_apple_pay_domain_list_params.py
_apple_pay_domain_retrieve_params.py
_application_fee_create_refund_params.py
_application_fee_list_params.py
_application_fee_list_refunds_params.py
_application_fee_modify_refund_params.py
_application_fee_refund_create_params.py
_application_fee_refund_list_params.py
_application_fee_refund_params.py
_application_fee_refund_retrieve_params.py
_application_fee_refund_update_params.py
_application_fee_retrieve_params.py
_application_fee_retrieve_refund_params.py
_balance_retrieve_params.py
_balance_settings_modify_params.py
_balance_settings_retrieve_params.py
_balance_settings_update_params.py
_balance_transaction_list_params.py
_balance_transaction_retrieve_params.py
_bank_account_delete_params.py
_card_delete_params.py
_charge_capture_params.py
_charge_create_params.py
_charge_list_params.py
_charge_list_refunds_params.py
_charge_modify_params.py
_charge_retrieve_params.py
_charge_retrieve_refund_params.py
_charge_search_params.py
_charge_update_params.py
_confirmation_token_create_params.py
_confirmation_token_retrieve_params.py
_country_spec_list_params.py
_country_spec_retrieve_params.py
_coupon_create_params.py
_coupon_delete_params.py
_coupon_list_params.py
_coupon_modify_params.py
_coupon_retrieve_params.py
_coupon_update_params.py
_credit_note_create_params.py
_credit_note_line_item_list_params.py
_credit_note_list_lines_params.py
_credit_note_list_params.py
_credit_note_modify_params.py
_credit_note_preview_lines_list_params.py
_credit_note_preview_lines_params.py
_credit_note_preview_params.py
_credit_note_retrieve_params.py
_credit_note_update_params.py
_credit_note_void_credit_note_params.py
_customer_balance_transaction_create_params.py
_customer_balance_transaction_list_params.py
_customer_balance_transaction_retrieve_params.py
_customer_balance_transaction_update_params.py
_customer_cash_balance_retrieve_params.py
_customer_cash_balance_transaction_list_params.py
_customer_cash_balance_transaction_retrieve_params.py
_customer_cash_balance_update_params.py
_customer_create_balance_transaction_params.py
_customer_create_funding_instructions_params.py
_customer_create_params.py
_customer_create_source_params.py
_customer_create_tax_id_params.py

_customer_delete_discount_params.py
_customer_delete_params.py
_customer_delete_source_params.py
_customer_delete_tax_id_params.py
_customer_funding_instructions_create_params.py
_customer_fund_cash_balance_params.py
_customer_list_balance_transactions_params.py
_customer_list_cash_balance_transactions_params.py
_customer_list_params.py
_customer_list_payment_methods_params.py
_customer_list_sources_params.py
_customer_list_tax_ids_params.py
_customer_modify_balance_transaction_params.py
_customer_modify_cash_balance_params.py
_customer_modify_params.py
_customer_modify_source_params.py
_customer_payment_method_list_params.py
_customer_payment_method_retrieve_params.py
_customer_payment_source_create_params.py
_customer_payment_source_delete_params.py
_customer_payment_source_list_params.py
_customer_payment_source_retrieve_params.py
_customer_payment_source_update_params.py
_customer_payment_source_verify_params.py
_customer_retrieve_balance_transaction_params.py
_customer_retrieve_cash_balance_params.py
_customer_retrieve_cash_balance_transaction_params.py
_customer_retrieve_params.py
_customer_retrieve_payment_method_params.py
_customer_retrieve_source_params.py
_customer_retrieve_tax_id_params.py
_customer_search_params.py
_customer_session_create_params.py
_customer_tax_id_create_params.py
_customer_tax_id_delete_params.py
_customer_tax_id_list_params.py
_customer_tax_id_retrieve_params.py
_customer_update_params.py
_dispute_close_params.py
_dispute_list_params.py
_dispute_modify_params.py
_dispute_retrieve_params.py
_dispute_update_params.py
_ephemeral_key_create_params.py
_ephemeral_key_delete_params.py
_event_list_params.py
_event_retrieve_params.py
_exchange_rate_list_params.py
_exchange_rate_retrieve_params.py
_file_create_params.py
_file_link_create_params.py
_file_link_list_params.py
_file_link_modify_params.py
_file_link_retrieve_params.py
_file_link_update_params.py
_file_list_params.py
_file_retrieve_params.py
_invoice_add_lines_params.py
_invoice_attach_payment_params.py
_invoice_create_params.py
_invoice_create_preview_params.py
_invoice_delete_params.py
_invoice_finalize_invoice_params.py
_invoice_item_create_params.py
_invoice_item_delete_params.py
_invoice_item_list_params.py
_invoice_item_modify_params.py
_invoice_item_retrieve_params.py

_invoice_item_update_params.py
_invoice_line_item_list_params.py
_invoice_line_item_update_params.py
_invoice_list_lines_params.py
_invoice_list_params.py
_invoice_mark_uncollectible_params.py
_invoice_modify_params.py
_invoice_payment_list_params.py
_invoice_payment_retrieve_params.py
_invoice_pay_params.py
_invoice_remove_lines_params.py
_invoice_rendering_template_archive_params.py
_invoice_rendering_template_list_params.py
_invoice_rendering_template_retrieve_params.py
_invoice_rendering_template_unarchive_params.py
_invoice_retrieve_params.py
_invoice_search_params.py
_invoice_send_invoice_params.py
_invoice_update_lines_params.py
_invoice_update_params.py
_invoice_void_invoice_params.py
_mandate_retrieve_params.py
_payment_attempt_record_list_params.py
_payment_attempt_record_retrieve_params.py
_payment_intent_amount_details_line_item_list_params.py
_payment_intent_apply_customer_balance_params.py
_payment_intent_cancel_params.py
_payment_intent_capture_params.py
_payment_intent_confirm_params.py
_payment_intent_create_params.py
_payment_intent_increment_authorization_params.py
_payment_intent_list_amount_details_line_items_params.py
_payment_intent_list_params.py
_payment_intent_modify_params.py
_payment_intent_retrieve_params.py
_payment_intent_search_params.py
_payment_intent_update_params.py
_payment_intent_verify_microdeposits_params.py
_payment_link_create_params.py
_payment_link_line_item_list_params.py
_payment_link_list_line_items_params.py
_payment_link_list_params.py
_payment_link_modify_params.py
_payment_link_retrieve_params.py
_payment_link_update_params.py
_payment_method_attach_params.py
_payment_method_configuration_create_params.py
_payment_method_configuration_list_params.py
_payment_method_configuration_modify_params.py
_payment_method_configuration_retrieve_params.py
_payment_method_configuration_update_params.py
_payment_method_create_params.py
_payment_method_detach_params.py
_payment_method_domain_create_params.py
_payment_method_domain_list_params.py
_payment_method_domain_modify_params.py
_payment_method_domain_retrieve_params.py
_payment_method_domain_update_params.py
_payment_method_domain_validate_params.py
_payment_method_list_params.py
_payment_method_modify_params.py
_payment_method_retrieve_params.py
_payment_method_update_params.py
_payment_record_report_payment_attempt_canceled_params.py
_payment_record_report_payment_attempt_failed_params.py
_payment_record_report_payment_attempt_guaranteed_params.py
_payment_record_report_payment_attempt_informational_params.py
_payment_record_report_payment_attempt_params.py

`_payment_record_report_payment_params.py`
`_payment_record_report_refund_params.py`
`_payment_record_retrieve_params.py`
`_payout_cancel_params.py`
`_payout_create_params.py`
`_payout_list_params.py`
`_payout_modify_params.py`
`_payout_retrieve_params.py`
`_payout_reverse_params.py`
`_payout_update_params.py`
`_plan_create_params.py`
`_plan_delete_params.py`
`_plan_list_params.py`
`_plan_modify_params.py`
`_plan_retrieve_params.py`
`_plan_update_params.py`
`_price_create_params.py`
`_price_list_params.py`
`_price_modify_params.py`
`_price_retrieve_params.py`
`_price_search_params.py`
`_price_update_params.py`
`_product_create_feature_params.py`
`_product_create_params.py`
`_product_delete_feature_params.py`
`_product_delete_params.py`
`_product_feature_create_params.py`
`_product_feature_delete_params.py`
`_product_feature_list_params.py`
`_product_feature_retrieve_params.py`
`_product_list_features_params.py`
`_product_list_params.py`
`_product_modify_params.py`
`_product_retrieve_feature_params.py`
`_product_retrieve_params.py`
`_product_search_params.py`
`_product_update_params.py`
`_promotion_code_create_params.py`
`_promotion_code_list_params.py`
`_promotion_code_modify_params.py`
`_promotion_code_retrieve_params.py`
`_promotion_code_update_params.py`
`_quote_accept_params.py`
`_quote_cancel_params.py`
`_quote_computed_upfront_line_items_list_params.py`
`_quote_create_params.py`
`_quote_finalize_quote_params.py`
`_quote_line_item_list_params.py`
`_quote_list_computed_upfront_line_items_params.py`
`_quote_list_line_items_params.py`
`_quote_list_params.py`
`_quote_modify_params.py`
`_quote_pdf_params.py`
`_quote_retrieve_params.py`
`_quote_update_params.py`
`_refund_cancel_params.py`
`_refund_create_params.py`
`_refund_expire_params.py`
`_refund_list_params.py`
`_refund_modify_params.py`
`_refund_retrieve_params.py`
`_refund_update_params.py`
`_review_approve_params.py`
`_review_list_params.py`
`_review_retrieve_params.py`
`_setup_attempt_list_params.py`
`_setup_intent_cancel_params.py`
`_setup_intent_confirm_params.py`

_setup_intent_create_params.py
_setup_intent_list_params.py
_setup_intent_modify_params.py
_setup_intent_retrieve_params.py
_setup_intent_update_params.py
_setup_intent_verify_microdeposits_params.py
_shipping_rate_create_params.py
_shipping_rate_list_params.py
_shipping_rate_modify_params.py
_shipping_rate_retrieve_params.py
_shipping_rate_update_params.py
_source_create_params.py
_source_detach_params.py
_source_list_source_transactions_params.py
_source_modify_params.py
_source_retrieve_params.py
_source_transaction_list_params.py
_source_update_params.py
_source_verify_params.py
_subscription_cancel_params.py
_subscription_create_params.py
_subscription_delete_discount_params.py
_subscription_item_create_params.py
_subscription_item_delete_params.py
_subscription_item_list_params.py
_subscription_item_modify_params.py
_subscription_item_retrieve_params.py
_subscription_item_update_params.py
_subscription_list_params.py
_subscription_migrate_params.py
_subscription_modify_params.py
_subscription_resume_params.py
_subscription_retrieve_params.py
_subscription_schedule_cancel_params.py
_subscription_schedule_create_params.py
_subscription_schedule_list_params.py
_subscription_schedule_modify_params.py
_subscription_schedule_release_params.py
_subscription_schedule_retrieve_params.py
_subscription_schedule_update_params.py
_subscription_search_params.py
_subscription_update_params.py
_tax_code_list_params.py
_tax_code_retrieve_params.py
_tax_id_create_params.py
_tax_id_delete_params.py
_tax_id_list_params.py
_tax_id_retrieve_params.py
_tax_rate_create_params.py
_tax_rate_list_params.py
_tax_rate_modify_params.py
_tax_rate_retrieve_params.py
_tax_rate_update_params.py
_token_create_params.py
_token_retrieve_params.py
_topup_cancel_params.py
_topup_create_params.py
_topup_list_params.py
_topup_modify_params.py
_topup_retrieve_params.py
_topup_update_params.py
_transfer_create_params.py
_transfer_create_reversal_params.py
_transfer_list_params.py
_transfer_list_reversals_params.py
_transfer_modify_params.py
_transfer_modify_reversal_params.py
_transfer_retrieve_params.py

```
_transfer_retrieve_reversal_params.py
_transfer_reversal_create_params.py
_transfer_reversal_list_params.py
_transfer_reversal_retrieve_params.py
_transfer_reversal_update_params.py
_transfer_update_params.py
_webhook_endpoint_create_params.py
_webhook_endpoint_delete_params.py
_webhook_endpoint_list_params.py
_webhook_endpoint_modify_params.py
_webhook_endpoint_retrieve_params.py
_webhook_endpoint_update_params.py
__init__.py
```

+++apps

```
_secret_create_params.py
_secret_delete_where_params.py
_secret_find_params.py
_secret_list_params.py
__init__.py
```

+++billing

```
_alert_activate_params.py
_alert_archive_params.py
_alert_create_params.py
_alert_deactivate_params.py
_alert_list_params.py
_alert_retrieve_params.py
_credit_balance_summary_retrieve_params.py
_credit_balance_transaction_list_params.py
_credit_balance_transaction_retrieve_params.py
_credit_grant_create_params.py
_credit_grant_expire_params.py
_credit_grant_list_params.py
_credit_grant_modify_params.py
_credit_grant_retrieve_params.py
_credit_grant_update_params.py
_credit_grant_void_grant_params.py
_meter_create_params.py
_meter_deactivate_params.py
_meter_event_adjustment_create_params.py
_meter_event_create_params.py
_meter_event_summary_list_params.py
_meter_list_event_summaries_params.py
_meter_list_params.py
_meter_modify_params.py
_meter_reactivate_params.py
_meter_retrieve_params.py
_meter_update_params.py
__init__.py
```

+++billing_portal

```
_configuration_create_params.py
_configuration_list_params.py
_configuration_modify_params.py
_configuration_retrieve_params.py
_configuration_update_params.py
_session_create_params.py
__init__.py
```

+++checkout

```
_session_create_params.py
_session_expire_params.py
_session_line_item_list_params.py
_session_list_line_items_params.py
_session_list_params.py
_session_modify_params.py
_session_retrieve_params.py
```

```

        _session_update_params.py
        __init__.py

+---climate
        _order_cancel_params.py
        _order_create_params.py
        _order_list_params.py
        _order_modify_params.py
        _order_retrieve_params.py
        _order_update_params.py
        _product_list_params.py
        _product_retrieve_params.py
        _supplier_list_params.py
        _supplier_retrieve_params.py
        __init__.py

+---entitlements
        _active_entitlement_list_params.py
        _active_entitlement_retrieve_params.py
        _feature_create_params.py
        _feature_list_params.py
        _feature_modify_params.py
        _feature_retrieve_params.py
        _feature_update_params.py
        __init__.py

+---financial_connections
        _account_disconnect_params.py
        _account_list_owners_params.py
        _account_list_params.py
        _account_owner_list_params.py
        _account_refresh_account_params.py
        _account_refresh_params.py
        _account_retrieve_params.py
        _account_subscribe_params.py
        _account_unsubscribe_params.py
        _session_create_params.py
        _session_retrieve_params.py
        _transaction_list_params.py
        _transaction_retrieve_params.py
        __init__.py

+---forwarding
        _request_create_params.py
        _request_list_params.py
        _request_retrieve_params.py
        __init__.py

+---identity
        _verification_report_list_params.py
        _verification_report_retrieve_params.py
        _verification_session_cancel_params.py
        _verification_session_create_params.py
        _verification_session_list_params.py
        _verification_session_modify_params.py
        _verification_session_redact_params.py
        _verification_session_retrieve_params.py
        _verification_session_update_params.py
        __init__.py

+---issuing
        _authorization_approve_params.py
        _authorization_capture_params.py
        _authorization_create_params.py
        _authorization_decline_params.py
        _authorization_expire_params.py
        _authorization_finalize_amount_params.py
        _authorization_increment_params.py

```

```
_authorization_list_params.py
_authorization_modify_params.py
_authorization_respond_params.py
_authorization_retrieve_params.py
_authorization_reverse_params.py
_authorization_update_params.py
_cardholder_create_params.py
_cardholder_list_params.py
_cardholder_modify_params.py
_cardholder_retrieve_params.py
_cardholder_update_params.py
_card_create_params.py
_card_deliver_card_params.py
_card_fail_card_params.py
_card_list_params.py
_card_modify_params.py
_card_retrieve_params.py
_card_return_card_params.py
_card_ship_card_params.py
_card_submit_card_params.py
_card_update_params.py
_dispute_create_params.py
_dispute_list_params.py
_dispute_modify_params.py
_dispute_retrieve_params.py
_dispute_submit_params.py
_dispute_update_params.py
_personalization_design_activate_params.py
_personalization_design_create_params.py
_personalization_design_deactivate_params.py
_personalization_design_list_params.py
_personalization_design_modify_params.py
_personalization_design_reject_params.py
_personalization_design_retrieve_params.py
_personalization_design_update_params.py
_physical_bundle_list_params.py
_physical_bundle_retrieve_params.py
_token_list_params.py
_token_modify_params.py
_token_retrieve_params.py
_token_update_params.py
_transaction_create_force_capture_params.py
_transaction_create_unlinked_refund_params.py
_transaction_list_params.py
_transaction_modify_params.py
_transaction_refund_params.py
_transaction_retrieve_params.py
_transaction_update_params.py
__init__.py
```

+---radar

```
_early_fraud_warning_list_params.py
_early_fraud_warning_retrieve_params.py
_value_list_create_params.py
_value_list_delete_params.py
_value_list_item_create_params.py
_value_list_item_delete_params.py
_value_list_item_list_params.py
_value_list_item_retrieve_params.py
_value_list_list_params.py
_value_list_modify_params.py
_value_list_retrieve_params.py
_value_list_update_params.py
__init__.py
```

+---reporting

```
_report_run_create_params.py
_report_run_list_params.py
```

```

_report_run_retrieve_params.py
_report_type_list_params.py
_report_type_retrieve_params.py
__init__.py

+---sigma
_scheduled_query_run_list_params.py
_scheduled_query_run_retrieve_params.py
__init__.py

+---tax
_association_find_params.py
_calculation_create_params.py
_calculation_line_item_list_params.py
_calculation_list_line_items_params.py
_calculation_retrieve_params.py
_registration_create_params.py
_registration_list_params.py
_registration_modify_params.py
_registration_retrieve_params.py
_registration_update_params.py
_settings_modify_params.py
_settings_retrieve_params.py
_settings_update_params.py
_transaction_create_from_calculation_params.py
_transaction_create_reversal_params.py
_transaction_line_item_list_params.py
_transaction_list_line_items_params.py
_transaction_retrieve_params.py
__init__.py

+---terminal
_configuration_create_params.py
_configuration_delete_params.py
_configuration_list_params.py
_configuration_modify_params.py
_configuration_retrieve_params.py
_configuration_update_params.py
_connection_token_create_params.py
_location_create_params.py
_location_delete_params.py
_location_list_params.py
_location_modify_params.py
_location_retrieve_params.py
_location_update_params.py
_onboarding_link_create_params.py
_reader_cancel_action_params.py
_reader_collect_inputs_params.py
_reader_collect_payment_method_params.py
_reader_confirm_payment_intent_params.py
_reader_create_params.py
_reader_delete_params.py
_reader_list_params.py
_reader_modify_params.py
_reader_present_payment_method_params.py
_reader_process_payment_intent_params.py
_reader_process_setup_intent_params.py
_reader_refund_payment_params.py
_reader_retrieve_params.py
_reader_set_reader_display_params.py
_reader_succeed_input_collection_params.py
_reader_timeout_input_collection_params.py
_reader_update_params.py
__init__.py

+---treasury
_credit_reversal_create_params.py
_credit_reversal_list_params.py

```

```

_credit_reversal_retrieve_params.py
_debit_reversal_create_params.py
_debit_reversal_list_params.py
_debit_reversal_retrieve_params.py
_financial_account_close_params.py
_financial_account_create_params.py
_financial_account_features_retrieve_params.py
_financial_account_features_update_params.py
_financial_account_list_params.py
_financial_account_modify_params.py
_financial_account_retrieve_features_params.py
_financial_account_retrieve_params.py
_financial_account_update_features_params.py
_financial_account_update_params.py
_inbound_transfer_cancel_params.py
_inbound_transfer_create_params.py
_inbound_transfer_fail_params.py
_inbound_transfer_list_params.py
_inbound_transfer_retrieve_params.py
_inbound_transfer_return_inbound_transfer_params.py
_inbound_transfer_succeed_params.py
_outbound_payment_cancel_params.py
_outbound_payment_create_params.py
_outbound_payment_fail_params.py
_outbound_payment_list_params.py
_outbound_payment_post_params.py
_outbound_payment_retrieve_params.py
_outbound_payment_return_outbound_payment_params.py
_outbound_payment_update_params.py
_outbound_transfer_cancel_params.py
_outbound_transfer_create_params.py
_outbound_transfer_fail_params.py
_outbound_transfer_list_params.py
_outbound_transfer_post_params.py
_outbound_transfer_retrieve_params.py
_outbound_transfer_return_outbound_transfer_params.py
_outbound_transfer_update_params.py
_received_credit_create_params.py
_received_credit_list_params.py
_received_credit_retrieve_params.py
_received_debit_create_params.py
_received_debit_list_params.py
_received_debit_retrieve_params.py
_transaction_entry_list_params.py
_transaction_entry_retrieve_params.py
_transaction_list_params.py
_transaction_retrieve_params.py
__init__.py

```

\---v2

```

    __init__.py

```

+---billing

```

    _meter_event_adjustment_create_params.py
    _meter_event_create_params.py
    _meter_event_session_create_params.py
    _meter_event_stream_create_params.py
    __init__.py

```

\---core

```

    _event_destination_create_params.py
    _event_destination_delete_params.py
    _event_destination_disable_params.py
    _event_destination_enable_params.py
    _event_destination_list_params.py
    _event_destination_ping_params.py
    _event_destination_retrieve_params.py
    _event_destination_update_params.py

```



```

        _event_list_params.py
        _event_retrieve_params.py
        __init__.py

+---radar
    _early_fraud_warning.py
    _early_fraud_warning_service.py
    _value_list.py
    _value_list_item.py
    _value_list_item_service.py
    _value_list_service.py
    __init__.py

+---reporting
    _report_run.py
    _report_run_service.py
    _report_type.py
    _report_type_service.py
    __init__.py

+---sigma
    _scheduled_query_run.py
    _scheduled_query_run_service.py
    __init__.py

+---tax
    _association.py
    _association_service.py
    _calculation.py
    _calculation_line_item.py
    _calculation_line_item_service.py
    _calculation_service.py
    _registration.py
    _registration_service.py
    _settings.py
    _settings_service.py
    _transaction.py
    _transaction_line_item.py
    _transaction_line_item_service.py
    _transaction_service.py
    __init__.py

+---terminal
    _configuration.py
    _configuration_service.py
    _connection_token.py
    _connection_token_service.py
    _location.py
    _location_service.py
    _onboarding_link.py
    _onboarding_link_service.py
    _reader.py
    _reader_service.py
    __init__.py

+---treasury
    _credit_reversal.py
    _credit_reversal_service.py
    _debit_reversal.py
    _debit_reversal_service.py
    _financial_account.py
    _financial_account_features.py
    _financial_account_features_service.py
    _financial_account_service.py
    _inbound_transfer.py
    _inbound_transfer_service.py
    _outbound_payment.py
    _outbound_payment_service.py

```

```

        _outbound_transfer.py
        _outbound_transfer_service.py
        _received_credit.py
        _received_credit_service.py
        _received_debit.py
        _received_debit_service.py
        _transaction.py
        _transaction_entry.py
        _transaction_entry_service.py
        _transaction_service.py
        __init__.py
    \---v2
        _amount.py
        _billing_service.py
        _core_service.py
        _deleted_object.py
        _list_object.py
        __init__.py
    +---billing
        _meter_event.py
        _meter_event_adjustment.py
        _meter_event_adjustment_service.py
        _meter_event_service.py
        _meter_event_session.py
        _meter_event_session_service.py
        _meter_event_stream_service.py
        __init__.py
    \---core
        _event.py
        _event_destination.py
        _event_destination_service.py
        _event_service.py
        __init__.py
+---stripe-14.0.1.dist-info
    INSTALLER
    METADATA
    RECORD
    REQUESTED
    WHEEL
    \---licenses
        LICENSE
+---tenacity
    after.py
    before.py
    before_sleep.py
    nap.py
    py.typed
    retry.py
    stop.py
    tornadoweb.py
    wait.py
    _utils.py
    __init__.py
+---asyncio
    retry.py
    __init__.py
    \---__pycache__
        retry.cpython-310.pyc
        __init__.cpython-310.pyc

```

```

\---__pycache__
    after.cpython-310.pyc
    before.cpython-310.pyc
    before_sleep.cpython-310.pyc
    nap.cpython-310.pyc
    retry.cpython-310.pyc
    stop.cpython-310.pyc
    tornadoweb.cpython-310.pyc
    wait.cpython-310.pyc
    _utils.cpython-310.pyc
    __init__.cpython-310.pyc

+---tenacity-8.5.0.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    top_level.txt
    WHEEL

+---toml
    |
    | decoder.py
    | encoder.py
    | ordered.py
    | tz.py
    | __init__.py
    |
    \---__pycache__
        decoder.cpython-310.pyc
        encoder.cpython-310.pyc
        ordered.cpython-310.pyc
        tz.cpython-310.pyc
        __init__.cpython-310.pyc

+---toml-0.10.2.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    top_level.txt
    WHEEL

+---tomli
    |
    | py.typed
    | _parser.py
    | _re.py
    | _types.py
    | __init__.py
    |

+---tomli-2.3.0.dist-info
    |
    | INSTALLER
    | METADATA
    | RECORD
    | WHEEL
    |
    \---licenses
        LICENSE

+---tomlkit
    |
    | api.py
    | container.py
    | exceptions.py
    | items.py
    | parser.py
    | py.typed
    | source.py
    | toml_char.py
    | toml_document.py

```

```

    toml_file.py
    _compat.py
    _types.py
    _utils.py
    __init__.py
+---tomlkit-0.13.3.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    WHEEL
+---tornado
    auth.py
    autoreload.py
    concurrent.py
    curl_httpclient.py
    escape.py
    gen.py
    http1connection.py
    httpclient.py
    httpserver.py
    httputil.py
    ioloop.py
    iostream.py
    locale.py
    locks.py
    log.py
    netutil.py
    options.py
    process.py
    py.typed
    queues.py
    routing.py
    simple_httpclient.py
    speedups.pyd
    speedups.pyi
    tcpclient.py
    tcpserver.py
    template.py
    testing.py
    util.py
    web.py
    websocket.py
    wsgi.py
    _locale_data.py
    __init__.py
    __init__.pyi
+---platform
    |   asyncio.py
    |   caresresolver.py
    |   twisted.py
    |   __init__.py
    |
    \---__pycache__
        asyncio.cpython-310.pyc
        caresresolver.cpython-310.pyc
        twisted.cpython-310.pyc
        __init__.cpython-310.pyc
+---test
    |   asyncio_test.py
    |   auth_test.py
    |   autoreload_test.py
    |   circlerefs_test.py
    |   concurrent_test.py

```

```

curl_httpclient_test.py
escape_test.py
gen_test.py
httplconnection_test.py
httpclient_test.py
httpserver_test.py
httputil_test.py
import_test.py
ioloop_test.py
iostream_test.py
locale_test.py
locks_test.py
log_test.py
netutil_test.py
options_test.cfg
options_test.py
options_test_types.cfg
options_test_types_str.cfg
process_test.py
queues_test.py
resolve_test_helper.py
routing_test.py
runtests.py
simple_httpclient_test.py
static_foo.txt
tcpclient_test.py
tcpserver_test.py
template_test.py
test.crt
test.key
testing_test.py
twisted_test.py
util.py
util_test.py
websocket_test.py
web_test.py
wsgi_test.py
__init__.py
__main__.py

+---csv_translations
|   fr_FR.csv

+---gettext_translations
|   \---fr_FR
|       \---LC_MESSAGES
|           tornado_test.mo
|           tornado_test.po

+---static
|   |   robots.txt
|   |   sample.xml
|   |   sample.xml.bz2
|   |   sample.xml.gz
|   |
|   \---dir
|       index.html

+---templates
|   utf8.html

\---__pycache__
    asyncio_test.cpython-310.pyc
    auth_test.cpython-310.pyc
    autoreload_test.cpython-310.pyc
    circlerefs_test.cpython-310.pyc
    concurrent_test.cpython-310.pyc
    curl_httpclient_test.cpython-310.pyc

```

```
escape_test.cpython-310.pyc
gen_test.cpython-310.pyc
http1connection_test.cpython-310.pyc
httpclient_test.cpython-310.pyc
httpserver_test.cpython-310.pyc
httputil_test.cpython-310.pyc
import_test.cpython-310.pyc
ioloop_test.cpython-310.pyc
iostream_test.cpython-310.pyc
locale_test.cpython-310.pyc
locks_test.cpython-310.pyc
log_test.cpython-310.pyc
netutil_test.cpython-310.pyc
options_test.cpython-310.pyc
process_test.cpython-310.pyc
queues_test.cpython-310.pyc
resolve_test_helper.cpython-310.pyc
routing_test.cpython-310.pyc
runtests.cpython-310.pyc
simple_httpclient_test.cpython-310.pyc
tcpclient_test.cpython-310.pyc
tcpserver_test.cpython-310.pyc
template_test.cpython-310.pyc
testing_test.cpython-310.pyc
twisted_test.cpython-310.pyc
util.cpython-310.pyc
util_test.cpython-310.pyc
websocket_test.cpython-310.pyc
web_test.cpython-310.pyc
wsgi_test.cpython-310.pyc
__init__.cpython-310.pyc
__main__.cpython-310.pyc
```

```
\---__pycache__
```

```
auth.cpython-310.pyc
autoreload.cpython-310.pyc
concurrent.cpython-310.pyc
curl_httpclient.cpython-310.pyc
escape.cpython-310.pyc
gen.cpython-310.pyc
http1connection.cpython-310.pyc
httpclient.cpython-310.pyc
httpserver.cpython-310.pyc
httputil.cpython-310.pyc
ioloop.cpython-310.pyc
iostream.cpython-310.pyc
locale.cpython-310.pyc
locks.cpython-310.pyc
log.cpython-310.pyc
netutil.cpython-310.pyc
options.cpython-310.pyc
process.cpython-310.pyc
queues.cpython-310.pyc
routing.cpython-310.pyc
simple_httpclient.cpython-310.pyc
tcpclient.cpython-310.pyc
tcpserver.cpython-310.pyc
template.cpython-310.pyc
testing.cpython-310.pyc
util.cpython-310.pyc
web.cpython-310.pyc
websocket.cpython-310.pyc
wsgi.cpython-310.pyc
_locale_data.cpython-310.pyc
__init__.cpython-310.pyc
```

```
+---tornado-6.5.2.dist-info
|
|   INSTALLER
```

```

METADATA
RECORD
top_level.txt
WHEEL
\---licenses
    LICENSE
+---tqdm
    asyncio.py
    auto.py
    autonotebook.py
    cli.py
    completion.sh
    dask.py
    gui.py
    keras.py
    notebook.py
    rich.py
    std.py
    tk.py
    tqdm.1
    utils.py
    version.py
    _dist_ver.py
    _main.py
    _monitor.py
    _tqdm.py
    _tqdm_gui.py
    _tqdm_notebook.py
    _tqdm_pandas.py
    _utils.py
    __init__.py
    __main__.py
\---contrib
    bells.py
    concurrent.py
    discord.py
    itertools.py
    logging.py
    slack.py
    telegram.py
    utils_worker.py
    __init__.py
+---tqdm-4.67.1.dist-info
    entry_points.txt
    INSTALLER
    LICENCE
    METADATA
    RECORD
    top_level.txt
    WHEEL
+---trimesh
    base.py
    boolean.py
    bounds.py
    caching.py
    collision.py
    comparison.py
    constants.py
    convex.py
    creation.py
    curvature.py
    decomposition.py
    exceptions.py

```

```
geometry.py
graph.py
grouping.py
inertia.py
intersections.py
interval.py
iteration.py
nsphere.py
parent.py
permute.py
points.py
poses.py
primitives.py
proximity.py
py.typed
registration.py
remesh.py
rendering.py
repair.py
resolvers.py
sample.py
schemas.py
smoothing.py
transformations.py
triangles.py
typed.py
units.py
util.py
version.py
__init__.py
__main__.py
```

+---exchange

```
binvox.py
cascade.py
dae.py
export.py
glTF.py
load.py
misc.py
obj.py
off.py
ply.py
stl.py
threedxml.py
threemf.py
urdf.py
xaml.py
xyz.py
__init__.py
```

+---interfaces

```
blender.py
generic.py
__init__.py
```

+---path

```
arc.py
creation.py
curve.py
entities.py
intersections.py
packing.py
path.py
polygons.py
raster.py
repair.py
segments.py
```



```

    simplify.py
    traversal.py
    util.py
    __init__.py
\---exchange
    dxf.py
    export.py
    load.py
    misc.py
    svg_io.py
    __init__.py
+---ray
    ray_pyembree.py
    ray_triangle.py
    ray_util.py
    __init__.py
+---resources
    color_map.json.gzip
    creation.json
    units_to_inches.json
    __init__.py
+---schema
    |   gltf2.schema.zip
    |   README.md
    |   urdf.xsd
    |
    \---primitive
        box.schema.json
        capsule.schema.json
        cylinder.schema.json
        extrusion.schema.json
        primitive.schema.json
        scenegraph.schema.json
        sphere.schema.json
        transform.schema.json
        trimesh.schema.json
        wkt.polygon.schema.json
\---templates
    base.svg
    blender_boolean.py.tmpl
    blender_unwrap.py.template
    dxf.json
    path.svg
    ply.json
    viewer.zip
+---scene
    cameras.py
    lighting.py
    scene.py
    transforms.py
    __init__.py
+---viewer
    notebook.py
    trackball.py
    widget.py
    windowed.py
    __init__.py
+---visual
    base.py
    color.py

```

```

    gloss.py
    material.py
    objects.py
    texture.py
    __init__.py
\---voxel
    base.py
    creation.py
    encoding.py
    morphology.py
    ops.py
    runlength.py
    transforms.py
    __init__.py
+---trimesh-4.9.0.dist-info
|   entry_points.txt
|   INSTALLER
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
|
|   \---licenses
+---typing_extensions-4.15.0.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   WHEEL
|
|   \---licenses
|       LICENSE
|
+---typing_inspect-0.9.0.dist-info
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
|
+---typing_inspection
|   introspection.py
|   py.typed
|   typing_objects.py
|   typing_objects.pyi
|   __init__.py
|
+---typing_inspection-0.4.2.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   WHEEL
|
|   \---licenses
|       LICENSE
|
+---tzdata
|   zones
|   __init__.py
|
+---zoneinfo
|   CET
|   CST6CDT
|   Cuba
|   EET

```

	Egypt
	Eire
	EST
	EST5EDT
	Factory
	GB
	GB-Eire
	GMT
	GMT+0
	GMT-0
	GMT0
	Greenwich
	Hongkong
	HST
	Iceland
	Iran
	iso3166.tab
	Israel
	Jamaica
	Japan
	Kwajalein
	leapseconds
	Libya
	MET
	MST
	MST7MDT
	Navajo
	NZ
	NZ-CHAT
	Poland
	Portugal
	PRC
	PST8PDT
	ROC
	ROK
	Singapore
	Turkey
	tzdata.zi
	UCT
	Universal
	UTC
	W-SU
	WET
	zone.tab
	zone1970.tab
	zonenow.tab
	Zulu
	__init__.py

+---Africa

	Abidjan
	Accra
	Addis_Ababa
	Algiers
	Asmara
	Asmera
	Bamako
	Bangui
	Banjul
	Bissau
	Blantyre
	Brazzaville
	Bujumbura
	Cairo
	Casablanca
	Ceuta
	Conakry
	Dakar

```
Dar_es_Salaam
Djibouti
Douala
El_Aaiun
Freetown
Gaborone
Harare
Johannesburg
Juba
Kampala
Khartoum
Kigali
Kinshasa
Lagos
Libreville
Lome
Luanda
Lubumbashi
Lusaka
Malabo
Maputo
Maseru
Mbabane
Mogadishu
Monrovia
Nairobi
Ndjamena
Niamey
Nouakchott
Ouagadougou
Porto-Novo
Sao_Tome
Timbuktu
Tripoli
Tunis
Windhoek
__init__.py
\---__pycache__
    __init__.cpython-310.pyc
```

```
+---America
    Adak
    Anchorage
    Anguilla
    Antigua
    Araguaina
    Aruba
    Asuncion
    Atikokan
    Atka
    Bahia
    Bahia_Banderas
    Barbados
    Belem
    Belize
    Blanc-Sablon
    Boa_Vista
    Bogota
    Boise
    Buenos_Aires
    Cambridge_Bay
    Campo_Grande
    Cancun
    Caracas
    Catamarca
    Cayenne
    Cayman
```

					Chicago
					Chihuahua
					Ciudad_Juarez
					Coral_Harbour
					Cordoba
					Costa_Rica
					Coyhaique
					Creston
					Cuiaba
					Curacao
					Danmarkshavn
					Dawson
					Dawson_Creek
					Denver
					Detroit
					Dominica
					Edmonton
					Eirunepe
					El_Salvador
					Ensenada
					Fortaleza
					Fort_Nelson
					Fort_Wayne
					Glace_Bay
					Godthab
					Goose_Bay
					Grand_Turk
					Grenada
					Guadeloupe
					Guatemala
					Guayaquil
					Guyana
					Halifax
					Havana
					Hermosillo
					Indianapolis
					Inuvik
					Iqaluit
					Jamaica
					Jujuy
					Juneau
					Knox_IN
					Kralendijk
					La_Paz
					Lima
					Los_Angeles
					Louisville
					Lower_Princes
					Maceio
					Managua
					Manaus
					Marigot
					Martinique
					Matamoros
					Mazatlan
					Mendoza
					Menominee
					Merida
					Metlakatla
					Mexico_City
					Miquelon
					Moncton
					Monterrey
					Montevideo
					Montreal
					Montserrat
					Nassau
					New_York

```
Nipigon
Nome
Noronha
Nuuk
Ojinaga
Panama
Pangnirtung
Paramaribo
Phoenix
Port-au-Prince
Porto_Acre
Porto_Velho
Port_of_Spain
Puerto_Rico
Punta_Arenas
Rainy_River
Rankin_Inlet
Recife
Regina
Resolute
Rio_Branco
Rosario
Santarem
Santa_Isabel
Santiago
Santo_Domingo
Sao_Paulo
Scoresbysund
Shiprock
Sitka
St_Barthelemy
St_Johns
St_Kitts
St_Lucia
St_Thomas
St_Vincent
Swift_Current
Tegucigalpa
Thule
Thunder_Bay
Tijuana
Toronto
Tortola
Vancouver
Virgin
Whitehorse
Winnipeg
Yakutat
Yellowknife
__init__.py
+---Argentina
|   Buenos_Aires
|   Catamarca
|   ComodRivadavia
|   Cordoba
|   Jujuy
|   La_Rioja
|   Mendoza
|   Rio_Gallegos
|   Salta
|   San_Juan
|   San_Luis
|   Tucuman
|   Ushuaia
|   __init__.py
\---__pycache__
```

```

__init__.cpython-310.pyc
+---Indiana
|   Indianapolis
|   Knox
|   Marengo
|   Petersburg
|   Tell_City
|   Vevay
|   Vincennes
|   Winamac
|   __init__.py
|
\---__pycache__
      __init__.cpython-310.pyc
+---Kentucky
|   Louisville
|   Monticello
|   __init__.py
|
\---__pycache__
      __init__.cpython-310.pyc
+---North_Dakota
|   Beulah
|   Center
|   New_Salem
|   __init__.py
|
\---__pycache__
      __init__.cpython-310.pyc
\---__pycache__
      __init__.cpython-310.pyc
+---Antarctica
|   Casey
|   Davis
|   DumontDURville
|   Macquarie
|   Mawson
|   McMurdo
|   Palmer
|   Rothera
|   South_Pole
|   Syowa
|   Troll
|   Vostok
|   __init__.py
|
\---__pycache__
      __init__.cpython-310.pyc
+---Arctic
|   Longyearbyen
|   __init__.py
|
\---__pycache__
      __init__.cpython-310.pyc
+---Asia
|   Aden
|   Almaty
|   Amman
|   Anadyr
|   Aqtau
|   Aqtobe

```

					Ashgabat
					Ashkhabad
					Atyrau
					Baghdad
					Bahrain
					Baku
					Bangkok
					Barnaul
					Beirut
					Bishkek
					Brunei
					Calcutta
					Chita
					Choibalsan
					Chongqing
					Chungking
					Colombo
					Dacca
					Damascus
					Dhaka
					Dili
					Dubai
					Dushanbe
					Famagusta
					Gaza
					Harbin
					Hebron
					Hong_Kong
					Hovd
					Ho_Chi_Minh
					Irkutsk
					Istanbul
					Jakarta
					Jayapura
					Jerusalem
					Kabul
					Kamchatka
					Karachi
					Kashgar
					Kathmandu
					Katmandu
					Khandyga
					Kolkata
					Krasnoyarsk
					Kuala_Lumpur
					Kuching
					Kuwait
					Macao
					Macau
					Magadan
					Makassar
					Manila
					Muscat
					Nicosia
					Novokuznetsk
					Novosibirsk
					Omsk
					Oral
					Phnom_Penh
					Pontianak
					Pyongyang
					Qatar
					Qostanay
					Qyzylorda
					Rangoon
					Riyadh
					Saigon
					Sakhalin


```
Samarkand
Seoul
Shanghai
Singapore
Srednekolymsk
Taipei
Tashkent
Tbilisi
Tehran
Tel_Aviv
Thimbu
Thimphu
Tokyo
Tomsk
Ujung_Pandang
Ulaanbaatar
Ulan_Bator
Urumqi
Ust-Nera
Vientiane
Vladivostok
Yakutsk
Yangon
Yekaterinburg
Yerevan
__init__.py
\---__pycache__
    __init__.cpython-310.pyc
```

```
+---Atlantic
    Azores
    Bermuda
    Canary
    Cape_Verde
    Faeroe
    Faroe
    Jan_Mayen
    Madeira
    Reykjavik
    South_Georgia
    Stanley
    St_Helena
    __init__.py
\---__pycache__
    __init__.cpython-310.pyc
```

```
+---Australia
    ACT
    Adelaide
    Brisbane
    Broken_Hill
    Canberra
    Currie
    Darwin
    Eucla
    Hobart
    LHI
    Lindeman
    Lord_Howe
    Melbourne
    North
    NSW
    Perth
    Queensland
    South
    Sydney
```

```
Tasmania
Victoria
West
Yancowinna
__init__.py
\---__pycache__
      __init__.cpython-310.pyc
+---Brazil
|   Acre
|   DeNoronha
|   East
|   West
|   __init__.py
|   \---__pycache__
|         __init__.cpython-310.pyc
+---Canada
|   Atlantic
|   Central
|   Eastern
|   Mountain
|   Newfoundland
|   Pacific
|   Saskatchewan
|   Yukon
|   __init__.py
|   \---__pycache__
|         __init__.cpython-310.pyc
+---Chile
|   Continental
|   EasterIsland
|   __init__.py
|   \---__pycache__
|         __init__.cpython-310.pyc
+---Etc
|   GMT
|   GMT+0
|   GMT+1
|   GMT+10
|   GMT+11
|   GMT+12
|   GMT+2
|   GMT+3
|   GMT+4
|   GMT+5
|   GMT+6
|   GMT+7
|   GMT+8
|   GMT+9
|   GMT-0
|   GMT-1
|   GMT-10
|   GMT-11
|   GMT-12
|   GMT-13
|   GMT-14
|   GMT-2
|   GMT-3
|   GMT-4
|   GMT-5
|   GMT-6
```

```
GMT-7
GMT-8
GMT-9
GMT0
Greenwich
UCT
Universal
UTC
Zulu
__init__.py
\---__pycache__
      __init__.cpython-310.pyc
```

```
+---Europe
      Amsterdam
      Andorra
      Astrakhan
      Athens
      Belfast
      Belgrade
      Berlin
      Bratislava
      Brussels
      Bucharest
      Budapest
      Busingen
      Chisinau
      Copenhagen
      Dublin
      Gibraltar
      Guernsey
      Helsinki
      Isle_of_Man
      Istanbul
      Jersey
      Kaliningrad
      Kiev
      Kirov
      Kyiv
      Lisbon
      Ljubljana
      London
      Luxembourg
      Madrid
      Malta
      Mariehamn
      Minsk
      Monaco
      Moscow
      Nicosia
      Oslo
      Paris
      Podgorica
      Prague
      Riga
      Rome
      Samara
      San_Marino
      Sarajevo
      Saratov
      Simferopol
      Skopje
      Sofia
      Stockholm
      Tallinn
      Tirane
      Tiraspol
```

```
Ulyanovsk
Uzhgorod
Vaduz
Vatican
Vienna
Vilnius
Volgograd
Warsaw
Zagreb
Zaporozhye
Zurich
__init__.py
\---__pycache__
      __init__.cpython-310.pyc
```

```
+---Indian
|
|   Antananarivo
|   Chagos
|   Christmas
|   Cocos
|   Comoro
|   Kerguelen
|   Mahe
|   Maldives
|   Mauritius
|   Mayotte
|   Reunion
|   __init__.py
|
| \---__pycache__
|       __init__.cpython-310.pyc
```

```
+---Mexico
|
|   BajaNorte
|   BajaSur
|   General
|   __init__.py
|
| \---__pycache__
|       __init__.cpython-310.pyc
```

```
+---Pacific
|
|   Apia
|   Auckland
|   Bougainville
|   Chatham
|   Chuuk
|   Easter
|   Efate
|   Enderbury
|   Fakaofu
|   Fiji
|   Funafuti
|   Galapagos
|   Gambier
|   Guadalcanal
|   Guam
|   Honolulu
|   Johnston
|   Kanton
|   Kiritimati
|   Kosrae
|   Kwajalein
|   Majuro
|   Marquesas
|   Midway
|   Nauru
```

```

Niue
Norfolk
Noumea
Pago_Pago
Palau
Pitcairn
Pohnpei
Ponape
Port_Moresby
Rarotonga
Saipan
Samoa
Tahiti
Tarawa
Tongatapu
Truk
Wake
Wallis
Yap
__init__.py
\---__pycache__
    __init__.cpython-310.pyc
+---US
|   Alaska
|   Aleutian
|   Arizona
|   Central
|   East-Indiana
|   Eastern
|   Hawaii
|   Indiana-Starke
|   Michigan
|   Mountain
|   Pacific
|   Samoa
|   __init__.py
|   \---__pycache__
|       __init__.cpython-310.pyc
|   \---__pycache__
|       __init__.cpython-310.pyc
|   \---__pycache__
|       __init__.cpython-310.pyc
+---tzdata-2025.2.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
|   \---licenses
|       LICENSE
|   \---licenses
|       LICENSE_APACHE
+---tzlocal
|   py.typed
|   unix.py
|   utils.py
|   win32.py
|   windows_tz.py
|   __init__.py

```

```

|
| \---__pycache__
|     unix.cpython-310.pyc
|     utils.cpython-310.pyc
|     win32.cpython-310.pyc
|     windows_tz.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---tzlocal-5.3.1.dist-info
|     INSTALLER
|     LICENSE.txt
|     METADATA
|     RECORD
|     top_level.txt
|     WHEEL
|
+---urllib3
|     connection.py
|     connectionpool.py
|     exceptions.py
|     fields.py
|     filepost.py
|     poolmanager.py
|     py.typed
|     response.py
|     _base_connection.py
|     _collections.py
|     _request_methods.py
|     _version.py
|     __init__.py
|
+---contrib
|     pyopenssl.py
|     socks.py
|     __init__.py
|
+---emscripten
|     connection.py
|     emscripten_fetch_worker.js
|     fetch.py
|     request.py
|     response.py
|     __init__.py
|
|     \---__pycache__
|         connection.cpython-310.pyc
|         fetch.cpython-310.pyc
|         request.cpython-310.pyc
|         response.cpython-310.pyc
|         __init__.cpython-310.pyc
|
|     \---__pycache__
|         pyopenssl.cpython-310.pyc
|         socks.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+---http2
|     connection.py
|     probe.py
|     __init__.py
|
|     \---__pycache__
|         connection.cpython-310.pyc
|         probe.cpython-310.pyc
|         __init__.cpython-310.pyc
|
+---util
|     connection.py

```

```

    proxy.py
    request.py
    response.py
    retry.py
    ssltransport.py
    ssl_.py
    ssl_match_hostname.py
    timeout.py
    url.py
    util.py
    wait.py
    __init__.py
\---__pycache__
    connection.cpython-310.pyc
    proxy.cpython-310.pyc
    request.cpython-310.pyc
    response.cpython-310.pyc
    retry.cpython-310.pyc
    ssltransport.cpython-310.pyc
    ssl_.cpython-310.pyc
    ssl_match_hostname.cpython-310.pyc
    timeout.cpython-310.pyc
    url.cpython-310.pyc
    util.cpython-310.pyc
    wait.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    connection.cpython-310.pyc
    connectionpool.cpython-310.pyc
    exceptions.cpython-310.pyc
    fields.cpython-310.pyc
    filepost.cpython-310.pyc
    poolmanager.cpython-310.pyc
    response.cpython-310.pyc
    _base_connection.cpython-310.pyc
    _collections.cpython-310.pyc
    _request_methods.cpython-310.pyc
    _version.cpython-310.pyc
    __init__.cpython-310.pyc
+---urllib3-2.6.1.dist-info
    INSTALLER
    METADATA
    RECORD
    WHEEL
\---licenses
    LICENSE.txt
+---uvicorn
    config.py
    importer.py
    logging.py
    main.py
    py.typed
    server.py
    workers.py
    _subprocess.py
    _types.py
    __init__.py
    __main__.py
+---lifespan
    off.py
    on.py
    __init__.py

```

```

|
| \---__pycache__
|      off.cpython-310.pyc
|      on.cpython-310.pyc
|      __init__.cpython-310.pyc
|
+---loops
|   asyncio.py
|   auto.py
|   uvloop.py
|   __init__.py
|
|   \---__pycache__
|          asyncio.cpython-310.pyc
|          auto.cpython-310.pyc
|          uvloop.cpython-310.pyc
|          __init__.cpython-310.pyc
|
+---middleware
|   asgi2.py
|   message_logger.py
|   proxy_headers.py
|   wsgi.py
|   __init__.py
|
|   \---__pycache__
|          asgi2.cpython-310.pyc
|          message_logger.cpython-310.pyc
|          proxy_headers.cpython-310.pyc
|          wsgi.cpython-310.pyc
|          __init__.cpython-310.pyc
|
+---protocols
|   utils.py
|   __init__.py
|
|   +---http
|   |   auto.py
|   |   flow_control.py
|   |   h11_impl.py
|   |   httptools_impl.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |          auto.cpython-310.pyc
|   |          flow_control.cpython-310.pyc
|   |          h11_impl.cpython-310.pyc
|   |          httptools_impl.cpython-310.pyc
|   |          __init__.cpython-310.pyc
|   |
|   +---websockets
|   |   auto.py
|   |   websockets_impl.py
|   |   wsproto_impl.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |          auto.cpython-310.pyc
|   |          websockets_impl.cpython-310.pyc
|   |          wsproto_impl.cpython-310.pyc
|   |          __init__.cpython-310.pyc
|   |
|   \---__pycache__
|          utils.cpython-310.pyc
|          __init__.cpython-310.pyc
|
+---supervisors
|   basereload.py

```



```

multiprocess.py
statreload.py
watchfilesreload.py
watchgodreload.py
__init__.py
\---__pycache__
    basereload.cpython-310.pyc
    multiprocess.cpython-310.pyc
    statreload.cpython-310.pyc
    watchfilesreload.cpython-310.pyc
    watchgodreload.cpython-310.pyc
    __init__.cpython-310.pyc
\---__pycache__
    config.cpython-310.pyc
    importer.cpython-310.pyc
    logging.cpython-310.pyc
    main.cpython-310.pyc
    server.cpython-310.pyc
    workers.cpython-310.pyc
    _subprocess.cpython-310.pyc
    _types.cpython-310.pyc
    __init__.cpython-310.pyc
    __main__.cpython-310.pyc
+---uvicorn-0.24.0.dist-info
    entry_points.txt
    INSTALLER
    METADATA
    RECORD
    REQUESTED
    WHEEL
\---licenses
    LICENSE.md
+---validators
    between.py
    card.py
    country.py
    cron.py
    domain.py
    email.py
    encoding.py
    finance.py
    hashes.py
    hostname.py
    iban.py
    ip_address.py
    length.py
    mac_address.py
    py.typed
    slug.py
    uri.py
    url.py
    utils.py
    uuid.py
    _extremes.py
    _tld.txt
    __init__.py
+---crypto_addresses
    bsc_address.py
    btc_address.py
    eth_address.py
    trx_address.py
    __init__.py

```

```

|
| \---__pycache__
|     bsc_address.cpython-310.pyc
|     btc_address.cpython-310.pyc
|     eth_address.cpython-310.pyc
|     trx_address.cpython-310.pyc
|     __init__.cpython-310.pyc
|
+---i18n
|     es.py
|     fi.py
|     fr.py
|     ind.py
|     ru.py
|     __init__.py
|
| \---__pycache__
|     es.cpython-310.pyc
|     fi.cpython-310.pyc
|     fr.cpython-310.pyc
|     ind.cpython-310.pyc
|     ru.cpython-310.pyc
|     __init__.cpython-310.pyc
|
\---__pycache__
    between.cpython-310.pyc
    card.cpython-310.pyc
    country.cpython-310.pyc
    cron.cpython-310.pyc
    domain.cpython-310.pyc
    email.cpython-310.pyc
    encoding.cpython-310.pyc
    finance.cpython-310.pyc
    hashes.cpython-310.pyc
    hostname.cpython-310.pyc
    iban.cpython-310.pyc
    ip_address.cpython-310.pyc
    length.cpython-310.pyc
    mac_address.cpython-310.pyc
    slug.cpython-310.pyc
    uri.cpython-310.pyc
    url.cpython-310.pyc
    utils.cpython-310.pyc
    uuid.cpython-310.pyc
    _extremes.cpython-310.pyc
    __init__.cpython-310.pyc

+---validators-0.35.0.dist-info
|     INSTALLER
|     METADATA
|     RECORD
|     top_level.txt
|     WHEEL
|
| \---licenses
|     LICENSE.txt
|
+---watchdog
|     events.py
|     py.typed
|     version.py
|     watchmedo.py
|     __init__.py
|
+---observers
|     api.py
|     fsevents.py
|     fsevents2.py

```

```

    inotify.py
    inotify_buffer.py
    inotify_c.py
    kqueue.py
    polling.py
    read_directory_changes.py
    winapi.py
    __init__.py
\---__pycache__
    api.cpython-310.pyc
    fsevents.cpython-310.pyc
    fsevents2.cpython-310.pyc
    inotify.cpython-310.pyc
    inotify_buffer.cpython-310.pyc
    inotify_c.cpython-310.pyc
    kqueue.cpython-310.pyc
    polling.cpython-310.pyc
    read_directory_changes.cpython-310.pyc
    winapi.cpython-310.pyc
    __init__.cpython-310.pyc
+---tricks
|   __init__.py
|
|   \---__pycache__
|       __init__.cpython-310.pyc
+---utils
|   bricks.py
|   delayed_queue.py
|   dirsnapshot.py
|   echo.py
|   event_debouncer.py
|   patterns.py
|   platform.py
|   process_watcher.py
|   __init__.py
|
|   \---__pycache__
|       bricks.cpython-310.pyc
|       delayed_queue.cpython-310.pyc
|       dirsnapshot.cpython-310.pyc
|       echo.cpython-310.pyc
|       event_debouncer.cpython-310.pyc
|       patterns.cpython-310.pyc
|       platform.cpython-310.pyc
|       process_watcher.cpython-310.pyc
|       __init__.cpython-310.pyc
|
|   \---__pycache__
|       events.cpython-310.pyc
|       version.cpython-310.pyc
|       watchmedo.cpython-310.pyc
|       __init__.cpython-310.pyc
+---watchdog-6.0.0.dist-info
    AUTHORS
    COPYING
    entry_points.txt
    INSTALLER
    LICENSE
    METADATA
    RECORD
    top_level.txt
    WHEEL
+---watchfiles

```

```

cli.py
filters.py
main.py
py.typed
run.py
version.py
_rust_notify.cp310-win_amd64.pyd
_rust_notify.pyi
__init__.py
__main__.py

\---__pycache__
    cli.cpython-310.pyc
    filters.cpython-310.pyc
    main.cpython-310.pyc
    run.cpython-310.pyc
    version.cpython-310.pyc
    __init__.cpython-310.pyc
    __main__.cpython-310.pyc

+---watchfiles-1.1.1.dist-info
    entry_points.txt
    INSTALLER
    METADATA
    RECORD
    WHEEL

\---licenses
    LICENSE

+---websockets
    auth.py
    cli.py
    client.py
    connection.py
    datastructures.py
    exceptions.py
    frames.py
    headers.py
    http.py
    http11.py
    imports.py
    protocol.py
    py.typed
    server.py
    speedups.c
    speedups.cp310-win_amd64.pyd
    speedups.pyi
    streams.py
    typing.py
    uri.py
    utils.py
    version.py
    __init__.py
    __main__.py

+---asyncio
    async_timeout.py
    client.py
    compatibility.py
    connection.py
    messages.py
    router.py
    server.py
    __init__.py

\---__pycache__
    async_timeout.cpython-310.pyc

```

```

        client.cpython-310.pyc
        compatibility.cpython-310.pyc
        connection.cpython-310.pyc
        messages.cpython-310.pyc
        router.cpython-310.pyc
        server.cpython-310.pyc
        __init__.cpython-310.pyc
+---extensions
|   base.py
|   permessage_deflate.py
|   __init__.py
|   \---__pycache__
|       base.cpython-310.pyc
|       permessage_deflate.cpython-310.pyc
|       __init__.cpython-310.pyc
+---legacy
|   auth.py
|   client.py
|   exceptions.py
|   framing.py
|   handshake.py
|   http.py
|   protocol.py
|   server.py
|   __init__.py
|   \---__pycache__
|       auth.cpython-310.pyc
|       client.cpython-310.pyc
|       exceptions.cpython-310.pyc
|       framing.cpython-310.pyc
|       handshake.cpython-310.pyc
|       http.cpython-310.pyc
|       protocol.cpython-310.pyc
|       server.cpython-310.pyc
|       __init__.cpython-310.pyc
+---sync
|   client.py
|   connection.py
|   messages.py
|   router.py
|   server.py
|   utils.py
|   __init__.py
|   \---__pycache__
|       client.cpython-310.pyc
|       connection.cpython-310.pyc
|       messages.cpython-310.pyc
|       router.cpython-310.pyc
|       server.cpython-310.pyc
|       utils.cpython-310.pyc
|       __init__.cpython-310.pyc
\---__pycache__
    auth.cpython-310.pyc
    cli.cpython-310.pyc
    client.cpython-310.pyc
    connection.cpython-310.pyc
    datastructures.cpython-310.pyc
    exceptions.cpython-310.pyc
    frames.cpython-310.pyc
    headers.cpython-310.pyc
    http.cpython-310.pyc

```

```
http11.cpython-310.pyc
imports.cpython-310.pyc
protocol.cpython-310.pyc
server.cpython-310.pyc
streams.cpython-310.pyc
typing.cpython-310.pyc
uri.cpython-310.pyc
utils.cpython-310.pyc
version.cpython-310.pyc
__init__.cpython-310.pyc
__main__.cpython-310.pyc
```

+---websockets-15.0.1.dist-info

```
entry_points.txt
INSTALLER
LICENSE
METADATA
RECORD
top_level.txt
WHEEL
```

+---werkzeug

```
exceptions.py
formparser.py
http.py
local.py
py.typed
security.py
serving.py
test.py
testapp.py
urls.py
user_agent.py
utils.py
wsgi.py
_internal.py
_reloader.py
__init__.py
```

+---datastructures

```
accept.py
auth.py
cache_control.py
csp.py
etag.py
file_storage.py
headers.py
mixins.py
range.py
structures.py
__init__.py
```

\---__pycache__

```
accept.cpython-310.pyc
auth.cpython-310.pyc
cache_control.cpython-310.pyc
csp.cpython-310.pyc
etag.cpython-310.pyc
file_storage.cpython-310.pyc
headers.cpython-310.pyc
mixins.cpython-310.pyc
range.cpython-310.pyc
structures.cpython-310.pyc
__init__.cpython-310.pyc
```

+---debug

```
console.py
repr.py
```

```

    tbtools.py
    __init__.py

+---shared
    console.png
    debugger.js
    less.png
    more.png
    style.css

\---__pycache__
    console.cpython-310.pyc
    repr.cpython-310.pyc
    tbtools.cpython-310.pyc
    __init__.cpython-310.pyc

+---middleware
    dispatcher.py
    http_proxy.py
    lint.py
    profiler.py
    proxy_fix.py
    shared_data.py
    __init__.py

+---routing
    converters.py
    exceptions.py
    map.py
    matcher.py
    rules.py
    __init__.py

\---__pycache__
    converters.cpython-310.pyc
    exceptions.cpython-310.pyc
    map.cpython-310.pyc
    matcher.cpython-310.pyc
    rules.cpython-310.pyc
    __init__.cpython-310.pyc

+---sansio
    http.py
    multipart.py
    request.py
    response.py
    utils.py
    __init__.py

\---__pycache__
    http.cpython-310.pyc
    multipart.cpython-310.pyc
    request.cpython-310.pyc
    response.cpython-310.pyc
    utils.cpython-310.pyc
    __init__.cpython-310.pyc

+---wrappers
    request.py
    response.py
    __init__.py

\---__pycache__
    request.cpython-310.pyc
    response.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__

```

```

        exceptions.cpython-310.pyc
        formparser.cpython-310.pyc
        http.cpython-310.pyc
        local.cpython-310.pyc
        security.cpython-310.pyc
        serving.cpython-310.pyc
        test.cpython-310.pyc
        urls.cpython-310.pyc
        user_agent.cpython-310.pyc
        utils.cpython-310.pyc
        wsgi.cpython-310.pyc
        _internal.cpython-310.pyc
        _reloader.cpython-310.pyc
        __init__.cpython-310.pyc
+---werkzeug-3.1.3.dist-info
    INSTALLER
    LICENSE.txt
    METADATA
    RECORD
    WHEEL
+---wrapt
    arguments.py
    decorators.py
    importer.py
    patches.py
    proxies.py
    py.typed
    weakrefs.py
    wrappers.py
    _wrappers.c
    _wrappers.cp310-win_amd64.pyd
    __init__.py
    __init__.pyi
    __wrapt__.py
+---wrapt-2.0.1.dist-info
    | INSTALLER
    | METADATA
    | RECORD
    | top_level.txt
    | WHEEL
    \---licenses
        LICENSE
+---xlsxwriter
    app.py
    chart.py
    chartsheet.py
    chart_area.py
    chart_bar.py
    chart_column.py
    chart_doughnut.py
    chart_line.py
    chart_pie.py
    chart_radar.py
    chart_scatter.py
    chart_stock.py
    chart_title.py
    color.py
    comments.py
    contenttypes.py
    core.py
    custom.py
    drawing.py
    exceptions.py

```



```

feature_property_bag.py
format.py
image.py
metadata.py
packager.py
relationships.py
rich_value.py
rich_value_rel.py
rich_value_structure.py
rich_value_types.py
shape.py
sharedstrings.py
styles.py
table.py
theme.py
url.py
utility.py
vml.py
workbook.py
worksheet.py
xmlwriter.py
__init__.py

+---xlsxwriter-3.2.9.dist-info
|   INSTALLER
|   LICENSE.txt
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
|
+---xltdict-1.0.2.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
|
\---licenses
    LICENSE

+---xyzservices
|   lib.py
|   providers.py
|   __init__.py
|
+---data
|   providers.json
|   __init__.py
|
\---__pycache__
    __init__.cpython-310.pyc

+---tests
|   test_lib.py
|   test_providers.py
|   __init__.py
|
\---__pycache__
    test_lib.cpython-310.pyc
    test_providers.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    lib.cpython-310.pyc
    providers.cpython-310.pyc
    __init__.cpython-310.pyc

```

```

+---xyzservices-2025.11.0.dist-info
|   INSTALLER
|   METADATA
|   RECORD
|   top_level.txt
|   WHEEL
|
|   \---licenses
|       LICENSE
|
+---yagmail
|   compat.py
|   dkim.py
|   error.py
|   headers.py
|   log.py
|   message.py
|   oauth2.py
|   password.py
|   sender.py
|   utils.py
|   validate.py
|   __init__.py
|   __main__.py
|
+---yagmail-0.15.293.dist-info
|   entry_points.txt
|   INSTALLER
|   LICENSE
|   METADATA
|   RECORD
|   REQUESTED
|   top_level.txt
|   WHEEL
|
+---yaml
|   composer.py
|   constructor.py
|   cyaml.py
|   dumper.py
|   emitter.py
|   error.py
|   events.py
|   loader.py
|   nodes.py
|   parser.py
|   reader.py
|   representer.py
|   resolver.py
|   scanner.py
|   serializer.py
|   tokens.py
|   _yaml.cp310-win_amd64.pyd
|   __init__.py
|
|   \---__pycache__
|       composer.cpython-310.pyc
|       constructor.cpython-310.pyc
|       cyaml.cpython-310.pyc
|       dumper.cpython-310.pyc
|       emitter.cpython-310.pyc
|       error.cpython-310.pyc
|       events.cpython-310.pyc
|       loader.cpython-310.pyc
|       nodes.cpython-310.pyc
|       parser.cpython-310.pyc
|       reader.cpython-310.pyc
|       representer.cpython-310.pyc

```

```

resolver.cpython-310.pyc
scanner.cpython-310.pyc
serializer.cpython-310.pyc
tokens.cpython-310.pyc
__init__.cpython-310.pyc
+---zipp
|   glob.py
|   _functools.py
|   __init__.py
|
|   +---compat
|   |   overlay.py
|   |   py310.py
|   |   py313.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       overlay.cpython-310.pyc
|   |       py310.cpython-310.pyc
|   |       py313.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   |   \---__pycache__
|   |       glob.cpython-310.pyc
|   |       _functools.cpython-310.pyc
|   |       __init__.cpython-310.pyc
|   |
|   +---zipp-3.23.0.dist-info
|   |   INSTALLER
|   |   METADATA
|   |   RECORD
|   |   top_level.txt
|   |   WHEEL
|   |
|   |   \---licenses
|   |       LICENSE
|   |
|   +---_distutils_hack
|   |   override.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       __init__.cpython-310.pyc
|   |
|   +---_plotly_future_
|   |   extract_chart_studio.py
|   |   orca_defaults.py
|   |   remove_deprecations.py
|   |   renderer_defaults.py
|   |   template_defaults.py
|   |   timezones.py
|   |   trace_uids.py
|   |   v4.py
|   |   v4_subplots.py
|   |   __init__.py
|   |
|   |   \---__pycache__
|   |       extract_chart_studio.cpython-310.pyc
|   |       orca_defaults.cpython-310.pyc
|   |       remove_deprecations.cpython-310.pyc
|   |       renderer_defaults.cpython-310.pyc
|   |       template_defaults.cpython-310.pyc
|   |       timezones.cpython-310.pyc
|   |       trace_uids.cpython-310.pyc
|   |       v4.cpython-310.pyc
|   |       v4_subplots.cpython-310.pyc
|   |       __init__.cpython-310.pyc

```

```

+---_plotly_utils
    basevalidators.py
    data_utils.py
    exceptions.py
    files.py
    importers.py
    optional_imports.py
    png.py
    utils.py
    __init__.py

+---colors
    carto.py
    cmoccean.py
    colorbrewer.py
    cyclical.py
    diverging.py
    plotlyjs.py
    qualitative.py
    sequential.py
    _swatches.py
    __init__.py

\---__pycache__
    carto.cpython-310.pyc
    cmoccean.cpython-310.pyc
    colorbrewer.cpython-310.pyc
    cyclical.cpython-310.pyc
    diverging.cpython-310.pyc
    plotlyjs.cpython-310.pyc
    qualitative.cpython-310.pyc
    sequential.cpython-310.pyc
    _swatches.cpython-310.pyc
    __init__.cpython-310.pyc

\---__pycache__
    basevalidators.cpython-310.pyc
    data_utils.cpython-310.pyc
    exceptions.cpython-310.pyc
    files.cpython-310.pyc
    importers.cpython-310.pyc
    optional_imports.cpython-310.pyc
    png.cpython-310.pyc
    utils.cpython-310.pyc
    __init__.cpython-310.pyc

+---_pytest
    cacheprovider.py
    capture.py
    compat.py
    debugging.py
    deprecated.py
    doctest.py
    faulthandler.py
    fixtures.py
    freeze_support.py
    helpconfig.py
    hookspec.py
    junitxml.py
    legacypath.py
    logging.py
    main.py
    monkeypatch.py
    nodes.py
    outcomes.py
    pastebin.py
    pathlib.py

```

```

py.typed
pytester.py
pytester_assertions.py
python.py
python_api.py
raises.py
recwarn.py
reports.py
runner.py
scope.py
setuponly.py
setupplan.py
skipping.py
stash.py
stepwise.py
subtests.py
terminal.py
threadexception.py
timing.py
tmpdir.py
tracemalloc.py
unittest.py
unraisableexception.py
warnings.py
warning_types.py
_argcomplete.py
_version.py
__init__.py

+---assertion
|   rewrite.py
|   truncate.py
|   util.py
|   __init__.py
|
+---config
|   argparsing.py
|   compat.py
|   exceptions.py
|   findpaths.py
|   __init__.py
|
+---mark
|   expression.py
|   structures.py
|   __init__.py
|
+---_code
|   code.py
|   source.py
|   __init__.py
|
+---_io
|   pprint.py
|   saferepr.py
|   terminalwriter.py
|   wcwidth.py
|   __init__.py
|
\---_py
|   error.py
|   path.py
|   __init__.py
|
+---_yaml
|   __init__.py
|
\---__pycache__

```

```
    |         __init__.cpython-310.pyc
+---+__pycache__
    |         pylab.cpython-310.pyc
    |         six.cpython-310.pyc
    |         typing_extensions.cpython-310.pyc
+---+~harset_normalizer
    |         md.cp310-win_amd64.pyd
    |         md__mypyc.cp310-win_amd64.pyd
\---+~ornado
    |         speedups.pyd
```

+---Scripts

```
activate
activate.bat
Activate.ps1
coverage-3.10.exe
coverage.exe
coverage3.exe
csscapture.exe
csscombine.exe
cssparse.exe
deactivate.bat
distro.exe
dotenv.exe
dumppdf.py
ezdxf.exe
f2py.exe
flake8.exe
flask.exe
fonttools.exe
get_gprof
get_objgraph
httpx.exe
isort-identify-imports.exe
isort.exe
jsonschema.exe
markdown-it.exe
normalizer.exe
openai.exe
pdf2txt.py
pdfplumber.exe
pip.exe
pip3.10.exe
pip3.exe
py.test.exe
pycodestyle.exe
pyflakes.exe
pyftmerge.exe
pyftsubset.exe
pygmentize.exe
pylint-config.exe
pylint.exe
pypdfium2.exe
pyproj.exe
pyreverse.exe
pytesseract.exe
pytest.exe
python.exe
pythonw.exe
streamlit.cmd
streamlit.exe
symilar.exe
tqdm.exe
trimesh.exe
ttx.exe
```

```

    undill
    uunicorn.exe
    vba_extract.py
    watchfiles.exe
    watchmedo.exe
    websockets.exe
    yagmail.exe
\---__pycache__
    dumppdf.cpython-310.pyc
    pdf2txt.cpython-310.pyc
\---share
+---jupyter
+---labextensions
    \---jupyterlab-plotly
        package.json
    \---static
        133.7957020c5e8bc5703dbc.js
        423.d0d3e2912c33c7566484.js
        478.b48f45da3d88616ad3f9.js
        478.b48f45da3d88616ad3f9.js.LICENSE.txt
        486.6450efe6168c2f8caddb.js
        486.6450efe6168c2f8caddb.js.LICENSE.txt
        657.15db1deb504caf7dbc6d.js
        855.323c80e7298812d692e7.js
        remoteEntry.70a4f7e7a0383740860d.js
        style.js
        third-party-licenses.json
    \---nbextensions
        +---jupyterlab-plotly
            extension.js
            index.js
            index.js.LICENSE.txt
        \---pydeck
            extensionRequires.js
            index.js
            index.js.map
+---man
    \---man1
        ttx.1
\---xyzservices
    providers.json
\---__pycache__
    app.cpython-310.pyc
    backend_temp.cpython-310.pyc
    data_access.cpython-310.pyc
    design_ops.cpython-310.pyc
    export_ops.cpython-310.pyc
    run_mvp.cpython-310.pyc
    validacion_flujo_final.cpython-310.pyc

```