
LAB-7

Web Technology

Name: Archita Agrahari

Roll no :22CS3015

T1. Develop prototype 3 continuing with the last lab. Confirm that the app now remembers your list even after a page refresh.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Shopping List</title>

  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 20px;
    }

    h1 {
      color: #333;
    }

    form {
      margin-bottom: 20px;
    }

    label {
      display: block;
      margin-bottom: 5px;
    }

    input, select {
      margin-bottom: 10px;
      padding: 8px;
      width: 100%;
    }

    button {
      padding: 10px;
      background-color: #4CAF50;
      color: white;
```

```

        border: none;
        cursor: pointer;
    }

    table {
        width: 100%;
        border-collapse: collapse;
        margin-top: 20px;
    }

    th, td {
        border: 1px solid #ddd;
        padding: 12px;
        text-align: left;
    }
</style>

</head>
<body>

    <h1>Shopping List</h1>

    <form id="itemForm">
        <label for="itemName">Item Name:</label>
        <input type="text" id="itemName" placeholder="Enter item name">

        <label for="itemQuantity">Quantity:</label>
        <input type="number" id="itemQuantity" placeholder="1" value="1">

        <label for="itemPriority">Priority:</label>
        <select id="itemPriority">
            <option value="low">Low</option>
            <option value="medium">Medium</option>
            <option value="high">High</option>
        </select>

        <label for="storeName">Store Name:</label>
        <input type="text" id="storeName" placeholder="Enter store name">

        <label for="storeSection">Store Section:</label>
        <input type="text" id="storeSection" placeholder="Enter store section">

        <label for="itemPrice">Price:</label>
        <input type="number" id="itemPrice" placeholder="Enter price">

```

```
<button type="button" onclick="addItem()">Add Item</button>
</form>
```

```
<table id="itemList">
  <thead>
    <tr>
      <th>Item</th>
      <th>Quantity</th>
      <th>Store</th>
      <th>Section</th>
      <th>Price</th>
    </tr>
  </thead>
  <tbody>
    <!-- Table content will go here -->
  </tbody>
</table>
```

```
<script>
function addItem() {
  var itemName = document.getElementById("itemName").value;
  var itemQuantity = document.getElementById("itemQuantity").value;
  var itemPriority = document.getElementById("itemPriority").value;
  var storeName = document.getElementById("storeName").value;
  var storeSection = document.getElementById("storeSection").value;
  var itemPrice = document.getElementById("itemPrice").value;

  saveItemToLocalStorage(itemName, itemQuantity, itemPriority, storeName,
storeSection, itemPrice);
  addRowToTable(itemName, itemQuantity, storeName, storeSection, itemPrice);
}

function saveItemToLocalStorage(name, quantity, priority, store, section, price) {
  var items = JSON.parse(localStorage.getItem('shoppingList')) || [];
  items.push({
    name: name,
    quantity: quantity,
    priority: priority,
    store: store,
    section: section,
    price: price
  });
  localStorage.setItem('shoppingList', JSON.stringify(items));
}
```

```

    }

    function addRowToTable(name, quantity, store, section, price) {
        var table =
document.getElementById("itemList").getElementsByName('tbody')[0];
        var newRow = table.insertRow(table.rows.length);
        var cell1 = newRow.insertCell(0);
        var cell2 = newRow.insertCell(1);
        var cell3 = newRow.insertCell(2);
        var cell4 = newRow.insertCell(3);
        var cell5 = newRow.insertCell(4);
        cell1.innerHTML = name;
        cell2.innerHTML = quantity;
        cell3.innerHTML = store;
        cell4.innerHTML = section;
        cell5.innerHTML = price;
    }

    window.onload = function () {
        var storedItems = JSON.parse(localStorage.getItem('shoppingList')) || [];
        for (var i = 0; i < storedItems.length; i++) {
            addRowToTable(storedItems[i].name, storedItems[i].quantity,
storedItems[i].store, storedItems[i].section, storedItems[i].price);
        }
    };
</script>

</body>
</html>

```

Shopping List

Item Name:
Pen

Quantity:
1

Priority:
Low

Store Name:
EXoo

Store Section:
Sect

Price:
20

Add Item

Item	Quantity	Store	Section	Price
bag	1	biscuity	sdf	3232
Pen	1	EXoo	Sect	20

T2. Create a local storage that saves the number of times you have accessed the page and displays it.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Shopping List</title>

  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 20px;
    }

    h1 {
      color: #333;
    }

    form {
      margin-bottom: 20px;
    }

    label {
      display: block;
```

```

        margin-bottom: 5px;
    }

    input, select {
        margin-bottom: 10px;
        padding: 8px;
        width: 100%;
    }

    button {
        padding: 10px;
        background-color: #4CAF50;
        color: white;
        border: none;
        cursor: pointer;
    }

    table {
        width: 100%;
        border-collapse: collapse;
        margin-top: 20px;
    }

    th, td {
        border: 1px solid #ddd;
        padding: 12px;
        text-align: left;
    }
</style>

</head>
<body>

<h1>Shopping List</h1>

<form id="itemForm">
    <label for="itemName">Item Name:</label>
    <input type="text" id="itemName" placeholder="Enter item name">

    <label for="itemQuantity">Quantity:</label>
    <input type="number" id="itemQuantity" placeholder="1" value="1">

    <label for="itemPriority">Priority:</label>
    <select id="itemPriority">

```

```
<option value="low">Low</option>
<option value="medium">Medium</option>
<option value="high">High</option>
</select>
```

```
<label for="storeName">Store Name:</label>
<input type="text" id="storeName" placeholder="Enter store name">
```

```
<label for="storeSection">Store Section:</label>
<input type="text" id="storeSection" placeholder="Enter store section">
```

```
<label for="itemPrice">Price:</label>
<input type="number" id="itemPrice" placeholder="Enter price">
```

```
<button type="button" onclick="addItem()">Add Item</button>
</form>
```

```
<table id="itemList">
  <thead>
    <tr>
      <th>Item</th>
      <th>Quantity</th>
      <th>Store</th>
      <th>Section</th>
      <th>Price</th>
    </tr>
  </thead>
  <tbody>
    <!-- Table content will go here -->
  </tbody>
</table>
```

```
<p id="accessCounter">Number of times accessed: 0</p>
```

```
<script>
function addItem() {
  var itemName = document.getElementById("itemName").value;
  var itemQuantity = document.getElementById("itemQuantity").value;
  var itemPriority = document.getElementById("itemPriority").value;
  var storeName = document.getElementById("storeName").value;
  var storeSection = document.getElementById("storeSection").value;
  var itemPrice = document.getElementById("itemPrice").value;
```

```

        saveItemToLocalStorage(itemName, itemQuantity, itemPriority, storeName,
storeSection, itemPrice);
        addRowToTable(itemName, itemQuantity, storeName, storeSection,
itemPrice);
        updateAccessCounter();
    }

```

```

function saveItemToLocalStorage(name, quantity, priority, store, section, price) {
    var items = JSON.parse(localStorage.getItem('shoppingList')) || [];
    items.push({
        name: name,
        quantity: quantity,
        priority: priority,
        store: store,
        section: section,
        price: price
    });
    localStorage.setItem('shoppingList', JSON.stringify(items));
}

```

```

function addRowToTable(name, quantity, store, section, price) {
    var table =
document.getElementById("itemList").getElementsByTagName('tbody')[0];
    var newRow = table.insertRow(table.rows.length);
    var cell1 = newRow.insertCell(0);
    var cell2 = newRow.insertCell(1);
    var cell3 = newRow.insertCell(2);
    var cell4 = newRow.insertCell(3);
    var cell5 = newRow.insertCell(4);
    cell1.innerHTML = name;
    cell2.innerHTML = quantity;
    cell3.innerHTML = store;
    cell4.innerHTML = section;
    cell5.innerHTML = price;
}

```

```

function updateAccessCounter() {
    var accessCount = localStorage.getItem('accessCount') || 0;
    accessCount++;
    localStorage.setItem('accessCount', accessCount);
    document.getElementById('accessCounter').innerText = 'Number of times
accessed: ' + accessCount;
}

```



```

window.onload = function () {
    var storedItems = JSON.parse(localStorage.getItem('shoppingList')) || [];
    for (var i = 0; i < storedItems.length; i++) {
        addRowToTable(storedItems[i].name, storedItems[i].quantity,
            storedItems[i].store, storedItems[i].section, storedItems[i].price);
    }
    updateAccessCounter();
};
</script>

```

```
</body>
```

```
</html>
```

The screenshot shows a web browser window with a tab titled "Shopping List". The address bar shows the URL "127.0.0.1:5500/webLab.html". The page content includes a form with the following fields:

- Store Name:
- Store Section:
- Price:
-

Below the form is a table with the following data:

Item	Quantity	Store	Section	Price
bag	1	biscuity	sdf	3232
Pen	1	EXoo	Sect	20

Below the table, it says "Number of times accessed: 3".

The developer tools are open, showing the "Storage" tab. Under "Local storage", there is an entry for "http://127.0.0.1:5500" with a key "shoppingList". The value is an array of two objects:

```

[{"name": "bag", "quantity": "1", "priority": "low", "store": "biscuity", "section": "sdf", "price": "3232"},
{"name": "Pen", "quantity": "1", "priority": "low", "store": "EXoo", "section": "Sect", "price": "20"}]

```