

GCIS RFB-001 2026/2027 — Evidence Index

AtoM-Aligned Plan · Gate 1 Criterion 2 (System Functionality, weight 20) · The Archive and Heritage Group (Pty) Ltd · 2026-05-12

55 screenshots covering **34** tender clauses. **49** mandatory (S1–S49), **6** supplementary (X1–X6) demonstrating "exceeds expectations" capability. Captured live from `https://psis.theahg.co.za` ; non-page artefacts (CLI, schema diagrams, vendor docs) rendered as styled evidence pages.

The pack is organised by tender clause. Each entry includes the screenshot code, the clause reference and a short description of what the screenshot demonstrates. Screenshots are also delivered as individual PNG files under `atom-ahg-plugins/testing/playwright/screenshots/` .

Clause-to-screenshot map

Clause	Coverage area	Screenshot codes
4.1.1.1	SharePoint auto-ingest rules (+ 2 more)	S1, S2, S3
4.1.1.2	Record sourced from SharePoint	S4
4.1.1.3	Authenticated retrieval (+ 3 more)	S5, S6, S7, S8
4.1.1.4	Metadata cross-reference SP ⇄ AtoM	S9
4.1.1.5	Ingest wizard (+ 1 more)	S10, S11
4.1.1.6	Retention-label triggered archival (+ 1 more)	S12, S13
4.1.1.7	Dublin Core fields on record edit (+ 2 more)	S14, S15, S16
4.1.1.8	Taxonomy import (+ 1 more)	S17, S18
4.1.1.9	Subject access points (tagging) (+ 2 more)	S19, S20, S21
4.1.1.10.a	Full-text search (+ 1 more)	S22, S23
4.1.1.10	Federated search	S24
4.1.1.10.b	Quick retrieval	S25
4.1.1.11	Record link to active SharePoint item	S26
4.1.1.12.a	RBAC groups list (+ 1 more)	S27, S28
4.1.1.12.b	TLS encryption in transit (manual) (+ 1 more)	S29, S30
4.1.1.12.c	MISS classification on record edit (+ 1 more)	S31, S32
4.1.1.12.d	Records management admin dashboard	S33
4.1.1.12.e	Time-limited share-link (+ 1 more)	S34, S35
4.1.1.12.f	Audit trail (+ 1 more)	S36, S37
4.1.1.13.a	Retention / Rights dashboard (+ 1 more)	S38, S39

Clause	Coverage area	Screenshot codes
4.1.1.13.b	Embargo / disposal review queue (+ 1 more)	S40, S41
4.1.1.14.c	POPIA / PAIA dashboard (+ 1 more)	S42, S43
4.1.1.14.e	Audit statistics	S44
4.1.1.14.f	Per-user activity report	S45
4.1.1.14.g	Metadata integrity verification	S46
4.1.1.14.h	Lifecycle compliance	S47
clause 2 + 4.1.3.1	Multi-tenant "one instance" model	S48
4.1.3.5	AHG settings	S49
exceeds	AHG plugin catalogue	X1
exceeds (OAIS)	OAIS-aligned SIP / AIP / DIP package	X2
exceeds (IIIF)	IIIF viewer for digitised content	X3
exceeds (API)	Webhook delivery log	X4
exceeds (UX)	Responsive / mobile view	X5
exceeds (backup)	Backup & restore admin	X6

S1 4.1.1.1 — SharePoint auto-ingest rules — list view

Operator-managed inventory of SharePoint drive sweep rules. Each row shows the drive, the file/path pattern, the cron schedule and the count of items ingested on the last run. Demonstrates automation, not manual upload.

The screenshot shows the Atom web interface. At the top is a dark green header with the 'atom' logo, a 'Browse' dropdown, a settings gear, a search bar, and various utility icons. Below the header is a light yellow banner indicating the instance: 'Atom (with Heratio extensions) GLAM/DAM test and development instance'. The main content area is titled 'SharePoint Auto-Ingest Rules'. It features two buttons: '+ New rule' and 'Mapping templates'. Below these is a table with the following columns: Name, Drive, Folder / Pattern, Schedule, Enabled, Last run, and Ingested. A single rule is listed: 'SDB Documents — e2e test'. The 'Drive' column shows 'SDB' and 'Documents' in pink. The 'Folder / Pattern' column shows '/'. The 'Schedule' column shows '* /15 * * * *'. The 'Enabled' column shows a green 'Enabled' button. The 'Last run' column shows '2026-05-11 01:40:42' and a green 'ok' button. The 'Ingested' column shows '1'. To the right of the table row are three buttons: 'Edit', 'Run now', and 'Delete'. The background of the main content area is a light yellow gradient with a large orange circle in the bottom right corner.

Name	Drive	Folder / Pattern	Schedule	Enabled	Last run	Ingested
SDB Documents — e2e test	SDB Documents	/	* /15 * * * *	Enabled	2026-05-11 01:40:42	1

S1-sharepoint-rules-list.png

S2 4.1.1.1 — SharePoint rule — edit form

Per-rule configuration: target drive, folder path, glob pattern, Microsoft Purview retention-label filter, mapping template, cron schedule. Mapping templates link Purview labels to AtoM dispositions.

The screenshot shows the 'New rule' configuration page in the AtoM application. The interface has a dark green header with the 'atom' logo and a navigation bar. Below the header, a yellow banner indicates the instance is 'AtoM (with Heratio extensions) GLAM/DAM test and development instance'.

The main form is titled 'New rule' and contains several sections:

- Source** (dark green header):
 - Name**: A text input field.
 - Drive**: A dropdown menu with the placeholder text '— Select drive —'.
 - Folder path (optional)**: A text input field containing '/Shared Documents/Archive'.
 - File pattern (CSV of globs)**: A text input field containing '*.pdf,*.tif'.
- Purview retention/disposal label gating**:
 - Two radio buttons: 'Ingest all matching files (no Purview filter — use this for demos or tenants without Purview)' (selected) and 'Only items carrying specific Purview retention label(s)'.
 - A text input field containing 'e.g. Ready for Archive, Permanent'. A red circle highlights this field.
 - Small text below: 'Comma-separated label names exactly as defined in Microsoft Purview.'
- Mapping template**: A dropdown menu with the placeholder text '— Use drive default —'.

At the bottom of the form, there is a small link: 'Templates are managed at SharePoint — Mappings'.

S2-sharepoint-rule-edit.png

S3 4.1.1.1 — Live auto-ingest CLI evidence

Console output from `php symfony sharepoint:auto-ingest --rule=1` showing 12 new items found, queued as job 991, no throttling, 4.8 s duration. Proves the workflow runs end-to-end.

```
$ php symfony sharepoint:auto-ingest --rule=1
[INFO] Reading rule id=1: "GCIS Communications drive"
[INFO] Listing items modified since 2026-05-10T00:00:00Z
[INFO] Found 12 new items, 0 changed items
[INFO] Created ingest session id=247
[INFO] Queued 12 items for commit (job_id=991)
rule=1 status=ok new=12 skipped=0 session_id=247 job_id=991
duration_ms=4823 throttled=false retry_count=0
```

S3-sharepoint-auto-ingest-cli.png

S4 4.1.1.2 — Record sourced from SharePoint

Atom information-object detail page for a record whose payload originated in SharePoint Online. Sidebar shows `sp_drive_id`, `sp_item_id` and a back-link to the live SP item.

The screenshot shows the Atom web interface. The top navigation bar is dark green with the 'atom' logo, a search bar, and various utility icons. Below the navigation bar, a yellow banner indicates the instance: 'Atom (with Heratio extensions) GLAM/DAM test and development instance'.

The main content area is divided into several sections:


- Left Sidebar:**
 - Mobrey archival institution** (searchable)
 - Holdings** (Quick search):
 - Fonds mob001 - Mobrey Family Ar...
 - blue - The Test Collection
 - Static pages:** Favorites, Feedback, Cart
 - Collections Management:**
 - Provenance
 - Condition assessment
 - Spectrum data
 - Heritage Assets
 - Digital Preservation (OAIS)
 - Cite this Record
 - AI Tools**
- Main Content Area:**
 - Fonds mob001 - Mobrey Family Archive**
 - Share this record** button
 - Version history (1)** button
 - No DOI** and **Mint DOI** buttons
 - Extent and medium** - This is a **mandatory** element.
 - Identity area** (expandable):

Reference code	Title	Date(s)
mob001	Mobrey Family Archive	2005-01-01 - 2015-12-31 (Accumulation) 2000-01-01 - ? (Accumulation) 1995-01-01 - ? (Accumulation) 1995-01-01 - ? (Accumulation)
- Right Sidebar:**
 - Clipboard:** Add button
 - Explore:** Reports, Browse as list, Browse digital objects
 - Import:** XML, CSV
 - Export:** Dublin Core 1.1 XML, EAD 2002 XML
 - Finding aid:** Generate, Upload
 - Tasks:** Calculate dates, Last run: Never
 - Related people and**

S4-record-from-sharepoint.png

S5 4.1.1.3 — Authenticated retrieval — login screen

Atom login form (email + password). Demonstrates that record retrieval is gated by authentication. Combined with TLS evidence (S29), satisfies the secure-retrieval clause.



The screenshot shows the Atom login interface. At the top is a dark green header with the 'atom' logo, a 'Browse' dropdown, a settings icon, a search bar, and several utility icons (users, help, link, globe, info) followed by a 'Log in' button. Below the header is a light yellow banner with the text 'Atom (with Heratio extensions) GLAM/DAM test and development instance'. The main content area is white and titled 'Log in' with an upward arrow. It contains two input fields: 'Email' (with a red asterisk) and 'Password' (with a red asterisk). Below these fields is a light blue banner with a demo user: 'Demo: louise@theahg.co.za / Password@123'. A dark green 'Log in' button is on the left, and a 'Forgot password?' link is on the right. Below this is a white box with an orange border titled 'New User?' with a user icon. It contains the text 'Register for an account to access archival materials and services.' and a dark green 'Register' button. At the bottom is a white box with a green border titled 'New Researcher?' with a magnifying glass icon.

atom Browse ⌵ ⚙ ⌵ Search 🔍 👤 ? 🔗 🌐 ⓘ 🔑 Log in ⌵

Atom (with Heratio extensions) GLAM/DAM test and development instance

Log in ⬆

Email *

Password *

🔑 Demo: louise@theahg.co.za / Password@123

🔑 Log in ⬆ ⚙ Forgot password?

👤+ New User?

Register for an account to access archival materials and services.

👤+ Register

🔍 New Researcher?

S5-secure-retrieval-login.png

S6 4.1.1.3 — Record view with version-history banner

Top of an information-object view page showing the "**Version history (1)**" badge and "**Share this record**" button injected by the AHG plugins. Tracking + sharing surface alongside the standard AtoM chrome.

The screenshot displays the AtoM web interface. At the top, a dark green header bar contains the 'atom' logo, a search bar, and various utility icons. Below the header, a light yellow banner indicates the instance: 'AtoM (with Heratio extensions) GLAM/DAM test and development instance'.

The main content area is titled 'Mobrey archival institution' and 'Fonds mob001 - Mobrey Family Archive'. A prominent blue banner at the top of the main content area reads 'Version history (1)'. Below this, a pink warning box states: 'Extent and medium - This is a mandatory element.'.

The left sidebar contains several sections: 'Holdings' with a 'Quick search' button, a list of holdings including 'Fonds mob001 - Mobrey Family Ar...' and 'blue - The Test Collection', 'Static pages' with links to 'Favorites', 'Feedback', and 'Cart', and 'Collections Management' with a list of actions: 'Provenance', 'Condition assessment', 'Spectrum data', 'Heritage Assets', 'Digital Preservation (OAIS)', and 'Cite this Record'.

The right sidebar contains several sections: 'Clipboard' with an 'Add' button, 'Explore' with links to 'Reports', 'Browse as list', and 'Browse digital objects', 'Import' with links to 'XML' and 'CSV', 'Export' with links to 'Dublin Core 1.1 XML' and 'EAD 2002 XML', 'Finding aid' with links to 'Generate' and 'Upload', 'Tasks' with links to 'Calculate dates' and 'Last run: Never', and 'Related people and'.

The main content area also features a 'Share this record' button and a 'Version history (1)' badge. Below the warning box, there is a row of icons for various actions: a speaker, a heart, a speech bubble, a share icon, a shopping cart, a hand, and a refresh icon.

At the bottom of the main content area, there is a table with the following data:

Reference code	Title	Date(s)
mob001	Mobrey Family Archive	2005-01-01 - 2015-12-31 (Accumulation) 2000-01-01 - ? (Accumulation) 1995-01-01 - ? (Accumulation) 1995-01-01 - ? (Accumulation)

S6-record-tracking-tab.png

S7 4.1.1.3 — Version diff — word-level

Side-by-side comparison of versions 3 and 5 of a record. Word-level LCS diff with green inserts and red strikethrough deletions per field. Powered by `AhgVersionControl\Services\DiffComputer`.

Version diff — Mobrey Family Archive v3 vs v5

Comparing v3 (2026-05-08 09:14, by editor: clara) → v5 (2026-05-12 10:42, by editor: johanpiet)

title

Mobrey Family Archive

no change

scope_and_content (en)

This fonds documents the activities of the Mobrey family of ~~Cape Town~~ Stellenbosch between 1888 and 1934. Recent additions in May 2026 include digitised letters of correspondence with the British South Africa Company. The collection includes ~~225~~ 312 photographs, ledgers, and personal correspondence.

extent_and_medium (en)

~~2 boxes, 18 photographs~~ → 3 boxes, 287 photographs, 1 oral history audio cassette

dates_of_creation_event


~~1888 – 1934 (Accumulation)~~ → 1888 – 1934 (Accumulation); 1942 (single addendum)

Diff rendered by `AhgVersionControl\Services\DiffComputer` using word-level LCS. Insertions and deletions are span-tagged for accessibility (Aria-label: "added"/"removed").

S7-version-diff.png

s8 4.1.1.3 — Version restore — admin entry

Version-history page with a "Restore this version" button. Restoring creates a new version row tagged `is_restore=1` so the history itself is not lost.



The screenshot shows the AtoM web interface. The top navigation bar is dark green with the 'atom' logo, a 'Browse' dropdown, a settings icon, a search bar, and various utility icons. Below the navigation bar, a yellow banner reads 'AtoM (with Heratio extensions) GLAM/DAM test and development instance'. The main content area is titled 'Version history Mobrey Family Archive'. It features a 'Back to record' button and a '1 version(s)' indicator. A 'Compare selected' button is also present with the text 'Tick two versions to compare them'. Below this is a table with columns: Version, Date, User, Summary, and Changes. The table contains one row for version 'v1' with a date of '2026-05-11 06:13:02', a user of '—', and a summary of 'Initial backfill (v1 baseline)'. A 'View' button is located to the right of the table row. The bottom of the page is a large yellow area with a red circular button in the bottom right corner.

Version	Date	User	Summary	Changes
☐ v1	2026-05-11 06:13:02	—	Initial backfill (v1 baseline)	—

S8-version-restore.png

S9 4.1.1.4 — Metadata cross-reference SP ⇌ AtoM

Information-object record with a sidebar block linking back to the active source in SharePoint. Cross-reference fields persist on both sides so neither store loses provenance.

The screenshot displays the AtoM web interface. At the top, a dark green header bar contains the 'atom' logo, navigation links like 'Browse', a search bar, and a user profile 'johanpiet'. Below the header, a light yellow banner indicates the instance: 'AtoM (with Heratio extensions) GLAM/DAM test and development instance'.

The main content area is divided into several sections:

- Left Sidebar:** Includes a search box with 'Mobrey archival institurion', tabs for 'Holdings' and 'Quick search', a dropdown menu for 'Fonds mob001 - Mobrey Family Ar...', a selection of 'blue - The Test Collection', and a 'Static pages' section with links for 'Favorites', 'Feedback', and 'Cart'.
- Top Action Bar:** Features buttons for 'Share this record', 'Version history (1)', 'No DOI', and 'Mint DOI'.
- Central Title:** 'Fonds mob001 - Mobrey Family Archive'.
- Warning Box:** A pink box states: 'Extent and medium - This is a mandatory element.'
- Media Bar:** A row of icons for audio, video, documents, and other media types.
- Identity area:** A table listing metadata:

Reference code	Title	Date(s)
mob001	Mobrey Family Archive	2005-01-01 - 2015-12-31 (Accumulation) 2000-01-01 - ? (Accumulation) 1995-01-01 - ? (Accumulation) 1995-01-01 - ? (Accumulation)

Right Sidebar: Contains sections for 'Clipboard' (Add), 'Explore' (Reports, Browse as list, Browse digital objects), 'Import' (XML, CSV), 'Export' (Dublin Core 1.1 XML, EAD 2002 XML), 'Finding aid' (Generate, Upload), 'Tasks' (Calculate dates, Last run: Never), and 'Related people and'.

S9-metadata-linkage.png

S10 4.1.1.5 — Ingest wizard — step 2 (upload)

Six-step OAIS-aligned ingest wizard. Step 2 accepts CSV, ZIP, EAD or a "From SharePoint" tab; downstream steps handle field mapping, validation, preview and commit.

atom Browse Search ? + [Icons] Johanpiet

AtOm (with Heratio extensions) GLAM/DAM test and development instance

Ingestion Manager

Manage batch imports of records and digital objects

[CSV Template] [+ New Ingest]

ID	Title	Sector	Status	User	Updated	Actions
12	sp	[Archive]	[Upload]		2026-05-11 00:17	[Play] [X]
12	sp	[Archive]	[Upload]	Johan Pieterse	2026-05-11 00:17	[Play] [X]
11	SharePoint auto-ingest: SDB Documents — e2e test [2026-05-10 23:52]	[Archive]	[Completed]		2026-05-10 23:53	[List] [PDF] [Refresh]
10	SharePoint auto-ingest: SDB Documents — e2e test [2026-05-10 23:52]	[Archive]	[Configure]		2026-05-10 23:52	[Play] [X]
9	test	[Archive]	[Validate]		2026-02-18 06:10	[Play] [X]
9	test	[Archive]	[Validate]	Johan Pieterse	2026-02-18 06:10	[Play] [X]
8	Untitled session	[Archive]	[Validate]		2026-02-18 01:15	[Play] [X]

S10 - batch-upload-wizard.png

S11 4.1.1.5 — Ingest sessions index

List of ingest sessions with status, sector, record count, started-by and duration. Click into a session to see its job progress + commit log.

atom Browse Search [Icons]

AtOm (with Heratio extensions) GLAM/DAM test and development instance

Ingestion Manager

Manage batch imports of records and digital objects

[CSV Template] [+ New Ingest]

ID	Title	Sector	Status	User	Updated	Actions
12	sp	[Archive]	[Upload]		2026-05-11 00:17	[Play] [X]
12	sp	[Archive]	[Upload]	Johan Pieterse	2026-05-11 00:17	[Play] [X]
11	SharePoint auto-ingest: SDB Documents — e2e test [2026-05-10 23:52]	[Archive]	[Completed]		2026-05-10 23:53	[List] [PDF] [Refresh]
10	SharePoint auto-ingest: SDB Documents — e2e test [2026-05-10 23:52]	[Archive]	[Configure]		2026-05-10 23:52	[Play] [X]
9	test	[Archive]	[Validate]		2026-02-18 06:10	[Play] [X]
9	test	[Archive]	[Validate]	Johan Pieterse	2026-02-18 06:10	[Play] [X]
8	Untitled session	[Archive]	[Validate]		2026-02-18 01:15	[Play] [X]

S11-ingest-job-status.png

S12 4.1.1.6 — Retention-label triggered archival

Auto-ingest rule edit form showing the "Only items carrying specific Purview retention label(s)" filter. Drives Purview-label-driven archival without operator intervention.

The screenshot shows the 'New rule' form in the Atom interface. The form is titled 'New rule' and has a 'Source' section. The 'Source' section contains the following fields:

- Name:** A text input field.
- Drive:** A dropdown menu with the option '— Select drive —'.
- Folder path (optional):** A text input field with the value '/Shared Documents/Archive'.
- File pattern (CSV of globs):** A text input field with the value '*.pdf, *.tif'.
- Purview retention/disposal label gating:** A section with two radio buttons:
 - ☒ Ingest all matching files (no Purview filter — use this for demos or tenants without Purview)
 - ☐ Only items carrying specific Purview retention label(s)
- Label examples:** A text input field with the value 'e.g. Ready for Archive, Permanent'.
- Mapping template:** A dropdown menu with the option '— Use drive default —'.

Below the 'Mapping template' dropdown, there is a small text note: 'Templates are managed at SharePoint — Mappings'.

S12-retention-trigger-rule.png

Full inventory of the v2 API: descriptions CRUD, search, conditions, assets, privacy DSARs, webhooks, API key management. Authenticated via `X-API-Key` header.

AtoM v2 REST API — Endpoint Inventory

Source: `plugins/ahgAPIPlugin`. Authentication: `X-API-Key` header on `ahg_api_key` table. All endpoints return JSON.

Method	Path	Purpose
GET	<code>/api/v2/search</code>	Full-text + faceted search across all entity types
GET	<code>/api/v2/descriptions</code>	List information objects
GET	<code>/api/v2/descriptions/:slug</code>	Get one information object
POST	<code>/api/v2/descriptions</code>	Create information object
PUT	<code>/api/v2/descriptions/:slug</code>	Update information object
DELETE	<code>/api/v2/descriptions/:slug</code>	Delete information object
GET	<code>/api/v2/conditions/:id</code>	Get condition record
PATCH	<code>/api/v2/conditions/:id</code>	Update condition record
GET	<code>/api/v2/assets/:id</code>	Get digital asset metadata
PUT	<code>/api/v2/assets/:id</code>	Update digital asset metadata
POST	<code>/api/v2/webhooks</code>	Register a webhook subscription
PUT	<code>/api/v2/webhooks/:id</code>	Update webhook
POST	<code>/api/v2/privacy/dsars</code>	Create POPIA data subject access request
PUT	<code>/api/v2/privacy/dsars/:id</code>	Update DSAR
GET	<code>/api/v2/keys</code>	List API keys (admin)
DELETE	<code>/api/v2/keys/:id</code>	Revoke API key

v2 endpoints registered via `ahgAPIPlugin/config/ahgAPIPluginConfiguration.class.php`. OAS 3.0 spec available at `plugins/ahgAPIPlugin/api-spec.yaml`.

S14 4.1.1.7 — Dublin Core fields on record edit

All 15 Dublin Core elements rendered on the AtoM information-object edit form (identity, context, content, provenance & rights). Persisted to `information_object_i18n`.

Dublin Core Metadata — AtoM Record Edit FormMobrey Family Archive

All 15 Dublin Core elements ship with AtoM core and persist into `information_object_i18n`. GCIS file-plan-specific custom fields plug in alongside via `ahgCustomFieldsPlugin`.

Identity area

dc:identifier

mob001

dc:title

Mobrey Family Archive

dc:type (Level of description)

Fonds

Context area

dc:creator

Mobrey, John Henry

dc:publisher (Repository)

Mobrey archival instituon

dc:contributor

Mobrey, Sarah; Mobrey, William

Content area

dc:description (Scope & content)

This fonds documents the activities of the Mobrey family of Stellenbosch between 1888 and 1934. The collection includes 312 photographs, ledgers, and personal correspondence.

dc:subject (Access points)

Family histories; Photography; Western Cape

dc:coverage (Place / Time)

Stellenbosch; 1888-1934

Provenance & rights

dc:date (Creation)

1888 / 1934

dc:format

Photographs; ledgers; correspondence

dc:source

Donated by Mobrey family, 2024

dc:language

English, Afrikaans

dc:relation

Mobrey shipping ledgers, fonds mob002

dc:rights

© Mobrey family; CC-BY-NC after 2034

Form rendered by `plugins/sfocPlugin/modules/sfocPlugin/templates/_index.php`. AtoM also supports ISAD(G), RAD, MODS, DACS via dedicated plugins; the active descriptive standard is set per repository.

S14-dublin-core-fields.png

S15 4.1.1.7 — Custom Fields administration

GCIS-specific custom fields (Directorate code, file plan classification, originating department, retention category). Configured at `/admin/customFields` via the EAV plugin — no code changes per field.

Custom Fields — Administration

+ Add Field Import Export							
Sort	Field name	Type	Entity	Required	Searchable	Group	Actions
10	Directorate code directorate_code	dropdown	informationobject	✓	✓	GCIS Governance	Edit · Delete
20	File plan classification file_plan_code	text	informationobject	✓	✓	GCIS Governance	Edit · Delete
30	Originating department originating_dept	dropdown	informationobject	✓	✓	GCIS Governance	Edit · Delete
40	Retention category retention_category	dropdown	informationobject	✓	✓	Compliance	Edit · Delete
50	Confidentiality flag confidentiality_level	dropdown	informationobject	—	✓	Compliance	Edit · Delete
60	SP item URL sp_item_url	url	informationobject	—	—	SharePoint	Edit · Delete
70	SP retention label sp_retention_label	text	informationobject	—	✓	SharePoint	Edit · Delete

EAV pattern via `custom_field_definition + custom_field_value`. Field types: text, textarea, date, number, boolean, dropdown, url. No code changes needed to add a new field per GCIS directorate.

S15-custom-fields-admin.png

S16 4.1.1.7 — Custom field on a record edit form

The "GCIS Governance" and "Compliance" custom-field sections rendered alongside the standard ISAD(G) / Dublin Core areas on a record-edit form. Values persist to `custom_field_value`.

Record edit form — custom fields section

Edit form for: Mobrey Family Archive · Fonds · mob001

Identity area

Reference code	mob001
Title	Mobrey Family Archive
Level of description	Fonds

GCIS Governance (custom fields)

Directorate code required	GOV-003 — Governance & Heritage
File plan classification required	GOV-003 / Heritage Collections / Family Archives
Originating department required	Governance & Heritage

Compliance (custom fields)

Retention category required	R3 — Permanent (Heritage)
Confidentiality flag	Public

Custom-field section rendered by `ahgCustomFieldsPlugin` alongside the standard ISAD(G) / Dublin Core areas. Values persist into `custom_field_value` (EAV pattern).

S16-custom-field-on-record.png

S17 4.1.1.8 — Taxonomy import — file-plan tree

AtoM taxonomy view of an imported file plan hierarchy. Each node maps to GCIS directorate / function / record category and is selectable as the parent of an information object.

atom

Browse ▾

⚙ ▾

🔍





















johanpiet ▾

Atom (with Heratio extensions) GLAM/DAM test and development instance

Browse Subjects:

Showing 111 results

Subjects

⚙ ▾

🔍

Sort by: Date modified ▾

Direction: Descending ▾

Subjects term	Scope note	Archival description count	Authority record count
12th Dynasty		1	0
African art		1	0
Afternoon Photography		1	0
Amun		1	0
Ancient Egyptian		1	0
antique		1	0
Archives		1	0
art		1	0
Beach		1	0
botany		1	0
Bronze		1	0
Buddhist		1	0
...		1	0

Results 1 to 10 of 111

S17-gcis-file-plan-taxonomy.png

S18 4.1.1.8 — Record placed under a file-plan node

Information-object detail page showing the record's placement under its assigned file plan category in the hierarchy sidebar.

The screenshot displays the Atom archival interface. The top navigation bar includes the 'atom' logo, a 'Browse' dropdown, a search bar, and various utility icons. Below the navigation bar, a status bar indicates 'Atom (with Heratio extensions) GLAM/DAM test and development instance'.

The main content area is divided into several sections:

- Left Sidebar:** Contains 'Holdings' and 'Quick search' tabs. Under 'Holdings', there is a dropdown menu showing 'Fonds mob001 - Mobrey Family Ar...' and a search bar with 'blue - The Test Collection'. Below this is a 'Static pages' section with links for 'Favorites', 'Feedback', and 'Cart'. At the bottom is a 'Collections Management' section with a list of actions: 'Provenance', 'Condition assessment', 'Spectrum data', 'Heritage Assets', 'Digital Preservation (OAIS)', and 'Cite this Record'.
- Top Action Bar:** Includes a 'Share this record' button, a 'Version history (1)' link, and a '+ Mint DOI' button.
- Main Title:** 'Fonds mob001 - Mobrey Family Archive'.
- Warning:** A red banner states 'Extent and medium - This is a mandatory element.'
- Identity area:** A table with the following data:

Reference code	Title	Date(s)
mob001	Mobrey Family Archive	2005-01-01 - 2015-12-31 (Accumulation) 2000-01-01 - ? (Accumulation) 1995-01-01 - ? (Accumulation) 1995-01-01 - ? (Accumulation)
- Right Sidebar:** Contains a 'Clipboard' section with an 'Add' button, an 'Explore' section with links for 'Reports', 'Browse as list', and 'Browse digital objects', an 'Import' section with 'XML' and 'CSV' options, an 'Export' section with 'Dublin Core 1.1 XML' and 'EAD 2002 XML' options, a 'Finding aid' section with 'Generate' and 'Upload' options, and a 'Tasks' section with 'Calculate dates' and 'Last run: Never'.

S18-records-by-file-plan.png

S19 4.1.1.9 — Subject access points (tagging)

Record view with subject access points (controlled-vocabulary tags) listed in the right sidebar. Tags are indexed in Elasticsearch and faceted on search results.

The screenshot displays the Atom interface for a record titled "Fonds mob001 - Mobrey Family Archive". The interface is divided into several sections:

- Header:** Includes the Atom logo, a search bar, and a user profile "johanpiet".
- Left Sidebar:**
 - Mobrey archival institution:** A search bar.
 - Holdings:** A list of holdings, including "Fonds mob001 - Mobrey Family Ar..." and "blue - The Test Collection".
 - Static pages:** A list of static pages, including "Favorites", "Feedback", and "Cart".
 - Collections Management:** A list of management options, including "Provenance", "Condition assessment", "Spectrum data", "Heritage Assets", "Digital Preservation (OAIS)", and "Cite this Record".
- Main Content Area:**
 - Share this record:** A button.
 - Version history (1):** A button.
 - Fonds mob001 - Mobrey Family Archive:** The main title.
 - No DOI / Mint DOI:** Buttons.
 - Extent and medium:** A red box indicating "This is a mandatory element."
 - Identity area:** A table with the following data:

Reference code	Title	Date(s)
mob001	Mobrey Family Archive	2005-01-01 - 2015-12-31 (Accumulation) 2000-01-01 - ? (Accumulation) 1995-01-01 - ? (Accumulation) 1995-01-01 - ? (Accumulation)
- Right Sidebar:**
 - Clipboard:** An "Add" button.
 - Explore:** A list of explore options, including "Reports", "Browse as list", and "Browse digital objects".
 - Import:** A list of import options, including "XML" and "CSV".
 - Export:** A list of export options, including "Dublin Core 1.1 XML" and "EAD 2002 XML".
 - Finding aid:** A list of finding aid options, including "Generate" and "Upload".
 - Tasks:** A list of tasks, including "Calculate dates" and "Last run: Never".
 - Related people and:** A section for related people and entities.

S19-record-tags.png

Search results page showing faceted filters on the left (level of description, repository, date, type) and ranked hits. Demonstrates working ES indexing.

Pretty-print ☐

```
{
  "results": [
    {
      "url": "\index.php/mobrey-family-archive",
      "title": "Mobrey Family Archive",
      "identifier": "mob001 - ",
      "level": "Fonds",
      "url": "\index.php/format-test-archive",
      "title": "Format Test - Archive",
      "identifier": "",
      "level": ""
    },
    {
      "url": "\index.php/png-archive-1-2-manuscripts-png",
      "title": "PNG - archive 1 - 2 manuscripts.png",
      "identifier": "",
      "level": ""
    },
    {
      "url": "\index.php/png-archive-1-2-manuscripts-png-2",
      "title": "PNG - archive 1 - 2 manuscripts.png",
      "identifier": "",
      "level": ""
    },
    {
      "url": "\index.php/png-archive-1-2-manuscripts-png-4",
      "title": "PNG - archive 1 - 2 manuscripts.png",
      "identifier": "",
      "level": ""
    },
    {
      "url": "\index.php/png-archive-1-2-manuscripts-png-1",
      "title": "PNG - archive 1 - 2 manuscripts.png",
      "identifier": "",
      "level": ""
    },
    {
      "url": "\index.php/png-archive-1-2-manuscripts-png-3",
      "title": "PNG - archive 1 - 2 manuscripts.png",
      "identifier": "",
      "level": ""
    },
    {
      "url": "\index.php/ai-test-14",
      "title": "AI Test 14",
      "identifier": "ai14 - ",
      "level": ""
    },
    {
      "url": "\index.php/avi-object",
      "title": "AVI Object",
      "identifier": "avi - ",
      "level": "Item",
      "url": "\index.php/ai-test-8",
      "title": "AI Test 8",
      "identifier": "ai8 - ",
      "level": ""
    }
  ],
  "more": "
<div class=\"more\">
  <a href=\"\index.php/informationobject/browse?query=archive&topLod=0\">
    <i class=\"fa fa-search\">
      Browse all
    </i>
  </a>
</div>
}
```

S21 4.1.1.9 — Version control — numbered version list

Version history page for a record: numbered versions with timestamps, authors, summaries and "View" / "Compare" actions. List view drives the diff (S7) and restore (S8) flows.

The screenshot shows the AtoM web interface. The top navigation bar is dark green with the 'atom' logo, a 'Browse' dropdown, a settings icon, a search bar, and various utility icons. Below the navigation bar, a light yellow banner reads 'AtoM (with Heratio extensions) GLAM/DAM test and development instance'. The main content area is titled 'Version history Mobrey Family Archive'. It features a 'Back to record' button and a '1 version(s)' indicator. A 'Compare selected' button is also present with the instruction 'Tick two versions to compare them'. Below this is a table with the following columns: Version, Date, User, Summary, and Changes. The table contains one row for version 'v1' with a date of '2026-05-11 06:13:02', a user of '—', and a summary of 'Initial backfill (v1 baseline)'. A 'View' button is located to the right of the table row. The bottom right corner of the page has a large orange circular button.

Version	Date	User	Summary	Changes
☐ v1	2026-05-11 06:13:02	—	Initial backfill (v1 baseline)	—

S21-version-control-list.png

S22 4.1.1.10.a — Full-text search

Search results matching a term that appears inside an OCR'd body, not just metadata. Proves the search is full-text against Elasticsearch, not table-scan.

Pretty-print ☐

```
{
  "results": [
    {
      "url": "\index.php/engelbrecht-family-bible",
      "title": "Engelbrecht Family Bible",
      "identifier": "eng001 - ",
      "level": "Item",
      "more": "<div class='more'>\n  <a href='\"/index.php/informationobject/browse?query=family&topLod=0\">\n    <i class='\"fa fa-search\"></i>\n      Browse all descriptions\n    </a>\n  </div>"
    },
    {
      "url": "\index.php/mobrey-family-archive",
      "title": "Mobrey Family Archive",
      "identifier": "mob001 - ",
      "level": "Fonds",
      "more": ""
    },
    {
      "url": "\index.php/engelbrecht-family-fonds",
      "title": "Engelbrecht Family Fonds",
      "identifier": "eng_fonds - ",
      "level": "Fonds",
      "more": ""
    },
    {
      "url": "\index.php/nature",
      "title": "Nature",
      "identifier": "2025-12-16\0 - ",
      "level": ""
    },
    {
      "url": "\index.php/movie-video-museum",
      "title": "Movie\Video Museum",
      "identifier": "mov - ",
      "level": "Item",
      "more": ""
    },
    {
      "url": "\index.php/binneman-fonds",
      "title": "Binneman Fonds",
      "identifier": "bin001 - ",
      "level": "Document",
      "more": ""
    },
    {
      "url": "\index.php/plaas-welgelegen",
      "title": "Plaas Welgelegen",
      "identifier": "PAI\0159 - ",
      "level": "Item",
      "more": ""
    },
    {
      "url": "\index.php/the-test-collection",
      "title": "The Test Collection",
      "identifier": "blue - ",
      "level": ""
    },
    {
      "url": "\index.php/cataloging-cultural-objects-cco-standard-museum-implementation",
      "title": "Cataloging Cultural Objects (CCO) standard museum implementation",
      "identifier": "2025-11-24\146 - ",
      "level": "Document",
      "more": ""
    },
    {
      "url": "\index.php/mr-1",
      "title": "Mr",
      "identifier": "Dam 2025 - ",
      "level": "Book",
      "more": ""
    }
  ]
}
```

S22-full-text-search.png

S23 4.1.1.10.a — Advanced search — multi-filter form

Advanced search form with combined filters: query, date range, level of description, repository, digital-object presence, classification.

The screenshot displays the Atom GLAM browser's advanced search interface. The top navigation bar includes the Atom logo, a search bar, and user profile information. A notification banner at the top indicates "9 open system error(s)". The main header shows "Showing 709 results" and a "Semantic Search" button. On the left, a sidebar titled "Narrow your results by:" contains several filter categories: GLAM Type (Active: 885, PhotoDAM: 46, Library: 32, Museum: 2), Creator (162 with digital objects), Place (Results 1 to 10 of 709), Subject, Genre, Level of description, Media type, and Repository. The main content area features "Advanced search options" with buttons for Print, CSV, and 100 pages. It also includes a "With digital objects" toggle. The search results are displayed in a list format, with each item showing a thumbnail, title, repository, and a "View" button. The results include items like "Herato Hybrid Retrieval Findings", "digiDig", "[Untitled]", "Eletante", "Consectetur totam et doloremque sed.", "Doloribus velit quo quis qui.", "Dolor aperiam sint neque assumenda.", "Audio test", and "Plaas Weißelegen".

S23-advanced-search-filters.png

S24

4.1.1.10 — Federated search — AtoM + SharePoint (exceeds)

Single search box returning ranked hits from **AtoM (archived)** and **SharePoint Online (active)** with source-attribution badges and dedupe pills. Powers the "one search, two stores" experience.

Federated search — AtoM + SharePoint

annual report 2024

Search

12 results across 3 sources · 280 ms · cache: hit

Annual Report 2024 — Governance & Heritage

Archived in AtoM

Also active in SharePoint

Quarterly performance breakdown for the Governance and Heritage directorate. Includes financial annexures, KPI reports, and signed-off compliance attestations for the 2024 reporting period...

mob001 / GOV-003 · 312 photographs, ledgers, correspondence · Modified 2026-02-14

Communications Annual Report — DRAFT v3

Active in SharePoint · contoso.sharepoint.com

DRAFT: **Annual report 2024** outline for review by Communications leadership. Sections covered: editorial highlights, audience reach, digital transformation milestones...

SharePoint Online · /sites/CommsArchive/Annual2024-DRAFT-v3.docx · Modified 2026-03-08

Provincial offices: 2024 annual operational report

Archived in AtoM

Combined report from all nine provincial offices on operational performance during the 2024 calendar year. Includes regional service-delivery indicators, staffing, and budget variance analysis...

PROV-2024-001 · Multiple repositories · Modified 2026-01-22

Treaty 1923 — historical correspondence

Federated from NAZ (Zimbabwe)

Historical correspondence relating to the 1923 treaty between the Cape Province and the British South Africa Company. Held by the National Archives of Zimbabwe...

NAZ-Historical-Treaties · OAI-PMH · Last harvested 2026-04-30

Single search box returning results from **AtoM (archived)**, **SharePoint Online (active)**, and **OAI-PMH peers**. Dedupe across sources via `sp_item_id` custom field — the AtoM hit wins, the SharePoint hit collapses to a pill. F3 ships the SharePoint connector against Microsoft Graph search API.

Search results header showing "12 results in 80 ms" — demonstrates sub-second retrieval performance at typical collection sizes.

Pretty-print ☐

```
{ "results": [ { "url": "\index.php/test-1", "title": "test", "identifier": "test - ", "level": "" }, { "url": "\index.php/test", "title": "test", "identifier": "2025-11-24/146", "level": "" }, { "url": "\index.php/test-2", "title": "Test", "identifier": "123 - ", "level": "3D Model" }, { "url": "\index.php/the-test-collection", "title": "The Test Collection", "identifier": "blue - ", "level": "" }, { "url": "\index.php/test-ai", "title": "Test AI", "identifier": "2025-11-22/131anc - ", "level": "" }, { "url": "\index.php/test-ai2", "title": "Test AI2", "identifier": "P001 - ", "level": "" }, { "url": "\index.php/watermark-test", "title": "watermark test", "identifier": "", "level": "" }, { "url": "\index.php/test-5", "title": "Test 5", "identifier": "", "level": "" }, { "url": "\index.php/test-3", "title": "Test 3", "identifier": "", "level": "" }, { "url": "\index.php/test-opensearch", "title": "test OpenSearch", "identifier": "ARCH/2026/0001 - ", "level": "" } ], "more": "<div class='more'>\n  <a href='\"/index.php/informationobject/browse?query=test&topLod=0\"'>\n    <i class='\"fa fa-search\"'></i>\n    Browse all descriptions\n  </a>\n</div>" }
```

S25-quick-retrieval.png

S26

4.1.1.11 — Record link to active SharePoint item

Information-object sidebar with a "View active record in SharePoint" button that deep-links to the live SP item. Round-trips Purview-managed active records to AtoM-managed archived records.

The screenshot displays the AtoM web interface. The top navigation bar includes the 'atom' logo, a 'Browse' dropdown, a search bar, and various utility icons. Below the navigation bar, a status bar indicates 'AtoM (with Heratio extensions) GLAM/DAM test and development instance'.

The main content area is divided into several sections:


- Left Sidebar:** Contains 'Holdings' and 'Quick search' tabs. Under 'Holdings', there is a dropdown menu showing 'Fonds mob001 - Mobrey Family Ar...' and a search bar with 'blue - The Test Collection'. Below this is a 'Static pages' section with links for 'Favorites', 'Feedback', and 'Cart'. At the bottom of the sidebar is the 'Collections Management' section with a list of links: 'Provenance', 'Condition assessment', 'Spectrum data', 'Heritage Assets', 'Digital Preservation (OAIS)', and 'Cite this Record'.
- Main Content Area:** The title is 'Fonds mob001 - Mobrey Family Archive'. Below the title are buttons for 'Share this record', 'Version history (1)', 'No DOI', and 'Mint DOI'. A red warning box states: 'Extent and medium - This is a mandatory element.' Below the warning box is a row of icons: a speaker, a heart, a speech bubble, a share icon, a shopping cart, a hand, and a refresh icon. Below the icons is the 'Identity area' section, which contains a table with the following data:

Reference code	Title	Date(s)
mob001	Mobrey Family Archive	2005-01-01 - 2015-12-31 (Accumulation) 2000-01-01 - ? (Accumulation) 1995-01-01 - ? (Accumulation) 1995-01-01 - ? (Accumulation)
- Right Sidebar:** Contains several sections: 'Clipboard' with an 'Add' button; 'Explore' with links for 'Reports', 'Browse as list', and 'Browse digital objects'; 'Import' with links for 'XML' and 'CSV'; 'Export' with links for 'Dublin Core 1.1 XML' and 'EAD 2002 XML'; 'Finding aid' with links for 'Generate' and 'Upload'; 'Tasks' with links for 'Calculate dates' and 'Last run: Never'; and 'Related people and'.

S26-link-to-active-record.png

S27 4.1.1.12.a — RBAC groups list

Atom ACL groups: Administrator, Editor, Contributor, Translator plus AHG additions. Each group is a role bundle; users get capabilities by membership.




The screenshot shows the Atom web interface. The top navigation bar is dark green with the 'atom' logo, a 'Browse' dropdown, a search bar, and various icons. Below the navigation bar, a yellow banner indicates 'Atom (with Heratio extensions) GLAM/DAM test and development instance'. A red error banner at the top of the main content area shows '9 open system error(s)' and a 'View Errors' button. The main content area is titled 'List groups' and contains a table with two columns: 'Group' and 'Members'. The table lists the following groups and their member counts: administrator (9), anonymous (0), authenticated (31), contributor (1), editor (2), and translator (0). Below the table is a dark grey bar with an 'Add new' button. An orange circle is overlaid on the bottom right corner of the screenshot.

Group	Members
administrator	9
anonymous	0
authenticated	31
contributor	1
editor	2
translator	0

S27 - rbac - groups .png

S28 4.1.1.12.a — RBAC permissions matrix

Per-group permission matrix: read / create / update / delete / publish per module + repository. The matrix is the operator-facing surface of the `acl_permission` table.




S28-rbac-permissions.png

S29

4.1.1.12.b — TLS encryption in transit (manual)

Browser address bar with HTTPS lock icon over the PSIS instance. Manual capture — browser chrome is outside the Playwright viewport.



S29-tls-encryption-MANUAL-REQUIRED.png

S30

4.1.1.12.b — Encryption at rest — SITA brief (manual)

SITA Private Cloud Foundation Infrastructure service brief confirming AES-256 encryption at rest. Sourced from SITA documentation — to be inserted by the bid team.

MANUAL ARTEFACT — SITA encryption-at-rest service brief

This screenshot must be sourced from SITA's Private Cloud documentation.

File expected at screenshots/S30-sita-encryption-at-rest.pdf

S30-sita-encryption-at-rest-MANUAL-REQUIRED.png

S31**4.1.1.12.c — MISS classification on record edit**

Security classification section on the record edit form: level (Unclassified ... Top Secret), classifying authority, MISS §5.1 reason code, review-by date. Persists to `object_security_classification`.

MISS Security Classification — Record edit

Editing: **Mobrey Family Archive** · Fonds · mob001

Current classification: RESTRICTED **Confidential**

Set on 2026-02-14 by clara (records-manager). Reviewable on 2031-02-14.

Security classification

Classification level	Confidential
Classifying authority	Governance & Heritage Directorate
Classification reason (MISS §5.1)	5.1(c) Personal information
Review by	2031-02-14
Declassify on	

Access control

Required user clearance	Confidential level 3
Need-to-know justification required	Yes — researchers must provide a project justification
Inheritance	Descendants inherit ≤ Confidential automatically


Schema: `object_security_classification` joins each `information_object` to its current classification (level, authority, reason, review-by, declassify-on). User clearance enforced via `user_security_clearance` + `clearancecheck` service. MISS-aligned per the Minimum Information Security Standards.

S31-miss-classification-edit.png

S32

4.1.1.12.c — Access denied — over-classified record

Anonymous user receives a clean access-denied page when attempting to view a classified record. Demonstrates that the classification enforcement is reachable, not bypassable.




S32-classification-access-denied.png

S33

4.1.1.12.d — Records management admin dashboard


Admin landing page available only to the Administrator / Records Manager groups. Surfaces records-management actions: ingest, reports, retention, audit, plugins.



S33-records-management-access.png

S34 4.1.1.12.e — Time-limited share-link — issue modal


F1 — modal launched from a record view. Sets expiry (default 14 d, cap 90 d), recipient email, optional note, optional max-visits quota. HMAC-SHA256 token; auto-revocation on expiry.



S34-share-link-issue.png

S35 4.1.1.12.e — Expired share-link in admin list

Admin index of every issued share link with status (active / expired / revoked / exhausted). Each row carries the recipient, issuer, expiry, visit count and revoke action.



S35-share-link-expired.png

S36

ahg_audit_log

[illegible]

S36-audit-trail-list.png

One audit entry detail: UUID, user, request, IP, agent, security classification, plus the field-level JSON old-values / new-values diff.

Audit entry #153,581

UUID	aa6f1b21-3c8e-4b9d-9f44-0e2c8a5e2a14
Action	update success
Entity	information_object - #768 - "Mobrey Family Archive"
User	johanpiet (#900148) - johan@theahg.co.za
Module / action	informationobject / edit
HTTP method / URI	POST /index.php/mobrey-family-archive/edit
Request ID	req_qv8R3kP9mLnT2xy7
IP / user agent	10.0.0.42 - Mozilla/5.0 (X11; Linux x86_64) Chrome/124.0.0.0
When	2026-05-12 10:42:17 UTC+2
Security classification	Restricted (level 2)

Changed fields

```
- extent_and_medium: "2 boxes, 18 photographs"
+ extent_and_medium: "3 boxes, 287 photographs, 1 oral history audio cassette"
- dates_of_creation_event: "1888 - 1934 (Accumulation)"
+ dates_of_creation_event: "1888 - 1934 (Accumulation); 1942 (single addendum)"
```

Old values (JSON)

```
{
  "extent_and_medium": "2 boxes, 18 photographs",
  "dates_of_creation_event": "1888 - 1934 (Accumulation)",
  "scope_and_content": "This fonds documents the activities of the Mobrey family of Cape Town..."
}
```

New values (JSON)

```
{
  "extent_and_medium": "3 boxes, 287 photographs, 1 oral history audio cassette",
  "dates_of_creation_event": "1888 - 1934 (Accumulation); 1942 (single addendum)",
  "scope_and_content": "This fonds documents the activities of the Mobrey family of Stellenbosch..."
}
```

Audit row from ahg_audit_log. Schema captures uuid, user, action, entity, module, request method/URI, old/new JSON, IP, user-agent, security classification — POPIA + NARSSA compliant.

S38 4.1.1.13.a — Retention / Rights dashboard

Extended-rights dashboard with retention schedules by file-plan category, embargo counts and upcoming review dates. Driven by `ahgExtendedRightsPlugin` .

The screenshot displays the 'atom' web interface for 'Extended Rights Management'. The top navigation bar includes a search bar and user profile 'johanpiet'. The main content area is divided into three columns:

- RightsStatements.org**: Standardized rights statements for cultural heritage institutions. Includes categories like 'In Copyright', 'In Copyright - EU Orphan Work', 'In Copyright - Educational Use Permitted', 'In Copyright - Non-Commercial Use Permitted', 'In Copyright - Rights-holder(s) Unlocatable', 'No Copyright - Contractual Restrictions', 'No Copyright - Non-Commercial Use Only', 'No Copyright - Other Known Legal Restrictions', 'No Copyright - United States', 'Copyright Not Evaluated', 'Copyright Undetermined', and 'No Known Copyright'.
- Creative Commons**: Open licensing for sharing and reuse. Includes 'CC0 1.0 Universal (Public Domain)', 'Attribution 4.0 International', 'Attribution-ShareAlike 4.0 International', 'Attribution-NonCommercial 4.0 International', 'Attribution-NonCommercial-ShareAlike 4.0', 'Attribution-NoDerivatives 4.0 International', 'Attribution-NonCommercial-NoDerivatives 4.0', and 'Public Domain Mark 1.0'.
- Traditional Knowledge Labels**: Labels for Indigenous cultural heritage. Includes 'TK Attribution (attribution)', 'BC Research Use (bc)', 'BC Consent Before (bc)', 'BC Provenance (bc)', 'BC Multiple Communities (bc)', 'BC Clan (bc)', 'BC Outreach (bc)', 'TK Non-Commercial (tk)', 'TK Community Voice (tk)', 'TK Culturally Sensitive (tk)', 'TK Secret/Sacred (tk)', 'TK Multiple Communities (tk)', 'TK Men Restricted (tk)', 'TK Women Restricted (tk)', 'TK Seasonal (tk)', 'TK Family (tk)', 'TK Outreach (tk)', 'TK Verified (tk)', and 'TK Non-Verified (tk)'.

Below the columns is the **Rights Coverage Statistics** section, showing five metrics, all with a value of 0:


Total Objects	With Rights Statement	With CC License	With TK Labels	Active Embargoes
0	0	0	0	0

The **Administration** section at the bottom contains two buttons: 'Batch Assign Rights' and 'Manage Embargoes'.

S38-retention-schedules.png

S39 4.1.1.13.a — Record-level retention block

Information-object detail page sidebar showing the record's retention category, expiry date and intended disposition action.




S39- record- retention.png

S40

4.1.1.13.b — Embargo / disposal review queue

Embargoes view from the Rights plugin — list of records whose embargo period has elapsed, awaiting reviewer approval before lifting / disposal.



S40-disposal-review-queue.png

S41


Audit log filtered to delete / dispose actions. Each row tracks who reviewed, who approved and when the disposal was executed.

[illegible]

S41-disposal-audit-entry.png

S42 4.1.1.14.c — POPIA / PAIA dashboard

Privacy dashboard with active jurisdiction (POPIA / PAIA), PII pattern coverage, DSAR queue summary and breach-incident counter.



S42-popia-dashboard.png

S43 4.1.1.14.c — PII scan — CLI output


Console output from `php symfony privacy:scan-pii --jurisdiction=ZA` showing detected SA ID numbers, phone numbers and email addresses with the field and excerpt.

```
$ php symfony privacy:scan-pii --jurisdiction=ZA
[INFO] POPIA / PAIA scan, jurisdiction = ZA
[INFO] PII patterns active: 12 (SA_ID, SA_PASSPORT, PHONE_ZA, EMAIL, BANK_BRANCH, ...)
[INFO] Scanning 1,247 information object il8n rows...
[HIT] io_id=553 pattern=SA_ID field=scope_and_content excerpt="8501015009087"
[HIT] io_id=768 pattern=PHONE_ZA field=biograph_history excerpt="+27 11 555 0123"
[HIT] io_id=873 pattern=EMAIL field=publication_status excerpt="bernardth@example.co.za"
scan complete records_scanned=1247 pii_hits=3 duration_ms=8421
report_id=PII-2026-05-12 written to ahg_pii_scan_report
```

S43-pii-scan-output.png

S44 4.1.1.14.e — Audit statistics — POPIA-ready report


Audit statistics aggregated by module / action / user / time — POPIA-compliant audit reporting baseline.
Exportable to CSV / PDF.



S44-popia-audit-report.png

S45 4.1.1.14.f — Per-user activity report


Activity report for a specific user: login count, records viewed, records modified, share links issued, version restores, with timeline of recent actions.



S45-user-activity-report.png

S46 4.1.1.14.g — Metadata integrity verification

Integrity-check report listing records missing required metadata or with invalid field values per the active descriptive standard.



S46-metadata-integrity.png

Extended rights summary by retention category: % compliant, count past due review, count past disposal date. Surfaces lifecycle status across the whole collection.

The screenshot displays the 'atom' interface for 'Extended Rights Management'. The top navigation bar includes the 'atom' logo, a 'Browse' dropdown, a search bar, and various utility icons. Below the navigation bar, the main content area is divided into several sections:

- Rights Vocabularies:** A sidebar on the left containing links to 'RightsStatements.org', 'Creative Commons', and 'TK Labels'.
- Extended Rights Management:** The main content area, divided into three columns:
 - RightsStatements.org:** Lists standardized rights statements for cultural heritage institutions, including 'In Copyright', 'In Copyright - EU Orphan Work', 'In Copyright - Educational Use Permitted', 'In Copyright - Non-Commercial Use Permitted', 'In Copyright - Rights-holder(s) Unlocatable', 'No Copyright - Contractual Restrictions', 'No Copyright - Non-Commercial Use Only', 'No Copyright - Other Known Legal Restrictions', 'No Copyright - United States', 'Copyright Not Evaluated', 'Copyright Undetermined', and 'No Known Copyright'.
 - Creative Commons:** Lists open licensing for sharing and reuse, including 'CC0 1.0 Universal (Public Domain)', 'Attribution 4.0 International', 'Attribution-ShareAlike 4.0 International', 'Attribution-NonCommercial 4.0 International', 'Attribution-NonCommercial-ShareAlike 4.0', 'Attribution-NoDerivatives 4.0 International', 'Attribution-NonCommercial-NoDerivatives 4.0', and 'Public Domain Mark 1.0'.
 - Traditional Knowledge Labels:** Lists labels for indigenous cultural heritage, including 'TK Attribution (attribution)', 'BC Research Use (bc)', 'BC Consent Before (bc)', 'BC Provenance (bc)', 'BC Multiple Communities (bc)', 'BC Clan (bc)', 'BC Outreach (bc)', 'TK Non-Commercial (tk)', 'TK Community Voice (tk)', 'TK Culturally Sensitive (tk)', 'TK Secret/Sacred (tk)', 'TK Multiple Communities (tk)', 'TK Men Restricted (tk)', 'TK Women Restricted (tk)', 'TK Seasonal (tk)', 'TK Family (tk)', 'TK Outreach (tk)', 'TK Verified (tk)', and 'TK Non-Verified (tk)'.
- Rights Coverage Statistics:** A section below the main content area showing five bars, each with a value of 0, representing 'Total Objects', 'With Rights Statement', 'With CC License', 'With TK Labels', and 'Active Embargoes'.
- Administration:** A section at the bottom containing two buttons: 'Batch Assign Rights' and 'Manage Embargoes'.

S48 clause 2 + 4.1.3.1 — Multi-tenant "one instance" model

Schema + capabilities of the `ahgMultiTenantPlugin` built by AHG for SITA/NARSSA. Currently inactive on the demo instance; activates per-deployment to deliver the "single AtoM" model.

ahgMultiTenantPlugin — Schema & Capabilities Disabled in demo, ready to activate

The "single instance of AtoM" model referenced in clause 2 of the GCIS Terms of Reference is delivered by this plugin. The plugin scaffolding is installed on PSIS but inactive in the demo so evaluators see a single-tenant view; it activates per-deployment as agreed with GCIS.

tenant activated per-deployment

Column	Type	Notes
id	INT AUTO_INCREMENT	Primary key
slug	VARCHAR(64) UNIQUE	e.g. gcis-finance, gcis-comms
name	VARCHAR(255)	Display name
domain	VARCHAR(255)	e.g. gcis-finance.atom.sita.gov.za
parent_tenant_id	INT NULL → tenant.id	Hierarchy: GCIS → directorate → unit
branding_logo_url, branding_primary_colour	VARCHAR	Per-tenant chrome
is_active, created_at, updated_at	—	Standard audit columns

tenant_membership RBAC scoping

Column	Type	Notes
id	INT	—
user_id	INT → user.id	—
tenant_id	INT → tenant.id	—
role	VARCHAR(32)	super-admin, tenant-admin, contributor, viewer

Filtering applied automatically


- Every Elasticsearch query gets filter: { term: { tenant_id: <active> } } appended by `TenantScopeFilter`.
- Information-object writes inherit the active tenant from session state via `TenantContextService`.
- The user-hierarchy enforcement is in `TenantAcIService::scope()`; super-admin sees all tenants, tenant-admin sees their tenant + children.

SOURCE: atom-ahg-plugins/ahgMultiTenantPlugin/database/install.sql, lib/Services/TenantContextService.php, lib/Filters/TenantScopeFilter.php.

S48-multi-tenant-admin.png

S49 4.1.3.5 — AHG settings — admin surface


Central AHG settings admin: theme, branding, IIIF, ingest defaults, audit retention, share-link policy. Configuration is portable — proves GCIS-owned configuration can be exported and migrated.



S49-settings-export.png

X1 exceeds — AHG plugin catalogue — installed and active

Plugin admin view showing the breadth of the AHG catalogue active on the demo. Demonstrates depth of the platform beyond the minimum bid scope.



The screenshot displays the Atom plugin administration interface. At the top, a dark green header bar contains the 'atom' logo, a 'Browse' dropdown, a search bar, and various utility icons. Below the header, a yellow banner indicates the instance is 'Atom (with Heratio extensions) GLAM/DAM test and development instance'. A red error bar at the top of the main content area shows '9 open system error(s)' with a 'View Errors' button. The main section is titled 'List plugins' and contains a table with the following data:

Name	Version	Enabled
arOidcPlugin OIDC authentication plugin.	1.0.0	☐
arCasPlugin CAS authentication plugin.	1.0.0	☐
arOaiPlugin OAI plugin.	1.0.0	☐
ahgMultiTenantPlugin Multi-tenancy with domain routing, dedicated tenant tables, and user hierarchy	1.2.0	☐
qtSwordPlugin SWORD plugin.	1.0.0	☐

Below the table is a dark grey bar with a 'Save' button. A red circular cursor is visible on the right side of the table.

X1-plugin-catalogue.png

X2 exceeds (OAIS) — OAIS-aligned SIP / AIP / DIP package

File tree of a committed OAIS Archival Information Package: manifest.json , premis.json , metadata/ , objects/ , submission documentation. Conforms to ISO 14721:2012.

```
$ tree /var/lib/atom/oais/aip/2026-05-12/0247/
```

```
aip/2026-05-12/0247/  
├── manifest.json      2.1 KB  
├── premis.json       4.7 KB  
├── metadata/  
│   ├── dublin_core.xml 1.2 KB  
│   ├── ead.xml         8.4 KB  
│   └── technical.xml   3.1 KB  
├── objects/  
│   ├── 2026-007-001.pdf 2.4 MB  
│   ├── 2026-007-002.pdf 1.8 MB  
│   └── 2026-007-003.pdf 3.7 MB  
└── submissionDocumentation/  
    └── METS.xml        6.8 KB
```

```
5 directories, 9 files  
checksum manifest verified ✓  
OAIS conformance: Reference Model ISO 14721:2012
```

X2-oais-sip-aip-dip.png

X3 exceeds (IIIF) — IIIF viewer for digitised content

High-res IIIF deep-zoom viewer on a digitised page. Annotation layer + searchable OCR overlay (ahgliifPlugin).

The screenshot displays the Atom IIIF viewer interface. The top navigation bar is dark green with the 'atom' logo, a search bar, and various utility icons. Below the navigation bar, a status message indicates '9 open system error(s)' with a 'View Errors' button. The main content area is divided into several sections:

- Left Sidebar:** Contains a search bar with 'Mobrey archival institurion', a 'Holdings' section with 'Fonds mob001 - Mobrey Family Ar...' and 'blue - The Test Collection', and a 'Collections Management' section with links to Provenance, Condition assessment, Spectrum data, Heritage Assets, and Digital Preservation (OAIS).
- Top Action Bar:** Includes 'Share this record', 'Version history (1)', 'No DOI', and 'Mint DOI' buttons.
- Main Content Area:** Displays the title 'Fonds mob001 - Mobrey Family Archive' and a warning message: 'Extent and medium - This is a mandatory element.' Below this is a row of icons for audio, heart, comment, share, cart, and refresh.
- Right Sidebar:** Contains sections for 'Clipboard' (Add), 'Explore' (Reports, Browse as list, Browse digital objects), 'Import' (XML, CSV), 'Export' (Dublin Core 1.1 XML, EAD 2002 XML), 'Finding aid' (Generate, Upload), and 'Tasks' (Calculate dates).

The 'Identity area' section at the bottom of the main content area provides details for the record:

Identity area	
Reference code	mob001
Title	Mobrey Family Archive
Date(s)	2005-01-01 - 2015-12-31 (Accumulation) 2000-01-01 - 2 (Accumulation)

X3-iiif-viewer.png

X4 exceeds (API) — Webhook delivery log

Per-event webhook delivery log: each subscribed system receives POST callbacks on archive events (description.create, dsar.created, retention.due). Retries on failure with exponential back-off.

ahgAPIPlugin — Webhook Delivery Log

Subscribers receive POST notifications on archive events (description.create, description.update, dsar.created, etc). Failures retried with exponential backoff via the queue engine.


Time	Event	Subscriber URL	Status	Attempt	Latency
2026-05-12 11:23:17	description.create	https://sp.gcis.gov.za/atom-bridge/webhook	200 OK	1/3	234 ms
2026-05-12 11:23:09	description.update	https://sp.gcis.gov.za/atom-bridge/webhook	200 OK	1/3	187 ms
2026-05-12 10:55:01	dsar.created	https://compliance.gcis.gov.za/dsar/intake	503 — retry	1/3	5021 ms
2026-05-12 10:55:23	dsar.created	https://compliance.gcis.gov.za/dsar/intake	200 OK	2/3	312 ms
2026-05-12 09:14:02	preservation.fixity_failed	https://soc.gcis.gov.za/api/incident	202 Accepted	1/3	456 ms
2026-05-12 08:00:11	retention.due	https://records.gcis.gov.za/api/disposal	200 OK	1/3	198 ms

Schema: ahg_webhook_subscription , ahg_webhook_delivery . Retry handler: php symfony api:webhook-process-retries (cron every 5 min).

X4-webhook-delivery.png

X5 exceeds (UX) — Responsive / mobile view


Same archival record on a mobile viewport (414 × 896). Bootstrap 5 theme reflows; tablet and phone are first-class clients.



X5-responsive-mobile.png

X6 exceeds (backup) — Backup & restore admin

Backup history with sizes, dates and a tested-restore indicator. Surfaces the operational confidence GCIS needs to commit to the platform.



X6-backup-restore.png