

Group10: IIR Filters for Audio Noise Removal

Connor Hitoshi Nuibe¹ Sumaiya Dipty^{2,4} Xiangjian Hou^{2,3}

¹Department of Mathematics, University of Utah
University of Utah

²UCAIR, University of Utah

³Department of Electrical and Computer Engineering,
⁴Department of Biomedical Engineering, University of Utah

Background

Infinite Impulse Response (IIR) filters are fundamental in digital signal processing, characterized by feedback mechanisms that allow their impulse responses to last indefinitely. The transfer function in the z-domain is:

$$H(z) = \frac{\sum_{k=0}^N b_k z^{-k}}{1 + \sum_{k=n}^M a_k z^{-k}} \quad (1)$$



The **zeros** and **poles** of $H(z)$ determine the filter's frequency response. Strategically placing zeros and poles in the z-plane allows specific frequency components to be attenuated or amplified.

A **notch filter** attenuates a narrow band of frequencies while leaving the rest of the spectrum relatively unaffected. This is achieved by:

- Placing **zeros** on the unit circle at the notch frequency ω_0 .
- Placing **poles** near the zeros inside the unit circle to maintain filter stability.

This selective attenuation contrasts with standard low-pass or high-pass filters, which broadly attenuate frequencies beyond a cutoff frequency.

Introduction: Audio and PeZ



Method

Our approach involved the following steps:

1. **Frequency Analysis Using Fourier Transform**
 - Performed a Fourier Transform on the recorded audio signal to convert it from the time domain to the frequency domain.
 - Identified prominent peaks in the frequency spectrum corresponding to noise frequencies.
2. **Design of the IIR Notch Filter**
 - Placed zeros on the unit circle at the identified noise frequency ω_0 to create a notch.
 - Placed poles near the zeros inside the unit circle to sharpen the notch and maintain filter stability.
 - Used MATLAB's PeZ GUI tool to manipulate zeros and poles and observe their effects on the filter's frequency response.
3. **Design of Low-Pass Filters for Comparison**
 - Designed an **IIR low-pass filter** using MATLAB's butter function with an appropriate cutoff frequency:


$$[b, a] = \text{butter}(n, f) \quad (2)$$

- Designed an **FIR low-pass filter** using MATLAB's fir1 function:


$$b = \text{fir1}(n, f) \quad (3)$$

Finding in Lab Exercise

Using the PeZ GUI tool in MATLAB, we investigated how the placement of poles and zeros affects the frequency response of IIR filters:




(a) **Zeros Only:** Zeros on the unit circle fully attenuate specific frequencies. Moving them closer to the origin broadens attenuation but weakens its effectiveness.



(c) **Poles and Zeros:** Combining zeros on the unit circle with nearby poles inside it creates notch filters, sharply attenuating unwanted frequencies while preserving stability.

These experimental observations demonstrate how strategic placement of poles and zeros can be utilized to design filters with desired frequency characteristics, offering advantages over standard low-pass and high-pass filters in preserving the integrity of the original signal.

Audio Compare



Discussion

We compared the performance of **IIR** and **FIR filters** for removing high-frequency noise from audio signals. Using **Fourier analysis**, we identified that the noise was concentrated around specific frequencies. This insight led us to choose the **notch filter** as the optimal solution.

- **Preserving Signal Integrity:** Maintained the strength and clarity of the original audio signal.
- **Selective Noise Suppression:** Effectively suppressed noise at targeted frequencies without affecting the rest of the spectrum. The **Low-pass** filter will also reduce the human voice.

For **FIR filters**, achieving similar noise suppression required a very high filter order. The **IIR notch filter**, therefore, strikes a balance between computational efficiency and effective noise attenuation, making it an excellent choice for applications requiring selective frequency suppression.




Figure 3. Notch Filter




Figure 4. Low-Pass Filter (IIR)




Figure 5. Low-Pass Filter (FIR by Hann)

Contributions

Connor: Played a leading role in completing the Lab Exercises.

Sumaiya: Contributed by writing the Lab Exercise and Mini-Project code portions.

Xiangjian: Designed the poster and conducted comparative experiments on different filters.