Replit Proof of Use

SDC Hackathon 2026 · Team Traiblazers · SkillTide · Domain 1, SDG 4 · checked 23 October 2026, 19:40 MYT

Where SkillTide runs on Replit

Live deployment	https://skilltide.replit.app, a Replit Autoscale deployment (region Asia) published from our Replit account **ArcueidMP**
Replit project	Repl **@ArcueidMP/skilltide**, imported from github.com/ArcueidMP/skilltide (branch `backend-api`)
Replit plan	Replit Core, activated with the SDC sponsor code
Run configuration	`.replit` in the repository root (reproduced below)

How we use Replit

- **Build and hosting.** Replit runs `npm ci && npm run build:static`, then `npm run start:node`. That starts one Node.js server (`src/server/node.ts`) that serves the site and SkillTide's `/api/v1` API: outlooks, matches, scenario comparison, cohort and the Guide.
- **Secrets.** The OpenAI key for the Guide's optional "AI wording" is stored in Replit Secrets as `OPENAI_API_KEY`. It is never written into the repository.
- **Updates.** We pull the latest commit from GitHub in the Repl shell and republish the deployment.
- **Fallback.** If the deployment cannot be reached, the browser computes the same results with the same engine and data, so a demo never depends on one server.

Evidence: API health check against the deployment

```
$ curl -i https://skilltide.replit.app/api/v1/health
HTTP/1.1 200 OK
Cache-Control: no-store
Content-Type: application/json; charset=utf-8
Server: Google Frontend
Via: 1.1 google

{"data":{"ok":true,"dataset":"074cfef3d8d5","ai":{"configured":true,"model":"gpt-6-luna"}},
 "meta":{"dataset":"074cfef3d8d5","generatedAt":"2026-10-21"}}
```

`"configured": true` means the deployment found `OPENAI_API_KEY` in Replit Secrets. The value itself is never returned.

Evidence: the live site




Figure 1. The SkillTide home page served by the Replit deployment at skilltide.replit.app (captured 23 Oct 2026).




Figure 2. The career-centre view on the deployment. Its cohort data comes from `GET /api/v1/cohort` on Replit, and the page footer read “Results are computed by SkillTide's API.” (captured 23 Oct 2026).

Replit configuration (`.replit`)

```
# Replit runs SkillTide as one Node server (src/server/node.ts): the static export in out/ plus the
# same API the Cloudflare Worker serves. For AI wording, add OPENAI_API_KEY under Secrets.
modules = ["nodejs-22"]
run = "npm ci && npm run build:static && npm run start:node"

[deployment]
deploymentTarget = "cloudrun"
build = ["sh", "-c", "npm ci && npm run build:static"]
run = ["sh", "-c", "npm run start:node"]

[[ports]]
localPort = 3000
externalPort = 80
```

How to check it yourself

- Open https://skilltide.replit.app. The footer of every page says whether results were computed by the API or, as a fallback, in the browser.
- Run `curl https://skilltide.replit.app/api/v1/health`.