

Architecture

Entities

User

Represents an application user.

Relationships

- One User has many Wallets.
- One User has many Categories.

Fields

- id
 - firstName
 - lastName
 - email
 - password
 - createdAt
 - updatedAt
-

Wallet

Represents where the user's money is stored.

Examples

- Cash
- Enpara
- Garanti Bonus

Relationships

- Belongs to one User.
- Has many outgoing Transactions.
- Has many incoming Transactions.

Wallet

Fields

- id
- name
- currency
- icon
- archived

- createdAt
- updatedAt

Balance is derived from transactions.

Category

Represents how transactions are classified.

Examples

- Food
- Shopping
- Bills
- Transport

Relationships

- Belongs to one User.
- Has many Transactions.

Fields

- id
 - name
 - createdAt
 - updatedAt
-

Transaction

Represents a financial movement.

Relationships


- Belongs to one Category (nullable).
- References one source Wallet (nullable).
- References one destination Wallet (nullable).

Fields

- id
- amount
- currency
- type
- description
- merchant(nullable)
- category (nullable)
- fromWallet(nullable)
- toWallet(nullable)

- createdAt
- updatedAt
- transactionDate

User



Design Decision

Transactions support three types:

- Income
- Expense
- Transfer

Transfers use both **fromWallet** and **toWallet**.

Income uses only **toWallet**.

Expense uses only **fromWallet**.