


Sample 78: $W_{2,2}$ Matching With Matched Fine-Tuning Control

Solid = real-to-real; dashed = assignment to diagonal. Line weight uses one shared absolute assignment-cost scale.


CNN vs GT — D_0

$W_{2,2} = 22.8875$; displayed=31.3% of $W_{2,2}^2$




Ablation (L_{uv} only) vs GT — D_0

$W_{2,2} = 22.8386$; displayed=27.8% of $W_{2,2}^2$




Candidate F vs GT — D_0

$W_{2,2} = 15.8415$; displayed=31.1% of $W_{2,2}^2$




CNN vs GT — D_1

$W_{2,2} = 20.2625$; displayed=62.0% of $W_{2,2}^2$




Ablation (L_{uv} only) vs GT — D_1

$W_{2,2} = 21.2035$; displayed=48.4% of $W_{2,2}^2$



Candidate F vs GT — D_1

$W_{2,2} = 12.4443$; displayed=31.8% of $W_{2,2}^2$



○ GT point × CNN point × Ablation point × Candidate-F point — real-to-real —◆— to diagonal

Aggregate $W_{2,2}$: CNN=30.5681, Ablation=31.1639, Candidate F=20.1448. At most 30 largest nonzero assignments per panel are drawn; numeric distances use every strictly positive finite pair.