


Sample 63: $W_{2,2}$ Matching With Matched Fine-Tuning Control

Solid = real-to-real; dashed = assignment to diagonal. Line weight uses one shared absolute assignment-cost scale.


CNN vs GT — D_0

$W_{2,2} = 14.2874$; displayed=29.5% of $W_{2,2}^2$




Ablation (L_{uv} only) vs GT — D_0

$W_{2,2} = 14.7337$; displayed=26.6% of $W_{2,2}^2$




Candidate F vs GT — D_0

$W_{2,2} = 10.1486$; displayed=31.3% of $W_{2,2}^2$




CNN vs GT — D_1

$W_{2,2} = 18.9657$; displayed=41.2% of $W_{2,2}^2$




Ablation (L_{uv} only) vs GT — D_1

$W_{2,2} = 20.6398$; displayed=39.3% of $W_{2,2}^2$



Candidate F vs GT — D_1

$W_{2,2} = 13.3140$; displayed=30.6% of $W_{2,2}^2$



○ GT point × CNN point × Ablation point × Candidate-F point — real-to-real —◆— to diagonal

Aggregate $W_{2,2}$: CNN=23.7451, Ablation=25.3591, Candidate F=16.7409. At most 30 largest nonzero assignments per panel are drawn; numeric distances use every strictly positive finite pair.