


Sample 71: $W_{2,2}$ Matching With Matched Fine-Tuning Control

Solid = real-to-real; dashed = assignment to diagonal. Line weight uses one shared absolute assignment-cost scale.


CNN vs GT — D_0

$W_{2,2} = 18.6324$; displayed=39.0% of $W_{2,2}^2$




Ablation (L_{UV} only) vs GT — D_0

$W_{2,2} = 18.9400$; displayed=35.5% of $W_{2,2}^2$




Candidate F vs GT — D_0

$W_{2,2} = 11.8917$; displayed=38.2% of $W_{2,2}^2$




CNN vs GT — D_1

$W_{2,2} = 11.5207$; displayed=42.7% of $W_{2,2}^2$




Ablation (L_{UV} only) vs GT — D_1

$W_{2,2} = 14.7401$; displayed=47.3% of $W_{2,2}^2$



Candidate F vs GT — D_1

$W_{2,2} = 8.2417$; displayed=34.9% of $W_{2,2}^2$



○ GT point × CNN point × Ablation point × Candidate-F point — real-to-real —◆— to diagonal

Aggregate $W_{2,2}$: CNN=21.9065, Ablation=23.9999, Candidate F=14.4685. At most 30 largest nonzero assignments per panel are drawn; numeric distances use every strictly positive finite pair.