


Sample 80: $W_{2,2}$ Matching With Matched Fine-Tuning Control

Solid = real-to-real; dashed = assignment to diagonal. Line weight uses one shared absolute assignment-cost scale.


CNN vs GT — D_0

$W_{2,2} = 21.6999$; **displayed=32.3% of $W_{2,2}^2$**




Ablation (L_{UV} only) vs GT — D_0

$W_{2,2} = 21.7104$; **displayed=25.8% of $W_{2,2}^2$**




Candidate F vs GT — D_0

$W_{2,2} = 15.3543$; **displayed=29.1% of $W_{2,2}^2$**




CNN vs GT — D_1

$W_{2,2} = 20.1711$; **displayed=52.7% of $W_{2,2}^2$**




Ablation (L_{UV} only) vs GT — D_1

$W_{2,2} = 21.3988$; **displayed=44.7% of $W_{2,2}^2$**



Candidate F vs GT — D_1

$W_{2,2} = 12.7809$; **displayed=30.3% of $W_{2,2}^2$**



○ GT point × CNN point × Ablation point × Candidate-F point — real-to-real —◆— to diagonal

Aggregate $W_{2,2}$: CNN=29.6270, Ablation=30.4835, Candidate F=19.9776. At most 30 largest nonzero assignments per panel are drawn; numeric distances use every strictly positive finite pair.