LeakyReLU#

https://pytorch.org/docs/stable/generated/torch.nn.modules.activation.LeakyR

Description:

Applies the LeakyReLU function element-wise. negative_slope (float) – Controls the angle of the negative slope (which is used for negative input values). Default: 1e-2 inplace (bool) – can optionally do the operation in-place. Default: False Input: $(*)$(*)$(*)$ where * means, any number of additional dimensions

Function Signature

```
class
torch.nn.modules.activation.LeakyReLU(negative_slope=0.01,
inplace=False)[source]#

Parameters

Shape:

extra_repr()[source]#

Return type
```

Returns:

Tensor

Code Examples

```
>>> m = nn.LeakyReLU(0.1)
>>> input = torch.randn(2)
>>> output = m(input)
```

Detailed Documentation

Documentation

Applies the LeakyReLU function element-wise.

negative_slope (float) – Controls the angle of the negative slope (which is used for negative input values). Default: 1e-2

inplace (bool) – can optionally do the operation in-place. Default: False

Input: $(*)$(*)$(*)$ where * means, any number of additional dimensions

Output: $(*)$(*)$(*)$, same shape as the input

Return the extra representation of the module.

Applies the LeakyReLU function element-wise.

negative_slope (float) – Controls the angle of the negative slope (which is used for negative input values). Default: 1e-2

negative_slope (float) – Controls the angle of the negative slope (which is used for negative input values). Default: 1e-2

inplace (bool) – can optionally do the operation in-place. Default: False

inplace (bool) – can optionally do the operation in-place. Default: False

Input: $(*)$(*)$(*)$ where * means, any number of additional dimensions

Input: $(*)$(*)$(*)$ where * means, any number of additional dimensions

Output: $(*)$(*)$(*)$, same shape as the input

Output: $(*)$(*)$(*)$, same shape as the input

Return the extra representation of the module.

Generated on 10/26/2025 | **PyTorch** Documentation Scraper