MultiplicativeLR#

https://pytorch.org/docs/stable/generated/torch.optim.lr_scheduler.Multiplic

Description:

Multiply the learning rate of each parameter group by the factor given in the specified function. When last_epoch=-1, set initial lr as lr. optimizer (Optimizer) – Wrapped optimizer. lr_lambda (function or list) – A function which computes a multiplicative factor given an integer parameter epoch, or a list of such functions, one for each group in optimizer.param_groups. last_epoch (int) – The index of last epoch. Default: -1.

Function Signature

```
class torch.optim.lr_scheduler.MultiplicativeLR(optimizer,
lr_lambda, last_epoch=-1)[source]#

Parameters

get_last_lr()[source]#

Return type

get_lr()[source]#
```

Returns:

dict[str, Any]

Code Examples

```
>>> lmbda = lambda epoch: 0.95
>>> scheduler = MultiplicativeLR(optimizer, lr_lambda=lmbda)
>>> for epoch in range(100):
>>>     train(...)
>>>     validate(...)
>>>     scheduler.step()
```

Detailed Documentation

Documentation

Multiply the learning rate of each parameter group by the factor given in the specified function.

When last_epoch=-1, set initial lr as lr.

optimizer (Optimizer) – Wrapped optimizer.

lr_lambda (function or list) – A function which computes a multiplicative factor given an integer parameter epoch, or a list of such functions, one for each group in optimizer.param_groups.

last_epoch (int) – The index of last epoch. Default: -1.

Return last computed learning rate by current scheduler.

Compute the learning rate of each parameter group.

Load the scheduler’s state.

state_dict (dict) – scheduler state. Should be an object returned from a call to state_dict().

Return the state of the scheduler as a dict.

It contains an entry for every variable in self.__dict__ which is not the optimizer. The learning rate lambda functions will only be saved if they are callable objects and not if they are functions or lambdas.