tf.compat.v1.metrics.average_precision_at_ Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/metrics/average_precision_at_k

> *Computes average precision@k of predictions with respect to sparse labels.*

Function Signatures

```
tf.compat.v1.metrics.average_precision_at_k( labels,
predictions, k, weights=None, metrics_collections=None,
updates_collections=None, name=None )
```

Code Examples

```
tf.compat.v1.metrics.average_precision_at_k(
labels,
predictions,
k,
weights=None,
metrics_collections=None,
updates_collections=None,
name=None
)
```


```
tf.compat.v1.metrics.average_precision_at_k(
labels,
predictions,
k,
weights=None,
metrics_collections=None,
updates_collections=None,
name=None
)
```

Documentation

Computes average precision@k of predictions with respect to sparse labels.

average_precision_at_k creates two local variables, average_precision_at_/total and average_precision_at_/max, that are used to compute the frequency. This frequency is ultimately returned as average_precision_at_: an idempotent operation that simply divides average_precision_at_/total by average_precision_at_/max.

For estimation of the metric over a stream of data, the function creates an update_op operation that updates these variables and returns the precision_at_. Internally, a top_k operation computes a Tensor indicating the top k predictions. Set operations applied to top_k and labels calculate the true positives and false positives weighted by weights. Then update_op increments true_positive_at_ and false_positive_at_ using these values.

If weights is None, weights default to 1. Use weights of 0 to mask values.

Returns

Raises