torch.log1p#

https://pytorch.org/docs/stable/generated/torch.log1p.html#torch.log1p

Description:

Returns a new tensor with the natural logarithm of (1 + input). This function is more accurate than torch.log() for small values of input input (Tensor) – the input tensor. out (Tensor, optional) – the output tensor.

Function Signature

```
torch.log1p(input, *, out=None) → Tensor#
Parameters
Keyword Arguments
```

Parameters

Keyword

out (Tensor, optional) – the output tensor.

Code Examples

```
>>> a = torch.randn(5)
>>> a
tensor([-1.0090, -0.9923,  1.0249, -0.5372,  0.2492])
>>> torch.log1p(a)
tensor([    nan, -4.8653,  0.7055, -0.7705,  0.2225])
```

Notes & Warnings

NOTE

Note This function is more accurate than torch.log() for small values of input

Detailed Documentation

Documentation

Returns a new tensor with the natural logarithm of (1 + input).

This function is more accurate than torch.log() for small values of input

input (Tensor) – the input tensor.

out (Tensor, optional) – the output tensor.

Returns a new tensor with the natural logarithm of (1 + input).

This function is more accurate than torch.log() for small values of input

input (Tensor) – the input tensor.

out (Tensor, optional) – the output tensor.