tf.compat.v1.IdentityReader Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/IdentityReader

> *A Reader that outputs the queued work as both the key and value.*

Function Signatures

```
tf.compat.v1.IdentityReader( name=None )
```

Code Examples

```
tf.compat.v1.IdentityReader(
name=None
)
```

```
tf.compat.v1.IdentityReader(
name=None
)
```

```
num_records_produced(
name=None
)
```

```
num_records_produced(
name=None
)
```

```
num_work_units_completed(
name=None
)
```

```
num_work_units_completed(
name=None
)
```

```
read(
queue, name=None
)
```

```
read(
queue, name=None
)
```

Documentation

A Reader that outputs the queued work as both the key and value.

Inherits From: ReaderBase

To use, enqueue strings in a Queue. Read will take the front
work string and output (work, work).

See ReaderBase for supported methods.

Attributes

Methods

num_records_produced

View source

Returns the number of records this reader has produced.

This is the same as the number of Read executions that have succeeded.

num_work_units_completed

View source

Returns the number of work units this reader has finished processing.

View source

Returns the next record (key, value) pair produced by a reader.

Will dequeue a work unit from queue if necessary (e.g. when the Reader needs to start reading from a new file since it has finished with the previous file).

read_up_to

View source

Returns up to num_records (key, value) pairs produced by a reader.

Will dequeue a work unit from queue if necessary (e.g., when the Reader needs to start reading from a new file since it has finished with the previous file).
It may return less than num_records even before the last batch.

View source

Restore a reader to its initial clean state.

restore_state

View source

Restore a reader to a previously saved state.

Not all Readers support being restored, so this can produce an Unimplemented error.

serialize_state

View source

Produce a string tensor that encodes the state of a reader.

Not all Readers support being serialized, so this can produce an Unimplemented error.

eager compatibility

Readers are not compatible with eager execution. Instead, please use tf.data to get data into your model.