tf.compat.v1.metrics.recall_at_thresholds Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/metrics/recall_at_thresholds

> *Computes various recall values for different thresholds on predictions.*

Function Signatures

```
tf.compat.v1.metrics.recall_at_thresholds( labels,
predictions, thresholds, weights=None,
metrics_collections=None, updates_collections=None, name=None
)
```

Code Examples

```
tf.compat.v1.metrics.recall_at_thresholds(
labels,
predictions,
thresholds,
weights=None,
metrics_collections=None,
updates_collections=None,
name=None
)
```


```
tf.compat.v1.metrics.recall_at_thresholds(
labels,
predictions,
thresholds,
weights=None,
metrics_collections=None,
updates_collections=None,
name=None
)
```

Documentation

Computes various recall values for different thresholds on predictions.

The recall_at_thresholds function creates four local variables, true_positives, true_negatives, false_positives and false_negatives for various values of thresholds. recall[i] is defined as the total weight of values in predictions above thresholds[i] whose corresponding entry in labels is True, divided by the total weight of True values in labels (true_positives[i] / (true_positives[i] + false_negatives[i])).

For estimation of the metric over a stream of data, the function creates an update_op operation that updates these variables and returns the recall.

If weights is None, weights default to 1. Use weights of 0 to mask values.

Returns

Raises