torch.nn.functional.dropout1d#

https://pytorch.org/docs/stable/generated/torch.nn.functional.dropout1d.html

Description:

Randomly zero out entire channels (a channel is a 1D feature map). For example, the jjj-th channel of the iii-th sample in the batched input is a 1D tensor input[i,j]\text{input}[i, j]input[i,j] of the input tensor. Each channel will be zeroed out independently on every forward call with probability p using samples from a Bernoulli distribution. See Dropout1d for details. p (float) – probability of a channel to be zeroed. Default: 0.5 training (bool) – apply dropout if is True. Default: True

Function Signature

```
torch.nn.functional.dropout1d(input, p=0.5, training=True,
inplace=False)[source]#

Parameters

Return type
```

Returns:

Tensor

Detailed Documentation

Documentation

Randomly zero out entire channels (a channel is a 1D feature map).

For example, the jjj-th channel of the iii-th sample in the batched input is a 1D tensor input[i,j]\text{input}[i, j]input[i,j] of the input tensor. Each channel will be zeroed out independently on every forward call with probability p using samples from a Bernoulli distribution.

See Dropout1d for details.

p (float) – probability of a channel to be zeroed. Default: 0.5

training (bool) – apply dropout if is True. Default: True

inplace (bool) – If set to True, will do this operation in-place. Default: False