tf.compat.v1.experimental.output_all_interr Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/experimental/output_all_intermediates

> *Whether to output all intermediates from functional control flow ops.*

Function Signatures

```
tf.compat.v1.experimental.output_all_intermediates( state )
tf.compat.v1.experimental.output_all_intermediates(False)
tf.compat.v1.experimental.output_all_intermediates(True)
```

Code Examples

```
tf.compat.v1.experimental.output_all_intermediates(
state
)
```

```
tf.compat.v1.experimental.output_all_intermediates(
state
)
```

Documentation

Whether to output all intermediates from functional control flow ops.

The "default" behavior to is to output all intermediates when using v2 control flow inside Keras models in graph mode. This is needed to support taking gradients of v2 control flow. In graph mode, Keras can sometimes freeze the forward graph before the gradient computation which does not work for v2 control flow since it requires updating the forward ops to output the needed intermediates. We work around this by proactively outputting the needed intermediates when building the forward pass itself. Ideally any such extra tensors should be pruned out at runtime. However, if for any reason this doesn't work for you or if you have an inference-only model you can turn this behavior off using
tf.compat.v1.experimental.output_all_intermediates(False).

If with the default behavior you are still seeing errors of the form "Connecting to invalid output X of source node Y which has Z outputs" try setting tf.compat.v1.experimental.output_all_intermediates(True) and please file an issue at https://github.com/tensorflow/tensorflow/issues.