tf.compat.v1.reduce_min Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/reduce_min

> *Computes the tf.math.minimum of elements across dimensions of a tensor. (deprecated arguments)*

Function Signatures

```
tf.compat.v1.reduce_min( input_tensor, axis=None, keepdims=None, name=None, reduction_indices=None, keep_dims=None )
```

```
(keep_dims)
```

Code Examples

```
tf.compat.v1.reduce_min(
input_tensor,
axis=None,
keepdims=None,
name=None,
reduction_indices=None,
keep_dims=None
)
```

```
tf.compat.v1.reduce_min(
input_tensor,
axis=None,
keepdims=None,
name=None,
reduction_indices=None,
keep_dims=None
)
```

```
>>> x = tf.constant([5, 1, 2, 4])
>>> tf.reduce_min(x)

>>> x = tf.constant([-5, -1, -2, -4])
>>> tf.reduce_min(x)

>>> x = tf.constant([4, float('nan')])
>>> tf.reduce_min(x)

>>> x = tf.constant([float('nan'), float('nan')])
>>> tf.reduce_min(x)

>>> x = tf.constant([float('-inf'), float('inf')])
>>> tf.reduce_min(x)
```


```
>>> x = tf.constant([5, 1, 2, 4])
>>> tf.reduce_min(x)

>>> x = tf.constant([-5, -1, -2, -4])
>>> tf.reduce_min(x)

>>> x = tf.constant([4, float('nan')])
>>> tf.reduce_min(x)

>>> x = tf.constant([float('nan'), float('nan')])
>>> tf.reduce_min(x)

>>> x = tf.constant([float('-inf'), float('inf')])
>>> tf.reduce_min(x)
```

Documentation

Computes the tf.math.minimum of elements across dimensions of a tensor. (deprecated arguments)

Used in the notebooks

- Generating Images with BigBiGAN

This is the reduction operation for the elementwise tf.math.minimum op.

Reduces input_tensor along the dimensions given in axis.
Unless keepdims is true, the rank of the tensor is reduced by 1 for each
of the entries in axis, which must be unique. If keepdims is true, the
reduced dimensions are retained with length 1.

If axis is None, all dimensions are reduced, and a
tensor with a single element is returned.

Usage example

See the numpy docs for np.amin and np.nanmin behavior.

Returns