torch.msort#

https://pytorch.org/docs/stable/generated/torch.msort.html#torch.msort

Description:

Sorts the elements of the input tensor along its first dimension in ascending order by value. torch.msort(t) is equivalent to torch.sort(t, dim=0)[0]. See also torch.sort(). input (Tensor) – the input tensor. out (Tensor, optional) – the output tensor.

Function Signature

```
torch.msort(input: Tensor, *, out: Optional[Tensor]) → Tensor#

Parameters

Keyword Arguments
```

Parameters

`Keyword`

out (Tensor, optional) – the output tensor.

Code Examples

```
>>> t = torch.randn(3, 4)
>>> t
tensor([[-0.1321,  0.4370, -1.2631, -1.1289],
        [-2.0527, -1.1250,  0.2275,  0.3077],
        [-0.0881, -0.1259, -0.5495,  1.0284]])
>>> torch.msort(t)
tensor([[-2.0527, -1.1250, -1.2631, -1.1289],
        [-0.1321, -0.1259, -0.5495,  0.3077],
        [-0.0881,  0.4370,  0.2275,  1.0284]])
```

Notes & Warnings

NOTE Note torch.msort(t) is equivalent to torch.sort(t, dim=0)[0]. See also torch.sort().

Detailed Documentation

Documentation

Sorts the elements of the input tensor along its first dimension in ascending order by value.

torch.msort(t) is equivalent to torch.sort(t, dim=0)[0]. See also torch.sort().

input (Tensor) – the input tensor.

out (Tensor, optional) – the output tensor.

Sorts the elements of the input tensor along its first dimension in ascending order by value.

torch.msort(t) is equivalent to torch.sort(t, dim=0)[0]. See also torch.sort().

input (Tensor) – the input tensor.

out (Tensor, optional) – the output tensor.