# torch.hypot#

https://pytorch.org/docs/stable/generated/torch.hypot.html#torch.hypot

**Description:**

Given the legs of a right triangle, return its hypotenuse. The shapes of input and other must be broadcastable. input (Tensor) – the first input tensor other (Tensor) – the second input tensor out (Tensor, optional) – the output tensor.

## Function Signature

```
torch.hypot(input, other, *, out=None) → Tensor#
Parameters
Keyword Arguments
```

## Parameters

### Keyword

out (Tensor, optional) – the output tensor.

## Code Examples

```
>>> a = torch.hypot(torch.tensor([4.0]), torch.tensor([3.0, 4.0,
5.0]))
tensor([5.0000, 5.6569, 6.4031])
```

# Detailed Documentation

## Documentation

Given the legs of a right triangle, return its hypotenuse.

The shapes of input and other must be broadcastable.

input (Tensor) – the first input tensor

other (Tensor) – the second input tensor

out (Tensor, optional) – the output tensor.

Given the legs of a right triangle, return its hypotenuse.

The shapes of input and other must be broadcastable.

input (Tensor) – the first input tensor

input (Tensor) – the first input tensor

other (Tensor) – the second input tensor

other (Tensor) – the second input tensor

out (Tensor, optional) – the output tensor.