torch.fft.ifftshift#

https://pytorch.org/docs/stable/generated/torch.fft.ifftshift.html

Description:

Inverse of fftshift(). input (Tensor) – the tensor in FFT order dim (int, Tuple[int], optional) – The dimensions to rearrange. Only dimensions specified here will be rearranged, any other dimensions will be left in their original order. Default: All dimensions of input. A round-trip through fftshift() and ifftshift() gives the same result:

Function Signature

```
torch.fft.ifftshift(input, dim=None) → Tensor#

Parameters
```

Code Examples

```
>>> f = torch.fft.fftfreq(5)
>>> f
tensor([ 0.0000,  0.2000,  0.4000, -0.4000, -0.2000])
```

```
>>> shifted = torch.fft.fftshift(f)
>>> torch.fft.ifftshift(shifted)
tensor([ 0.0000,  0.2000,  0.4000, -0.4000, -0.2000])
```

Detailed Documentation

Documentation

Inverse of fftshift().

input (Tensor) – the tensor in FFT order

dim (int, Tuple[int], optional) – The dimensions to rearrange. Only dimensions specified here will be rearranged, any other dimensions will be left in their original order. Default: All dimensions of input.

A round-trip through fftshift() and ifftshift() gives the same result:

Inverse of fftshift().

input (Tensor) – the tensor in FFT order

input (Tensor) – the tensor in FFT order

dim (int, Tuple[int], optional) – The dimensions to rearrange. Only dimensions specified here will be rearranged, any other dimensions will be left in their original order. Default: All dimensions of input.

dim (int, Tuple[int], optional) – The dimensions to rearrange. Only dimensions specified here will be rearranged, any other dimensions will be left in their original order. Default: All dimensions of input.

A round-trip through fftshift() and ifftshift() gives the same result:

Generated on 10/26/2025 | **PyTorch** Documentation Scraper