tf.compat.v1.nn.quantized_relu_x Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/nn/quantized_relu_x

> *Computes Quantized Rectified Linear X: min(max(features, 0), max_value)*

Function Signatures

```
min(max(features, 0), max_value)
tf.compat.v1.nn.quantized_relu_x( features: Annotated[Any,
TV_QuantizedReluX_Tinput], max_value: Annotated[Any,
_atypes.Float32], min_features: Annotated[Any,
_atypes.Float32], max_features: Annotated[Any,
_atypes.Float32], out_type: TV_QuantizedReluX_out_type =
tf.dtypes.quint8, name=None )
```

Code Examples

```
tf.compat.v1.nn.quantized_relu_x(
features: Annotated[Any, TV_QuantizedReluX_Tinput],
max_value: Annotated[Any, _atypes.Float32],
min_features: Annotated[Any, _atypes.Float32],
max_features: Annotated[Any, _atypes.Float32],
out_type: TV_QuantizedReluX_out_type = tf.dtypes.quint8,
name=None
)
```


```
tf.compat.v1.nn.quantized_relu_x(
features: Annotated[Any, TV_QuantizedReluX_Tinput],
max_value: Annotated[Any, _atypes.Float32],
min_features: Annotated[Any, _atypes.Float32],
max_features: Annotated[Any, _atypes.Float32],
out_type: TV_QuantizedReluX_out_type = tf.dtypes.quint8,
name=None
)
```


```
tf.dtypes.quint8
```

Documentation

Computes Quantized Rectified Linear X: min(max(features, 0), max_value)

Returns