torch.nn.functional.upsample_nearest#

https://pytorch.org/docs/stable/generated/torch.nn.functional.upsample_neare

Description:

Upsamples the input, using nearest neighbours' pixel values. This function is deprecated in favor of torch.nn.functional.interpolate(). This is equivalent with nn.functional.interpolate(..., mode='nearest'). Currently spatial and volumetric upsampling are supported (i.e. expected inputs are 4 or 5 dimensional). input (Tensor) – input

Function Signature

```
torch.nn.functional.upsample_nearest(input, size=None,
scale_factor=None)[source]#

Parameters
```

Notes & Warnings

⚠ WARNING

Warning This function is deprecated in favor of torch.nn.functional.interpolate(). This is equivalent with nn.functional.interpolate(..., mode='nearest').

NOTE

Note This operation may produce nondeterministic gradients when given tensors on a CUDA device. See Reproducibility for more information.

Detailed Documentation

Documentation

Upsamples the input, using nearest neighbours' pixel values.

This function is deprecated in favor of torch.nn.functional.interpolate(). This is equivalent with nn.functional.interpolate(..., mode='nearest').

Currently spatial and volumetric upsampling are supported (i.e. expected inputs are 4 or 5 dimensional).

input (Tensor) – input

size (int or Tuple[int, int] or Tuple[int, int, int]) – output spatia size.

scale_factor (int) – multiplier for spatial size. Has to be an integer.

This operation may produce nondeterministic gradients when given tensors on a CUDA device. See Reproducibility for more information.