tf.compat.v1.assert_non_negative Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/assert_non_negative

> *Assert the condition x >= 0 holds element-wise.*

Function Signatures

```
tf.compat.v1.assert_non_negative( x, data=None,
summarize=None, message=None, name=None )
with
tf.control_dependencies([tf.debugging.assert_non_negative(x,
y)]): output = tf.reduce_sum(x)
```

Code Examples

```
tf.compat.v1.assert_non_negative(
x, data=None, summarize=None, message=None, name=None
)
```


```
tf.compat.v1.assert_non_negative(
x, data=None, summarize=None, message=None, name=None
)
```


```
with tf.control_dependencies([tf.debugging.assert_non_negative(x,
y)]):
output = tf.reduce_sum(x)
```


```
with tf.control_dependencies([tf.debugging.assert_non_negative(x,
y)]):
output = tf.reduce_sum(x)
```

Documentation

Assert the condition x >= 0 holds element-wise.

View aliases

Compat aliases for migration

See
Migration guide for
more details.

tf.compat.v1.debugging.assert_non_negative

When running in graph mode, you should add a dependency on this operation to ensure that it runs. Example of adding a dependency to an operation:

Non-negative means, for every element x[i] of x, we have x[i] >= 0.
If x is empty this is trivially satisfied.

Returns

Raises

eager compatibility

returns None