tf.reverse_sequence Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/reverse_sequence

> *Reverses variable length slices.*

Function Signatures

```
tf.reverse_sequence( input, seq_lengths, seq_axis=None, batch_axis=None, name=None )
```

Code Examples

```
tf.reverse_sequence(
input, seq_lengths, seq_axis=None, batch_axis=None, name=None
)
```

```
tf.reverse_sequence(
input, seq_lengths, seq_axis=None, batch_axis=None, name=None
)
```

```
seq_lengths = [7, 2, 3, 5]
input = [[1, 2, 3, 4, 5, 0, 0, 0], [1, 2, 0, 0, 0, 0, 0, 0],
[1, 2, 3, 4, 0, 0, 0, 0], [1, 2, 3, 4, 5, 6, 7, 8]]
output = tf.reverse_sequence(input, seq_lengths, seq_axis=1,
batch_axis=0)
output
```

```
seq_lengths = [7, 2, 3, 5]
```

```
input = [[1, 2, 3, 4, 5, 0, 0, 0], [1, 2, 0, 0, 0, 0, 0, 0],
```

```
[1, 2, 3, 4, 0, 0, 0, 0], [1, 2, 3, 4, 5, 6, 7, 8]]
```

```
output = tf.reverse_sequence(input, seq_lengths, seq_axis=1,
batch_axis=0)
```

Documentation

Reverses variable length slices.

This op first slices input along the dimension batch_axis, and for each slice i, reverses the first seq_lengths[i] elements along the dimension seq_axis.

The elements of seq_lengths must obey seq_lengths[i] <= input.dims[seq_axis], and seq_lengths must be a vector of length input.dims[batch_axis].

The output slice i along dimension batch_axis is then given by input slice i, with the first seq_lengths[i] slices along dimension seq_axis reversed.

Example usage:

Returns