tf.compat.v1.assert_greater Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/assert_greater

> *Assert the condition x > y holds element-wise.*

Function Signatures

```
tf.compat.v1.assert_greater( x, y, data=None, summarize=None,
message=None, name=None )
```

Code Examples

```
tf.compat.v1.assert_greater(
x, y, data=None, summarize=None, message=None, name=None
)
```


```
tf.compat.v1.assert_greater(
x, y, data=None, summarize=None, message=None, name=None
)
```

```
tf.compat.v1.assert_greater(
x=x, y=y, data=data, summarize=summarize,
message=message, name=name)
```

```
tf.compat.v1.assert_greater(
x=x, y=y, data=data, summarize=summarize,
message=message, name=name)
```

```
tf.debugging.assert_greater(
x=x, y=y, message=message,
summarize=summarize, name=name)
```

```
tf.debugging.assert_greater(
x=x, y=y, message=message,
summarize=summarize, name=name)
```

```
g = tf.Graph()
with g.as_default():
a = tf.compat.v1.placeholder(tf.float32, [2])
b = tf.compat.v1.placeholder(tf.float32, [2])
result = tf.compat.v1.assert_greater(a, b,
message='"a > b" does not hold for the given inputs')
with tf.compat.v1.control_dependencies([result]):
sum_node = a + b
sess = tf.compat.v1.Session(graph=g)
val = sess.run(sum_node, feed_dict={a: [1, 2], b:[0, 1]})
```

```
g = tf.Graph()
```

Documentation

Assert the condition x > y holds element-wise.

View aliases

Compat aliases for migration

See
Migration guide for
more details.

tf.compat.v1.debugging.assert_greater

Migrate to TF2

tf.compat.v1.assert_greater is compatible with eager execution and
tf.function.
Please use tf.debugging.assert_greater instead when migrating to TF2. Apart
from data, all arguments are supported with the same argument name.

If you want to ensure the assert statements run before the
potentially-invalid computation, please use tf.control_dependencies,
as tf.function auto-control dependencies are insufficient for assert
statements.

Structural Mapping to Native TF2

Before:

After:

TF1 & TF2 Usage Example

Description

This condition holds if for every pair of (possibly broadcast) elements
x[i], y[i], we have x[i] > y[i].
If both x and y are empty, this is trivially satisfied.

When running in graph mode, you should add a dependency on this operation to ensure that it runs. Example of adding a dependency to an operation:

Returns

Raises