tf.compat.v1.setdiff1d Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/setdiff1d

> *Computes the difference between two lists of numbers or strings.*

Function Signatures

```
tf.compat.v1.setdiff1d( x, y, index_dtype=tf.dtypes.int32,
name=None )
```

Code Examples

```
tf.compat.v1.setdiff1d(
x,
y,
index_dtype=tf.dtypes.int32,
name=None
)
```


```
tf.compat.v1.setdiff1d(
x,
y,
index_dtype=tf.dtypes.int32,
name=None
)
```


```
tf.dtypes.int32
```

```
x = [1, 2, 3, 4, 5, 6]
y = [1, 3, 5]
```


```
x = [1, 2, 3, 4, 5, 6]
y = [1, 3, 5]
```


```
out ==> [2, 4, 6]
idx ==> [1, 3, 5]
```


```
out ==> [2, 4, 6]
idx ==> [1, 3, 5]
```

Documentation

Computes the difference between two lists of numbers or strings.

Given a list x and a list y, this operation returns a list out that represents all values that are in x but not in y. The returned list out is sorted in the same order that the numbers appear in x (duplicates are preserved). This operation also returns a list idx that represents the position of each out element in x. In other words:

out[i] = x[idx[i]] for i in [0, 1, ..., len(out) - 1]

For example, given this input:

This operation would return:

Returns