torch.gt#

https://pytorch.org/docs/stable/generated/torch.gt.html

Description:

Computes input>other\text{input} > \text{other}input>other element-wise. The second argument can be a number or a tensor whose shape is broadcastable with the first argument. input (Tensor) – the tensor to compare other (Tensor or float) – the tensor or value to compare out (Tensor, optional) – the output tensor.

Function Signature

```
torch.gt(input, other, *, out=None) → Tensor#

Parameters

Keyword Arguments

Returns
```

Parameters

`Keyword`

out (Tensor, optional) – the output tensor.

Returns:

A boolean tensor that is True where input is greater than other and False elsewhere

Code Examples

```
>>> torch.gt(torch.tensor([[1, 2], [3, 4]]), torch.tensor([[1,
1], [4, 4]]))
tensor([[False, True], [False, False]])
```

Detailed Documentation

Documentation

Computes input>other\text{input} > \text{other}input>other element-wise.

The second argument can be a number or a tensor whose shape is broadcastable with the first argument.

input (Tensor) – the tensor to compare

other (Tensor or float) – the tensor or value to compare

out (Tensor, optional) – the output tensor.

A boolean tensor that is True where input is greater than other and False elsewhere

Computes input>other\text{input} > \text{other}input>other element-wise.

The second argument can be a number or a tensor whose shape is broadcastable with the first argument.

input (Tensor) – the tensor to compare

input (Tensor) – the tensor to compare

other (Tensor or float) – the tensor or value to compare

other (Tensor or float) – the tensor or value to compare

out (Tensor, optional) – the output tensor.

A boolean tensor that is True where input is greater than other and False elsewhere

---