tf.random_uniform_initializer Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/random_uniform_initializer

> *Initializer that generates tensors with a uniform distribution.*

Function Signatures

```
tf.random_uniform_initializer( minval=-0.05, maxval=0.05,
seed=None )
def make_variables(k, initializer):
return (tf.Variable(initializer(shape=[k],
dtype=tf.float32)),
tf.Variable(initializer(shape=[k, k], dtype=tf.float32)))
v1, v2 = make_variables(3, tf.ones_initializer())
```

Code Examples

```
tf.random_uniform_initializer(
minval=-0.05, maxval=0.05, seed=None
)
```

```
tf.random_uniform_initializer(
minval=-0.05, maxval=0.05, seed=None
)
```

```
def make_variables(k, initializer):
return (tf.Variable(initializer(shape=[k], dtype=tf.float32)),
tf.Variable(initializer(shape=[k, k], dtype=tf.float32)))
v1, v2 = make_variables(3, tf.ones_initializer())
v1

v2

make_variables(4, tf.random_uniform_initializer(minval=-1.,
maxval=1.))
(,
```

```
def make_variables(k, initializer):
```

```
return (tf.Variable(initializer(shape=[k], dtype=tf.float32)),
```

```
tf.Variable(initializer(shape=[k, k], dtype=tf.float32)))
```

```
v1, v2 = make_variables(3, tf.ones_initializer())
```

Documentation

Initializer that generates tensors with a uniform distribution.

Used in the notebooks

- Parametrized Quantum Circuits for Reinforcement Learning

Initializers allow you to pre-specify an initialization strategy, encoded in the Initializer object, without knowing the shape and dtype of the variable being initialized.

Examples:

Methods

from_config

View source

Instantiates an initializer from a configuration dictionary.

Example:

get_config

View source

Returns the configuration of the initializer as a JSON-serializable dict.

__call__

View source

Returns a tensor object initialized as specified by the initializer.