tf.compat.v1.scatter_update Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/scatter_update

> *Applies sparse updates to a variable reference.*

Function Signatures

```
tf.compat.v1.scatter_update( ref, indices, updates,
use_locking=True, name=None )
```

```
# Scalar indices ref[indices, ...] = updates[...] # Vector
indices (for each i) ref[indices[i], ...] = updates[i, ...] #
High rank indices (for each i, ..., j) ref[indices[i, ...,
j], ...] = updates[i, ..., j, ...]
```

Code Examples

```
tf.compat.v1.scatter_update(
ref, indices, updates, use_locking=True, name=None
)
```


```
tf.compat.v1.scatter_update(
ref, indices, updates, use_locking=True, name=None
)
```


```
# Scalar indices
ref[indices, ...] = updates[...]
# Vector indices (for each i)
ref[indices[i], ...] = updates[i, ...]
# High rank indices (for each i, ..., j)
ref[indices[i, ..., j], ...] = updates[i, ..., j, ...]
```


```
# Scalar indices
ref[indices, ...] = updates[...]
# Vector indices (for each i)
ref[indices[i], ...] = updates[i, ...]
# High rank indices (for each i, ..., j)
ref[indices[i, ..., j], ...] = updates[i, ..., j, ...]
```

Documentation

Applies sparse updates to a variable reference.

This operation computes

This operation outputs ref after the update is done.
This makes it easier to chain operations that need to use the reset value.

If values in ref is to be updated more than once, because there are duplicate entries in indices, the order at which the updates happen for each value is undefined.

Requires updates.shape = indices.shape + ref.shape[1:].

Returns