torch.slice_scatter#

https://pytorch.org/docs/stable/generated/torch.slice_scatter.html

Description:

Embeds the values of the src tensor into input at the given dimension. This function returns a tensor with fresh storage; it does not create a view. input (Tensor) – the input tensor. src (Tensor) – The tensor to embed into input dim (int) – the dimension to insert the slice into start (Optional[int]) – the start index of where to insert the slice

Function Signature

```
torch.slice_scatter(input, src, dim=0, start=None, end=None,
step=1) → Tensor#

Parameters
```

Code Examples

```
>>> a = torch.zeros(8, 8)
>>> b = torch.ones(2, 8)
>>> a.slice_scatter(b, start=6)
tensor([[0., 0., 0., 0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0., 0., 0., 0.],
        [0., 0., 0., 0., 0., 0., 0., 0.],
        [1., 1., 1., 1., 1., 1., 1., 1.],
        [1., 1., 1., 1., 1., 1., 1., 1.]])

>>> b = torch.ones(8, 2)
>>> a.slice_scatter(b, dim=1, start=2, end=6, step=2)
tensor([[0., 0., 1., 0., 1., 0., 0., 0.],
        [0., 0., 1., 0., 1., 0., 0., 0.],
        [0., 0., 1., 0., 1., 0., 0., 0.],
        [0., 0., 1., 0., 1., 0., 0., 0.],
        [0., 0., 1., 0., 1., 0., 0., 0.],
        [0., 0., 1., 0., 1., 0., 0., 0.],
        [0., 0., 1., 0., 1., 0., 0., 0.],
        [0., 0., 1., 0., 1., 0., 0., 0.]])
```

Detailed Documentation

Documentation

Embeds the values of the src tensor into input at the given dimension. This function returns a tensor with fresh storage; it does not create a view.

input (Tensor) – the input tensor.

src (Tensor) – The tensor to embed into input

dim (int) – the dimension to insert the slice into

start (Optional[int]) – the start index of where to insert the slice

end (Optional[int]) – the end index of where to insert the slice

step (int) – the how many elements to skip in

Embeds the values of the src tensor into input at the given dimension. This function returns a tensor with fresh storage; it does not create a view.

input (Tensor) – the input tensor.

input (Tensor) – the input tensor.

src (Tensor) – The tensor to embed into input

src (Tensor) – The tensor to embed into input

dim (int) – the dimension to insert the slice into

dim (int) – the dimension to insert the slice into

start (Optional[int]) – the start index of where to insert the slice

start (Optional[int]) – the start index of where to insert the slice

end (Optional[int]) – the end index of where to insert the slice end (Optional[int]) – the end index of where to insert the slice

step (int) – the how many elements to skip in

step (int) – the how many elements to skip in
