tf.compat.v1.norm Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/norm

> *Computes the norm of vectors, matrices, and tensors. (deprecated arguments)*

Function Signatures

```
tf.compat.v1.norm( tensor, ord='euclidean', axis=None,
keepdims=None, name=None, keep_dims=None )
(keep_dims)
```

Code Examples

```
tf.compat.v1.norm(
tensor,
ord='euclidean',
axis=None,
keepdims=None,
name=None,
keep_dims=None
)
```


```
tf.compat.v1.norm(
tensor,
ord='euclidean',
axis=None,
keepdims=None,
name=None,
keep_dims=None
)
```

Documentation

Computes the norm of vectors, matrices, and tensors. (deprecated arguments)

View aliases

Compat aliases for migration

See
Migration guide for
more details.

tf.compat.v1.linalg.norm

This function can compute several different vector norms (the 1-norm, the Euclidean or 2-norm, the inf-norm, and in general the p-norm for p > 0) and matrix norms (Frobenius, 1-norm, 2-norm and inf-norm).

Returns

Raises

numpy compatibility

Mostly equivalent to numpy.linalg.norm.
Not supported: ord <= 0, 2-norm for matrices, nuclear norm.
Other differences:
a) If axis is None, treats the flattened tensor as a vector
regardless of rank.
b) Explicitly supports 'euclidean' norm as the default, including for
higher order tensors.