torch.bitwise_right_shift#

https://pytorch.org/docs/stable/generated/torch.bitwise_right_shift.html#tor

Description:

Computes the right arithmetic shift of input by other bits. The input tensor must be of integral type. This operator supports broadcasting to a common shape and type promotion. In any case, if the value of the right operand is negative or is greater or equal to the number of bits in the promoted left operand, the behavior is undefined. The operation applied is: input (Tensor or Scalar) – the first input tensor other (Tensor or Scalar) – the second input tensor out (Tensor, optional) – the output tensor.

Function Signature

```
torch.bitwise_right_shift(input, other, *, out=None) →
Tensor#

Parameters

Keyword Arguments
```

Parameters

Keyword

out (Tensor, optional) – the output tensor.

Code Examples

```
>>> torch.bitwise_right_shift(torch.tensor([-2, -7, 31],
dtype=torch.int8), torch.tensor([1, 0, 3], dtype=torch.int8))
tensor([-1, -7,  3], dtype=torch.int8)
```

Detailed Documentation

Documentation

Computes the right arithmetic shift of input by other bits. The input tensor must be of integral type. This operator supports broadcasting to a common shape and type promotion. In any case, if the value of the right operand is negative or is greater or equal to the number of bits in the promoted left operand, the behavior is undefined.

The operation applied is:

input (Tensor or Scalar) – the first input tensor

other (Tensor or Scalar) – the second input tensor

out (Tensor, optional) – the output tensor.