CELU#

https://pytorch.org/docs/stable/generated/torch.nn.CELU.html#torch.nn.CELU

Description:

Applies the CELU function element-wise. More details can be found in the paper Continuously Differentiable Exponential Linear Units . alpha (float) – the α\alphaα value for the CELU formulation. Default: 1.0 inplace (bool) – can optionally do the operation in-place. Default: False Input: $(*)$ (*)$(*)$, where $*$*$*$ means any number of dimensions.

Function Signature

```
class torch.nn.CELU(alpha=1.0, inplace=False)[source]#

Parameters

Shape:

extra_repr()[source]#

Return type
```

Returns:

Tensor

Code Examples

```
>>> m = nn.CELU()
>>> input = torch.randn(2)
>>> output = m(input)
```

Detailed Documentation

Documentation

Applies the CELU function element-wise.

More details can be found in the paper Continuously Differentiable Exponential Linear Units .

alpha (float) – the α value for the CELU formulation. Default: 1.0

inplace (bool) – can optionally do the operation in-place. Default: False

Input: $(*)$, where $*$ means any number of dimensions.

Output: $(*)$, same shape as the input.

Return the extra representation of the module.

Runs the forward pass.

Applies the CELU function element-wise.

More details can be found in the paper Continuously Differentiable Exponential Linear Units .

alpha (float) – the α\alphaα value for the CELU formulation. Default: 1.0

alpha (float) – the α\alphaα value for the CELU formulation. Default: 1.0

inplace (bool) – can optionally do the operation in-place. Default: False

inplace (bool) – can optionally do the operation in-place. Default: False

Input: $(*)$(*)$(*)$, where $*$*$*$ means any number of dimensions.

Input: $(*)$(*)$(*)$, where $*$*$*$ means any number of dimensions.

Output: $(*)$(*)$(*)$, same shape as the input.

Output: $(*)$(*)$(*)$, same shape as the input.

Return the extra representation of the module.

Runs the forward pass.
