tf.VariableSynchronization Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/VariableSynchronization

> *Indicates when a distributed variable will be synced.*

Code Examples

```
>>> temp_grad=[tf.Variable([0.], trainable=False,
...
synchronization=tf.VariableSynchronization.ON_READ,
...                         aggregation=tf.VariableAggregation.MEAN
...                         )]
```


```
>>> temp_grad=[tf.Variable([0.], trainable=False,
...
synchronization=tf.VariableSynchronization.ON_READ,
...                         aggregation=tf.VariableAggregation.MEAN
...                         )]
```


Documentation

Indicates when a distributed variable will be synced.

View aliases

Compat aliases for migration

See
Migration guide for
more details.

tf.compat.v1.VariableSynchronization

- AUTO: Indicates that the synchronization will be determined by the current

DistributionStrategy (eg. With MirroredStrategy this would be
ON_WRITE).

- NONE: Indicates that there will only be one copy of the variable, so

there is no need to sync.

- ON_WRITE: Indicates that the variable will be updated across devices

every time it is written.

- ON_READ: Indicates that the variable will be aggregated across devices

when it is read (eg. when checkpointing or when evaluating an op that uses
the variable).

Example:

ON_READ: Indicates that the variable will be aggregated across devices
when it is read (eg. when checkpointing or when evaluating an op that uses
the variable).

Example:

Class Variables