torch.sinh#

https://pytorch.org/docs/stable/generated/torch.sinh.html#torch.sinh

Description:

Returns a new tensor with the hyperbolic sine of the elements of input. input (Tensor) – the input tensor. out (Tensor, optional) – the output tensor.

Function Signature

```
torch.sinh(input, *, out=None) → Tensor#
Parameters
Keyword Arguments
```

Parameters

Keyword

out (Tensor, optional) – the output tensor.

Code Examples

```
>>> a = torch.randn(4)
>>> a
tensor([ 0.5380, -0.8632, -0.1265,  0.9399])
>>> torch.sinh(a)
tensor([ 0.5644, -0.9744, -0.1268,  1.0845])
```

Notes & Warnings

NOTE

Note When input is on the CPU, the implementation of torch.sinh may use the Sleef library, which rounds very large results to infinity or negative infinity. See here for details.

Detailed Documentation

Documentation

Returns a new tensor with the hyperbolic sine of the elements of input.

input (Tensor) – the input tensor.

out (Tensor, optional) – the output tensor.

When input is on the CPU, the implementation of torch.sinh may use the Sleef library, which rounds very large results to infinity or negative infinity. See here for details.

Returns a new tensor with the hyperbolic sine of the elements of input.

input (Tensor) – the input tensor.

out (Tensor, optional) – the output tensor.

When input is on the CPU, the implementation of torch.sinh may use the Sleef library, which rounds very large results to infinity or negative infinity. See here for details.