tf.compat.v1.sparse_reduce_max_sparse Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/sparse_reduce_max_sparse

> *Computes the max of elements across dimensions of a SparseTensor. (deprecated arguments)*

Function Signatures

```
tf.compat.v1.sparse_reduce_max_sparse( sp_input, axis=None,
keepdims=None, reduction_axes=None, keep_dims=None )
(keep_dims)
tf.reduce_max()
```

Code Examples

```
tf.compat.v1.sparse_reduce_max_sparse(
sp_input, axis=None, keepdims=None, reduction_axes=None,
keep_dims=None
)
```


```
tf.compat.v1.sparse_reduce_max_sparse(
sp_input, axis=None, keepdims=None, reduction_axes=None,
keep_dims=None
)
```

Documentation

Computes the max of elements across dimensions of a SparseTensor. (deprecated arguments)

View aliases

Compat aliases for migration

See
Migration guide for
more details.

tf.compat.v1.sparse.reduce_max_sparse

This Op takes a SparseTensor and is the sparse counterpart to
tf.reduce_max(). In contrast to SparseReduceSum, this Op returns a
SparseTensor.

Reduces sp_input along the dimensions given in reduction_axes. Unless
keepdims is true, the rank of the tensor is reduced by 1 for each entry in
reduction_axes. If keepdims is true, the reduced dimensions are retained
with length 1.

If reduction_axes has no entries, all dimensions are reduced, and a tensor
with a single element is returned. Additionally, the axes can be negative,
which are interpreted according to the indexing rules in Python.

Returns