tf.compat.v1.image.extract_glimpse Stay organized with collections Save and categorize content based on your preferences.

https://www.tensorflow.org/api_docs/python/tf/compat/v1/image/extract_glimpse

> *Extracts a glimpse from the input tensor.*

Function Signatures

```
tf.compat.v1.image.extract_glimpse( input, size, offsets,
centered=True, normalized=True, uniform_noise=True, name=None
)
```

Code Examples

```
tf.compat.v1.image.extract_glimpse(
input,
size,
offsets,
centered=True,
normalized=True,
uniform_noise=True,
name=None
)
```

```
tf.compat.v1.image.extract_glimpse(
input,
size,
offsets,
centered=True,
normalized=True,
uniform_noise=True,
name=None
)
```

```
x = [[[[0.0],
[1.0],
[2.0]],
[[3.0],
[4.0],
[5.0]],
[[6.0],
[7.0],
[8.0]]]]
tf.compat.v1.image.extract_glimpse(x, size=(2, 2), offsets=[[1,
1]],
centered=False, normalized=False)
```

```
x = [[[[0.0],
```

Documentation

Extracts a glimpse from the input tensor.

Returns a set of windows called glimpses extracted at location offsets from the input tensor. If the windows only partially overlaps the inputs, the non-overlapping areas will be filled with random noise.

The result is a 4-D tensor of shape [batch_size, glimpse_height, glimpse_width, channels]. The channels and batch dimensions are the same as that of the input tensor. The height and width of the output windows are specified in the size parameter.

The argument normalized and centered controls how the windows are built:

- If the coordinates are normalized but not centered, 0.0 and 1.0

correspond to the minimum and maximum of each height and width dimension.

- If the coordinates are both normalized and centered, they range from

-1.0 to 1.0. The coordinates (-1.0, -1.0) correspond to the upper left corner, the lower right corner is located at (1.0, 1.0) and the center is at (0, 0).

- If the coordinates are not normalized they are interpreted as

numbers of pixels.

Usage Example:

Returns