torch.nn.functional.max_pool1d#

https://pytorch.org/docs/stable/generated/torch.nn.functional.max_pool1d.htm

Description:

Applies a 1D max pooling over an input signal composed of several input planes. The order of ceil_mode and return_indices is different from what seen in MaxPool1d, and will change in a future release. See MaxPool1d for details. input – input tensor of shape (minibatch,in_channels,iW) (\text{minibatch} , \text{in_channels} , iW)(minibatch,in_channels,iW), minibatch dim optional.

Function Signature

```
torch.nn.functional.max_pool1d(input, kernel_size,
stride=None, padding=0, dilation=1, ceil_mode=False,
return_indices=False)[source]#

Parameters
```

Notes & Warnings

NOTE

Note The order of ceil_mode and return_indices is different from what seen in MaxPool1d, and will change in a future release.

Detailed Documentation

Documentation

Applies a 1D max pooling over an input signal composed of several input planes.

The order of ceil_mode and return_indices is different from what seen in MaxPool1d, and will change in a future release.

See MaxPool1d for details.

input – input tensor of shape (minibatch,in_channels,iW)(\text{minibatch} , \text{in_channels} , iW)(minibatch,in_channels,iW), minibatch dim optional.

kernel_size – the size of the window. Can be a single number or a tuple (kW,)

stride – the stride of the window. Can be a single number or a tuple (sW,). Default: kernel_size

padding – Implicit negative infinity padding to be added on both sides, must be >= 0 and <= kernel_size / 2.

dilation – The stride between elements within a sliding window, must be > 0.

ceil_mode – If True, will use ceil instead of floor to compute the output shape. This ensures that every element in the input tensor is covered by a sliding window.

return_indices – If True, will return the argmax along with the max values. Useful for torch.nn.functional.max_unpool1d later