torch.cuda.comm.reduce_add#

https://pytorch.org/docs/stable/generated/torch.cuda.comm.reduce_add.html#to

Description:

Sum tensors from multiple GPUs. All inputs should have matching shapes, dtype, and layout. The output tensor will be of the same shape, dtype, and layout. inputs (Iterable[Tensor]) – an iterable of tensors to add. destination (int, optional) – a device on which the output will be placed (default: current device). A tensor containing an elementwise sum of all inputs, placed on the destination device.

Function Signature

```
torch.cuda.comm.reduce_add(inputs, destination=None)
[source]#

Parameters

Returns
```

Returns:

A tensor containing an elementwise sum of all inputs, placed on the destination device.

Detailed Documentation

Documentation

Sum tensors from multiple GPUs.

All inputs should have matching shapes, dtype, and layout. The output tensor will be of the same shape, dtype, and layout.

inputs (Iterable[Tensor]) – an iterable of tensors to add.

destination (int, optional) – a device on which the output will be placed (default: current device).

A tensor containing an elementwise sum of all inputs, placed on the destination device.

Sum tensors from multiple GPUs.

All inputs should have matching shapes, dtype, and layout. The output tensor will be of the same shape, dtype, and layout.

inputs (Iterable[Tensor]) – an iterable of tensors to add.

inputs (Iterable[Tensor]) – an iterable of tensors to add.

destination (int, optional) – a device on which the output will be placed (default: current device).

destination (int, optional) – a device on which the output will be placed (default: current device).

A tensor containing an elementwise sum of all inputs, placed on the destination device.